

District I
1625 N. French Dr., Hobbs, NM 88240State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District II
811 S. First St., Artesia, NM 88210District III
1000 Rio Brazos Rd., Aztec, NM 87410District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 12/2/2022
⁴ API Number 30 – 015-47601	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 321601	⁸ Property Name: SALT FLAT CC 20-29 FEDERAL COM	⁹ Well Number: 13H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South Line SOUTH	Feet from the 1045	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location

FTP- 244' FNL 1917' FEL LTP- 159' FSL 1881' FEL

UL or lot no. O	Section 29	Township 24S	Range 29E	Lot Idn	Feet from the 47	North/South line SOUTH	Feet from the 1885	East/West line EAST	County EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 12/3/22		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 07/16/22	²² Ready Date 12/2/2022	²³ TD 18566'M 7693'V	²⁴ PBSD 18523'M 7693'V	²⁵ Perforations 8196-18454'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
17-1/2"	13-3/8"	323'		475	
9-7/8"	7-5/8"	6789'		1972	
6-3/4"	5-1/2"	18546'		1186	

V. Well Test Data

³¹ Date New Oil 12/5/22	³² Gas Delivery Date 12/3/22	³³ Test Date 12/21/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 865
³⁷ Choke Size 128/128	³⁸ Oil 5155	³⁹ Water 4594	⁴⁰ Gas 4937		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.comDate: 04/03/2023
Phone: 432-695-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 5/5/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47601	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 321601	Property Name SALT FLAT CC 20_29 FEDERAL COM	⁶ Well Number 13H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2927'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	17	24S	29E		1070	SOUTH	1045	EAST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	29	24S	29E		47	SOUTH	1885	EAST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 645062.61' / Y: 440384.30' B - X: 645053.33' / Y: 437733.30' C - X: 645044.04' / Y: 435082.31' D - X: 645050.17' / Y: 432416.41' E - X: 645058.39' / Y: 429765.98' F - X: 642418.52' / Y: 429773.20' G - X: 642395.70' / Y: 435091.26' H - X: 642408.42' / Y: 440401.10'	CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 603878.64' / Y: 440325.45' B - X: 603869.29' / Y: 437674.51' C - X: 603859.94' / Y: 435023.56' D - X: 603866.00' / Y: 432357.72' E - X: 603872.15' / Y: 429707.34' F - X: 601234.33' / Y: 429714.58' G - X: 601211.64' / Y: 435032.54' H - X: 601224.48' / Y: 440342.27'	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by this division. Signature _____ Date 12/2/22	
	SURFACE HOLE LOCATION 1070' FSL 1045' FEL, SECTION 17 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 644008.56' / Y: 441462.50' LAT: 32.21322130N / LON: 104.00135386W NAD 27, SPCS NM EAST X: 602824.62' / Y: 441403.63' LAT: 32.21309850N / LON: 104.00086492W	KICK OFF POINT 505' FSL 1724' FEL, SECTION 17 7080' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 643334.14' / Y: 440899.94' LAT: 32.21168061N / LON: 104.00354010W NAD 27, SPCS NM EAST X: 602150.20' / Y: 440841.09' LAT: 32.21155782N / LON: 104.00305112W	FIRST TAKE POINT 244' FNL 1917' FEL, SECTION 20 8196' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 643144.41' / Y: 440152.22' LAT: 32.20962682N / LON: 104.00416096W NAD 27, SPCS NM EAST X: 601960.46' / Y: 440093.39' LAT: 32.20950402N / LON: 104.00367202W	NOVEMBER 29, 2022 Date of Survey Signature and Seal of Professional Surveyor:
	LAST TAKE POINT 159' FSL 1881' FEL, SECTION 29 18454' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 643174.70' / Y: 429930.12' LAT: 32.18152731N / LON: 104.00416420W NAD 27, SPCS NM EAST X: 601990.50' / Y: 429871.49' LAT: 32.18140416N / LON: 104.00367621W	BOTTOM HOLE LOCATION 47' FSL 1885' FEL, SECTION 29 18566' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 643171.55' / Y: 429818.17' LAT: 32.18121731N / LON: 104.00417520W NAD 27, SPCS NM EAST X: 601987.34' / Y: 429759.54' LAT: 32.18109644N / LON: 104.00368751W	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. Signature _____ Certificate Number DAVID W. MYERS 11403	
	SHEET 1 OF 1 JOB No. OXY_0009_SF02 REV 0 BM 11/29/2022			DISTANCES/AREAS RELATIVE TO NAD 83 COMBINED SCALE FACTOR: 0.9997801707 CONVERGENCE ANGLE: 00°10'21.400000"




OXY



Borehole:	Well:	Field:	Structure:
Salt Flat CC 20_29 Federal Com 13H ST01	Salt Flat CC 20_29 Federal Com 13H	NM Eddy County (NAD 83)	Oxy Salt Flat CC 20_29 Federal Com Pad

Gravity & Magnetic Parameters	Surface Location	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Miscellaneous
Model: IFR1 MagDec: 6.73° Dip: 59.897° FS: 47543.8nT Date: 29-Sep-2022 Gravity FS: 998.469mgn (9.80665 Based)	Lat: N 32 12 47.60 Lon: W 104 0 4.87	Northing: 441462.5HUS Easting: 644008.56HUS Grid Conv: 0.177° Scale Fact: 0.99992116	Salt Flat CC Slot: 20_29 Federal Com 13H Plan: Oxy Salt Flat CC 20_29 Federal Com 13H ST01 MWD 12647° to 18566° MD

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
Tie-In to OH	12647.00	86.89	183.17	7713.01	5775.88	-5735.48	-776.54	
Exit Target Box	13397.00	91.33	184.55	7736.58	6523.89	-6478.92	-867.77	4.26
Enter Target Box	15129.00	90.45	178.37	7712.05	8250.72	-8209.70	-872.44	0.51
100' FSL Crossing	18512.00	90.29	181.65	7693.50	11621.35	-11591.29	-835.44	0.53
Final MWD Survey	18533.00	90.25	181.75	7693.40	11642.33	-11612.28	-836.07	0.53
Proj to TD	18566.00	90.25	181.75	7693.26	11675.30	-11645.27	-837.07	0.00



Schlumberger



Oxy Salt Flat CC 20_29 Federal Com 13H ST01 MWD 12647' to 18566'MD

Survey Geodetic Report

(Def Survey)

Report Date: October 25, 2022 - 09:09 AM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Salt Flat CC 20_29 Federal Com Pad / Salt Flat CC 20_29 Federal Com 13H
Well: Salt Flat CC 20_29 Federal Com 13H
Borehole: Salt Flat CC 20_29 Federal Com 13H ST01
UWI / API#: Unknown / Unknown
Survey Name: Oxy Salt Flat CC 20_29 Federal Com 13H ST01 MWD 12647' to 18566'MD
Survey Date: October 16, 2022
Tort / AHD / DDI / ERD Ratio: 286.416 " / 12026.085 ft / 6.917 / 1.554
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 12' 47.59669", W 104° 0' 4.87391"
Location Grid N/E Y/X: N 441462.500 RUS, E 644008.560 RUS
CRS Grid Convergence Angle: 0.1770 °
Grid Scale Factor: 0.99992116
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 184.031 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2951.200 ft above MSL
Seabed / Ground Elevation: 2927.200 ft above MSL
Magnetic Declination: 6.730 °
Total Gravity Field Strength: 998.4692mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47543.800 nT
Magnetic Dip Angle: 59.897 °
Declination Date: September 29, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.1800 °
Total Corr Mag North->Grid North: 6.5500 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ° '")	Longitude (E/W ° ° '")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	441462.50	644008.56	N 32 12 47.60	W 104 0 4.87
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	441462.50	644008.56	N 32 12 47.60	W 104 0 4.87
First Gyro Survey	94.61	1.54	144.41	94.60	0.73	-0.77	0.55	2.18	0.95	144.41	441461.73	644009.11	N 32 12 47.59	W 104 0 4.86
	180.81	1.14	165.86	180.78	2.44	-2.55	1.44	0.74	2.92	150.57	441459.96	644010.00	N 32 12 47.57	W 104 0 4.87
Last Gyro Survey	269.23	1.21	167.71	269.18	4.17	-4.31	1.85	0.09	4.69	156.78	441458.19	644010.41	N 32 12 47.55	W 104 0 4.85
First SLB Survey	407.00	0.06	280.37	406.94	5.56	-5.72	2.09	0.90	6.09	159.94	441456.78	644010.65	N 32 12 47.54	W 104 0 4.85
	500.00	0.03	205.67	499.94	5.57	-5.73	2.03	0.06	6.08	160.50	441456.77	644010.59	N 32 12 47.54	W 104 0 4.85
	593.00	0.08	171.42	592.94	5.66	-5.82	2.03	0.06	6.16	160.78	441456.68	644010.59	N 32 12 47.54	W 104 0 4.85
	686.00	0.07	139.90	685.94	5.77	-5.93	2.08	0.05	6.28	160.70	441456.57	644010.63	N 32 12 47.54	W 104 0 4.85
	779.00	0.05	60.28	778.94	5.78	-5.95	2.15	0.08	6.32	160.16	441456.55	644010.71	N 32 12 47.54	W 104 0 4.85
	872.00	0.06	138.32	871.94	5.79	-5.97	2.21	0.07	6.36	159.63	441456.54	644010.77	N 32 12 47.54	W 104 0 4.85
	947.00	0.08	276.42	946.94	5.82	-5.99	2.19	0.17	6.38	159.92	441456.51	644010.75	N 32 12 47.54	W 104 0 4.85
	1039.00	0.05	228.33	1038.94	5.85	-6.01	2.09	0.06	6.36	160.78	441456.49	644010.65	N 32 12 47.54	W 104 0 4.85
	1133.00	0.02	133.75	1132.94	5.89	-6.05	2.08	0.06	6.39	161.05	441456.45	644010.64	N 32 12 47.54	W 104 0 4.85
	1226.00	0.06	294.08	1225.94	5.88	-6.04	2.04	0.09	6.37	161.30	441456.46	644010.60	N 32 12 47.54	W 104 0 4.85
	1318.00	0.08	319.81	1317.94	5.82	-5.97	1.96	0.04	6.28	161.84	441456.53	644010.52	N 32 12 47.54	W 104 0 4.85
	1412.00	0.05	244.51	1411.94	5.79	-5.94	1.88	0.09	6.23	162.44	441456.56	644010.44	N 32 12 47.54	W 104 0 4.85
	1505.00	0.05	280.89	1504.94	5.81	-5.95	1.80	0.03	6.21	163.14	441456.55	644010.36	N 32 12 47.54	W 104 0 4.85
	1598.00	0.01	131.54	1597.94	5.81	-5.94	1.77	0.06	6.20	163.43	441456.56	644010.33	N 32 12 47.54	W 104 0 4.85
	1691.00	0.08	305.53	1690.94	5.78	-5.91	1.72	0.10	6.16	163.77	441456.59	644010.28	N 32 12 47.54	W 104 0 4.85
	1786.00	0.02	158.68	1785.94	5.76	-5.89	1.67	0.10	6.12	164.14	441456.61	644010.23	N 32 12 47.54	W 104 0 4.85
	1880.00	0.03	15.12	1879.94	5.75	-5.88	1.69	0.05	6.12	164.00	441456.62	644010.25	N 32 12 47.54	W 104 0 4.85
	1975.00	0.04	27.98	1974.94	5.69	-5.83	1.71	0.01	6.07	163.66	441456.67	644010.27	N 32 12 47.54	W 104 0 4.85
	2069.00	0.10	167.06	2068.94	5.74	-5.88	1.74	0.14	6.13	163.50	441456.62	644010.30	N 32 12 47.54	W 104 0 4.85
	2164.00	0.09	154.32	2163.94	5.89	-6.03	1.79	0.02	6.29	163.43	441456.47	644010.35	N 32 12 47.54	W 104 0 4.85
	2259.00	0.05	41.61	2258.94	5.92	-6.06	1.85	0.12	6.34	163.01	441456.44	644010.41	N 32 12 47.54	W 104 0 4.85
	2353.00	0.05	167.46	2352.94	5.92	-6.07	1.89	0.09	6.36	162.72	441456.43	644010.45	N 32 12 47.54	W 104 0 4.85
	2448.00	0.09	196.10	2447.94	6.04	-6.18	1.88	0.05	6.46	163.12	441456.32	644010.44	N 32 12 47.54	W 104 0 4.85
	2542.00	0.10	237.96	2541.94	6.16	-6.30	1.79	0.07	6.55	164.16	441456.20	644010.35	N 32 12 47.53	W 104 0 4.85
	2637.00	0.04	202.79	2636.94	6.24	-6.37	1.70	0.07	6.60	165.03	441456.13	644010.26	N 32 12 47.53	W 104 0 4.85
	2732.00	0.03	287.10	2731.94	6.26	-6.40	1.67	0.05	6.61	165.39	441456.10	644010.23	N 32 12 47.53	W 104 0 4.85
	2826.00	0.92	239.22	2825.93	6.69	-6.78	1.00	0.96	6.85	171.64	441455.73	644009.55	N 32 12 47.53	W 104 0 4.86
	2921.00	3.10	237.96	2920.87	8.64	-8.53	-1.84	2.30	8.72	192.16	441453.97	644006.72	N 32 12 47.51	W 104 0 4.90
	3016.00	5.84	237.53	3015.57	13.02	-12.49	-8.09	2.88	14.88	212.95	441450.01	644000.47	N 32 12 47.47	W 104 0 4.97
	3110.00	8.42	237.21	3108.84	20.00	-18.78	-17.92	2.74	25.96	223.65	441443.72	643990.65	N 32 12 47.41	W 104 0 5.08
	3205.00	9.92	235.07	3202.62	29.31	-27.23	-30.47	1.62	40.87	228.21	441435.27	643978.08	N 32 12 47.33	W 104 0 5.23
	3300.00	8.63	231.94	3296.38	39.23	-36.31	-42.79	1.46	56.13	229.68	441426.19	643965.77	N 32 12 47.24	W 104 0 5.37
	3394.00	8.78	225.23	3389.30	49.36	-45.72	-53.44	1.09	70.33	229.45	441416.79	643955.12	N 32 12 47.15	W 104 0 5.50
	3489.00	8.80	219.76	3483.18	60.71	-56.41	-63.24	0.88	84.74	228.27	441406.10	643945.33	N 32 12 47.04	W 104 0 5.61
	3583.00	10.62	223.04	3575.83	73.28	-68.27	-73.75	0.22	100.49	227.21	441394.24	643934.24	N 32 12 46.92	W 104 0 5.73
	3678.00	10.23	222.30	3669.26	86.71	-80.90	-85.40	0.43	117.64	226.55	441381.60	643923.17	N 32 12 46.80	W 104 0 5.87
	3773.00	10.44	223.33	3762.72	99.99	-93.41	-96.98	0.29	134.65	226.08	441369.10	643911.58	N 32 12 46.68	W 104 0 6.01
	3867.00	10.33	230.72	3855.19	112.36	-104.94	-109.35	1.42	151.56	226.18	441357.57	643899.22	N 32 12 46.56	W 104 0 6.15
	3962.00	10.42	230.84	3948.63	124.09	-115.75	-122.61	1.10	168.62	226.65	441346.75	643885.96	N 32 12 46.46	W 104 0 6.31
	4057.00	10.43	232.42	4042.07	135.68	-126.42	-136.08	0.30	185.75	227.11	441336.09	643872.49	N 32 12 46.35	W 104 0 6.46
	4152.00	10.45	231.22	4135.49	147.24	-137.06	-149.61	0.23	202.91	227.51	441325.45	643858.96	N 32 12 46.24	W 104 0 6.62
	4246.00	10.39	230.61	4227.94	158.86	-147.78	-162.83	0.13	219.88	227.77	441314.73	643845.76	N 32 12 46.14	W 104 0 6.77
	4341.00	10.50	232.15	4321.37	170.53	-158.53	-176.27	0.32	237.07	228.03	441303.98	643832.31	N 32 12 46.03	W 104 0 6.93
	4435.00	10.42	231.51	4413.81	181.99	-169.08	-189.68	0.15	254.10	228.29	441293.44	643818.89	N 32 12 45.93	W 104 0 7.09
	4530.00	10.54	231.28	4507.22	193.70	-179.86	-203.19	0.13	271.35	228.48	441282.66	643805.39	N 32 12 45.82	W 104 0 7.25
	4624.00	10.58	231.41	4599.63	205.38	-190.62	-216.64	0.05	288.56	228.66	441271.90	643791.94	N 32 12 45.72	W 104 0 7.40
	4719.00	11.76	231.61	4692.83	217.81	-202.07	-231.04	1.24	306.94	228.83	441260.45	643777.53	N 32 12 45.60	W 104 0 7.57
	4814.00	12.52	230.82	4785.70	231.39	-214.59	-246.61	0.82	326.90	228.97	441247.93	643761.97	N 32 12 45.48	W 104 0 7.75
	4908.00	12.52	231.02	4877.47	245.32	-227.43	-262.43	0.95	347.27	229.09	441235.08	643745.16	N 32 12 45.35	W 104 0 7.94
	5003.00	12.26	231.11	4970.26	259.21	-240.24	-278.29	0.27	367.64	229.20	441222.27	643730.29	N 32 12 45.23	W 104 0 8.12
	5097.00	12.48	231.31	5062.07	272.90	-252.86	-293.98	0.24	387.77	229.30	441209.66	643714.60	N 32 12 45.10	W 104 0 8.30
	5192.00	12.26	230.67	5154.87	286.79	-265.67	-309.80	0.27	408.11	229.39	441196.85	643698.78	N 32 12 44.98	W 104 0 8.49
	5286.00	13.75	231.21	5246.46	301.24	-278.99	-326.23	1.59	429.26	229.46	441183.53	643682.36	N 32 12 44.85	W 104 0 8.68
	5381.00	14.07	231.09	5338.67	316.78	-293.32	-344.01	0.34	452.08	229.55	441169.20	643664.58	N 32 12 44.70	W 104 0 8.89
	5475.00	13.94	230.92	5429.88	332.30	-307.63	-361.69	0.15	474.83	229.62	441154.89	643646.90	N 32 12 44.56	W 104 0 9.09
	5570.00	14.47	230.89	5521.97	348.23	-322.33	-379.78	0.56	498.13	229.68	441140.19	643628.81	N 32 12 44.42	W 104 0 9.31
	5665.00	14.48	231.48	5613.95	364.38	-337.22	-398.29	0.16	521.87	229.75	441125.31	643610.31	N 32 12 44.27	W 104 0 9.52
	5760.00	14.63	231.39	5705.91	380.54	-352.10	-416.95	0.16	545.73	229.82	441110.43	643591.64	N 32 12 44.13	W 104 0 9.74
	5855.00	14.72	230.62	5797.81	396.96	-367.25	-435.66	0.23	569.80	229.87	441095.28	643572.94	N 32 12 43.98	W 104 0 9.96
	5949.00	14.66	230.53											

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	9256.00	90.33	179.48	7707.17	2421.49	-2360.55	-950.00	0.33	2544.54	201.32	439102.14	643058.64	N 32 12 24.27	W 104 0 16.02
	9351.00	90.21	179.32	7706.72	2516.18	-2455.54	-949.00	0.21	2632.54	201.13	439007.16	643059.64	N 32 12 23.33	W 104 0 16.01
	9445.00	89.94	178.69	7706.60	2609.82	-2549.53	-947.37	0.73	2719.85	200.38	438913.18	643061.27	N 32 12 22.40	W 104 0 15.99
	9540.00	90.58	177.78	7706.17	2704.33	-2644.48	-944.44	1.17	2808.07	199.65	438818.24	643064.19	N 32 12 21.46	W 104 0 15.96
	9634.00	90.88	177.86	7704.97	2797.77	-2738.40	-940.87	0.33	2895.53	198.96	438724.32	643067.77	N 32 12 20.53	W 104 0 15.92
	9729.00	91.94	177.77	7702.63	2892.18	-2833.30	-937.25	1.12	2984.30	198.30	438629.43	643071.39	N 32 12 19.59	W 104 0 15.88
	9824.00	92.66	177.90	7698.82	2986.55	-2928.16	-933.66	0.77	3073.41	197.69	438534.58	643074.81	N 32 12 18.65	W 104 0 15.85
	9918.00	93.12	177.99	7694.08	3077.89	-3021.99	-930.22	0.49	3161.91	197.11	438440.77	643078.41	N 32 12 17.72	W 104 0 15.81
	10013.00	90.80	175.91	7690.83	3174.09	-3116.77	-925.09	3.22	3251.16	196.53	438345.98	643083.54	N 32 12 16.78	W 104 0 15.75
	10108.00	88.76	174.17	7691.19	3267.91	-3211.41	-916.88	2.82	3339.73	195.93	438251.35	643091.75	N 32 12 15.85	W 104 0 15.66
	10202.00	88.11	174.32	7693.76	3360.51	-3304.90	-907.46	0.71	3427.22	195.35	438157.87	643101.17	N 32 12 14.92	W 104 0 15.55
	10293.00	88.47	174.40	7696.48	3450.18	-3395.42	-898.52	0.41	3512.29	194.82	438067.36	643110.11	N 32 12 14.03	W 104 0 15.45
	10385.00	88.33	174.69	7699.05	3540.88	-3486.36	-889.78	0.35	3598.70	194.31	437975.82	643118.85	N 32 12 13.12	W 104 0 15.35
	10478.00	89.74	175.55	7700.61	3632.75	-3579.61	-881.87	1.78	3686.64	193.94	437883.18	643126.76	N 32 12 12.20	W 104 0 15.27
	10571.00	89.75	176.94	7701.03	3724.89	-3672.41	-875.78	1.49	3775.39	193.41	437790.39	643132.85	N 32 12 11.28	W 104 0 15.20
	10664.00	88.30	175.37	7702.61	3816.99	-3765.18	-869.54	2.30	3864.28	193.00	437697.63	643139.09	N 32 12 10.37	W 104 0 15.13
	10757.00	90.70	175.17	7703.42	3908.89	-3857.85	-861.87	2.59	3952.95	192.59	437604.96	643146.76	N 32 12 9.45	W 104 0 15.04
	10850.00	90.14	172.44	7702.74	4000.41	-3950.30	-851.84	3.00	4041.10	192.17	437512.52	643156.79	N 32 12 8.53	W 104 0 14.93
	10943.00	89.57	170.22	7702.97	4091.12	-4042.23	-837.82	2.46	4128.14	191.71	437420.60	643170.81	N 32 12 7.62	W 104 0 14.77
	11037.00	90.76	170.27	7703.52	4182.41	-4134.87	-821.89	0.21	4215.76	191.24	437327.97	643186.73	N 32 12 6.71	W 104 0 14.59
	11131.00	89.22	171.47	7704.36	4273.94	-4227.67	-806.98	1.40	4304.00	190.81	437235.17	643201.64	N 32 12 5.79	W 104 0 14.42
	11226.00	90.62	171.88	7704.49	4366.74	-4321.67	-793.23	1.54	4393.86	190.40	437141.18	643215.40	N 32 12 4.86	W 104 0 14.26
	11293.00	92.08	172.40	7702.91	4432.28	-4388.02	-784.07	2.31	4457.52	190.13	437074.84	643224.56	N 32 12 4.20	W 104 0 14.16
	11321.00	92.28	172.48	7701.85	4459.69	-4415.75	-780.38	0.77	4484.18	190.02	437047.10	643228.24	N 32 12 3.93	W 104 0 14.11
	11415.00	91.44	171.18	7698.80	4551.51	-4508.74	-767.02	1.86	4573.52	189.65	436954.12	643241.60	N 32 12 3.01	W 104 0 13.96
	11510.00	91.81	171.00	7696.10	4644.06	-4602.56	-752.29	0.42	4663.63	189.28	436860.31	643256.33	N 32 12 2.08	W 104 0 13.79
	11606.00	93.41	170.34	7691.73	4737.36	-4697.19	-736.75	1.80	4754.61	188.91	436765.69	643271.87	N 32 12 1.14	W 104 0 13.62
	11701.00	89.31	177.34	7689.48	4830.75	-4791.53	-726.57	8.54	4846.31	188.62	436671.35	643282.05	N 32 12 0.21	W 104 0 13.50
	11795.00	91.55	181.58	7688.77	4924.43	-4885.50	-725.68	5.10	4939.10	188.45	436577.40	643282.94	N 32 11 59.28	W 104 0 13.49
	11890.00	87.78	183.69	7689.32	5019.37	-4980.37	-730.05	4.55	5033.60	188.34	436482.53	643278.57	N 32 11 58.34	W 104 0 13.55
	11984.00	88.37	183.27	7692.48	5113.31	-5074.15	-735.75	0.77	5127.21	188.25	436388.76	643272.87	N 32 11 57.41	W 104 0 13.62
	12079.00	89.55	183.18	7694.21	5208.29	-5168.98	-741.09	1.25	5221.84	188.16	436293.94	643267.53	N 32 11 56.47	W 104 0 13.68
	12174.00	88.85	184.37	7695.53	5303.28	-5263.76	-747.35	1.45	5316.55	188.08	436199.16	643261.27	N 32 11 55.53	W 104 0 13.76
	12268.00	89.14	184.15	7697.18	5397.26	-5357.49	-754.33	0.39	5410.33	188.01	436105.45	643254.29	N 32 11 54.61	W 104 0 13.84
	12363.00	87.43	183.31	7700.03	5492.21	-5452.24	-760.51	2.01	5505.02	187.94	436010.70	643248.11	N 32 11 53.67	W 104 0 13.92
	12457.00	87.75	183.46	7703.98	5586.12	-5545.99	-766.05	0.38	5598.65	187.86	435916.96	643242.57	N 32 11 52.74	W 104 0 13.99
	12552.00	87.23	183.02	7708.14	5681.02	-5640.75	-771.42	0.72	5693.25	187.79	435822.21	643237.21	N 32 11 51.80	W 104 0 14.05
	12647.00	86.89	183.17	7713.01	5775.88	-5735.48	-776.54	0.39	5787.81	187.71	435727.48	643232.08	N 32 11 50.87	W 104 0 14.12
	12688.00	84.51	184.49	7716.08	5876.76	-5776.22	-779.27	0.63	5878.63	187.69	435633.68	643229.35	N 32 11 49.94	W 104 0 14.15
	12782.00	85.70	188.16	7724.11	5910.33	-5869.34	-789.59	4.09	5922.22	187.66	435593.63	643219.04	N 32 11 49.54	W 104 0 14.27
	12877.00	86.20	187.80	7729.08	6004.96	-5963.29	-802.76	2.76	6017.08	187.67	435499.70	643205.87	N 32 11 48.61	W 104 0 14.43
	12972.00	88.21	187.35	7731.97	6099.74	-6057.41	-815.27	0.48	6112.03	187.67	435405.58	643193.35	N 32 11 47.68	W 104 0 14.58
	13016.00	88.57	188.22	7733.21	6143.63	-6100.99	-821.23	2.14	6156.01	187.67	435362.00	643187.39	N 32 11 47.25	W 104 0 14.65
	13111.00	88.64	189.54	7735.52	6238.26	-6194.82	-835.89	1.39	6250.96	187.68	435268.18	643172.74	N 32 11 46.32	W 104 0 14.82
	13206.00	89.57	188.95	7737.01	6332.98	-6288.82	-849.52	2.89	6345.94	187.69	435174.19	643159.11	N 32 11 45.39	W 104 0 14.99
	13301.00	89.79	185.20	7737.54	6427.91	-6383.28	-859.58	1.87	6440.89	187.67	435079.74	643149.05	N 32 11 44.46	W 104 0 15.11
	13396.00	91.33	184.59	7736.61	6522.89	-6477.92	-867.69	1.74	6535.78	187.63	434985.10	643140.94	N 32 11 43.52	W 104 0 15.20
	13397.00	91.33	184.55	7736.58	6523.89	-6478.92	-867.77	4.26	6536.78	187.63	434984.10	643140.86	N 32 11 43.51	W 104 0 15.20
	13491.00	91.12	189.55	7734.58	6617.82	-6572.79	-871.95	1.26	6630.37	187.56	434890.24	643136.68	N 32 11 42.58	W 104 0 15.26
	13585.00	89.99	179.42	7733.67	6711.58	-6666.78	-871.92	1.70	6723.56	187.45	434796.26	643136.71	N 32 11 41.65	W 104 0 15.28
	13680.00	92.26	184.54	7731.80	6806.46	-6761.67	-875.20	0.89	6818.07	187.38	434701.39	643133.38	N 32 11 40.72	W 104 0 15.30
	13774.00	91.42	181.48	7728.78	6900.39	-6855.48	-880.13	3.37	6911.74	187.32	434607.58	643128.50	N 32 11 39.77	W 104 0 15.36
	13869.00	91.06	182.83	7726.72	6995.31	-6950.39	-883.70	1.47	7006.34	187.25	434512.68	643124.93	N 32 11 38.85	W 104 0 15.41
	13964.00	90.95	182.62	7725.06	7090.27	-7045.26	-888.22	0.25	7101.03	187.19	434417.81	643120.41	N 32 11 37.97	W 104 0 15.46
	14059.00	90.97	182.12	7723.47	7185.22	-7140.17	-892.15	0.53	7195.69	187.12	434322.91	643116.48	N 32 11 36.91	W 104 0 15.51
	14153.00	90.84	179.25	7721.98	7279.04	-7234.14	-893.27	3.06	7289.08	187.04	434228.95	643115.36	N 32 11 36.04	W 104 0 15.53
	14248.00	90.32	180.19	7721.02	7373.76	-7329.13	-892.81	1.13	7383.31	186.95	434134.13	643115.83	N 32 11 35.10	W 104 0 15.53
	14343.00	90.99	181.02	7719.93	7468.58	-7424.12	-893.81	1.12	7477.13	186.86	434039.98	643114.82	N 32 11 34.16	W 104 0 15.54
	14438.00	89.26	178.59	7719.73	7563.32	-7519.11	-893.49	3.14	7572.01	186.78	433944.00	643115.15	N 32	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
		1	12647.000	18566.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS			Salt Flat CC 20_29 Federal Com	13H ST01 / Oxy Salt Flat CC 20_29 Federal Com 13H ST01 MWD		

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: SALT FLAT CC 20-29 FEDERAL COM	Well Location: T24S / R29E / SEC 17 / SESE / 32.2132213 / -104.0013539	County or Parish/State: EDDY / NM
Well Number: 13H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM102914	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547601	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2718738

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 03/02/2023	Time Sundry Submitted: 04:09
Date Operation Actually Began: 11/13/2022	

Actual Procedure: RUPU 11/13/22, RIH & clean out to PBTD @ 18523', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 8196-18454' Total 1230 holes. Frac in 41 stages w/ 252997BBL Produced Water + 168664BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25722485# sand, RD NexTier 11/27/22. Well ready to produce 12/2/22. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 08/31/2023. Formation Tops for this completion are as follows: TOP MD TVD RUSTLER 289 289 SALADO 539 539 CASTILE 1229 1229 DELAWARE 2850 2850 BELL CANYON 2885 2885 CHERRY CANYON 3773 3762 BRUSHY CANYON 5029 4996 BONE SPRING 6605 6523 1ST BONE SPRING 7777 7547

Well Name: SALT FLAT CC 20-29 FEDERAL COM	Well Location: T24S / R29E / SEC 17 / SESE / 32.2132213 / -104.0013539	County or Parish/State: EDDY / NM
Well Number: 13H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM102914	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547601	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: MAR 02, 2023 04:09 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/16/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-47601			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name SALT FLAT CC 20-29 FEDERAL COM			
8. Name of Operator: OXY USA INC.							6. Well Number: 13H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	17	24S	29E		1070	SOUTH	1045	EAST	EDDY
BH:	O	29	24S	29E		47	SOUTH	1885	EAST	EDDY
13. Date Spudded 07/16/22	14. Date T.D. Reached 10/23/2022		15. Date Rig Released 10/27/2022		16. Date Completed (Ready to Produce) 12/02/2022		17. Elevations (DF and RKB, RT, GR, etc.) 2927' GL			
18. Total Measured Depth of Well 18566'M 7693'V			19. Plug Back Measured Depth 18523'M 7693'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 8196-18454' 1 st Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		323'		17.5"		475sx-surf circ		
7.625" HCL80		26.4		6789'		9.875"		1972sx-surf		
5.5" P110CY		20		18546'		6.75"		1186sx-TOC@surf		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
									PACKER SET	
26. Perforation record (interval, size, and number) 8196-18454' Total 1230 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED				
8196-18454'						252997BBL Produced Water + 168664BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25722485# sand				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
12/05/2022		Flowing				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
12/21/2022	24 hrs.	128/128	Test Period	5155	4937	4594	9577			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	865		5155	4937	4594					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 			Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>04/04/2023</u>	
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 289'	T. Bell Canyon 2885'	T. Ojo Alamo	T. Penn A"
T. Salado 539'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1229'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2850'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3773'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5029'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6605'	T. Todilto	
T. Abo	T. 1 st Bone Spring 7777'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Spring	T. Wingate	
T. Penn	T. 3 rd Bone Spring	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
SALT FLAT CC 20-29 FEDERAL COM 13H
API No. 30-015-47601



Perfs @ 8196-18454'

TD- 18566'M 7693'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 204228

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 204228
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 204228

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 204228
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	5/5/2023