

Sundry Print Report
04/11/2023

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 9

Well Name: FALCON 3 G FEDERAL

Well Location: T18S / R27E / SEC 3 / County or Parish/State: EDDY /

Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC065478B Unit or CA Name: Unit or CA Number:

SWNF /

US Well Number: 300153580800S1 Well Status: Abandoned Operator: REDWOOD

OPERATING LLC

Subsequent Report

Sundry ID: 2721179

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 03/15/2023 Time Sundry Submitted: 02:18

Date Operation Actually Began: 02/03/2023

Actual Procedure: 02/03/23 MIRU plugging equipment. 03/03/23 Unhung well head, bled csg to pit. POH w/ rods & pump. 03/07/23 Dug out cellar. NU BOP. Pumped Brine H20 to kill well. POH w/ tbg. 03/08/23 Bled well to pit. RIH w/ bailor & tagged @ 2871'. POH. Broke off bailor. RIH w/ power swivel to 2872'. POH w/ tbg & bailor. 03/09/23 Set packer @ 2814'. Established injection rate of 1.5 bbls @ 500 PSI. Sqz'd 25 sx class C cmt w/ 2% CACL @ 2872-2850'. WOC. Tagged plug @ 2867'.Spotted 25 sx class C cmt @ 2867-2611'. Set 5 1/2 CIBP @ 1865'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. 03/10/23 Spotted 25 sx class C cmt @ 1865-1618'. Spotted 35 sx cmt w/ 2% CACL @ 1425-1079'. WOC & tagged @ 1035'. ND BOP. Spotted 60 sx class C cmt @ 221' & circ'd to surface. 03/13/23 Rigged down & moved off. 03/14/23 Moved in backhoe and welder. Cut off well head & anchors. Ably w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

Actual Procedure

Falcon_3_G_Fed_9___Current_WBD_20230315141408.pdf

Falcon_3_G_Fed_9___Plugged_WBD_20230315141408.pdf

Falcon_3_G_Fed_9___Subsequent_Report_20230315141408.pdf

Accepted for record – NMOCD

JRH <u>05/08/2023</u>

eceived by OCD: 4/11/2023 9:22:50 AM Well Name: FALCON 3 G FEDERAL

Well Location: T18S / R27E / SEC 3 /

SWNE /

County or Parish/State: EDD 1/2

NM

Well Number: 9

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC065478B

Unit or CA Name:

Unit or CA Number:

US Well Number: 300153580800S1

Well Status: Abandoned

Operator: REDWOOD OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAR 15, 2023 02:17 PM **Operator Electronic Signature: DELILAH FLORES**

Name: REDWOOD OPERATING LLC

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

Disposition: Accepted Disposition Date: 03/17/2023

Signature: James A. Amos

Page 2 of 2


Redwood Operating			PLUGGED
Author:	Abby @ BCM		
Well Name	Falcon 3 G Fed	Well No.	#9
Field/Pool	Red Lake; Glorieta- Yeso	API #:	30-015-35808
County	Eddy	Location:	Sec 3, T18S, R27E
State	New Mexico	_	2110 FNL & 2310 FEL
Spud Date	10/20/2007	GL:	3557

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	1,161	12 1/4	1,030	0
Prod Csg	5 1/2	J55	15.5#	4,123	7 7/8	775	0

Formation	Top
Queen	852
GRBG	1375
San Andres	1600
Glorieta	3022
Yeso	3152

4. Spotted 60 sx class C cmt @ 221' & circ'd to surface.

CSG @ 1,161



Hole Size: 12 1/4

8 5/8 24#

3. Spotted 35 sx cmt w/ 2% CACL @ 1425-1079'. WOC & tagged @ 1035'.

2. Set 5 1/2 CIBP @ 1865'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 1865-1618'.

Perfs @ 1908-2766

1. Set packer @ 2814'. Established injection rate of 1.5 bbls @ 500 PSI. Sqz'd 25 sx class C cmt w/ 2% CACL @ 2872-2850'. WOC. Tagged plug @ 2867'. Spotted 25 sx class C cmt @ 2867-2611'. 04/20/2010 5 1/2" CIBP set @ 3050'

5 1/2 15.5# CSG @ 4,123 Hole Size: 7 7/8

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 206143

CONDITIONS

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	206143
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrison	None	5/8/2023