
ceined by Och: Appropriate 11:43:	42 AM State of New Mo	exico		Form C-103 of 3
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natu	ural Resources	WELL API NO.	Revised July 18, 2013
<u>District II</u> – (575) 748-1283	OIL CONSERVATION	DIVISION	30-025-11921	
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	1220 South St. Fra		5. Indicate Type of	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 8		STATE 6. State Oil & Gas	FEE 🛛
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505		7000	o. State Off & Gas	Lease No.
SUNDRY NOT	TICES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PL		7. Lease Name or U South Justis Unit 1	Jnit Agreement Name
`	ICATION FOR PERMIT" (FORM C-101) F		8. Well Number #	
1. Type of Well: Oil Well	Gas Well Other			
2. Name of Operator Legacy Reserves Operating LP			9. OGRID Number 240974	
3. Address of Operator			10. Pool name or V	Vildcat
15 Smith Road, Suite 3000, Mid	land, TX 79705		Justis;Blinebry-Tu	bb-Drinkard
4. Well Location				
Unit Letter <u>L</u> :		S line and		the <u>W</u> line
Section 36		nge 37E	NMPM	County Lea
	11. Elevation (Show whether DR 3027)	
12. Check	Appropriate Box to Indicate N	Nature of Notice,	Report or Other D	ata
NOTICE OF IN	NTENTION TO:	l QUID	SEQUENT REP	ODT OE:
PERFORM REMEDIAL WORK		REMEDIAL WOR		LTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DR		AND A
PULL OR ALTER CASING		CASING/CEMEN		_
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM	<u>_</u>			_
OTHER:		OTHER:	1	
	pleted operations. (Clearly state all vork). SEE RULE 19.15.7.14 NMA			
proposed completion or re		C. For Muniple Co.	inpietions. Attach we	noore diagram or
Foot compensation	rF			
	ent. Dug out cellar. ND flange, NU			
	ILF. Spotted 25 sx class C cmt @ 4			
	ce. Tagged plug @ 3535'. Re-spott C cmt @ 2176-1997'. WOC & tag			
	1256-1077'. WOC. Tagged plug (a)			
	to surface. 04/17/23 Rigged down			
	ner w/ OCD verified cmt @ surfac			
Hole Marker". Installed 2' concre	ete form w/ 6 sx cmt. Backfilled ce	ellar, cut off deadm	en, cleaned location,	and moved off.
				7
Spud Date:	Rig Release D	ate:		
I hereby certify that the information	above is true and complete to the b	est of my knowledg	ge and belief.	
- 1 1				
SIGNATURE Melanie	Reyes TITLE	Regulatory Te	ech DAT	E 4/19/2023
				<u>4/19/2023</u>
	0	_		
71 1	0	: _mreyes@revenire	energy.com_ PHON	E: <u>(432) 221-6358</u>
Type or print name Melar For State Use Only	0	: _mreyes@revenire	energy.com PHON	
71 1	nie Reyes E-mail address:	: <u>mreyes@revenir</u> etroleum Specialis		E: <u>(432) 221-6358</u>



South Justis Unit E 29		API#:	30-025-11921		Plugged	
Field/Pool:	Justis Blbry-Tubb-Drinkard	Section:	36		Пидрец	
County:	Lea	Township:	25S	Range:	37E	
State:	New Mexico	Location:	2310' FSL x 990' FWL			Author:
Spud Date:	9/6/1962	GL:	3027'	PBTD:	6100'	J. Valdez



Description	O.D.	Weight	Тор	Depth	Hole	Cmt Sx	TOC
Surface	9.625	32.3# & 36#	0	1156	12.25	600 Sx	surf (top job)
Production	7	23# & 26#	0	5900	8.75	550 Sx	2215' TS/ Surf* Fixed 1980
Open Hole	6.125		5900	6100	6.125		CIBP to P&A zone 8/5/96
CIBP	7"		5835	5870		CIBP @ 5870' w/ 35' cement cap	Set 8/5/96

6. Perf'd @ 100'. Pressured up on perfs to 500 PSI. Spotted 45 sx class C cmt @ 150' to surface.

9.625" Surface Casing @ 1156'

| Formation Tops: | Rustler (T-Salt) | 1133' | Transil (B-Salt) | 2126' | Yates | 2312' | 7Rivers | 2555' | Penrose | 3138' | Glorieta | 4702' | Blinebry | 5860' |

7" Casing perf'd @ 1170' and cement circ'd to surface to fix TOC- 8/5/1996

5. Perf'd @ 1206'. Pressured up on perfs to 500 PSI. Spotted 30 sx class C cmt @ 1256-1077'. WOC. Tagged plug @ 1047'.

- 4. Spotted 30 sx class C cmt @ 2176-1997'. WOC & tagged @ 2005'.
- 3. Spotted 25 sx class C cmt @ 2362-2213'. WOC. Isolated bad csg @ 2197' to surface. Tagged plug @ 3535'. Re-spotted 25 sx class C cmt @ 2362-2213'. WOC & Tagged plug @ 2220'
- 2. Spotted 25 sx class C cmt @ 4752-4603'.
- 1. RIH & tagged CIBP w/ 65 sx cmt on top @ 4995'. Circ'd holes w/ MLF.

Tagged TOC @ 4995' CIBP @ 5025'

During TA Event: Set CIBP @ 5025'. Dump 65(?) sx from 5025'-4090'. RIH and tag @ 4995'. Load hole with fluid. Would not circ to surface. No Test.

 Perfs:
 5050-5431

 Perfs:
 5072-5826

 Perfs:
 5266-5312

 Perfs:
 5605-5826

7" Production Casing 0'- 5900'

6.125" Open Hole Section 5900'-6100'

PBTD: 6100' TD =6100'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 209044

CONDITIONS

Operator:	OGRID:
LEGACY RESERVES OPERATING, LP	240974
15 Smith Road	Action Number:
Midland, TX 79705	209044
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrison	None	5/8/2023