

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-32405
5. Indicate Type of Lease
STATE [] FEE [x]
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [] Gas Well [x] Other Injection
2. Name of Operator
Legacy Reserves Operating LP
3. Address of Operator
15 Smith Road, Suite 3000, Midland, TX 79705
4. Well Location
Unit Letter E : 1470 feet from the N line and 1200 feet from the W line
Section 12 Township 25S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3116' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [x]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

03/31/23 MIRU plugging equipment. Dug out cellar. 04/03/23 Rigged up. ND well head, NU BOP. POH w/ 161 jts of 2 3/8 tbg. 04/04/23-04/05/23 RIH w/ 4 1/2 CIBP @ 5107, did not set. 04/06/23 Set 4 1/2 CIBP @ 5107'. Circ hole w/ MLF. Circ'd hole w/ 80 bbls MLF. Spotted 25 sx class C cmt @ 5107-4745'. 04/07/23 RU 3rd party wireline, ran CBL & found solid cmt @ 1750-4240'. Spotted 25 sx class C cmt @ 2350-1988'. 04/10/23 Perf'd @ 1105'. Sqz'd 30 sx class C cmt @ 1105-895'. WOC. RIH, no tag. Re-sqz'd 30 sx class C cmt @ 1105-895'. WOC. 04/11/23 Tagged plug @ 840'. Perf'd @ 200'. ND BOP, NU flange. Sqz'd 80 sx class C cmt @ 200' to surface. Rigged down & moved off. 04/14/23 Moved in backhoe and welder. Cut off well head & anchors. Kerry Fortner w/ NM OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 6 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Melanie Reyes TITLE Regulatory Tech DATE 4/17/2023


Type or print name Melanie Reyes E-mail address: mreyes@revenirenergy.com PHONE: (432) 221-6358
For State Use Only

APPROVED BY: [] TITLE Petroleum Specialist DATE 05/08/2023
Conditions of Approval (if any):

Legacy Reserves		CURRENT	
Author:	Abby @ BCM	Well No.	#120
Well Name	South Justis Unit F	API #:	30-025-32405
Field/Pool	Justis Blbry-Tubb-Dkrd	Location:	Sec 12, T25S, R37E
County	Lea	GL:	3116
State	NM		
Spud Date	6/14/1995		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	1,055	12 1/4	500	circ'd
Prod Csg	4 1/2		10.5#	6,150	7 7/8	1,700	1120 TS


Formation	Top
T/Salt	1055
B/Salt	2294
Glorieta	4760
Blinbry	5100
Tubb	5800
Drinkard	5995



Legacy Reserves		Plugged	
Author:	Abby @ BCM	Well No.:	#120
Well Name:	South Justis Unit F	API #:	30-025-32405
Field/Pool:	Justis Blbry-Tubb-Dkrd	Location:	Sec 12, T25S, R37E
County:	Lea		1470 FNL & 1200 FWL
State:	NM	GL:	3116
Spud Date:	6/14/1995		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	1,055	12 1/4	500	circ'd
Prod Csg	4 1/2		10.5#	6,150	7 7/8	1,700	1120 TS

Formation	Top
T/Salt	1055
B/Salt	2294
Glorieta	4760
Bliebry	5100
Tubb	5800
Drinkard	5995



3. Perf'd @ 200'. Sqz'd 80 sx class C cmt @ 200' to surface.

8 5/8 24# CSG @ 1,055
Hole Size: 12 1/4

2. Perf'd @ 1105'. Sqz'd 30 sx class C cmt @ 1105-895'. WOC. RIH, no tag. Re-sqz'd 30 sx class C cmt @ 1105-895'. WOC. Tagged plug @ 840'.

2. Spotted 25 sx class C cmt @ 2350-1988'.

1. Set 4 1/2 CIBP @ 5107'. Circ hole w/ MLF. Circ'd hole w/ 80 bbls MLF. Spotted 25 sx class C cmt @ 5107-4745'.

Perfs @ 5157-6103'

4 1/2 10.5# CSG @ 6,150
Hole Size: 7 7/8

TDPB @ 6115
TD @ 6150

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 208288

CONDITIONS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 208288
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	5/8/2023