

Well Name: HAWK 9H FEDERAL	Well Location: T18S / R27E / SEC 9 / SENE /	County or Parish/State: EDDY / NM
Well Number: 11	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM025604	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152915600S1	Well Status: Abandoned	Operator: REDWOOD OPERATING LLC

Subsequent Report

Sundry ID: 2728711

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 05/02/2023	Time Sundry Submitted: 10:36
Date Operation Actually Began: 04/18/2023	

**Actual Procedure:** 04/18/23 MIRU plugging equipment. 04/19/23 POH w/ rods & pump. Dug out cellar. Unflanged well head, NU BOP. Pumped Brine H2O to kill well. 04/20/23 Trickled H2O down backside to kill well. 04/21/23 Continued trickling H2O to kill well. POH w/ tbg. RIH w/ 4" CIBP, CIBP broke in half. POH. 04/24/23 Pumped Brine H2O to kill well. RIH w/ 4" CIBP to 3460'. Changed elevator & slip inserts. Set 4" CIBP @ 3460'. Spotted 60 sx class C cmt w/ 2% CACL @ 3460-2348'. WOC. 04/26/23 Tagged plug @ 2401'. Set CIBP @ 1550'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25sx class C cmt @ 1550-1303'. Spotted 50 sx class C cmt w/ 2% CACL @ 1215-720'. WOC & tagged @ 694'. ND BOP. Spotted 67 sx class C cmt @ 502' to surface. 04/26/23 Rigged down & moved off. 04/28/23 04/19/23 Moved in backhoe and welder. Cut off well head & anchors. Gabriel Beneway w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

- Actual Procedure
- Hawk\_9\_H\_Federal\_11\_\_\_Subsequent\_Report\_20230502103517.pdf
  - Hawk\_9\_H\_Federal\_11\_\_\_Plugged\_WBD\_20230502103517.pdf
  - Hawk\_9\_H\_Federal\_11\_\_\_Current\_WBD\_20230502103517.pdf

Received by OCD: 5/12/2023 1:25:28 PM

Page 2 of 4

Well Name: HAWK 9H FEDERAL	Well Location: T18S / R27E / SEC 9 / SENE /	County or Parish/State: EDDY / NM
Well Number: 11	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM025604	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152915600S1	Well Status: Abandoned	Operator: REDWOOD OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DELILAH FLORES	Signed on: MAY 02, 2023 10:36 AM
Name: REDWOOD OPERATING LLC	
Title: Regulatory Technician 1	
Street Address: 11344 LOVINGTON HWY	
City: ARTESIA	State: NM
Phone: (575) 748-1288	
Email address: DELILAH@MEC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		


BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 05/10/2023
Signature: James A. Amos	

Redwood Operating		PLUGGED	
Author:	Abby @ BCM	Well No.	#11
Well Name	Hawk 9 H Fed	API #:	30-015-29156
Field/Pool	Red Lake (Q-GB-	Location:	Sec 9, T18S, R27E
County	Eddy		1550 FNL & 750 FEL
State	NM	GL:	3523
Spud Date	6/13/2000		

Description	O.D.	Grade	Weight	4891	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	1,165	12 1/4	550	0
Prod Csg	5 1/2	J55	15.5#	2,549	7 7/8	460	0
Liner	4			2447-4130	4 3/4	105	2,400

Formation	Top
Bowers	621
Queen	817
GRBG	1014
Premier	1466
San Andres	1512
Glorieta	2929
Yeso	3022



4. Spotted 67 sx class C cmt @ 502' to surface.

8 5/8 24# CSG @ 1,165  
Hole Size: 12 1/4

3. Spotted 50 sx class C cmt w/ 2% CACL @ 1215-720'. WOC & tagged @ 694'.

2. Set CIBP @ 1550'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25sx class C cmt @ 1550-1303'.  
Perfs @ 1597-2330

5 1/2 15.5# CSG @ 2,549  
Hole Size: 7 7/8

1. Set 4" CIBP @ 3460'. Spotted 60 sx class C cmt w/ 2% CACL @ 3460-2348'. WOC & Tagged plug @ 2401'.

Perfs @ 3510-3764

4 liner @ 2447-4130

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 216534

CONDITIONS

Operator: Redwood Operating LLC PO Box 1370 Artesia, NM 88210	OGRID: 330211
	Action Number: 216534
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	Accepted for record - NMOCD JRH 5/24/23. Well P&A'd 4/28/23	5/24/2023