<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 341237

APPLICATION FOR PERMIT TO DRIL	., RE-ENTER, DEEPEN	I, PLUGBACK	, OR ADD A ZONE
--------------------------------	---------------------	-------------	-----------------

Operator Name and Address		2. OGRID Number
Avant Operating, LLC		330396
1515 Wynkoop Street		3. API Number
Denver, CO 80202		30-025-51566
4. Property Code	5. Property Name	6. Well No.
334069	SKY DWELLER 14 STATE COM	301H

7 Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
С	14	18S	34E	С	320	N	1988	W	Lea

8. Proposed Bottom Hole Location

	6. Froposed Bottom Hole Eccation								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
F	23	185	34F	F	2540	N	2310	W	Lea

9. Pool Information

AIRSTRIP;BONE SPRI	G, NORTH	962
AIRSTRIP:BONE SPRI	G	960

**Additional Well Information** 

11. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
New Well	OIL		State	4005
16. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
Y	16050	1st Bone Spring Sand		8/1/2023
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

### ☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1825	1015	0
Int1	12.25	9.625	40	3400	885	0
Prod	8.75	5.5	20	16050	2805	0
Prod	7.875	5.5	20	16050	2805	0

Casing/Cement Program: Additional Comments

Drilling 8.75-hole size for the curve and 7.875-hole size for the lateral for the 5.5 production casing string.

22 Proposed Blowout Prevention Program

22. Froposed Blowout Frevention Frogram									
Туре	Working Pressure	Test Pressure	Manufacturer						
Pipe	10000	5000	Cameron						

knowledge and	belief. I have complied with 19.15.14.9 (A)	true and complete to the best of my NMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSERVATION	NOISION		
Printed Name:	Electronically filed by Sarah Ferre	eyros	Approved By:	Paul F Kautz			
Title:	Director of Regulatory		Title:	Geologist			
Email Address:	sarah@avantnr.com		Approved Date:	6/5/2023	2023 Expiration Date: 6/5/2025		
Date:	5/30/2023	Phone: 720-854-9020	Conditions of App	roval Attached			

DISTRICT J 1625 N. French Dr., Hobbs, N.M. 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 BISTRICT II 811 S. First St., Artesia, N.M. 88210 Phone: (675) 748–1283 Fax: (675) 748–9720 DISTRICT III 1000 Rio Braxos Rd., Aztec, N.M. 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, N.M. 87505 Phone: (505) 478-3460 Fax: (505) 478-3482 State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

### WELL LOCATION AND ACREAGE DEDICATION PLAT


API Number	962 Pool Code	Airstrip; Bone Spring, North
<sup>4</sup> Property Code	*Property 1	
70GRID No. 330396	*Operator AVANT OPERA	Name Elevation

<sup>10</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	14	18 S	34 E		320	NORTH	1988	WEST	LEA

<sup>11</sup> Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot 1dn	Feet from the	North/South line	Feet from the	East/West line	County
F	23	18 S	34 E		2540	NORTH	2310	WEST	LEA
Dedicated Acre						38 Joint or Infill	16 Consolidation Code	* Order No.	
SECTION 14	1: E/2 V	W/2; 160	Ac.	TOTA	1:160Ac.			1	



DISTRICT I
1825 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6181 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Braxos Rd., Axteo, N.M. 87410
Phone: (505) 334-6176 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, N.M. 87505
Phone: (505) 478-3462 Fax: (505) 478-3462


State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505 Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

### WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API	Number		960	Pool Cod	le	Ā	irstrip; Bone		
Property (	ode		*Property Name SKY DWELLER 14 STATE COM						Well Number 301H
33039				*Operator Name AVANT OPERATING, LLC					* Elevation 4005
					10 Surface	Location			
UL or lot no.	Section	Township	Range	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County
С	14	18 S	34 E		320	NORTH	1988	WEST	LEA
			11 Botto	om Hole	Location If	Different Fro	m Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	23	18 S	34 E		2540	NORTH	2310	WEST	LEA
D-31-4-3 4						M 1-1-4 7-013 16	Consultables Code	M.C. No.	



Form APD Comments Permit 341237

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

### PERMIT COMMENTS

Operator Name and Address:	API Number:
Avant Operating, LLC [330396]	30-025-51566
1515 Wynkoop Street	Well:
Denver, CO 80202	SKY DWELLER 14 STATE COM #301H

Created By	Comment	Comment Date
sferreyros	Avant Operating requests to batch-set surface casing with the other wells on the pad.	5/30/2023

Permit 341237

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
Avant Operating, LLC [330396]	30-025-51566		
1515 Wynkoop Street	Well:		
Denver, CO 80202	SKY DWELLER 14 STATE COM #301H		

OCD Reviewer	Condition
pkautz	Notify OCD 24 hours prior to casing & cement
pkautz	Will require a File As Drilled C-102 and a Directional Survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system
pkautz	Cement is required to circulate on both surface and intermediate1 strings of casing
pkautz	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud

### State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

### NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

### Section 1 – Plan Description <u>Effective May 25, 2021</u>

I. Operator: Avant Operatin	ng, LLC <b>O</b>	<b>GRID:</b> 330396	<b>Date:</b> 05/22/	/2023		
II. Type: ⊠ Original □ An	nendment du	e to 🗆 19.15.27.9	9.D(6)(a) NMA	C □ 19.15.27.9.D(6)	(b) NMAC □ C	Other.
If Other, please describe:						
III. Well(s): Provide the follower recompleted from a single	_				lls proposed to l	oe drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Sky Dweller 14 State Com 007H		C-14-T18S-R34E	160FNL/1975FV	VL 1200 BBL/D	2200 MCF/D	5500 BBL/D
Sky Dweller 14 State Com 301H		C-14-T18S-R34E	320FNL/1988FV	VL 1200 BBL/D	2200 MCF/D	5500 BBL/D
Sky Dweller 14 State Com 601H		C-14-T18S-R34E	160FNL/2000FV	VL 1200 BBL/D	2200 MCF/D	5500 BBL/D
IV. Central Delivery Point Delivery	ovide the fol	lowing informati				27.9(D)(1) NMAC] proposed to be drilled on
Well Name	API	Spud Date	TD Reached Date	Completion Commencement De	Initial Fl ate Back Da	
Sky Dweller 14 State Com 007H		06/01/2023	07/03/2023	09/01/2023	09/18/202	3 10/01/2023
Sky Dweller 14 State Com 301H		06/01/2023	07/03/2023	09/01/2023	09/18/202	3 10/01/2023
Sky Dweller 14 State Com 601H		06/01/2023	07/03/2023	09/01/2023	09/18/202	3 10/01/2023

- VI. Separation Equipment: ⊠ Attach a complete description of how Operator will size separation equipment to optimize gas capture.
- VII. Operational Practices: 

  ☐ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.
- VIII. Best Management Practices: 

  ☐ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

### Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. $\square$ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas	s gathering system 🗆 will 🗆 will n	ot have capacity to gather 100	0% of the anticipated natural gas
production volume from the well price	or to the date of first production.		

XIII. Line Pressure. Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment	t, or portion	, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by	y the new w	vell(s).

_								
	A 1 /	· ·	9 1 4		1 4.	•	, ,1 '	sed line pressure
	Attach (	Inerator	'c nlan to	manage	nroduction	in rechance	to the increa	ced line preceiire

XIV. Confidentiality:   Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information
for which confidentiality is asserted and the basis for such assertion.

(i)

# Section 3 - Certifications Effective May 25, 2021

	Enecuve May 25, 2021							
Operator certifies that, after	reasonable inquiry and based on the available information at the time of submittal:							
Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, aking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or								
hundred percent of the antici into account the current and	to connect to a natural gas gathering system in the general area with sufficient capacity to transport one ipated volume of natural gas produced from the well(s) commencing on the date of first production, taking anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.  *Operator will select one of the following:*							
Well Shut-In. ☐ Operator w D of 19.15.27.9 NMAC; or	vill shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection							
alternative beneficial uses for	☐ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential or the natural gas until a natural gas gathering system is available, including:							
( ) 1	ower generation on lease;							
. , 1	ower generation for grid;							
* *	ompression on lease;							
. ,	quids removal on lease;							
	einjection for underground storage; einjection for temporary storage;							
* *	einjection for enhanced oil recovery;							
	all cell production; and							

### **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

and Gas Act.

Signature:

Printed Name: John Harper

Title: VP of Geosciences

E-mail Address: John@avantnr.com

Date: 05/22/23

Phone: 678-988-6644

OIL CONSERVATION DIVISION

(Only applicable when submitted as a standalone form)

Approved By:

Title:

Approval Date:

Conditions of Approval:

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil

### Avant Operating, LLC Natural Gas Management Plan

- VI. Separation equipment will be sized by construction engineering staff based on stated manufacturer daily throughput capacities and anticipated daily production rates to ensure adequate capacity. Closed vent system piping, compression needs, and VRUs will be sized utilizing ProMax modelling software to ensure adequate capacity for anticipated production volumes and conditions.
- VII. Avant Operating, LLC (Avant) will take the following actions to comply with the regulations listed in 19.15.27.8:
  - A. Avant will maximize the recovery of natural gas by minimizing the waste, as defined by 19.15.2 NMAC, of natural gas through venting and flaring. Avant will ensure that well(s) will be connected to a natural gas gathering system with sufficient capacity to transport natural gas.
  - B. All drilling operations will be equipped with a rig flare located at least 100' from the nearest surface hole. Rig flare will be utilized to combust any natural gas that is brought to surface during normal drilling operations. In the case of emergency venting or flaring the volumes will be estimated and reported appropriately.
  - C. During completion operations any natural gas brought to surface will be flared. Immediately following the finish of completion operations, all well flowback will be directed to permanent separation equipment. Produced natural gas from separation equipment will be sent to sales. It is not anticipated that gas will not meet pipeline standards. However, if natural gas does not meet gathering pipeline quality specifications, Avant will flare the natural gas for 60 days or until the natural gas meets the pipeline quality specifications, whichever is sooner. Avant will ensure that the flare is sized properly and is equipped with automatic igniter or continuous pilot. The gas sample will be analyzed twice per week and the gas will be routed into a gathering system as soon as pipeline specifications are met.
  - D. Natural gas will not be flared with the exceptions and provisions listed in the 19.15.27.8 D.(I) through (4). If there is no adequate takeaway for the separator gas, well(s) will be shut in until the natural gas gathering system is available with exception of emergency or malfunction situations. Venting and/or flaring volumes will be estimated and repolted appropriately.
  - E. Avant will comply with the performance standards requirements and provisions listed in 19.15.27.8 (I) through (8). All equipment will be designed and sized to handle maximum anticipated pressures and throughputs to minimize the waste. Production storage tanks constructed after May 25, 2021, will be equipped with automatic gauging system. Flares constructed after May 25, 2021, will be equipped with automatic igniter or continuous pilot. Flares will be located at least 100' from the well and storage tanks unless otherwise approved by the division. Avant will conduct AVO inspections as described in 19.15.27.8 E (5) (a) with frequencies specified in 19.15.27.8 E (5) (b) and (c). All emergencies will be resolved as quickly and safely as feasible to minimize waste.
  - F. The volume of natural gas that is vented or flared as the result of malfunction or emergency during drilling and completions operations will be estimated. The volume of natural gas that is vented, flared, or beneficially used during production operations, will be measured, or estimated. Avant will install equipment to measure



# **Avant Operating, LLC**

Lea Co., NM (NAD 83) Sky Dweller Sky Dweller 14 State Com 301H

OH

Plan: Plan 0.1

## **Standard Planning Report**

24 May, 2023







EDM 5000.16 Single User Db Database: Company: Avant Operating, LLC Project: Lea Co., NM (NAD 83)

Site: Sky Dweller Well: Sky Dweller 14 State Com 301H

Wellbore: OH Plan 0.1 Design:

**Local Co-ordinate Reference:** 

TVD Reference: MD Reference: North Reference:

**Survey Calculation Method:** 

Well Sky Dweller 14 State Com 301H

WELL @ 4031.5usft (4031.5) WELL @ 4031.5usft (4031.5)

Minimum Curvature

Project Lea Co., NM (NAD 83)

Map System: Geo Datum:

Map Zone:

US State Plane 1983 North American Datum 1983 New Mexico Eastern Zone

System Datum:

Mean Sea Level

Sky Dweller Site

Northing: 630,428.61 usft Site Position: 32.7305680°N Latitude: From: Lat/Long Easting: 785,714.46 usft Longitude: 103.5386350°W

**Position Uncertainty:** Slot Radius: 13-3/16 " 0.0 usft

Well Sky Dweller 14 State Com 301H

**Well Position** +N/-S 0.0 usft 639,028.25 usft Latitude: 32.7541702°N Northing: 103.5332108°W

+E/-W 0.0 usft Easting: 787,317.63 usft Longitude: **Position Uncertainty** 0.0 usft Wellhead Elevation: usft **Ground Level:** 4,005.0 usft

0.43 **Grid Convergence:** 

ОН Wellbore Declination Magnetics **Model Name** Sample Date Dip Angle Field Strength (°) (°) (nT) 49,746.58355270 IGRF2000 12/31/2004 8.59 60.94

Plan 0.1 Design Audit Notes: **PROTOTYPE** Tie On Depth: 0.0 Version: Phase: Vertical Section: Depth From (TVD) +N/-S +E/-W Direction (usft) (usft) (usft) (°) 177.00 0.0 0.0 0.0

**Plan Survey Tool Program** Date 5/24/2023

**Depth From** Depth To

0.0

(usft)

(usft) Survey (Wellbore) 16,050.3

Plan 0.1 (OH)

**Tool Name** 

Remarks

B001Mb\_MWD+HRGM

OWSG MWD + HRGM

**Plan Sections** Dogleg Measured Vertical Build Turn Depth Inclination Azimuth Depth +N/-S +E/-W Rate Rate Rate TFO (usft) (°) (°) (usft) (usft) (usft) (°/100usft) (°/100usft) (°/100usft) (°) Target 0.0 0.00 0.00 0.0 0.0 0.0 0.00 0.00 0.00 0.00 5,000.0 0.00 0.00 5,000.0 0.0 0.0 0.00 0.00 0.00 0.00 36.1 5,520.8 10.42 49.84 5,517.9 30.4 2.00 2.00 0.00 49.84 7,314.5 10.42 49.84 7,282.1 239.6 283.9 0.00 0.00 0.00 0.00 0.00 7,800.0 270.0 320.0 7,835.3 0.00 2.00 -2.00 0.00 180.00 8,007.8 7,972.5 270.0 320.0 0.00 0.00 0.00 0.00 0.00 0.00 8,757.8 90.00 179.46 8,450.0 -207.4 324.5 12.00 12.00 0.00 179.46 16,050.3 179.46 8,450.0 -7,499.6 392.8 0.00 0.00 0.00 0.00 Sky Dweller 14 State 90.00





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 301H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

**Survey Calculation Method:** 

Well Sky Dweller 14 State Com 301H

WELL @ 4031.5usft (4031.5) WELL @ 4031.5usft (4031.5)

Grid

lannec	d Survey									
	Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
	, ,						, ,			
	0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
	100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
	200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
	300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
	400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
	100.0	0.00	0.00	100.0		0.0	0.0	0.00	0.00	0.00
	500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
	600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
	700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
	800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
	900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.0	0.00	0.00	0.00
	RUSTLER									
	1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00
	1,910.0	0.00	0.00	1,910.0	0.0	0.0	0.0	0.00	0.00	0.00
	SALT			,						
		0.00	0.00	0.000.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,100.0	0.00	0.00	2,100.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,200.0	0.00	0.00	2,200.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,300.0	0.00	0.00	2,300.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,400.0	0.00	0.00	2,400.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,500.0	0.00	0.00	2,500.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,600.0	0.00	0.00	2,600.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,700.0	0.00	0.00	2,700.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,800.0	0.00	0.00	2,800.0	0.0	0.0	0.0	0.00	0.00	0.00
	2,900.0	0.00	0.00	2,900.0	0.0	0.0	0.0	0.00	0.00	0.00
	3,000.0	0.00	0.00	3,000.0	0.0	0.0	0.0	0.00	0.00	0.00
	3,100.0	0.00	0.00	3,100.0	0.0	0.0	0.0	0.00	0.00	0.00
	3,200.0	0.00	0.00	3,200.0	0.0	0.0	0.0	0.00	0.00	0.00
		0.00								
	3,300.0	0.00	0.00	3,300.0	0.0	0.0	0.0	0.00	0.00	0.00
	3,400.0	0.00	0.00	3,400.0	0.0	0.0	0.0	0.00	0.00	0.00
	3,500.0	0.00	0.00	3,500.0	0.0	0.0	0.0	0.00	0.00	0.00
				3,600.0						
	3,600.0	0.00	0.00		0.0	0.0	0.0	0.00	0.00	0.00
	3,683.0	0.00	0.00	3,683.0	0.0	0.0	0.0	0.00	0.00	0.00
	SEVEN RIVE	RS								
	3,700.0	0.00	0.00	3,700.0	0.0	0.0	0.0	0.00	0.00	0.00
	3,800.0	0.00	0.00	3,800.0	0.0	0.0	0.0	0.00	0.00	0.00
	3,900.0	0.00	0.00	3,900.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,000.0	0.00	0.00	4,000.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,100.0	0.00	0.00	4,100.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,200.0	0.00	0.00	4,200.0	0.0	0.0	0.0	0.00	0.00	0.00
	<del>1</del> ,∠00.0	0.00	0.00	→,∠00.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,300.0	0.00	0.00	4,300.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,400.0	0.00	0.00	4,400.0	0.0	0.0	0.0	0.00	0.00	0.00
	4,427.0	0.00	0.00	4,427.0	0.0	0.0	0.0	0.00	0.00	0.00
		0.00	0.00	4,421.0	0.0	0.0	0.0	0.00	0.00	0.00
	QUEEN									
	4,500.0	0.00	0.00	4,500.0	0.0	0.0	0.0	0.00	0.00	0.00





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 301H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

**Survey Calculation Method:** 

Well Sky Dweller 14 State Com 301H

WELL @ 4031.5usft (4031.5) WELL @ 4031.5usft (4031.5)

Grid

ed Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,600.0	0.00	0.00	4,600.0	0.0	0.0	0.0	0.00	0.00	0.00
4,700.0	0.00	0.00	4,700.0	0.0	0.0	0.0	0.00	0.00	0.00
4,800.0	0.00	0.00	4,800.0	0.0	0.0	0.0	0.00	0.00	0.00
4,900.0	0.00	0.00	4,900.0	0.0	0.0	0.0	0.00	0.00	0.00
5,000.0 <b>KOP - Start</b>	0.00	0.00	5,000.0	0.0	0.0	0.0	0.00	0.00	0.00
5,100.0	2.00	49.84	5,100.0	1.1	1.3	-1.1	2.00	2.00	0.00
5,200.0	4.00	49.84	5,199.8	4.5	5.3	-4.2	2.00	2.00	0.00
5,300.0	6.00	49.84	5,299.5	10.1	12.0	-9.5	2.00	2.00	0.00
5,400.0	8.00	49.84	5,398.7	18.0	21.3	-16.8	2.00	2.00	0.00
5,500.0	10.00	49.84	5,497.5	28.1	33.3	-26.3	2.00	2.00	0.00
5,520.8	10.42	49.84	5,517.9	30.4	36.1	-28.5	2.00	2.00	0.00
	' hold at 5520.8 M								
5,600.0	10.42	49.84	5,595.8	39.7	47.0	-37.2	0.00	0.00	0.00
5,624.6	10.42	49.84	5,620.0	42.5	50.4	-39.8	0.00	0.00	0.00
5,700.0	10.42	49.84	5,694.2	51.3	60.8	-48.1	0.00	0.00	0.00
5,800.0	10.42	49.84	5,792.5	63.0	74.7	-59.0	0.00	0.00	0.00
5,813.7	10.42	49.84	5,806.0	64.6	76.6	-60.5	0.00	0.00	0.00
BRUSHY C	ANYON								
5,900.0	10.42	49.84	5,890.9	74.7	88.5	-69.9	0.00	0.00	0.00
6,000.0	10.42	49.84	5,989.2	86.3	102.3	-80.8	0.00	0.00	0.00
6,100.0	10.42	49.84	6,087.6	98.0	116.1	-91.8	0.00	0.00	0.00
6,200.0 6,300.0	10.42 10.42	49.84 49.84	6,185.9 6,284.3	109.6 121.3	129.9 143.7	-102.7 -113.6	0.00 0.00	0.00 0.00	0.00 0.00
6,400.0 6,500.0	10.42 10.42	49.84 49.84	6,382.6 6,481.0	132.9 144.6	157.6 171.4	-124.5 -135.4	0.00 0.00	0.00 0.00	0.00 0.00
6,600.0	10.42	49.84	6,579.4	156.3	185.2	-146.4	0.00	0.00	0.00
6,700.0	10.42	49.84	6,677.7	167.9	199.0	-157.3	0.00	0.00	0.00
6,800.0	10.42	49.84	6,776.1	179.6	212.8	-168.2	0.00	0.00	0.00
6,824.3	10.42	49.84	6,800.0	182.4	216.2	-170.9	0.00	0.00	0.00
BONE SPRI									
6,900.0 6,912.8	10.42 10.42	49.84 49.84	6,874.4 6,887.0	191.2 192.7	226.6 228.4	-179.1 -180.5	0.00 0.00	0.00 0.00	0.00 0.00
BONE SPRI		49.04	0,007.0	192.7	220.4	-100.5	0.00	0.00	0.00
7,000.0	10.42	49.84	6,972.8	202.9	240.5	-190.0	0.00	0.00	0.00
7,100.0	10.42	49.84	7,071.1	214.6	254.3	-201.0	0.00	0.00	0.00
7,200.0	10.42	49.84	7,169.5	226.2	268.1	-211.9	0.00	0.00	0.00
7,300.0	10.42	49.84	7,267.8	237.9	281.9	-222.8	0.00	0.00	0.00
7,314.5	10.42	49.84	7,282.1	239.6	283.9	-224.4	0.00	0.00	0.00
Start Drop - 7,400.0	<b>2.00</b> 8.71	49.84	7,366.4	248.7	294.8	-233.0	2.00	-2.00	0.00
7,500.0	6.71	49.84	7,465.5	257.4	305.0	-233.0 -241.1	2.00	-2.00	0.00
7,600.0	4.71	49.84	7,565.0	263.8	312.6	-247.1	2.00	-2.00	0.00
7,700.0	2.71	49.84	7,664.8	267.9	317.6	-251.0	2.00	-2.00	0.00
7,800.0	0.71	49.84	7,764.7	269.9	319.8	-252.8	2.00	-2.00	0.00
7,835.3	0.00 hold at 7835.3 MI	0.00	7,800.0	270.0	320.0	-252.9	2.00	-2.00	0.00
7,900.0	0.00 at 7635.3 MIL	ر 0.00	7,864.7	270.0	320.0	-252.9	0.00	0.00	0.00
8,000.0	0.00	0.00	7,964.7	270.0	320.0	-252.9	0.00	0.00	0.00
8,000.0	0.00	0.00	7,964.7 7,972.5	270.0 270.0	320.0	-252.9 -252.9	0.00	0.00	0.00
	art Build 12.00	5.55	.,0.2.0		525.5	_00	0.00	0.00	3.33
8,100.0	11.06	179.46	8,064.1	261.1	320.1	-244.0	12.00	12.00	0.00





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)

Site: Sky Dweller

Well: Sky Dweller 14 State Com 301H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

**Survey Calculation Method:** 

Well Sky Dweller 14 State Com 301H

WELL @ 4031.5usft (4031.5) WELL @ 4031.5usft (4031.5)

Grid

ed Survey									
-									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
` '			` '		, ,	` '	, ,	, ,	
8,200.0 8,300.0		179.46 179.46	8,159.6 8,246.8	231.8 183.4	320.4 320.8	-214.8 -166.3	12.00 12.00	12.00 12.00	0.00 0.00
8,400.0		179.46	8,322.1	117.8	321.4	-100.8	12.00	12.00	0.00
	ler 14 State Com 30		0.070.0	40.4	200.4	00.0	10.00	40.00	0.00
8,494.		179.46	8,379.0	43.1	322.1	-26.2	12.00	12.00	0.00
Top of FB 8,500.0		179.46	8,382.1	38.0	322.2	-21.1	12.00	12.00	0.00
8,600.0		179.46	8,424.2	-52.5	323.0	69.3	12.00	12.00	0.00
8,700.0		179.46	8,446.5	-149.8	323.9	166.5	12.00	12.00	0.00
8,757.8		179.46	8,450.0	-207.4	324.5	224.1	12.00	12.00	0.00
	7292.5 hold at 875		6,450.0	-207.4	324.5	224.1	12.00	12.00	0.00
8,800.0		179.46	8,450.0	-249.6	324.9	266.3	0.00	0.00	0.00
8,900.0		179.46	8,450.0	-349.6	325.8	366.2	0.00	0.00	0.00
9,000.0		179.46	8,450.0	-449.6	326.7	466.1	0.00	0.00	0.00
9,100.0		179.46	8,450.0	-549.6	327.7	566.0	0.00	0.00	0.00
9,200.0	0 90.00	179.46	8,450.0	-649.6	328.6	665.9	0.00	0.00	0.00
9,300.0		179.46	8,450.0	-749.6	329.6	765.8	0.00	0.00	0.00
9,400.0		179.46	8,450.0	-849.6	330.5	865.7	0.00	0.00	0.00
9,500.0		179.46	8,450.0	-949.6	331.4	965.6	0.00	0.00	0.00
9,600.0		179.46	8,450.0	-1,049.6	332.4	1,065.5	0.00	0.00	0.00
9,700.0	0 90.00	179.46	8,450.0	-1,149.6	333.3	1,165.4	0.00	0.00	0.00
9,800.0		179.46	8,450.0	-1,249.6	334.2	1,165.4	0.00	0.00	0.00
9,900.0		179.46	8,450.0	-1,349.6	335.2	1,365.3	0.00	0.00	0.00
10,000.0		179.46	8,450.0	-1,449.6	336.1	1,465.2	0.00	0.00	0.00
10,100.0		179.46	8,450.0	-1,549.6	337.1	1,565.1	0.00	0.00	0.00
10,200.0	0 90.00	179.46	8,450.0	-1,649.6	338.0	1,665.0	0.00	0.00	0.00
10,300.0		179.46	8,450.0	-1,749.6	338.9	1,764.9	0.00	0.00	0.00
10,400.0		179.46	8,450.0	-1,849.6	339.9	1,864.8	0.00	0.00	0.00
10,500.0	0 90.00	179.46	8,450.0	-1,949.5	340.8	1,964.7	0.00	0.00	0.00
10,600.0	0 90.00	179.46	8,450.0	-2,049.5	341.7	2,064.6	0.00	0.00	0.00
10,700.0	0 90.00	179.46	8,450.0	-2,149.5	342.7	2,164.5	0.00	0.00	0.00
10,800.0	0 90.00	179.46	8,450.0	-2,249.5	343.6	2,264.4	0.00	0.00	0.00
10,900.0	0 90.00	179.46	8,450.0	-2,349.5	344.6	2,364.3	0.00	0.00	0.00
11,000.0	0 90.00	179.46	8,450.0	-2,449.5	345.5	2,464.2	0.00	0.00	0.00
11,100.0	0 90.00	179.46	8,450.0	-2,549.5	346.4	2,564.2	0.00	0.00	0.00
11,200.0	0 90.00	179.46	8,450.0	-2,649.5	347.4	2,664.1	0.00	0.00	0.00
11,300.0		179.46	8,450.0	-2,749.5	348.3	2,764.0	0.00	0.00	0.00
11,400.0		179.46	8,450.0	-2,849.5	349.2	2,863.9	0.00	0.00	0.00
11,500.0		179.46	8,450.0	-2,949.5	350.2	2,963.8	0.00	0.00	0.00
11,600.0	0 90.00	179.46	8,450.0	-3,049.5	351.1	3,063.7	0.00	0.00	0.00
11,700.0		179.46	8,450.0	-3,149.5	352.1	3,163.6	0.00	0.00	0.00
11,800.0		179.46	8,450.0	-3,249.5	353.0	3,263.5	0.00	0.00	0.00
11,900.0		179.46	8,450.0	-3,349.5	353.9	3,363.4	0.00	0.00	0.00
12,000.0		179.46	8,450.0	-3,449.5	354.9	3,463.3	0.00	0.00	0.00
12,100.0	0 90.00	179.46	8,450.0	-3,549.5	355.8	3,563.2	0.00	0.00	0.00
12,200.0	0 90.00	179.46	8,450.0	-3,649.5	356.7	3,663.1	0.00	0.00	0.00
12,300.0	0 90.00	179.46	8,450.0	-3,749.5	357.7	3,763.0	0.00	0.00	0.00
12,400.0	0 90.00	179.46	8,450.0	-3,849.5	358.6	3,863.0	0.00	0.00	0.00
12,500.0		179.46	8,450.0	-3,949.5	359.6	3,962.9	0.00	0.00	0.00
12,600.0	0 90.00	179.46	8,450.0	-4,049.5	360.5	4,062.8	0.00	0.00	0.00
12,700.0	0 90.00	179.46	8,450.0	-4,149.5	361.4	4,162.7	0.00	0.00	0.00
12,800.0		179.46	8,450.0	-4,249.4	362.4	4,262.6	0.00	0.00	0.00
12,900.0	0 90.00	179.46	8,450.0	-4,349.4	363.3	4,362.5	0.00	0.00	0.00





EDM 5000.16 Single User Db Database: Company: Avant Operating, LLC Project: Lea Co., NM (NAD 83)

Site: Sky Dweller Sky Dweller 14 State Com 301H

ОН Wellbore: Design: Plan 0.1

Well:

Local Co-ordinate Reference: TVD Reference:

MD Reference: North Reference:

**Survey Calculation Method:** 

Well Sky Dweller 14 State Com 301H

WELL @ 4031.5usft (4031.5) WELL @ 4031.5usft (4031.5)

Measured			Vertical			Vertical	Dogleg	Build	Turn
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate	Rate
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)	(°/100usft)	(°/100usft)
13,000.0	90.00	179.46	8,450.0	-4,449.4	364.2	4,462.4	0.00	0.00	0.00
13,100.0	90.00	179.46	8,450.0	-4,549.4	365.2	4,562.3	0.00	0.00	0.00
13,200.0	90.00	179.46	8,450.0	-4,649.4	366.1	4,662.2	0.00	0.00	0.00
13,300.0	90.00	179.46	8,450.0	-4,749.4	367.1	4,762.1	0.00	0.00	0.00
13,400.0	90.00	179.46	8,450.0	-4,849.4	368.0	4,862.0	0.00	0.00	0.00
13,500.0	90.00	179.46	8,450.0	-4,949.4	368.9	4,961.9	0.00	0.00	0.00
13,600.0	90.00	179.46	8,450.0	-5,049.4	369.9	5,061.8	0.00	0.00	0.00
13,700.0	90.00	179.46	8,450.0	-5,149.4	370.8	5,161.8	0.00	0.00	0.00
13,800.0	90.00	179.46	8,450.0	-5,249.4	371.7	5,261.7	0.00	0.00	0.00
13,900.0	90.00	179.46	8,450.0	-5,349.4	372.7	5,361.6	0.00	0.00	0.00
14,000.0	90.00	179.46	8,450.0	-5,449.4	373.6	5,461.5	0.00	0.00	0.00
14,100.0	90.00	179.46	8,450.0	-5,549.4	374.6	5,561.4	0.00	0.00	0.00
14,200.0	90.00	179.46	8,450.0	-5,649.4	375.5	5,661.3	0.00	0.00	0.00
14,300.0	90.00	179.46	8,450.0	-5,749.4	376.4	5,761.2	0.00	0.00	0.00
14,400.0	90.00	179.46	8,450.0	-5,849.4	377.4	5,861.1	0.00	0.00	0.00
14,500.0	90.00	179.46	8,450.0	-5,949.4	378.3	5,961.0	0.00	0.00	0.00
14,600.0	90.00	179.46	8,450.0	-6,049.4	379.2	6,060.9	0.00	0.00	0.00
14,700.0	90.00	179.46	8,450.0	-6,149.4	380.2	6,160.8	0.00	0.00	0.00
14,800.0	90.00	179.46	8,450.0	-6,249.4	381.1	6,260.7	0.00	0.00	0.00
14,900.0	90.00	179.46	8,450.0	-6,349.4	382.1	6,360.6	0.00	0.00	0.00
15,000.0	90.00	179.46	8,450.0	-6,449.4	383.0	6,460.6	0.00	0.00	0.00
15,100.0	90.00	179.46	8,450.0	-6,549.3	383.9	6,560.5	0.00	0.00	0.00
15,200.0	90.00	179.46	8,450.0	-6,649.3	384.9	6,660.4	0.00	0.00	0.00
15,300.0	90.00	179.46	8,450.0	-6,749.3	385.8	6,760.3	0.00	0.00	0.00
15,400.0	90.00	179.46	8,450.0	-6,849.3	386.7	6,860.2	0.00	0.00	0.00
15,500.0	90.00	179.46	8,450.0	-6,949.3	387.7	6,960.1	0.00	0.00	0.00
15,600.0	90.00	179.46	8,450.0	-7,049.3	388.6	7,060.0	0.00	0.00	0.00
15,700.0	90.00	179.46	8,450.0	-7,149.3	389.6	7,159.9	0.00	0.00	0.00
15,800.0	90.00	179.46	8,450.0	-7,249.3	390.5	7,259.8	0.00	0.00	0.00
15,900.0	90.00	179.46	8,450.0	-7,349.3	391.4	7,359.7	0.00	0.00	0.00
16,000.0	90.00	179.46	8,450.0	-7,449.3	392.4	7,459.6	0.00	0.00	0.00
16,050.3	90.00	179.46	8,450.0	-7,499.6	392.8	7,509.9	0.00	0.00	0.00

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
Sky Dweller 14 State Co - plan hits target cente - Point	0.00 er	0.00	8,450.0	-7,499.6	392.8	631,528.63	787,710.47	32.7335500°N	103.5321176°W
Sky Dweller 14 State Co - plan misses target c - Point	0.00 enter by 165.	0.00 5usft at 840	8,450.0 0.0usft MD (	222.9 8322.1 TVD, <sup>2</sup>	320.3 117.8 N, 321.4	639,251.13 E)	787,637.91	32.7547761°N	103.5321636°W





Database: EDM 5000.16 Single User Db
Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)
Site: Sky Dweller

Sky Dweller
Sky Dweller 14 State Com 301H

Wellbore: OH
Design: Plan 0.1

Well:

Local Co-ordinate Reference: TVD Reference:

MD Reference: North Reference:

**Survey Calculation Method:** 

Well Sky Dweller 14 State Com 301H

WELL @ 4031.5usft (4031.5) WELL @ 4031.5usft (4031.5)

Grid

ations						
	Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
	1,800.0	1,800.0	RUSTLER			
	1,910.0	1,910.0	SALT			
	3,683.0	3,683.0	SEVEN RIVERS			
	4,427.0	4,427.0	QUEEN			
	5,624.6	5,620.0	CHERRY CANYON			
	5,813.7	5,806.0	BRUSHY CANYON			
	6,824.3	6,800.0	BONE SPRING			
	6,912.8	6,887.0	BONE SPRING LM			
	8,494.1	8,379.0	Top of FBSG SD			

Plan Annotations					
Mea	sured	Vertical	Local Coor	dinates	
De	pth	Depth	+N/-S	+E/-W	
(u	sft)	(usft)	(usft)	(usft)	Comment
	5,000.0	5,000.0	0.0	0.0	KOP - Start Build 2.00
!	5,520.8	5,517.9	30.4	36.1	Start 1793.7 hold at 5520.8 MD
	7,314.5	7,282.1	239.6	283.9	Start Drop -2.00
	7,835.3	7,800.0	270.0	320.0	Start 172.5 hold at 7835.3 MD
8	8,007.8	7,972.5	270.0	320.0	KOP #2 - Start Build 12.00
8	8,757.8	8,450.0	-207.4	324.5	LP - Start 7292.5 hold at 8757.8 MD
16	6,050.3	8,450.0	-7,499.6	392.8	TD at 16050.3

Inten	t X	As Dril	led												
API#															
	Operator Name: Avant Operating, LLC							Property Name: Sky Dweller 14 State Com							
Kick C	Off Point	(KOP)													
UL C	Section 14	Township 18S	Range 34E	Lot	Feet 50		From N	I/S	Feet 231		From	n E/W	County Lea		
Latitu					Longitu		21638		1				NAD 83		
First 1	Гаke Poin	it (FTP)													
UL C	Section 14	Township 18S	Range 34E	Lot	Feet 100		From N	I/S	Feet <b>2310</b>		From E/W		County Lea		
Latitu 32.7	<sup>ide</sup> 754776	61			Longitu -103.	NAI 3.5321636 83									
Last T	ake Poin	t (LTP)													
UL F	Section 23	Township 18S	Range 34E	Lot	Feet 2540	Fro	m N/S	Feet		From	E/W	Count <b>Lea</b>	ТУ		
Latitu 32.7	rde 733550	00			Longitu		21176			I		NAD 83	)		
Is this	: well the	defining v	vell for th	e Horiz	rontal Sr	nacin	g Unit?	·	Yes	7					
13 (1113	Well tile	uciling v	ven for th	C 110112	ontai o <sub>f</sub>	Jacin	Б ОПІС:	L	100	_					
Is this	well an	infill well?		No											
	l is yes p ng Unit.	lease provi	de API if	availab	ile, Opei	rator	Name	and v	well n	umbe	r for l	Definir	ng well fo	r Horizontal	
API#															
	Operator Name: Avant Operating, LLC							Property Name: Sky Dweller 14 State Com  We							

KZ 06/29/2018