

## U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 1

Sundry Print Rego

Well Name: LOGAN 35 FEDERAL Well Location: T17S / R27E / SEC 35 / County or Parish/State: EDDY /

NESE /

Allottee or Tribe Name:

**Unit or CA Name:** 

Type of Well: OIL WELL

**US Well Number: 300153608100S1** Well Status: Abandoned Operator: REDWOOD

**OPERATING LLC** 

**Unit or CA Number:** 

## **Subsequent Report**

Lease Number: NMNM117806

**Sundry ID: 2730393** 

Type of Action: Plug and Abandonment Type of Submission: Subsequent Report

Date Sundry Submitted: 05/11/2023 Time Sundry Submitted: 11:28

**Date Operation Actually Began:** 05/01/2023

Actual Procedure: 05/01/23 MIRU plugging equipment. Bled well down to pit. Unhung wellhead & removed horse head. POH w/ rods & pump. Pump'd 110 bbls Brine H20 to kill well. 05/02/23 Dug out cellar. Unflanged well, NU BOP. POH w/ tbg. Trickled Brine H20 to kill well. 05/03/23 Continued pumping Brine H20 to kill well. Tried to set 5 1/2 CIBP @ 2991'. Did not pick up any pressure. POH. CIBP came out & broke. RIH w/ new CIBP, set 5 1/2 CIBP @ 1901'. Spotted 30 sx class C cmt @ 1901-1604'. WOC. 05/04/23 RIH & tagged @ 2275'. Set 5 1/2 CIBP @ 2006'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 30 sx class C cmt @ 2006-1709'. WOC & tagged @ 1736'. Spotted 45 sx class C cmt @ 1230-785'. WOC. 05/05/23 Tagged plug @ 779'. ND BOP. Spotted 55 sx class C cmt @ 507' to surface. Rigged down & moved off. 05/09/23 Moved in backhoe and welder. Cut off well head & anchors. Gabriel Beneway w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

### **SR Attachments**

## **Actual Procedure**

Logan\_35\_Federal\_1\_\_\_Subsequent\_Report\_20230511112809.pdf

Logan\_35\_Federal\_1\_\_\_Current\_WBD\_20230511112808.pdf

Logan\_35\_Federal\_1\_\_\_Plugged\_WBD\_20230511112808.pdf

eceived by OCD: 5/30/2023 11:54:40 AM
Well Name: LOGAN 35 FEDERAL

Well Location: T17S / R27E / SEC 35 /

NESE /

County or Parish/State: EDD 1/2

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM117806

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 300153608100S1** 

Well Status: Abandoned

Operator: REDWOOD OPERATING LLC

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAY 11, 2023 11:28 AM **Operator Electronic Signature: DELILAH FLORES** 

Name: REDWOOD OPERATING LLC

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

### **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name: JAMES A AMOS BLM POC Title:** Acting Assistant Field Manager

**BLM POC Phone:** 5752345927 BLM POC Email Address: jamos@blm.gov


**Disposition:** Accepted Disposition Date: 05/26/2023

Signature: James A. Amos

Page 2 of 2

Redwood		PLUGGED				
Author:	Abby @ BCM					
Well Name	Logan 35 Fed	Well No.	#1			
Field/Pool	Red Lake; Glorieta-Yeso, NE	API #:	30-015-36081			
County	Eddy	Location:	Sec 35, T17S, R27E			
State	New Mexico	-	1520' FSL & 1280' FEL			
Spud Date	4/15/2008	GL:	3638			
		•				

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	1,150	12 1/4	550	0
Prod Csg	5 1/2	J55	15.5#	3,710	7 7/8	825	0



8 5/8 24# CSG @ 1,150 Hole Size: 12 1/4

3. Spot 45 sx cmt @ 1200-845'. WOC & Tag (8 5/8" Shoe & Queen)

Formation Тор San Andres 1696 Glorieta Yeso 3164

2. Set 5 1/2" CIBP @ 1975'. Circ hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 1975-1775'. WOC & Tag.

Perfs @ 2024-2952

1. Tag 5 1/2" CIBP @ 3020'. Dump bailed 35' or spot 25 sx cmt @ 3020-2820'.

Perfs @ 3126-3262

5 1/2 15.5# CSG @ 3,710 Hole Size: 7 7/8

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 221750

### **CONDITIONS**

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	221750
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By		Condition Date
john.harrison	Accepted for record - NMOCD JRH 6/7/23. Well P&A'd 5/5/23	6/7/2023