

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - NW- 03/19/2023
⁴ API Number 30-015-46544	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code: 326187	⁸ Property Name: PRECIOUS 30-18 FEDERAL COM	⁹ Well Number: 44H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	31	23S	31E		570	NORTH	2213	WEST	EDDY

¹¹ Bottom Hole Location FTP: 448' FSL 2069' FEL LTP: 2385' FSL 1974' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	18	23S	31E		2590	SOUTH	1988	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 3/22/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 10/17/22	²² Ready Date 03/19/23	²³ TD 24606'M 11403'V	²⁴ PBDT 24562'M 11401'V	²⁵ Perforations 11890-24400'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		424'	495
12-1/4"		9-5/8"		4180'	1244
8-3/4"		7-5/8"		10960'	354
6-3/4"		5-1/2"		24586'	1028

V. Well Test Data

³¹ Date New Oil 3/24/23	³² Gas Delivery Date 3/22/23	³³ Test Date 4/4/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1895
³⁷ Choke Size 61/128	³⁸ Oil 3947	³⁹ Water 7040	⁴⁰ Gas 6250		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 06/04/2023 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

Patricia Martinez

Title: Petroleum Specialist

Approval Date:
6/8/2023

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-46544	² Pool Code 98236	³ Pool Name WC-015 G-08 S233135D; WOLFCAMP
⁴ Property Code 326187	Property Name PRECIOUS 30_18 FED COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	
		⁶ Well Number 44H
		⁹ Elevation 3348'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	31	23S	31E		570	NORTH	2213	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	18	23S	31E		2590	SOUTH	1988	EAST	EDDY
¹² Dedicated Acres 800.0	¹³ Joint or Infill	¹⁴ Consolidation Code		¹⁵ Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 703525.47' / Y: 474895.82' B - X: 703536.95' / Y: 472249.54' C - X: 703555.82' / Y: 469616.48' D - X: 703570.80' / Y: 466975.08' E - X: 703585.01' / Y: 464333.57' F - X: 703599.62' / Y: 461692.37' G - X: 700956.71' / Y: 461680.43' H - X: 700928.18' / Y: 466962.44' I - X: 700898.48' / Y: 472240.98' J - X: 700884.47' / Y: 474884.09'		CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 662342.31' / Y: 474836.19' B - X: 662353.70' / Y: 472189.97' C - X: 662372.51' / Y: 469556.98' D - X: 662387.40' / Y: 466915.65' E - X: 662401.54' / Y: 464274.20' F - X: 662416.07' / Y: 461633.08' G - X: 659773.17' / Y: 461621.13' H - X: 659744.79' / Y: 466903.01' I - X: 659715.25' / Y: 472181.41' J - X: 659701.32' / Y: 474824.45'		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature:  Date: 3/17/23 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com	
BOTTOM HOLE LOCATION 2590' FSL 1988' FEL, SECTION 18 24606' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701537.20' / Y: 474833.05' LAT: 32.30432430N / LON: 103.81482333W NAD 27, SPCS NM EAST X: 660354.04' / Y: 474773.42' LAT: 32.30420159N / LON: 103.81433566W		LAST TAKE POINT 2385' FSL 1974' FEL, SECTION 18 24400' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701552.51' / Y: 474627.90' LAT: 32.30376019N / LON: 103.81477699W NAD 27, SPCS NM EAST X: 660369.34' / Y: 474568.27' LAT: 32.30363748N / LON: 103.81428934W		18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. MARCH 15, 2023 Date of Survey Signature and Seal of Professional Surveyor:  LLOYD P. SHORT 21653 Certificate Number	
FIRST TAKE POINT 448' FSL 2086' FEL, SECTION 30 11890' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701528.46' / Y: 462130.92' LAT: 32.26940922N / LON: 103.81505027W NAD 27, SPCS NM EAST X: 660344.92' / Y: 462071.61' LAT: 32.26928630N / LON: 103.81456398W		KICK OFF POINT 197' FSL 2086' FEL, SECTION 31 10961' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 701514.98' / Y: 461485.74' LAT: 32.26763595N / LON: 103.81510396W NAD 27, SPCS NM EAST X: 660331.43' / Y: 461426.45' LAT: 32.26751301N / LON: 103.81461774W		SURFACE HOLE LOCATION 570' FSL 2213' FWL, SECTION 31 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 700472.90' / Y: 461107.90' LAT: 32.26661113N / LON: 103.81848119W NAD 27, SPCS NM EAST X: 659289.34' / Y: 461048.62' LAT: 32.26648821N / LON: 103.81799493W	

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977803 Convergence Angle: 00°16'32.4192950"

 Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Precious 30-18 Federal Com 44H	Precious 30-18 Federal Com 44H	NM Eddy County (NAD 83)	Oxy Precious 30-18 Federal Com Pad (H&P 419)

Gravity & Magnetic Parameters					Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous		
Model:	IFR1	Dip:	59.931°	Date:	10-Nov-2022	Lat:	N 32 15 59.80	Northing:	461107.9HUS	Grid Conv:	0.2749°	Slot:	Precious 30-18 Federal Com 44H	TVD Ref:	RKB(3374.3ft above MSL)
MagDec:	6.79°	FS:	47629.9nT	Gravity FS:	998.451mgn (9.80665 Based)	Lon:	W 103 49 6.53	Easting:	700472.9HUS	Scale Fact:	0.99993809	Plan:	Oxy Precious 30-18 Federal Com 44H Gyro-MWD 0' to 24606'MD		

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	
First Gyro Survey	89.94	0.34	9.30	89.94	0.19	0.19	0.03	0.53
Last Gyro Survey	394.70	0.32	88.11	394.70	0.83	0.76	0.95	0.06
First SLB Survey	512.00	0.11	220.42	512.00	0.78	0.69	1.20	0.34
Actual KOP	10961.00	11.48	33.32	10861.30	456.26	377.84	1042.08	9.57
100' FSL Crossing	11486.00	47.82	355.61	11285.26	745.15	665.74	1065.90	8.12
Wolfcamp A Intersection	11832.68	76.55	357.96	11450.30	1044.33	966.51	1056.57	15.18
Wolfcamp A Intersection	13246.80	92.78	2.43	11450.30	2454.09	2378.19	1085.43	0.56
Wolfcamp A Intersection	16221.73	87.67	357.51	11450.30	5418.71	5349.01	1117.65	0.76
Wolfcamp A Intersection	16880.80	91.37	357.54	11450.30	6073.24	6007.43	1091.78	0.22
Final MWD Survey	24554.00	86.93	355.82	11400.28	13715.00	13673.37	1068.08	0.42
100' FNL Crossing	24558.00	86.93	355.82	11400.50	13718.95	13677.35	1067.79	0.00
Proj to TD	24606.00	86.93	355.82	11403.07	13786.35	13725.15	1064.30	0.00



Schlumberger

Oxy Precious 30-18 Federal Com 44H Gyro+MWD 0' to 24606'MD Survey Geodetic Report



Report Date: December 20, 2022 - 07:44 AM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Precious 30-18 Federal Com Pad (H&P 419) / Precious 30-18 Federal Com 44H
Well: Precious 30-18 Federal Com 44H
Borehole: Precious 30-18 Federal Com 44H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Precious 30-18 Federal Com 44H Gyro+MWD 0' to 24606'MD
Survey Date: October 26, 2022
Tort / AHD / DDI / ERD Ratio: 358.491' / 14493.014 ft / 7.047 / 1.264
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 15' 59.80009", W 103° 49' 6.53230"
Location Grid N/E Y/X: N 461107.900 ftUS, E 700472.900 ftUS
CRS Grid Convergence Angle: 0.2749 °
Grid Scale Factor: 0.99993809
Version / Patch: 2.10.823.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 4.377 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3374.300 ft above MSL
Seabed / Ground Elevation: 3348.300 ft above MSL
Magnetic Declination: 6.790 °
Total Gravity Field Strength: 998.4515mgn (9.80665 Basesd)
Gravity Models: GARM
Total Magnetic Field Strength: 47629.900 nT
Magnetic Dip Angle: 59.931 °
Declination Date: November 10, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.2800 °
Total Corr Mag North->Grid North: 6.5100 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (NUS)	Easting (NUS)	Latitude (N/S °'")	Longitude (E/W °'")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	461107.90	700472.90	N 32 15 59.80	W 103 49 6.53
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	0.00	0.00	0.00	461107.90	700472.90	N 32 15 59.80	W 103 49 6.53
First Gyro Survey	89.94	0.34	9.30	89.94	0.19	0.19	0.03	0.53	0.19	9.30	461108.09	700472.93	N 32 15 59.80	W 103 49 6.53
	174.53	0.13	33.54	174.53	0.52	0.51	0.12	0.27	0.53	13.57	461108.42	700473.02	N 32 15 59.81	W 103 49 6.53
	268.97	0.22	69.15	268.97	0.69	0.67	0.35	0.15	0.76	27.82	461108.57	700473.25	N 32 15 59.81	W 103 49 6.53
	363.29	0.31	85.34	363.29	0.81	0.75	0.78	0.12	1.08	45.84	461108.65	700473.68	N 32 15 59.81	W 103 49 6.52
	394.70	0.32	88.11	394.70	0.83	0.76	0.95	0.06	1.22	51.17	461108.66	700473.85	N 32 15 59.81	W 103 49 6.52
Last Gyro Survey	512.00	0.11	220.42	512.00	0.78	0.69	1.20	0.34	1.39	60.21	461108.59	700474.10	N 32 15 59.81	W 103 49 6.52
First SLB Survey	607.00	0.12	237.94	607.00	0.65	0.57	1.06	0.64	1.20	61.87	461108.47	700473.96	N 32 15 59.81	W 103 49 6.52
	777.00	0.11	217.77	777.00	0.40	0.34	0.81	0.02	0.88	67.02	461108.24	700473.71	N 32 15 59.80	W 103 49 6.52
	871.00	0.11	51.08	871.00	0.39	0.33	0.82	0.23	0.89	68.27	461108.23	700473.72	N 32 15 59.80	W 103 49 6.52
	966.00	0.16	111.78	966.00	0.41	0.34	1.02	0.15	1.07	71.71	461108.24	700473.92	N 32 15 59.80	W 103 49 6.52
	1060.00	0.06	54.63	1060.00	0.41	0.32	1.18	0.15	1.22	75.00	461108.22	700474.08	N 32 15 59.80	W 103 49 6.52
	1154.00	0.13	85.35	1154.00	0.45	0.35	1.33	0.09	1.37	75.08	461108.25	700474.23	N 32 15 59.80	W 103 49 6.52
	1249.00	0.16	149.00	1249.00	0.36	0.25	1.50	0.16	1.52	80.61	461108.15	700474.40	N 32 15 59.80	W 103 49 6.51
	1344.00	0.15	82.63	1343.99	0.28	0.15	1.69	0.18	1.70	84.92	461108.05	700474.59	N 32 15 59.80	W 103 49 6.51
	1438.00	0.08	85.43	1437.99	0.31	0.17	1.88	0.07	1.89	84.78	461108.07	700474.78	N 32 15 59.80	W 103 49 6.51
	1533.00	0.15	269.75	1532.99	0.32	0.18	1.82	0.24	1.83	84.47	461108.08	700474.72	N 32 15 59.80	W 103 49 6.51
	1628.00	0.12	70.61	1627.99	0.35	0.21	1.79	0.28	1.80	83.35	461108.11	700474.69	N 32 15 59.80	W 103 49 6.51
	1723.00	0.07	234.95	1722.99	0.35	0.21	1.84	0.20	1.85	83.53	461108.11	700474.74	N 32 15 59.80	W 103 49 6.51
	1818.00	0.07	64.88	1817.99	0.34	0.20	1.84	0.15	1.85	83.61	461108.10	700474.74	N 32 15 59.80	W 103 49 6.51
	1912.00	0.04	199.52	1911.99	0.34	0.19	1.88	0.11	1.89	84.14	461108.09	700474.78	N 32 15 59.80	W 103 49 6.51
	2007.00	0.13	11.96	2006.99	0.41	0.27	1.90	0.18	1.91	81.97	461108.17	700474.80	N 32 15 59.80	W 103 49 6.51
	2102.00	0.06	2.69	2101.99	0.57	0.42	1.92	0.08	1.97	77.59	461108.32	700474.82	N 32 15 59.80	W 103 49 6.51
	2197.00	0.17	88.38	2196.99	0.63	0.48	2.06	0.19	2.12	77.00	461108.38	700474.96	N 32 15 59.80	W 103 49 6.51
	2291.00	0.11	21.46	2290.99	0.73	0.56	2.24	0.17	2.31	75.84	461108.46	700475.14	N 32 15 59.81	W 103 49 6.51
	2386.00	0.18	62.17	2385.99	0.90	0.72	2.40	0.13	2.51	73.34	461108.62	700475.30	N 32 15 59.81	W 103 49 6.50
	2480.00	0.16	62.46	2479.99	1.05	0.85	2.65	0.10	2.78	72.24	461108.75	700475.55	N 32 15 59.81	W 103 49 6.50
	2575.00	0.15	72.06	2574.99	1.17	0.95	2.88	0.03	3.04	71.81	461108.85	700475.78	N 32 15 59.81	W 103 49 6.50
	2670.00	0.11	319.98	2669.99	1.28	1.06	2.94	0.23	3.13	70.27	461108.96	700475.84	N 32 15 59.81	W 103 49 6.50
	2765.00	0.12	327.09	2764.99	1.42	1.21	2.83	0.02	3.08	66.87	461109.11	700475.73	N 32 15 59.81	W 103 49 6.50
	2859.00	0.21	342.95	2858.99	1.66	1.46	2.73	0.11	3.09	61.89	461109.36	700475.63	N 32 15 59.81	W 103 49 6.50
	2954.00	0.11	327.91	2953.99	1.90	1.70	2.63	0.11	3.13	57.09	461109.60	700475.53	N 32 15 59.82	W 103 49 6.50
	3049.00	0.22	20.54	3048.99	2.14	1.95	2.64	0.19	3.28	53.61	461109.85	700475.54	N 32 15 59.82	W 103 49 6.50
	3144.00	0.09	92.95	3143.99	2.32	2.12	2.78	0.22	3.50	52.75	461110.02	700475.68	N 32 15 59.82	W 103 49 6.50
	3239.00	0.24	119.83	3238.99	2.24	2.01	3.03	0.17	3.64	56.40	461109.91	700475.93	N 32 15 59.82	W 103 49 6.50
	3333.00	0.07	236.37	3332.99	2.12	1.88	3.15	0.30	3.67	59.15	461109.78	700476.05	N 32 15 59.82	W 103 49 6.50
	3428.00	0.15	220.83	3427.99	1.98	1.76	3.02	0.09	3.50	59.83	461109.66	700475.92	N 32 15 59.82	W 103 49 6.50
	3523.00	0.21	228.20	3522.99	1.76	1.55	2.81	0.07	3.21	61.18	461109.45	700475.71	N 32 15 59.82	W 103 49 6.50
	3712.00	0.25	192.35	3711.99	1.10	0.91	2.47	0.08	2.63	69.77	461108.81	700475.37	N 32 15 59.81	W 103 49 6.50
	3807.00	0.19	137.84	3806.99	0.78	0.59	2.53	0.02	2.60	76.77	461108.49	700475.43	N 32 15 59.81	W 103 49 6.50
	3901.00	0.25	218.64	3900.99	0.51	0.32	2.50	0.31	2.52	82.76	461108.22	700475.40	N 32 15 59.80	W 103 49 6.50
	3996.00	0.11	297.97	3995.99	0.37	0.20	2.29	0.27	2.30	85.04	461108.10	700475.19	N 32 15 59.80	W 103 49 6.51
	4064.00	0.18	289.20	4063.99	0.43	0.26	2.13	0.11	2.15	82.93	461108.17	700475.03	N 32 15 59.80	W 103 49 6.51
	4285.00	0.23	293.97	4284.99	0.66	0.56	1.40	0.02	1.51	68.25	461108.46	700474.30	N 32 15 59.81	W 103 49 6.52
	4380.00	0.25	310.07	4379.98	0.85	0.77	1.07	0.07	1.32	54.22	461108.67	700473.97	N 32 15 59.81	W 103 49 6.52
	4475.00	1.13	59.17	4474.98	1.37	1.27	1.34	0.21	1.47	55.30	461108.14	700474.69	N 32 15 59.81	W 103 49 6.51
	4569.00	2.82	77.40	4568.92	2.44	2.07	4.91	1.82	5.33	67.13	461109.97	700477.81	N 32 15 59.82	W 103 49 6.48
	4664.00	3.98	79.39	4663.75	3.97	3.19	10.43	1.23	10.91	73.01	461111.09	700483.33	N 32 15 59.83	W 103 49 6.41
	4759.00	5.67	77.89	4758.41	6.16	4.78	18.26	1.78	18.87	75.33	461112.68	700491.16	N 32 15 59.85	W 103 49 6.32
	4853.00	6.80	77.50	4851.85	9.09	6.96	28.23	1.20	29.08	76.16	461114.86	700501.13	N 32 15 59.87	W 103 49 6.20
	4948.00	7.49	73.80	4946.12	12.90	9.90	39.67	0.87	40.89	75.98	461117.80	700512.57	N 32 15 59.90	W 103 49 6.07
	5043.00	8.19	17.00	5040.23	17.53	13.60	62.00	0.74	63.26	72.11	461052.44	700524.58	N 32 15 59.81	W 103 49 5.92
	5138.00	9.24	72.12	5134.13	22.88	17.90	65.83	1.12	68.22	74.78	461125.80	700538.72	N 32 15 59.97	W 103 49 5.76
	5232.00	10.15	69.95	5226.79	29.16	23.06	80.79	1.04	84.02	74.07	461130.96	700553.68	N 32 16 0.02	W 103 49 5.59
	5327.00	11.76	70.55	5320.05	36.53	29.15	97.78	1.70	102.04	73.40	461137.05	700570.68	N 32 16 0.08	W 103 49 5.39
	5422.00	10.74	67.41	5413.23	44.46	35.78	115.08	1.25	120.52	72.73	461143.68	700587.98	N 32 16 0.15	W 103 49 5.19
	5517.00	10.85	66.80	5506.54	52.61	42.70	131.47	0.17	138.23	72.01	461150.60	700600.34	N 32 16 0.22	W 103 49 5.00
	5611.00	10.75	64.79	5599.88	61.03	44.75	147.54	0.41	155.75	70.61	461157.82	700620.43	N 32 16 0.29	W 103 49 4.81
	5706.00	10.74	64.23	5692.21	69.86	57.54	163.93	0.11	173.35	70.61	461165.44	700636.41	N 32 16 0.38	W 103 49 4.62
	5801.00	10.78	66.99	5785.54	78.39	64.86	179.67	0.54	191.02	70.15	461172.76	700652.56	N 32 16 0.43	W 103 49 4.44
	5896.00	10.70	73.06	5878.88	85.68	70.91	196.29	1.19	208.70	70.14	461178.80	700669.18	N 32 16 0.49	W 103 49 4.24
	5990.00	10.88	77.31	5971.22	91.46	75.40	213.29	0.87	226.23	70.53	461183.29	700686.18	N 32 16 0.54	W 103 49 4.04
	6085.00	10.78	76.79	6064.53	96.77	79.40	230.69	0.15	243.97	71.01	461187.29	700703.57	N 32 16 0.57	W 103 49 3.84
	6180.00	10.76	75.08	6157.86	102.39	83.71	247.91	0.34	261.86	71.34	461191.61	700720.79	N 32 16 0.62	W 103 49 3.64</

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100)	Closure (ft)	Closure Azimuth (°)	Northing (NUS)	Easting (NUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
Actual KOP	9685.00	10.29	61.99	9605.67	341.91	278.23	845.05	0.70	889.67	71.78	461386.11	701317.90	N 32° 16' 2.51"	W 103° 48' 56.68"
	9780.00	10.33	63.70	9699.13	350.80	285.99	860.18	0.32	906.47	71.61	461393.87	701333.02	N 32° 16' 2.59"	W 103° 48' 56.50"
	9875.00	10.39	68.58	9792.59	358.88	292.89	875.79	0.93	923.47	71.51	461400.77	701348.63	N 32° 16' 2.66"	W 103° 48' 56.32"
	9970.00	10.38	68.49	9886.03	366.34	299.16	891.72	0.02	940.57	71.45	461407.04	701364.57	N 32° 16' 2.72"	W 103° 48' 56.13"
	10065.00	10.24	68.50	9979.50	373.76	305.39	907.54	0.15	957.55	71.40	461413.27	701380.39	N 32° 16' 2.78"	W 103° 48' 55.95"
	10159.00	10.52	74.26	10071.96	380.36	310.78	923.58	1.14	974.46	71.40	461418.66	701396.42	N 32° 16' 2.83"	W 103° 48' 55.76"
	10254.00	10.37	73.20	10165.39	386.43	315.61	940.11	0.96	992.67	71.44	461423.95	701412.95	N 32° 16' 2.88"	W 103° 48' 55.51"
	10349.00	10.53	78.15	10258.81	391.95	319.86	956.79	0.96	1008.84	71.51	461427.74	701429.63	N 32° 16' 2.92"	W 103° 48' 55.37"
	10444.00	10.24	77.70	10352.26	396.80	323.44	973.54	0.32	1025.86	71.62	461431.32	701446.37	N 32° 16' 2.95"	W 103° 48' 55.18"
	10538.00	10.19	70.91	10444.77	402.51	327.94	989.56	1.28	1042.48	71.66	461435.82	701462.40	N 32° 16' 3.00"	W 103° 48' 54.99"
100' FSL Crossing	10633.00	9.85	56.44	10538.34	410.85	335.18	1004.27	2.67	1058.73	71.54	461443.06	701477.11	N 32° 16' 3.07"	W 103° 48' 54.82"
	10726.00	9.87	41.21	10631.95	422.36	345.80	1016.41	2.74	1073.62	71.21	461453.68	701489.25	N 32° 16' 3.17"	W 103° 48' 54.68"
	10822.00	10.33	39.73	10724.49	435.69	358.34	1027.11	0.56	1087.82	70.77	461466.22	701499.94	N 32° 16' 3.30"	W 103° 48' 54.55"
	10917.00	9.96	37.13	10818.01	449.54	371.44	1037.51	0.62	1102.00	70.30	461479.32	701510.34	N 32° 16' 3.43"	W 103° 48' 54.43"
	10946.00	10.10	35.39	10846.56	453.83	375.52	1040.50	1.15	1106.18	70.16	461483.39	701513.33	N 32° 16' 3.47"	W 103° 48' 54.39"
	10961.00	11.48	33.32	10861.30	456.26	377.84	1042.08	9.57	1108.46	70.07	461485.71	701514.91	N 32° 16' 3.49"	W 103° 48' 54.38"
	11010.00	16.06	29.03	10908.88	466.70	387.84	1048.05	9.57	1117.51	69.69	461495.72	701520.88	N 32° 16' 3.59"	W 103° 48' 54.30"
	11073.00	25.21	21.56	10967.78	487.48	407.99	1057.23	68.90	1133.22	68.90	461515.86	701530.06	N 32° 16' 3.79"	W 103° 48' 54.20"
	11168.00	34.44	11.79	11050.16	533.58	453.23	1070.19	10.95	1162.20	67.05	461561.10	701543.02	N 32° 16' 4.23"	W 103° 48' 54.04"
	11263.00	41.54	1.16	11125.07	591.80	511.15	1076.33	11.94	1191.54	64.60	461619.02	701549.16	N 32° 16' 4.81"	W 103° 48' 53.97"
Wolfcamp A Intersection	11357.00	43.95	354.72	11194.13	655.12	574.83	1073.96	5.31	1218.12	61.84	461682.70	701546.79	N 32° 16' 5.44"	W 103° 48' 53.99"
	11452.00	45.11	354.91	11261.85	720.82	641.18	1067.94	1.23	1245.63	59.02	461749.04	701540.77	N 32° 16' 6.09"	W 103° 48' 54.06"
	11486.00	47.82	355.61	11285.26	745.15	665.74	1065.90	8.12	1256.73	58.01	461773.60	701538.74	N 32° 16' 6.34"	W 103° 48' 54.08"
	11547.00	52.70	356.73	11324.25	791.57	712.53	1062.79	8.12	1279.54	56.16	461820.39	701535.62	N 32° 16' 6.80"	W 103° 48' 54.12"
	11642.00	59.12	359.18	11377.47	869.70	791.11	1060.05	7.09	1322.71	54.67	461898.96	701532.88	N 32° 16' 7.58"	W 103° 48' 54.14"
	11736.00	67.00	359.25	11420.03	953.10	874.83	1059.80	8.38	1375.54	50.44	461982.68	701531.73	N 32° 16' 8.30"	W 103° 48' 54.15"
	11831.00	76.30	357.90	11449.91	1042.70	964.87	1056.83	9.88	1430.89	47.60	462072.71	701529.40	N 32° 16' 9.30"	W 103° 48' 54.17"
	11832.68	76.55	357.96	11450.30	1044.33	966.51	1056.57	15.18	1431.95	47.55	462074.35	701529.41	N 32° 16' 9.31"	W 103° 48' 54.17"
	11925.00	90.20	1.16	11460.93	1135.48	1057.98	1055.91	15.18	1494.74	44.54	462165.81	701528.74	N 32° 16' 10.22"	W 103° 48' 54.18"
	12020.00	89.91	2.70	11460.84	1230.39	1152.92	1059.11	1.65	1565.55	42.57	462260.75	701531.94	N 32° 16' 11.10"	W 103° 48' 54.13"
Wolfcamp A Intersection	12115.00	89.58	359.38	11461.26	1325.21	1247.89	1060.83	3.51	1637.86	40.37	462355.71	701533.66	N 32° 16' 12.10"	W 103° 48' 54.11"
	12210.00	89.41	1.07	11462.10	1419.96	1342.88	1061.20	17.79	1711.57	38.32	462450.70	701534.46	N 32° 16' 13.04"	W 103° 48' 54.10"
	12304.00	89.24	2.25	11463.21	1513.84	1436.83	1063.93	1.27	1787.86	36.52	462544.64	701536.76	N 32° 16' 13.97"	W 103° 48' 54.06"
	12398.00	90.81	2.40	11463.16	1607.78	1530.75	1066.35	34.90	1866.35	34.90	462636.56	701540.57	N 32° 16' 14.90"	W 103° 48' 54.01"
	12493.00	90.59	4.82	11462.00	1702.76	1625.55	1073.72	2.56	1948.15	33.45	462733.35	701546.55	N 32° 16' 15.85"	W 103° 48' 53.94"
	12587.00	90.51	6.23	11461.10	1796.73	1719.11	1082.77	1.50	2031.68	32.20	462826.90	701555.60	N 32° 16' 16.73"	W 103° 48' 53.83"
	12681.00	89.36	0.30	11461.21	1890.67	1812.91	1088.12	6.43	2114.39	30.97	462920.70	701560.95	N 32° 16' 17.69"	W 103° 48' 53.76"
	12775.00	89.90	356.12	11461.82	1984.10	1906.84	1085.19	4.48	2194.01	29.64	463014.62	701558.02	N 32° 16' 18.62"	W 103° 48' 53.79"
	12870.00	89.64	1.51	11462.20	2078.62	2001.79	1083.22	5.68	2276.08	28.42	463105.56	701556.05	N 32° 16' 19.56"	W 103° 48' 53.80"
	12965.00	90.16	358.40	11462.36	2173.32	2096.78	1083.15	3.32	2360.02	27.32	463204.54	701555.98	N 32° 16' 20.50"	W 103° 48' 53.80"
Wolfcamp A Intersection	13059.00	93.25	359.07	11459.57	2266.82	2190.70	1081.07	3.36	2442.92	26.27	463298.46	701553.90	N 32° 16' 21.43"	W 103° 48' 53.82"
	13154.00	92.64	1.93	11454.68	2361.46	2285.56	1081.90	30.97	2528.69	25.33	463393.31	701554.73	N 32° 16' 22.36"	W 103° 48' 53.80"
	13246.80	92.78	2.43	11450.30	2454.09	2378.19	1085.43	0.56	2614.18	24.53	463485.93	701558.26	N 32° 16' 23.28"	W 103° 48' 53.76"
	13249.00	92.78	2.44	11450.19	2456.29	2380.38	1085.52	0.56	2616.21	24.51	463488.13	701558.35	N 32° 16' 23.30"	W 103° 48' 53.76"
	13343.00	92.93	2.60	11445.15	2550.12	2474.18	1089.65	0.23	2703.49	23.77	463581.92	701561.58	N 32° 16' 24.23"	W 103° 48' 53.70"
	13438.00	92.72	0.58	11440.83	2644.89	2569.02	1092.26	2.16	2791.58	23.03	463676.76	701565.09	N 32° 16' 25.17"	W 103° 48' 53.67"
	13529.00	92.21	0.70	11436.91	2735.61	2659.93	1093.26	0.58	2875.84	22.34	463767.66	701566.09	N 32° 16' 26.07"	W 103° 48' 53.65"
	13624.00	90.30	1.16	11434.83	2830.41	2754.89	1094.80	2.07	2964.46	21.67	463862.61	701567.63	N 32° 16' 27.01"	W 103° 48' 53.63"
	13719.00	90.66	1.26	11434.04	2925.26	2849.86	1096.81	21.05	3053.64	21.05	463957.58	701569.64	N 32° 16' 27.95"	W 103° 48' 53.60"
	13813.00	90.21	0.72	11433.32	3019.09	2943.85	1098.43	0.75	3142.10	20.46	464051.56	701571.26	N 32° 16' 28.88"	W 103° 48' 53.57"
Wolfcamp A Intersection	13908.00	90.33	359.21	11433.88	3113.81	3038.84	1098.38	1.59	3231.25	19.87	464146.55	701571.21	N 32° 16' 29.81"	W 103° 48' 53.57"
	14003.00	89.22	357.62	11433.25	3208.29	3133.80	1095.25	2.04	3319.85	19.27	464241.50	701568.58	N 32° 16' 30.76"	W 103° 48' 53.59"
	14098.00	90.58	358.16	11433.42	3302.68	3228.73	1092.25	1.54	3408.48	18.69	464336.43	701565.08	N 32° 16' 31.70"	W 103° 48' 53.63"
	14192.00	92.67	1.01	11430.75	3396.30	3322.68	1091.57	3.76	3497.39	18.19	464430.37	701564.40	N 32° 16' 32.63"	W 103° 48' 53.63"
	14287.00	92.70	1.27	11426.30	3491									

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	21460.00	89.92	358.71	11413.01	10633.20	10582.12	1073.77	0.60	10636.45	5.79	471689.34	701546.60	N 32 17 44.46	W 103 48 53.43
	21555.00	91.26	0.19	11412.03	10727.84	10677.10	1072.86	2.10	10730.87	5.74	471784.32	701545.69	N 32 17 45.40	W 103 48 53.44
	21650.00	90.23	358.57	11410.80	10822.47	10772.08	1071.83	2.02	10825.28	5.68	471879.29	701544.66	N 32 17 46.34	W 103 48 53.44
	21744.00	92.21	0.50	11408.80	10916.10	10866.05	1071.07	2.94	10918.71	5.63	471973.26	701543.90	N 32 17 47.27	W 103 48 53.45
	21839.00	90.71	0.32	11406.38	11010.84	10961.01	1071.75	1.59	11013.29	5.58	472068.21	701544.58	N 32 17 48.21	W 103 48 53.43
	22029.00	86.85	359.52	11410.42	11200.18	11150.93	1071.48	2.07	11202.29	5.49	472258.12	701544.31	N 32 17 50.09	W 103 48 53.43
	22123.00	87.58	359.74	11414.99	11293.75	11244.82	1070.88	0.81	11295.70	5.44	472352.00	701543.71	N 32 17 51.02	W 103 48 53.43
	22313.00	88.63	359.89	11421.27	11483.04	11434.71	1070.26	0.56	11484.69	5.35	472541.88	701543.10	N 32 17 52.89	W 103 48 53.42
	22502.00	89.53	359.84	11424.31	11671.43	11623.68	1069.82	0.48	11672.81	5.26	472730.84	701542.65	N 32 17 54.76	W 103 48 53.42
	22597.00	89.42	0.01	11425.18	11766.14	11718.68	1069.69	0.21	11767.40	5.22	472825.83	701542.53	N 32 17 55.70	W 103 48 53.42
	22691.00	89.53	0.10	11426.04	11859.87	11812.68	1069.78	0.15	11861.02	5.17	472919.82	701542.62	N 32 17 56.63	W 103 48 53.41
	22786.00	90.12	0.38	11426.33	11954.62	11907.67	1070.18	0.69	11955.67	5.14	473014.81	701543.01	N 32 17 57.57	W 103 48 53.40
	22881.00	90.33	0.33	11425.95	12049.39	12002.67	1070.77	0.23	12050.34	5.10	473109.81	701543.60	N 32 17 58.51	W 103 48 53.39
	22976.00	92.24	1.74	11423.82	12144.19	12097.63	1072.49	2.50	12145.07	5.07	473204.75	701545.32	N 32 17 59.45	W 103 48 53.36
	23070.00	92.14	1.81	11420.23	12238.03	12191.51	1075.40	0.13	12238.85	5.04	473298.63	701548.23	N 32 18 0.38	W 103 48 53.32
	23165.00	90.56	0.44	11417.99	12332.84	12286.46	1077.26	2.20	12333.60	5.01	473393.58	701550.09	N 32 18 1.32	W 103 48 53.29
	23259.00	91.51	1.41	11416.30	12426.66	12380.43	1078.78	1.44	12427.34	4.98	473487.54	701551.61	N 32 18 2.25	W 103 48 53.27
	23354.00	93.95	3.12	11411.77	12521.47	12475.24	1082.53	3.14	12522.12	4.96	473582.34	701555.36	N 32 18 3.19	W 103 48 53.22
	23449.00	91.81	1.87	11407.00	12616.29	12570.02	1086.65	2.61	12616.90	4.94	473677.12	701559.48	N 32 18 4.13	W 103 48 53.17
	23543.00	91.58	1.69	11404.22	12710.16	12663.94	1089.57	0.31	12710.72	4.92	473771.03	701562.40	N 32 18 5.06	W 103 48 53.13
	23638.00	91.10	0.93	11402.00	12804.99	12758.88	1091.74	0.95	12805.51	4.89	473865.97	701564.57	N 32 18 6.00	W 103 48 53.10
	23827.00	92.36	0.48	11396.29	12993.51	12947.78	1094.07	0.71	12993.92	4.83	474054.85	701566.90	N 32 18 7.87	W 103 48 53.06
	23922.00	93.57	0.77	11391.38	13088.18	13042.64	1095.10	1.31	13088.54	4.80	474149.71	701567.93	N 32 18 8.80	W 103 48 53.04
	24017.00	90.50	359.07	11388.00	13182.82	13137.57	1094.97	3.69	13183.12	4.76	474244.63	701567.80	N 32 18 9.74	W 103 48 53.04
	24111.00	91.87	359.62	11386.06	13276.44	13231.54	1093.89	1.57	13276.68	4.73	474338.60	701566.73	N 32 18 10.67	W 103 48 53.05
	24206.00	88.74	357.28	11385.55	13370.91	13326.49	1091.33	4.11	13371.10	4.68	474433.54	701564.16	N 32 18 11.61	W 103 48 53.07
	24306.00	87.22	355.82	11392.25	13559.01	13516.01	1079.90	1.11	13559.09	4.57	474623.05	701552.73	N 32 18 13.49	W 103 48 53.19
	24490.00	87.07	355.59	11396.93	13651.82	13609.63	1072.87	0.29	13651.86	4.51	474716.66	701545.70	N 32 18 14.42	W 103 48 53.27
	24554.00	86.93	355.82	11400.28	13715.02	13673.37	1068.08	0.42	13715.02	4.47	474780.39	701540.91	N 32 18 15.05	W 103 48 53.32
	24558.00	86.93	355.82	11400.50	13718.95	13677.35	1067.79	0.00	13718.97	4.46	474784.38	701540.62	N 32 18 15.09	W 103 48 53.33
	24606.00	86.93	355.82	11403.07	13766.35	13725.15	1064.30	0.00	13766.36	4.43	474832.18	701537.13	N 32 18 15.56	W 103 48 53.36

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	26.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Precious 30-18 Federal Com 44H / Oxy Precious 30-18 Federal Com 44H Gyro+MWD 0' to 24606'MD
	1	26.000	26.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Precious 30-18 Federal Com 44H / Oxy Precious 30-18 Federal Com 44H Gyro+MWD 0' to 24606'MD
	1	26.000	394.700	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Precious 30-18 Federal Com 44H / Oxy Precious 30-18 Federal Com 44H Gyro+MWD 0' to 24606'MD
	1	394.700	24606.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Precious 30-18 Federal Com 44H / Oxy Precious 30-18 Federal Com 44H Gyro+MWD 0' to 24606'MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: PRECIOUS 30-18 FEDERAL COM	Well Location: T23S / R31E / SEC 31 / NENW / 32.2666111 / -103.8184815	County or Parish/State: EDDY / NM
Well Number: 44H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM21640	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546544	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2731320

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 05/16/2023

Time Sundry Submitted: 03:54

Date Operation Actually Began: 02/24/2023

Actual Procedure: RUPU 02/24/23, RIH & clean out to PBTD @ 24562', pressure test casing to 11300# for 30 min, good test. RIH & perf @ 11890-24400' Total 1530 holes. Frac in 51 stages w/ 339239BBL Produced Water + 82794BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 31492382# sand, RD Liberty Oilfield Services 03/12/23. Well ready to produce 3/19/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 07/09/2023.

Well Name: PRECIOUS 30-18 FEDERAL COM	Well Location: T23S / R31E / SEC 31 / NENW / 32.2666111 / -103.8184815	County or Parish/State: EDDY / NM
Well Number: 44H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM21640	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546544	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: MAY 16, 2023 03:54 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/30/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PRECIOUS 30-18 FEDERAL COM		
								6. Well Number: 44H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat WC-015 G-08 S233135D; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	31	23S	31E		570	NORTH	2213	WEST	EDDY
BH:	J	18	23S	31E		2590	SOUTH	1988	EAST	EDDY
13. Date Spudded 10/17/2022	14. Date T.D. Reached 12/15/2022		15. Date Rig Released 12/18/2022			16. Date Completed (Ready to Produce) 03/19/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3348' GL		
18. Total Measured Depth of Well 24606'M 11403'V			19. Plug Back Measured Depth 24562'M 11401'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11890-24400' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		424'		17.5"		495sx-surf circ		
9.625" HCL80		40		4180'		12.25"		1244sx-surf circ		
7.625" HCL80		26.4		10960'		8.75"		354sx-TOC@7345'		
5.5" P110 ICY		20		24586'		6.75"		1028sx-TOC@9803'		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perf @11890-24400' Total 1530 holes, Hole Size=0.42					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					11890-24400'		339239BBL Produced Water + 82794BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 31492382# sand			
28. PRODUCTION										
Date First Production 03/24/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Prod.				
Date of Test 04/04/2023	Hours Tested 24 hrs.	Choke Size 61/128	Prod'n For Test Period	Oil - Bbl 3947	Gas - MCF 6250	Water - Bbl. 7040	Gas - Oil Ratio 1583			
Flow Tubing Press.	Casing Pressure 1895	Calculated 24- Hour Rate	Oil - Bbl. 3947	Gas - MCF 6250	Water - Bbl. 7040	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>06/04/2023</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 351'	T. Bell Canyon 4140'	T. Ojo Alamo	T. Penn A"
T. Salado 691'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2010'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4024'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4986'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6290'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 7985'	T. Todilto	
T. Abo	T. 1 st Bone Spring 9041'	T. Entrada	
T. Wolfcamp 11624'	T. 2 nd Bone Spring 9719'	T. Wingate	
T. Penn	T. 3 rd Bone Spring 10994'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Precious 30-18 Federal Com 44H
API No. 30-015-46544



Perfs @ 11890-24400'

TD- 24606'M 11403'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 223573

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 223573
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 223573

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 223573
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/8/2023
plmartinez	Submit CBL Well Log (s) in OCD Permitting as [UF-WL] EP Well Log Submission.	6/8/2023