

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101

August 1, 2011

Permit 341241

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

|                                                                                                 |                                              |                               |
|-------------------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------|
| 1. Operator Name and Address<br>Avant Operating, LLC<br>1515 Wynkoop Street<br>Denver, CO 80202 |                                              | 2. OGRID Number<br>330396     |
|                                                                                                 |                                              | 3. API Number<br>30-025-51597 |
| 4. Property Code<br>334069                                                                      | 5. Property Name<br>SKY DWELLER 14 STATE COM | 6. Well No.<br>006H           |

**7. Surface Location**

|               |               |                 |              |              |                  |               |                  |               |               |
|---------------|---------------|-----------------|--------------|--------------|------------------|---------------|------------------|---------------|---------------|
| UL - Lot<br>D | Section<br>14 | Township<br>18S | Range<br>34E | Lot Idn<br>D | Feet From<br>160 | N/S Line<br>N | Feet From<br>540 | E/W Line<br>W | County<br>Lea |
|---------------|---------------|-----------------|--------------|--------------|------------------|---------------|------------------|---------------|---------------|

**8. Proposed Bottom Hole Location**

|               |               |                 |              |              |                   |               |                  |               |               |
|---------------|---------------|-----------------|--------------|--------------|-------------------|---------------|------------------|---------------|---------------|
| UL - Lot<br>E | Section<br>23 | Township<br>18S | Range<br>34E | Lot Idn<br>E | Feet From<br>2540 | N/S Line<br>N | Feet From<br>330 | E/W Line<br>W | County<br>Lea |
|---------------|---------------|-----------------|--------------|--------------|-------------------|---------------|------------------|---------------|---------------|

**9. Pool Information**

|                           |     |
|---------------------------|-----|
| AIRSTRIPE;WOLFCAMP, NORTH | 990 |
|---------------------------|-----|

**Additional Well Information**

|                           |                             |                                        |                         |                                    |
|---------------------------|-----------------------------|----------------------------------------|-------------------------|------------------------------------|
| 11. Work Type<br>New Well | 12. Well Type<br>OIL        | 13. Cable/Rotary                       | 14. Lease Type<br>State | 15. Ground Level Elevation<br>4011 |
| 16. Multiple<br>N         | 17. Proposed Depth<br>18974 | 18. Formation<br>Wolfcamp              | 19. Contractor          | 20. Spud Date<br>7/1/2023          |
| Depth to Ground water     |                             | Distance from nearest fresh water well |                         | Distance to nearest surface water  |

☒ We will be using a closed-loop system in lieu of lined pits

**21. Proposed Casing and Cement Program**

| Type | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 17.5      | 13.375      | 54.5             | 1825          | 830             | 0             |
| Int1 | 12.25     | 9.625       | 40               | 10800         | 1240            | 0             |
| Prod | 8.375     | 5.5         | 20               | 18974         | 1090            | 0             |
| Prod | 7.875     | 5.5         | 20               | 18974         | 1090            | 0             |

**Casing/Cement Program: Additional Comments**

|                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------|
| Drilling 8.75-hole size for the curve and 7.875-hole size for the lateral for the 5.5 production casing string. |
|-----------------------------------------------------------------------------------------------------------------|

**22. Proposed Blowout Prevention Program**

| Type | Working Pressure | Test Pressure | Manufacturer |
|------|------------------|---------------|--------------|
| Pipe | 10000            | 5000          | Cameron      |

|                                                                                                                                                                                                                                                                                                    |                                  |                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------|
| 23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.<br>I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> if applicable. | <b>OIL CONSERVATION DIVISION</b> |                                 |
| Signature:                                                                                                                                                                                                                                                                                         |                                  |                                 |
| Printed Name: Electronically filed by Sarah Ferreyros                                                                                                                                                                                                                                              | Approved By: Paul F Kautz        |                                 |
| Title: Director of Regulatory                                                                                                                                                                                                                                                                      | Title: Geologist                 |                                 |
| Email Address: sarah@avantnr.com                                                                                                                                                                                                                                                                   | Approved Date: 6/12/2023         | Expiration Date: 6/12/2025      |
| Date: 5/30/2023                                                                                                                                                                                                                                                                                    | Phone: 720-854-9020              | Conditions of Approval Attached |

**DISTRICT I**  
1625 N French Dr., Hobbs, N.M. 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720

**DISTRICT II**  
811 S First St., Artesia, N.M. 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720

**DISTRICT III**  
1000 Rio Brason Rd., Aztec, N.M. 87410  
Phone: (505) 334-6178 Fax: (505) 334-8170

**DISTRICT IV**  
1220 S St. Francis Dr., Santa Fe, N.M. 87505  
Phone: (505) 478-3480 Fax: (505) 478-3482

State of New Mexico  
Energy, Minerals & Natural Resources Department

Form C-102

Revised August 1, 2011

Submit one copy to appropriate  
District Office

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.  
Santa Fe, N.M. 87505

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                    |  |                                                   |  |                                                |  |
|------------------------------------|--|---------------------------------------------------|--|------------------------------------------------|--|
| *API Number<br><b>30-025-51597</b> |  | *Pool Code<br><b>990</b>                          |  | *Pool Name<br><b>Airstrip; Wolfcamp, North</b> |  |
| *Property Code<br><b>334069</b>    |  | *Property Name<br><b>SKY DWELLER 14 STATE COM</b> |  | *Well Number<br><b>006H</b>                    |  |
| *DGRID No.<br><b>330396</b>        |  | *Operator Name<br><b>AVANT OPERATING, LLC</b>     |  | *Elevation<br><b>4011</b>                      |  |

<sup>10</sup> Surface Location


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| D             | 14      | 18 S     | 34 E  |         | 160           | NORTH            | 540           | WEST           | LEA    |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| E             | 23      | 18 S     | 34 E  |         | 2540          | NORTH            | 330           | WEST           | LEA    |

|                                                                                  |                |                  |                     |            |
|----------------------------------------------------------------------------------|----------------|------------------|---------------------|------------|
| *Dedicated Acres<br>SECTION 14: W/2 W/2; 160 Ac.<br>SECTION 23: W/2 NW/4; 80 Ac. | TOTAL: 240 Ac. | *Joint or Infill | *Consolidation Code | *Order No. |
|----------------------------------------------------------------------------------|----------------|------------------|---------------------|------------|

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

Form APD Comments

Permit 341241

PERMIT COMMENTS

|                                                                                                        |  |                                         |
|--------------------------------------------------------------------------------------------------------|--|-----------------------------------------|
| Operator Name and Address:<br>Avant Operating, LLC [330396]<br>1515 Wynkoop Street<br>Denver, CO 80202 |  | API Number:<br>30-025-51597             |
|                                                                                                        |  | Well:<br>SKY DWELLER 14 STATE COM #006H |

|            |                                                                                       |              |
|------------|---------------------------------------------------------------------------------------|--------------|
| Created By | Comment                                                                               | Comment Date |
| sferreyros | Avant Operating requests to batch-set surface casing with the other wells on the pad. | 5/30/2023    |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form APD Conditions

Permit 341241

**PERMIT CONDITIONS OF APPROVAL**

|                                                                                                        |                                         |
|--------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Operator Name and Address:<br>Avant Operating, LLC [330396]<br>1515 Wynkoop Street<br>Denver, CO 80202 | API Number:<br>30-025-51597             |
|                                                                                                        | Well:<br>SKY DWELLER 14 STATE COM #006H |

| OCD<br>Reviewer | Condition                                                                                                                                                                                                                                                            |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pkautz          | Notify OCD 24 hours prior to casing & cement                                                                                                                                                                                                                         |
| pkautz          | Will require a File As Drilled C-102 and a Directional Survey with the C-104                                                                                                                                                                                         |
| pkautz          | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz          | Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system                  |
| pkautz          | Cement is required to circulate on both surface and intermediate1 strings of casing                                                                                                                                                                                  |
| pkautz          | The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud                                                                                                                                                                   |



## **Avant Operating, LLC**

**Lea Co., NM (NAD 83)**

**Sky Dweller**

**Sky Dweller 14 State Com 006H**

**OH**

**Plan: Plan 0.1**

## **Standard Planning Report**

**24 May, 2023**





## Planning Report



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Database:</b> | EDM 5000.16 Single User Db    | <b>Local Co-ordinate Reference:</b> | Well Sky Dweller 14 State Com 006H |
| <b>Company:</b>  | Avant Operating, LLC          | <b>TVD Reference:</b>               | WELL @ 4037.5usft (4037.5)         |
| <b>Project:</b>  | Lea Co., NM (NAD 83)          | <b>MD Reference:</b>                | WELL @ 4037.5usft (4037.5)         |
| <b>Site:</b>     | Sky Dweller                   | <b>North Reference:</b>             | Grid                               |
| <b>Well:</b>     | Sky Dweller 14 State Com 006H | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Wellbore:</b> | OH                            |                                     |                                    |
| <b>Design:</b>   | Plan 0.1                      |                                     |                                    |

|                    |                           |                      |                |
|--------------------|---------------------------|----------------------|----------------|
| <b>Project</b>     | Lea Co., NM (NAD 83)      |                      |                |
| <b>Map System:</b> | US State Plane 1983       | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983 |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone   |                      |                |

|                              |             |                     |                 |                                 |
|------------------------------|-------------|---------------------|-----------------|---------------------------------|
| <b>Site</b>                  | Sky Dweller |                     |                 |                                 |
| <b>Site Position:</b>        |             | <b>Northing:</b>    | 630,428.61 usft | <b>Latitude:</b> 32.7305680°N   |
| <b>From:</b>                 | Lat/Long    | <b>Easting:</b>     | 785,714.46 usft | <b>Longitude:</b> 103.5386350°W |
| <b>Position Uncertainty:</b> | 0.0 usft    | <b>Slot Radius:</b> | 13-3/16 "       |                                 |

|                             |                               |                            |                  |                                   |
|-----------------------------|-------------------------------|----------------------------|------------------|-----------------------------------|
| <b>Well</b>                 | Sky Dweller 14 State Com 006H |                            |                  |                                   |
| <b>Well Position</b>        | <b>+N/-S</b>                  | 0.0 usft                   | <b>Northing:</b> | 639,175.61 usft                   |
|                             | <b>+E/-W</b>                  | 0.0 usft                   | <b>Easting:</b>  | 785,868.54 usft                   |
| <b>Position Uncertainty</b> | 0.0 usft                      | <b>Wellhead Elevation:</b> | usft             | <b>Ground Level:</b> 4,011.0 usft |
| <b>Grid Convergence:</b>    | 0.43 °                        |                            |                  |                                   |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | IGRF2000          | 12/31/2004         | 8.59                   | 60.94                | 49,746.22782990            |

|                          |                                |                     |                      |                      |
|--------------------------|--------------------------------|---------------------|----------------------|----------------------|
| <b>Design</b>            | Plan 0.1                       |                     |                      |                      |
| <b>Audit Notes:</b>      |                                |                     |                      |                      |
| <b>Version:</b>          | <b>Phase:</b>                  | PROTOTYPE           | <b>Tie On Depth:</b> | 0.0                  |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b>  | <b>Direction (°)</b> |
|                          | 0.0                            | 0.0                 | 0.0                  | 181.03               |

|                                 |                        |                          |                  |                |
|---------------------------------|------------------------|--------------------------|------------------|----------------|
| <b>Plan Survey Tool Program</b> | <b>Date</b>            | 5/24/2023                |                  |                |
| <b>Depth From (usft)</b>        | <b>Depth To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Remarks</b> |
| 1                               | 0.0                    | 18,972.9 Plan 0.1 (OH)   | B001Mb_MWD+HRGM  |                |
|                                 |                        |                          | OWSG MWD + HRGM  |                |

|                              |                        |                    |                              |                     |                     |                                |                               |                              |                |                      |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|-------------------------------|------------------------------|----------------|----------------------|
| <b>Plan Sections</b>         |                        |                    |                              |                     |                     |                                |                               |                              |                |                      |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> | <b>TFO (°)</b> | <b>Target</b>        |
| 0.0                          | 0.00                   | 0.00               | 0.0                          | 0.0                 | 0.0                 | 0.00                           | 0.00                          | 0.00                         | 0.00           |                      |
| 5,000.0                      | 0.00                   | 0.00               | 5,000.0                      | 0.0                 | 0.0                 | 0.00                           | 0.00                          | 0.00                         | 0.00           |                      |
| 5,119.5                      | 2.39                   | 297.65             | 5,119.5                      | 1.2                 | -2.2                | 2.00                           | 2.00                          | 0.00                         | 297.65         |                      |
| 10,685.4                     | 2.39                   | 297.65             | 10,680.5                     | 108.8               | -207.8              | 0.00                           | 0.00                          | 0.00                         | 0.00           |                      |
| 10,804.9                     | 0.00                   | 0.00               | 10,800.0                     | 110.0               | -210.0              | 2.00                           | -2.00                         | 0.00                         | 180.00         |                      |
| 10,927.4                     | 0.00                   | 0.00               | 10,922.5                     | 110.0               | -210.0              | 0.00                           | 0.00                          | 0.00                         | 0.00           |                      |
| 11,677.4                     | 90.00                  | 179.47             | 11,400.0                     | -367.4              | -205.6              | 12.00                          | 12.00                         | 0.00                         | 179.47         |                      |
| 18,973.7                     | 90.00                  | 179.47             | 11,400.0                     | -7,663.4            | -138.0              | 0.00                           | 0.00                          | 0.00                         | 0.00           | Sky Dweller 14 State |



## Planning Report



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Database:</b> | EDM 5000.16 Single User Db    | <b>Local Co-ordinate Reference:</b> | Well Sky Dweller 14 State Com 006H |
| <b>Company:</b>  | Avant Operating, LLC          | <b>TVD Reference:</b>               | WELL @ 4037.5usft (4037.5)         |
| <b>Project:</b>  | Lea Co., NM (NAD 83)          | <b>MD Reference:</b>                | WELL @ 4037.5usft (4037.5)         |
| <b>Site:</b>     | Sky Dweller                   | <b>North Reference:</b>             | Grid                               |
| <b>Well:</b>     | Sky Dweller 14 State Com 006H | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Wellbore:</b> | OH                            |                                     |                                    |
| <b>Design:</b>   | Plan 0.1                      |                                     |                                    |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 0.0                   | 0.00            | 0.00        | 0.0                   | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 100.0                 | 0.00            | 0.00        | 100.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 200.0                 | 0.00            | 0.00        | 200.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 300.0                 | 0.00            | 0.00        | 300.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 400.0                 | 0.00            | 0.00        | 400.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 500.0                 | 0.00            | 0.00        | 500.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 600.0                 | 0.00            | 0.00        | 600.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 700.0                 | 0.00            | 0.00        | 700.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 800.0                 | 0.00            | 0.00        | 800.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 900.0                 | 0.00            | 0.00        | 900.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,000.0               | 0.00            | 0.00        | 1,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,100.0               | 0.00            | 0.00        | 1,100.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,200.0               | 0.00            | 0.00        | 1,200.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,300.0               | 0.00            | 0.00        | 1,300.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,400.0               | 0.00            | 0.00        | 1,400.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,500.0               | 0.00            | 0.00        | 1,500.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,600.0               | 0.00            | 0.00        | 1,600.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,700.0               | 0.00            | 0.00        | 1,700.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,800.0               | 0.00            | 0.00        | 1,800.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| <b>RUSTLER</b>        |                 |             |                       |              |              |                         |                         |                        |                       |
| 1,900.0               | 0.00            | 0.00        | 1,900.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,910.0               | 0.00            | 0.00        | 1,910.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| <b>SALT</b>           |                 |             |                       |              |              |                         |                         |                        |                       |
| 2,000.0               | 0.00            | 0.00        | 2,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,100.0               | 0.00            | 0.00        | 2,100.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,200.0               | 0.00            | 0.00        | 2,200.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,300.0               | 0.00            | 0.00        | 2,300.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,400.0               | 0.00            | 0.00        | 2,400.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,500.0               | 0.00            | 0.00        | 2,500.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,600.0               | 0.00            | 0.00        | 2,600.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,700.0               | 0.00            | 0.00        | 2,700.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,800.0               | 0.00            | 0.00        | 2,800.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 2,900.0               | 0.00            | 0.00        | 2,900.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,000.0               | 0.00            | 0.00        | 3,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,100.0               | 0.00            | 0.00        | 3,100.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,200.0               | 0.00            | 0.00        | 3,200.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,300.0               | 0.00            | 0.00        | 3,300.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,400.0               | 0.00            | 0.00        | 3,400.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,500.0               | 0.00            | 0.00        | 3,500.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,600.0               | 0.00            | 0.00        | 3,600.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,683.0               | 0.00            | 0.00        | 3,683.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| <b>SEVEN RIVERS</b>   |                 |             |                       |              |              |                         |                         |                        |                       |
| 3,700.0               | 0.00            | 0.00        | 3,700.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,800.0               | 0.00            | 0.00        | 3,800.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 3,900.0               | 0.00            | 0.00        | 3,900.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,000.0               | 0.00            | 0.00        | 4,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,100.0               | 0.00            | 0.00        | 4,100.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,200.0               | 0.00            | 0.00        | 4,200.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,300.0               | 0.00            | 0.00        | 4,300.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,400.0               | 0.00            | 0.00        | 4,400.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,427.0               | 0.00            | 0.00        | 4,427.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| <b>QUEEN</b>          |                 |             |                       |              |              |                         |                         |                        |                       |
| 4,500.0               | 0.00            | 0.00        | 4,500.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |



## Planning Report



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Database:</b> | EDM 5000.16 Single User Db    | <b>Local Co-ordinate Reference:</b> | Well Sky Dweller 14 State Com 006H |
| <b>Company:</b>  | Avant Operating, LLC          | <b>TVD Reference:</b>               | WELL @ 4037.5usft (4037.5)         |
| <b>Project:</b>  | Lea Co., NM (NAD 83)          | <b>MD Reference:</b>                | WELL @ 4037.5usft (4037.5)         |
| <b>Site:</b>     | Sky Dweller                   | <b>North Reference:</b>             | Grid                               |
| <b>Well:</b>     | Sky Dweller 14 State Com 006H | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Wellbore:</b> | OH                            |                                     |                                    |
| <b>Design:</b>   | Plan 0.1                      |                                     |                                    |

| Planned Survey                        |                 |             |                       |              |              |                         |                         |                        |                       |
|---------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                 | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4,600.0                               | 0.00            | 0.00        | 4,600.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,700.0                               | 0.00            | 0.00        | 4,700.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,800.0                               | 0.00            | 0.00        | 4,800.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 4,900.0                               | 0.00            | 0.00        | 4,900.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 5,000.0                               | 0.00            | 0.00        | 5,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| <b>KOP - Start Build 2.00</b>         |                 |             |                       |              |              |                         |                         |                        |                       |
| 5,100.0                               | 2.00            | 297.65      | 5,100.0               | 0.8          | -1.5         | -0.8                    | 2.00                    | 2.00                   | 0.00                  |
| 5,119.5                               | 2.39            | 297.65      | 5,119.5               | 1.2          | -2.2         | -1.1                    | 2.00                    | 2.00                   | 0.00                  |
| <b>Start 5565.9 hold at 5119.5 MD</b> |                 |             |                       |              |              |                         |                         |                        |                       |
| 5,200.0                               | 2.39            | 297.65      | 5,199.9               | 2.7          | -5.2         | -2.6                    | 0.00                    | 0.00                   | 0.00                  |
| 5,300.0                               | 2.39            | 297.65      | 5,299.8               | 4.6          | -8.9         | -4.5                    | 0.00                    | 0.00                   | 0.00                  |
| 5,400.0                               | 2.39            | 297.65      | 5,399.7               | 6.6          | -12.6        | -6.4                    | 0.00                    | 0.00                   | 0.00                  |
| 5,500.0                               | 2.39            | 297.65      | 5,499.6               | 8.5          | -16.3        | -8.2                    | 0.00                    | 0.00                   | 0.00                  |
| 5,600.0                               | 2.39            | 297.65      | 5,599.5               | 10.5         | -20.0        | -10.1                   | 0.00                    | 0.00                   | 0.00                  |
| 5,620.5                               | 2.39            | 297.65      | 5,620.0               | 10.8         | -20.7        | -10.5                   | 0.00                    | 0.00                   | 0.00                  |
| <b>CHERRY CANYON</b>                  |                 |             |                       |              |              |                         |                         |                        |                       |
| 5,700.0                               | 2.39            | 297.65      | 5,699.5               | 12.4         | -23.6        | -12.0                   | 0.00                    | 0.00                   | 0.00                  |
| 5,800.0                               | 2.39            | 297.65      | 5,799.4               | 14.3         | -27.3        | -13.8                   | 0.00                    | 0.00                   | 0.00                  |
| 5,806.6                               | 2.39            | 297.65      | 5,806.0               | 14.5         | -27.6        | -14.0                   | 0.00                    | 0.00                   | 0.00                  |
| <b>BRUSHY CANYON</b>                  |                 |             |                       |              |              |                         |                         |                        |                       |
| 5,900.0                               | 2.39            | 297.65      | 5,899.3               | 16.3         | -31.0        | -15.7                   | 0.00                    | 0.00                   | 0.00                  |
| 6,000.0                               | 2.39            | 297.65      | 5,999.2               | 18.2         | -34.7        | -17.6                   | 0.00                    | 0.00                   | 0.00                  |
| 6,100.0                               | 2.39            | 297.65      | 6,099.1               | 20.1         | -38.4        | -19.4                   | 0.00                    | 0.00                   | 0.00                  |
| 6,200.0                               | 2.39            | 297.65      | 6,199.0               | 22.1         | -42.1        | -21.3                   | 0.00                    | 0.00                   | 0.00                  |
| 6,300.0                               | 2.39            | 297.65      | 6,298.9               | 24.0         | -45.8        | -23.2                   | 0.00                    | 0.00                   | 0.00                  |
| 6,400.0                               | 2.39            | 297.65      | 6,398.9               | 25.9         | -49.5        | -25.0                   | 0.00                    | 0.00                   | 0.00                  |
| 6,500.0                               | 2.39            | 297.65      | 6,498.8               | 27.9         | -53.2        | -26.9                   | 0.00                    | 0.00                   | 0.00                  |
| 6,600.0                               | 2.39            | 297.65      | 6,598.7               | 29.8         | -56.9        | -28.8                   | 0.00                    | 0.00                   | 0.00                  |
| 6,700.0                               | 2.39            | 297.65      | 6,698.6               | 31.7         | -60.6        | -30.6                   | 0.00                    | 0.00                   | 0.00                  |
| 6,800.0                               | 2.39            | 297.65      | 6,798.5               | 33.7         | -64.3        | -32.5                   | 0.00                    | 0.00                   | 0.00                  |
| 6,801.5                               | 2.39            | 297.65      | 6,800.0               | 33.7         | -64.3        | -32.5                   | 0.00                    | 0.00                   | 0.00                  |
| <b>BONE SPRING</b>                    |                 |             |                       |              |              |                         |                         |                        |                       |
| 6,888.6                               | 2.39            | 297.65      | 6,887.0               | 35.4         | -67.6        | -34.2                   | 0.00                    | 0.00                   | 0.00                  |
| <b>BONE SPRING LM</b>                 |                 |             |                       |              |              |                         |                         |                        |                       |
| 6,900.0                               | 2.39            | 297.65      | 6,898.4               | 35.6         | -68.0        | -34.4                   | 0.00                    | 0.00                   | 0.00                  |
| 7,000.0                               | 2.39            | 297.65      | 6,998.3               | 37.5         | -71.7        | -36.2                   | 0.00                    | 0.00                   | 0.00                  |
| 7,100.0                               | 2.39            | 297.65      | 7,098.2               | 39.5         | -75.4        | -38.1                   | 0.00                    | 0.00                   | 0.00                  |
| 7,200.0                               | 2.39            | 297.65      | 7,198.2               | 41.4         | -79.1        | -40.0                   | 0.00                    | 0.00                   | 0.00                  |
| 7,300.0                               | 2.39            | 297.65      | 7,298.1               | 43.3         | -82.7        | -41.8                   | 0.00                    | 0.00                   | 0.00                  |
| 7,400.0                               | 2.39            | 297.65      | 7,398.0               | 45.3         | -86.4        | -43.7                   | 0.00                    | 0.00                   | 0.00                  |
| 7,500.0                               | 2.39            | 297.65      | 7,497.9               | 47.2         | -90.1        | -45.6                   | 0.00                    | 0.00                   | 0.00                  |
| 7,600.0                               | 2.39            | 297.65      | 7,597.8               | 49.1         | -93.8        | -47.5                   | 0.00                    | 0.00                   | 0.00                  |
| 7,700.0                               | 2.39            | 297.65      | 7,697.7               | 51.1         | -97.5        | -49.3                   | 0.00                    | 0.00                   | 0.00                  |
| 7,800.0                               | 2.39            | 297.65      | 7,797.6               | 53.0         | -101.2       | -51.2                   | 0.00                    | 0.00                   | 0.00                  |
| 7,900.0                               | 2.39            | 297.65      | 7,897.5               | 55.0         | -104.9       | -53.1                   | 0.00                    | 0.00                   | 0.00                  |
| 8,000.0                               | 2.39            | 297.65      | 7,997.5               | 56.9         | -108.6       | -54.9                   | 0.00                    | 0.00                   | 0.00                  |
| 8,100.0                               | 2.39            | 297.65      | 8,097.4               | 58.8         | -112.3       | -56.8                   | 0.00                    | 0.00                   | 0.00                  |
| 8,200.0                               | 2.39            | 297.65      | 8,197.3               | 60.8         | -116.0       | -58.7                   | 0.00                    | 0.00                   | 0.00                  |
| 8,300.0                               | 2.39            | 297.65      | 8,297.2               | 62.7         | -119.7       | -60.5                   | 0.00                    | 0.00                   | 0.00                  |
| 8,381.9                               | 2.39            | 297.65      | 8,379.0               | 64.3         | -122.7       | -62.1                   | 0.00                    | 0.00                   | 0.00                  |
| <b>Top of FBSG SD</b>                 |                 |             |                       |              |              |                         |                         |                        |                       |
| 8,400.0                               | 2.39            | 297.65      | 8,397.1               | 64.6         | -123.4       | -62.4                   | 0.00                    | 0.00                   | 0.00                  |
| 8,500.0                               | 2.39            | 297.65      | 8,497.0               | 66.6         | -127.1       | -64.3                   | 0.00                    | 0.00                   | 0.00                  |



## Planning Report



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Database:</b> | EDM 5000.16 Single User Db    | <b>Local Co-ordinate Reference:</b> | Well Sky Dweller 14 State Com 006H |
| <b>Company:</b>  | Avant Operating, LLC          | <b>TVD Reference:</b>               | WELL @ 4037.5usft (4037.5)         |
| <b>Project:</b>  | Lea Co., NM (NAD 83)          | <b>MD Reference:</b>                | WELL @ 4037.5usft (4037.5)         |
| <b>Site:</b>     | Sky Dweller                   | <b>North Reference:</b>             | Grid                               |
| <b>Well:</b>     | Sky Dweller 14 State Com 006H | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Wellbore:</b> | OH                            |                                     |                                    |
| <b>Design:</b>   | Plan 0.1                      |                                     |                                    |

| Planned Survey                              |                 |             |                       |              |              |                         |                         |                        |                       |
|---------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                       | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 8,504.0                                     | 2.39            | 297.65      | 8,501.0               | 66.6         | -127.2       | -64.3                   | 0.00                    | 0.00                   | 0.00                  |
| <b>Top of SBSG Shale</b>                    |                 |             |                       |              |              |                         |                         |                        |                       |
| 8,600.0                                     | 2.39            | 297.65      | 8,596.9               | 68.5         | -130.8       | -66.1                   | 0.00                    | 0.00                   | 0.00                  |
| 8,700.0                                     | 2.39            | 297.65      | 8,696.9               | 70.4         | -134.5       | -68.0                   | 0.00                    | 0.00                   | 0.00                  |
| 8,800.0                                     | 2.39            | 297.65      | 8,796.8               | 72.4         | -138.2       | -69.9                   | 0.00                    | 0.00                   | 0.00                  |
| 8,900.0                                     | 2.39            | 297.65      | 8,896.7               | 74.3         | -141.8       | -71.7                   | 0.00                    | 0.00                   | 0.00                  |
| 9,000.0                                     | 2.39            | 297.65      | 8,996.6               | 76.2         | -145.5       | -73.6                   | 0.00                    | 0.00                   | 0.00                  |
| 9,100.0                                     | 2.39            | 297.65      | 9,096.5               | 78.2         | -149.2       | -75.5                   | 0.00                    | 0.00                   | 0.00                  |
| 9,116.5                                     | 2.39            | 297.65      | 9,113.0               | 78.5         | -149.8       | -75.8                   | 0.00                    | 0.00                   | 0.00                  |
| <b>Top of SBSG SD</b>                       |                 |             |                       |              |              |                         |                         |                        |                       |
| 9,200.0                                     | 2.39            | 297.65      | 9,196.4               | 80.1         | -152.9       | -77.3                   | 0.00                    | 0.00                   | 0.00                  |
| 9,300.0                                     | 2.39            | 297.65      | 9,296.3               | 82.0         | -156.6       | -79.2                   | 0.00                    | 0.00                   | 0.00                  |
| 9,400.0                                     | 2.39            | 297.65      | 9,396.2               | 84.0         | -160.3       | -81.1                   | 0.00                    | 0.00                   | 0.00                  |
| 9,418.8                                     | 2.39            | 297.65      | 9,415.0               | 84.3         | -161.0       | -81.4                   | 0.00                    | 0.00                   | 0.00                  |
| <b>Top of TBSG Carb</b>                     |                 |             |                       |              |              |                         |                         |                        |                       |
| 9,500.0                                     | 2.39            | 297.65      | 9,496.2               | 85.9         | -164.0       | -82.9                   | 0.00                    | 0.00                   | 0.00                  |
| 9,600.0                                     | 2.39            | 297.65      | 9,596.1               | 87.8         | -167.7       | -84.8                   | 0.00                    | 0.00                   | 0.00                  |
| 9,639.0                                     | 2.39            | 297.65      | 9,635.0               | 88.6         | -169.1       | -85.5                   | 0.00                    | 0.00                   | 0.00                  |
| <b>Top of TBSG SD</b>                       |                 |             |                       |              |              |                         |                         |                        |                       |
| 9,700.0                                     | 2.39            | 297.65      | 9,696.0               | 89.8         | -171.4       | -86.7                   | 0.00                    | 0.00                   | 0.00                  |
| 9,731.0                                     | 2.39            | 297.65      | 9,727.0               | 90.4         | -172.5       | -87.3                   | 0.00                    | 0.00                   | 0.00                  |
| <b>Top WFMP</b>                             |                 |             |                       |              |              |                         |                         |                        |                       |
| 9,800.0                                     | 2.39            | 297.65      | 9,795.9               | 91.7         | -175.1       | -88.5                   | 0.00                    | 0.00                   | 0.00                  |
| 9,900.0                                     | 2.39            | 297.65      | 9,895.8               | 93.6         | -178.8       | -90.4                   | 0.00                    | 0.00                   | 0.00                  |
| 10,000.0                                    | 2.39            | 297.65      | 9,995.7               | 95.6         | -182.5       | -92.3                   | 0.00                    | 0.00                   | 0.00                  |
| 10,100.0                                    | 2.39            | 297.65      | 10,095.6              | 97.5         | -186.2       | -94.1                   | 0.00                    | 0.00                   | 0.00                  |
| 10,200.0                                    | 2.39            | 297.65      | 10,195.5              | 99.5         | -189.9       | -96.0                   | 0.00                    | 0.00                   | 0.00                  |
| 10,300.0                                    | 2.39            | 297.65      | 10,295.5              | 101.4        | -193.6       | -97.9                   | 0.00                    | 0.00                   | 0.00                  |
| 10,400.0                                    | 2.39            | 297.65      | 10,395.4              | 103.3        | -197.3       | -99.8                   | 0.00                    | 0.00                   | 0.00                  |
| 10,500.0                                    | 2.39            | 297.65      | 10,495.3              | 105.3        | -200.9       | -101.6                  | 0.00                    | 0.00                   | 0.00                  |
| 10,600.0                                    | 2.39            | 297.65      | 10,595.2              | 107.2        | -204.6       | -103.5                  | 0.00                    | 0.00                   | 0.00                  |
| 10,685.4                                    | 2.39            | 297.65      | 10,680.5              | 108.8        | -207.8       | -105.1                  | 0.00                    | 0.00                   | 0.00                  |
| <b>Start Drop -2.00</b>                     |                 |             |                       |              |              |                         |                         |                        |                       |
| 10,700.0                                    | 2.10            | 297.65      | 10,695.1              | 109.1        | -208.3       | -105.3                  | 2.00                    | -2.00                  | 0.00                  |
| 10,800.0                                    | 0.10            | 297.65      | 10,795.1              | 110.0        | -210.0       | -106.2                  | 2.00                    | -2.00                  | 0.00                  |
| 10,804.9                                    | 0.00            | 0.00        | 10,800.0              | 110.0        | -210.0       | -106.2                  | 2.00                    | -2.00                  | 0.00                  |
| <b>Start 122.5 hold at 10804.9 MD</b>       |                 |             |                       |              |              |                         |                         |                        |                       |
| 10,900.0                                    | 0.00            | 0.00        | 10,895.1              | 110.0        | -210.0       | -106.2                  | 0.00                    | 0.00                   | 0.00                  |
| 10,927.4                                    | 0.00            | 0.00        | 10,922.5              | 110.0        | -210.0       | -106.2                  | 0.00                    | 0.00                   | 0.00                  |
| <b>KOP #2 - Start Build 12.00</b>           |                 |             |                       |              |              |                         |                         |                        |                       |
| 11,000.0                                    | 8.71            | 179.47      | 10,994.8              | 104.5        | -209.9       | -100.7                  | 12.00                   | 12.00                  | 0.00                  |
| 11,100.0                                    | 20.71           | 179.47      | 11,091.4              | 79.2         | -209.7       | -75.4                   | 12.00                   | 12.00                  | 0.00                  |
| 11,200.0                                    | 32.71           | 179.47      | 11,180.5              | 34.3         | -209.3       | -30.5                   | 12.00                   | 12.00                  | 0.00                  |
| 11,300.0                                    | 44.71           | 179.47      | 11,258.4              | -28.1        | -208.7       | 31.9                    | 12.00                   | 12.00                  | 0.00                  |
| 11,322.9                                    | 47.46           | 179.47      | 11,274.3              | -44.6        | -208.6       | 48.4                    | 12.00                   | 12.00                  | 0.00                  |
| <b>Sky Dweller 14 State Com 006H FTP</b>    |                 |             |                       |              |              |                         |                         |                        |                       |
| 11,400.0                                    | 56.71           | 179.47      | 11,321.6              | -105.4       | -208.0       | 109.1                   | 12.00                   | 12.00                  | 0.00                  |
| 11,500.0                                    | 68.71           | 179.47      | 11,367.4              | -194.1       | -207.2       | 197.8                   | 12.00                   | 12.00                  | 0.00                  |
| 11,600.0                                    | 80.71           | 179.47      | 11,393.7              | -290.3       | -206.3       | 294.0                   | 12.00                   | 12.00                  | 0.00                  |
| 11,677.4                                    | 90.00           | 179.47      | 11,400.0              | -367.4       | -205.6       | 371.1                   | 12.00                   | 12.00                  | 0.00                  |
| <b>LP - Start 7296.3 hold at 11677.4 MD</b> |                 |             |                       |              |              |                         |                         |                        |                       |
| 11,700.0                                    | 90.00           | 179.47      | 11,400.0              | -390.0       | -205.4       | 393.6                   | 0.00                    | 0.00                   | 0.00                  |
| 11,800.0                                    | 90.00           | 179.47      | 11,400.0              | -490.0       | -204.4       | 493.6                   | 0.00                    | 0.00                   | 0.00                  |



## Planning Report



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Database:</b> | EDM 5000.16 Single User Db    | <b>Local Co-ordinate Reference:</b> | Well Sky Dweller 14 State Com 006H |
| <b>Company:</b>  | Avant Operating, LLC          | <b>TVD Reference:</b>               | WELL @ 4037.5usft (4037.5)         |
| <b>Project:</b>  | Lea Co., NM (NAD 83)          | <b>MD Reference:</b>                | WELL @ 4037.5usft (4037.5)         |
| <b>Site:</b>     | Sky Dweller                   | <b>North Reference:</b>             | Grid                               |
| <b>Well:</b>     | Sky Dweller 14 State Com 006H | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Wellbore:</b> | OH                            |                                     |                                    |
| <b>Design:</b>   | Plan 0.1                      |                                     |                                    |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 11,900.0              | 90.00           | 179.47      | 11,400.0              | -590.0       | -203.5       | 593.6                   | 0.00                    | 0.00                   | 0.00                  |
| 12,000.0              | 90.00           | 179.47      | 11,400.0              | -690.0       | -202.6       | 693.5                   | 0.00                    | 0.00                   | 0.00                  |
| 12,100.0              | 90.00           | 179.47      | 11,400.0              | -790.0       | -201.7       | 793.5                   | 0.00                    | 0.00                   | 0.00                  |
| 12,200.0              | 90.00           | 179.47      | 11,400.0              | -890.0       | -200.7       | 893.4                   | 0.00                    | 0.00                   | 0.00                  |
| 12,300.0              | 90.00           | 179.47      | 11,400.0              | -990.0       | -199.8       | 993.4                   | 0.00                    | 0.00                   | 0.00                  |
| 12,400.0              | 90.00           | 179.47      | 11,400.0              | -1,090.0     | -198.9       | 1,093.4                 | 0.00                    | 0.00                   | 0.00                  |
| 12,500.0              | 90.00           | 179.47      | 11,400.0              | -1,190.0     | -198.0       | 1,193.3                 | 0.00                    | 0.00                   | 0.00                  |
| 12,600.0              | 90.00           | 179.47      | 11,400.0              | -1,290.0     | -197.0       | 1,293.3                 | 0.00                    | 0.00                   | 0.00                  |
| 12,700.0              | 90.00           | 179.47      | 11,400.0              | -1,390.0     | -196.1       | 1,393.3                 | 0.00                    | 0.00                   | 0.00                  |
| 12,800.0              | 90.00           | 179.47      | 11,400.0              | -1,490.0     | -195.2       | 1,493.2                 | 0.00                    | 0.00                   | 0.00                  |
| 12,900.0              | 90.00           | 179.47      | 11,400.0              | -1,589.9     | -194.3       | 1,593.2                 | 0.00                    | 0.00                   | 0.00                  |
| 13,000.0              | 90.00           | 179.47      | 11,400.0              | -1,689.9     | -193.3       | 1,693.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,100.0              | 90.00           | 179.47      | 11,400.0              | -1,789.9     | -192.4       | 1,793.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,200.0              | 90.00           | 179.47      | 11,400.0              | -1,889.9     | -191.5       | 1,893.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,300.0              | 90.00           | 179.47      | 11,400.0              | -1,989.9     | -190.6       | 1,993.0                 | 0.00                    | 0.00                   | 0.00                  |
| 13,400.0              | 90.00           | 179.47      | 11,400.0              | -2,089.9     | -189.6       | 2,093.0                 | 0.00                    | 0.00                   | 0.00                  |
| 13,500.0              | 90.00           | 179.47      | 11,400.0              | -2,189.9     | -188.7       | 2,193.0                 | 0.00                    | 0.00                   | 0.00                  |
| 13,600.0              | 90.00           | 179.47      | 11,400.0              | -2,289.9     | -187.8       | 2,292.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,700.0              | 90.00           | 179.47      | 11,400.0              | -2,389.9     | -186.8       | 2,392.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,800.0              | 90.00           | 179.47      | 11,400.0              | -2,489.9     | -185.9       | 2,492.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,900.0              | 90.00           | 179.47      | 11,400.0              | -2,589.9     | -185.0       | 2,592.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,000.0              | 90.00           | 179.47      | 11,400.0              | -2,689.9     | -184.1       | 2,692.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,100.0              | 90.00           | 179.47      | 11,400.0              | -2,789.9     | -183.1       | 2,792.7                 | 0.00                    | 0.00                   | 0.00                  |
| 14,200.0              | 90.00           | 179.47      | 11,400.0              | -2,889.9     | -182.2       | 2,892.7                 | 0.00                    | 0.00                   | 0.00                  |
| 14,300.0              | 90.00           | 179.47      | 11,400.0              | -2,989.9     | -181.3       | 2,992.7                 | 0.00                    | 0.00                   | 0.00                  |
| 14,400.0              | 90.00           | 179.47      | 11,400.0              | -3,089.9     | -180.4       | 3,092.6                 | 0.00                    | 0.00                   | 0.00                  |
| 14,500.0              | 90.00           | 179.47      | 11,400.0              | -3,189.9     | -179.4       | 3,192.6                 | 0.00                    | 0.00                   | 0.00                  |
| 14,600.0              | 90.00           | 179.47      | 11,400.0              | -3,289.9     | -178.5       | 3,292.6                 | 0.00                    | 0.00                   | 0.00                  |
| 14,700.0              | 90.00           | 179.47      | 11,400.0              | -3,389.9     | -177.6       | 3,392.5                 | 0.00                    | 0.00                   | 0.00                  |
| 14,800.0              | 90.00           | 179.47      | 11,400.0              | -3,489.9     | -176.7       | 3,492.5                 | 0.00                    | 0.00                   | 0.00                  |
| 14,900.0              | 90.00           | 179.47      | 11,400.0              | -3,589.9     | -175.7       | 3,592.4                 | 0.00                    | 0.00                   | 0.00                  |
| 15,000.0              | 90.00           | 179.47      | 11,400.0              | -3,689.9     | -174.8       | 3,692.4                 | 0.00                    | 0.00                   | 0.00                  |
| 15,100.0              | 90.00           | 179.47      | 11,400.0              | -3,789.9     | -173.9       | 3,792.4                 | 0.00                    | 0.00                   | 0.00                  |
| 15,200.0              | 90.00           | 179.47      | 11,400.0              | -3,889.8     | -173.0       | 3,892.3                 | 0.00                    | 0.00                   | 0.00                  |
| 15,300.0              | 90.00           | 179.47      | 11,400.0              | -3,989.8     | -172.0       | 3,992.3                 | 0.00                    | 0.00                   | 0.00                  |
| 15,400.0              | 90.00           | 179.47      | 11,400.0              | -4,089.8     | -171.1       | 4,092.3                 | 0.00                    | 0.00                   | 0.00                  |
| 15,500.0              | 90.00           | 179.47      | 11,400.0              | -4,189.8     | -170.2       | 4,192.2                 | 0.00                    | 0.00                   | 0.00                  |
| 15,600.0              | 90.00           | 179.47      | 11,400.0              | -4,289.8     | -169.3       | 4,292.2                 | 0.00                    | 0.00                   | 0.00                  |
| 15,700.0              | 90.00           | 179.47      | 11,400.0              | -4,389.8     | -168.3       | 4,392.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,800.0              | 90.00           | 179.47      | 11,400.0              | -4,489.8     | -167.4       | 4,492.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,900.0              | 90.00           | 179.47      | 11,400.0              | -4,589.8     | -166.5       | 4,592.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,000.0              | 90.00           | 179.47      | 11,400.0              | -4,689.8     | -165.5       | 4,692.0                 | 0.00                    | 0.00                   | 0.00                  |
| 16,100.0              | 90.00           | 179.47      | 11,400.0              | -4,789.8     | -164.6       | 4,792.0                 | 0.00                    | 0.00                   | 0.00                  |
| 16,200.0              | 90.00           | 179.47      | 11,400.0              | -4,889.8     | -163.7       | 4,892.0                 | 0.00                    | 0.00                   | 0.00                  |
| 16,300.0              | 90.00           | 179.47      | 11,400.0              | -4,989.8     | -162.8       | 4,991.9                 | 0.00                    | 0.00                   | 0.00                  |
| 16,400.0              | 90.00           | 179.47      | 11,400.0              | -5,089.8     | -161.8       | 5,091.9                 | 0.00                    | 0.00                   | 0.00                  |
| 16,500.0              | 90.00           | 179.47      | 11,400.0              | -5,189.8     | -160.9       | 5,191.8                 | 0.00                    | 0.00                   | 0.00                  |
| 16,600.0              | 90.00           | 179.47      | 11,400.0              | -5,289.8     | -160.0       | 5,291.8                 | 0.00                    | 0.00                   | 0.00                  |
| 16,700.0              | 90.00           | 179.47      | 11,400.0              | -5,389.8     | -159.1       | 5,391.8                 | 0.00                    | 0.00                   | 0.00                  |
| 16,800.0              | 90.00           | 179.47      | 11,400.0              | -5,489.8     | -158.1       | 5,491.7                 | 0.00                    | 0.00                   | 0.00                  |
| 16,900.0              | 90.00           | 179.47      | 11,400.0              | -5,589.8     | -157.2       | 5,591.7                 | 0.00                    | 0.00                   | 0.00                  |
| 17,000.0              | 90.00           | 179.47      | 11,400.0              | -5,689.8     | -156.3       | 5,691.7                 | 0.00                    | 0.00                   | 0.00                  |
| 17,100.0              | 90.00           | 179.47      | 11,400.0              | -5,789.8     | -155.4       | 5,791.6                 | 0.00                    | 0.00                   | 0.00                  |
| 17,200.0              | 90.00           | 179.47      | 11,400.0              | -5,889.8     | -154.4       | 5,891.6                 | 0.00                    | 0.00                   | 0.00                  |



## Planning Report



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Database:</b> | EDM 5000.16 Single User Db    | <b>Local Co-ordinate Reference:</b> | Well Sky Dweller 14 State Com 006H |
| <b>Company:</b>  | Avant Operating, LLC          | <b>TVD Reference:</b>               | WELL @ 4037.5usft (4037.5)         |
| <b>Project:</b>  | Lea Co., NM (NAD 83)          | <b>MD Reference:</b>                | WELL @ 4037.5usft (4037.5)         |
| <b>Site:</b>     | Sky Dweller                   | <b>North Reference:</b>             | Grid                               |
| <b>Well:</b>     | Sky Dweller 14 State Com 006H | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Wellbore:</b> | OH                            |                                     |                                    |
| <b>Design:</b>   | Plan 0.1                      |                                     |                                    |

| Planned Survey                                        |                 |             |                       |              |              |                         |                         |                        |                       |
|-------------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                                 | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 17,300.0                                              | 90.00           | 179.47      | 11,400.0              | -5,989.8     | -153.5       | 5,991.6                 | 0.00                    | 0.00                   | 0.00                  |
| 17,400.0                                              | 90.00           | 179.47      | 11,400.0              | -6,089.8     | -152.6       | 6,091.5                 | 0.00                    | 0.00                   | 0.00                  |
| 17,500.0                                              | 90.00           | 179.47      | 11,400.0              | -6,189.7     | -151.7       | 6,191.5                 | 0.00                    | 0.00                   | 0.00                  |
| 17,600.0                                              | 90.00           | 179.47      | 11,400.0              | -6,289.7     | -150.7       | 6,291.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,700.0                                              | 90.00           | 179.47      | 11,400.0              | -6,389.7     | -149.8       | 6,391.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,800.0                                              | 90.00           | 179.47      | 11,400.0              | -6,489.7     | -148.9       | 6,491.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,900.0                                              | 90.00           | 179.47      | 11,400.0              | -6,589.7     | -148.0       | 6,591.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,000.0                                              | 90.00           | 179.47      | 11,400.0              | -6,689.7     | -147.0       | 6,691.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,100.0                                              | 90.00           | 179.47      | 11,400.0              | -6,789.7     | -146.1       | 6,791.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,200.0                                              | 90.00           | 179.47      | 11,400.0              | -6,889.7     | -145.2       | 6,891.2                 | 0.00                    | 0.00                   | 0.00                  |
| 18,300.0                                              | 90.00           | 179.47      | 11,400.0              | -6,989.7     | -144.2       | 6,991.2                 | 0.00                    | 0.00                   | 0.00                  |
| 18,400.0                                              | 90.00           | 179.47      | 11,400.0              | -7,089.7     | -143.3       | 7,091.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,500.0                                              | 90.00           | 179.47      | 11,400.0              | -7,189.7     | -142.4       | 7,191.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,600.0                                              | 90.00           | 179.47      | 11,400.0              | -7,289.7     | -141.5       | 7,291.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,700.0                                              | 90.00           | 179.47      | 11,400.0              | -7,389.7     | -140.5       | 7,391.0                 | 0.00                    | 0.00                   | 0.00                  |
| 18,800.0                                              | 90.00           | 179.47      | 11,400.0              | -7,489.7     | -139.6       | 7,491.0                 | 0.00                    | 0.00                   | 0.00                  |
| 18,900.0                                              | 90.00           | 179.47      | 11,400.0              | -7,589.7     | -138.7       | 7,591.0                 | 0.00                    | 0.00                   | 0.00                  |
| 18,973.7                                              | 90.00           | 179.47      | 11,400.0              | -7,663.4     | -138.0       | 7,664.7                 | 0.00                    | 0.00                   | 0.00                  |
| TD at 18973.7 - Sky Dweller 14 State Com 006H LTP/BHL |                 |             |                       |              |              |                         |                         |                        |                       |

| Design Targets                                                                              |               |              |            |              |              |                 |                |              |               |
|---------------------------------------------------------------------------------------------|---------------|--------------|------------|--------------|--------------|-----------------|----------------|--------------|---------------|
| Target Name                                                                                 | Dip Angle (°) | Dip Dir. (°) | TVD (usft) | +N/-S (usft) | +E/-W (usft) | Northing (usft) | Easting (usft) | Latitude     | Longitude     |
| - hit/miss target                                                                           |               |              |            |              |              |                 |                |              |               |
| - Shape                                                                                     |               |              |            |              |              |                 |                |              |               |
| Sky Dweller 14 State Co                                                                     | 0.00          | 0.00         | 11,400.0   | 58.1         | -210.5       | 639,233.73      | 785,657.99     | 32.7547693°N | 103.5386038°W |
| - plan misses target center by 162.3usft at 11322.9usft MD (11274.3 TVD, -44.6 N, -208.6 E) |               |              |            |              |              |                 |                |              |               |
| - Point                                                                                     |               |              |            |              |              |                 |                |              |               |
| Sky Dweller 14 State Co                                                                     | 0.00          | 0.00         | 11,400.0   | -7,663.4     | -138.0       | 631,512.19      | 785,730.54     | 32.7335458°N | 103.5385563°W |
| - plan hits target center                                                                   |               |              |            |              |              |                 |                |              |               |
| - Point                                                                                     |               |              |            |              |              |                 |                |              |               |



## Planning Report



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Database:</b> | EDM 5000.16 Single User Db    | <b>Local Co-ordinate Reference:</b> | Well Sky Dweller 14 State Com 006H |
| <b>Company:</b>  | Avant Operating, LLC          | <b>TVD Reference:</b>               | WELL @ 4037.5usft (4037.5)         |
| <b>Project:</b>  | Lea Co., NM (NAD 83)          | <b>MD Reference:</b>                | WELL @ 4037.5usft (4037.5)         |
| <b>Site:</b>     | Sky Dweller                   | <b>North Reference:</b>             | Grid                               |
| <b>Well:</b>     | Sky Dweller 14 State Com 006H | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Wellbore:</b> | OH                            |                                     |                                    |
| <b>Design:</b>   | Plan 0.1                      |                                     |                                    |

| Formations            |                       |                   |           |         |                   |  |
|-----------------------|-----------------------|-------------------|-----------|---------|-------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Name              | Lithology | Dip (°) | Dip Direction (°) |  |
| 1,800.0               | 1,800.0               | RUSTLER           |           |         |                   |  |
| 1,910.0               | 1,910.0               | SALT              |           |         |                   |  |
| 3,683.0               | 3,683.0               | SEVEN RIVERS      |           |         |                   |  |
| 4,427.0               | 4,427.0               | QUEEN             |           |         |                   |  |
| 5,620.5               | 5,620.0               | CHERRY CANYON     |           |         |                   |  |
| 5,806.6               | 5,806.0               | BRUSHY CANYON     |           |         |                   |  |
| 6,801.5               | 6,800.0               | BONE SPRING       |           |         |                   |  |
| 6,888.6               | 6,887.0               | BONE SPRING LM    |           |         |                   |  |
| 8,381.9               | 8,379.0               | Top of FBSG SD    |           |         |                   |  |
| 8,504.0               | 8,501.0               | Top of SBSG Shale |           |         |                   |  |
| 9,116.5               | 9,113.0               | Top of SBSG SD    |           |         |                   |  |
| 9,418.8               | 9,415.0               | Top of TBSG Carb  |           |         |                   |  |
| 9,639.0               | 9,635.0               | Top of TBSG SD    |           |         |                   |  |
| 9,731.0               | 9,727.0               | Top WFMP          |           |         |                   |  |

| Plan Annotations      |                       |                   |              |                                      |  |
|-----------------------|-----------------------|-------------------|--------------|--------------------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              |                                      |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) | Comment                              |  |
| 5,000.0               | 5,000.0               | 0.0               | 0.0          | KOP - Start Build 2.00               |  |
| 5,119.5               | 5,119.5               | 1.2               | -2.2         | Start 5565.9 hold at 5119.5 MD       |  |
| 10,685.4              | 10,680.5              | 108.8             | -207.8       | Start Drop -2.00                     |  |
| 10,804.9              | 10,800.0              | 110.0             | -210.0       | Start 122.5 hold at 10804.9 MD       |  |
| 10,927.4              | 10,922.5              | 110.0             | -210.0       | KOP #2 - Start Build 12.00           |  |
| 11,677.4              | 11,400.0              | -367.4            | -205.6       | LP - Start 7296.3 hold at 11677.4 MD |  |
| 18,973.7              | 11,400.0              | -7,663.4          | -138.0       | TD at 18973.7                        |  |

State of New Mexico  
Energy, Minerals and Natural Resources Department

Submit Electronically  
Via E-permitting

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

## NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

### Section 1 – Plan Description

Effective May 25, 2021

**I. Operator:** Avant Operating, LLC    **OGRID:** 330396    **Date:** 05/22/2023

**II. Type:** ☒ Original   ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.

If Other, please describe: \_\_\_\_\_

**III. Well(s):** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name                     | API | ULSTR          | Footages        | Anticipated Oil BBL/D | Anticipated Gas MCF/D | Anticipated Produced Water BBL/D |
|-------------------------------|-----|----------------|-----------------|-----------------------|-----------------------|----------------------------------|
| Sky Dweller 14 State Com 006H |     | D-14-T18S-R34E | 160FNL/540FWL   | 1200 BBL/D            | 2200 MCF/D            | 5500 BBL/D                       |
| Sky Dweller 14 State Com 008H |     | D-14-T18S-R34E | 160FNL / 590FWL | 1200 BBL/D            | 2200 MCF/D            | 5500 BBL/D                       |
| Sky Dweller 14 State Com 302H |     | D-14-T18S-R34E | 320FNL / 590FWL | 1200 BBL/D            | 2200 MCF/D            | 5500 BBL/D                       |
| Sky Dweller 14 State Com 303H |     | D-14-T18S-R34E | 160FNL/2000FWL  | 1200 BBL/D            | 2200 MCF/D            | 5500 BBL/D                       |
| Sky Dweller 14 State Com 602H |     | D-14-T18S-R34E | 160FNL / 615FWL | 1200 BBL/D            | 2200 MCF/D            | 5500 BBL/D                       |
| Sky Dweller 14 State Com 603H |     | D-14-T18S-R34E | 160FNL / 565FWL | 1200 BBL/D            | 2200 MCF/D            | 5500 BBL/D                       |

**IV. Central Delivery Point Name:** Sky Dweller Pad 2 [See 19.15.27.9(D)(1) NMAC]

**V. Anticipated Schedule:** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name                     | API | Spud Date  | TD Reached Date | Completion Commencement Date | Initial Flow Back Date | First Production Date |
|-------------------------------|-----|------------|-----------------|------------------------------|------------------------|-----------------------|
| Sky Dweller 14 State Com 006H |     | 10/22/2023 | 12/07/2023      | 12/18/2023                   | 01/25/2024             | 03/01/2024            |
| Sky Dweller 14 State Com 008H |     | 10/22/2023 | 12/07/2023      | 12/18/2023                   | 01/25/2024             | 03/01/2024            |
| Sky Dweller 14 State Com 302H |     | 10/22/2023 | 12/07/2023      | 12/18/2023                   | 01/25/2024             | 03/01/2024            |
| Sky Dweller 14 State Com 303H |     | 10/22/2023 | 12/07/2023      | 12/18/2023                   | 01/25/2024             | 03/01/2024            |
| Sky Dweller 14 State Com 602H |     | 10/22/2023 | 12/07/2023      | 12/18/2023                   | 01/25/2024             | 03/01/2024            |
| Sky Dweller 14 State Com 603H |     | 10/22/2023 | 12/07/2023      | 12/18/2023                   | 01/25/2024             | 03/01/2024            |

**VI. Separation Equipment:** ☒ Attach a complete description of how Operator will size separation equipment to optimize gas capture.

**VII. Operational Practices:** ☒ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

**VIII. Best Management Practices:** ☒ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

**Section 2 – Enhanced Plan**  
**EFFECTIVE APRIL 1, 2022**

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☒ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

**IX. Anticipated Natural Gas Production:**

| Well | API | Anticipated Average Natural Gas Rate MCF/D | Anticipated Volume of Natural Gas for the First Year MCF |
|------|-----|--------------------------------------------|----------------------------------------------------------|
|      |     |                                            |                                                          |
|      |     |                                            |                                                          |

**X. Natural Gas Gathering System (NGGS):**

| Operator | System | ULSTR of Tie-in | Anticipated Gathering Start Date | Available Maximum Daily Capacity of System Segment Tie-in |
|----------|--------|-----------------|----------------------------------|-----------------------------------------------------------|
|          |        |                 |                                  |                                                           |
|          |        |                 |                                  |                                                           |

**XI. Map.** ☐ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

**XII. Line Capacity.** The natural gas gathering system ☐ will ☐ will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

**XIII. Line Pressure.** Operator ☐ does ☐ does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

☐ Attach Operator's plan to manage production in response to the increased line pressure.

**XIV. Confidentiality:** ☐ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

### **Section 3 - Certifications**

**Effective May 25, 2021**

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☒ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

***If Operator checks this box, Operator will select one of the following:***

**Well Shut-In.** ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

**Venting and Flaring Plan.** ☐ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

### **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:

Printed Name: John Harper

Title: VP of Geosciences

E-mail Address: John@avantnr.com

Date: 05/22/23

Phone: 678-988-6644

**OIL CONSERVATION DIVISION**  
**(Only applicable when submitted as a standalone form)**

Approved By:

Title:

Approval Date:

Conditions of Approval:

**Avant Operating, LLC Natural Gas Management Plan**

- VI. Separation equipment will be sized by construction engineering staff based on stated manufacturer daily throughput capacities and anticipated daily production rates to ensure adequate capacity. Closed vent system piping, compression needs, and VRUs will be sized utilizing ProMax modelling software to ensure adequate capacity for anticipated production volumes and conditions.
- VII. Avant Operating, LLC (Avant) will take the following actions to comply with the regulations listed in 19.15.27.8:
- A. Avant will maximize the recovery of natural gas by minimizing the waste, as defined by 19.15.2 NMAC, of natural gas through venting and flaring. Avant will ensure that well(s) will be connected to a natural gas gathering system with sufficient capacity to transport natural gas.
  - B. All drilling operations will be equipped with a rig flare located at least 100' from the nearest surface hole. Rig flare will be utilized to combust any natural gas that is brought to surface during normal drilling operations. In the case of emergency venting or flaring the volumes will be estimated and reported appropriately.
  - C. During completion operations any natural gas brought to surface will be flared. Immediately following the finish of completion operations, all well flowback will be directed to permanent separation equipment. Produced natural gas from separation equipment will be sent to sales. It is not anticipated that gas will not meet pipeline standards. However, if natural gas does not meet gathering pipeline quality specifications, Avant will flare the natural gas for 60 days or until the natural gas meets the pipeline quality specifications, whichever is sooner. Avant will ensure that the flare is sized properly and is equipped with automatic igniter or continuous pilot. The gas sample will be analyzed twice per week and the gas will be routed into a gathering system as soon as pipeline specifications are met.
  - D. Natural gas will not be flared with the exceptions and provisions listed in the 19.15.27.8 D.(I) through (4). If there is no adequate takeaway for the separator gas, well(s) will be shut in until the natural gas gathering system is available with exception of emergency or malfunction situations. Venting and/or flaring volumes will be estimated and reported appropriately.
  - E. Avant will comply with the performance standards requirements and provisions listed in 19.15.27.8 (I) through (8). All equipment will be designed and sized to handle maximum anticipated pressures and throughputs to minimize the waste. Production storage tanks constructed after May 25, 2021, will be equipped with automatic gauging system. Flares constructed after May 25, 2021, will be equipped with automatic igniter or continuous pilot. Flares will be located at least 100' from the well and storage tanks unless otherwise approved by the division. Avant will conduct AVO inspections as described in 19.15.27.8 E (5) (a) with frequencies specified in 19.15.27.8 E (5) (b) and (c). All emergencies will be resolved as quickly and safely as feasible to minimize waste.
  - F. The volume of natural gas that is vented or flared as the result of malfunction or emergency during drilling and completions operations will be estimated. The volume of natural gas that is vented, flared, or beneficially used during production operations, will be measured, or estimated. Avant will install equipment to measure

Intent ☒ As Drilled ☐

|                                        |                                            |                     |
|----------------------------------------|--------------------------------------------|---------------------|
| API #                                  |                                            |                     |
| Operator Name:<br>Avant Operating, LLC | Property Name:<br>Sky Dweller 14 State Com | Well Number<br>006H |

## Kick Off Point (KOP)

|                        |               |                 |              |     |                          |               |             |               |               |
|------------------------|---------------|-----------------|--------------|-----|--------------------------|---------------|-------------|---------------|---------------|
| UL<br>D                | Section<br>14 | Township<br>18S | Range<br>34E | Lot | Feet<br>50               | From N/S<br>N | Feet<br>330 | From E/W<br>W | County<br>Lea |
| Latitude<br>32.7549067 |               |                 |              |     | Longitude<br>-103.538604 |               |             |               | NAD<br>83     |

## First Take Point (FTP)

|                        |               |                 |              |     |                           |               |             |               |               |
|------------------------|---------------|-----------------|--------------|-----|---------------------------|---------------|-------------|---------------|---------------|
| UL<br>D                | Section<br>14 | Township<br>18S | Range<br>34E | Lot | Feet<br>100               | From N/S<br>N | Feet<br>330 | From E/W<br>W | County<br>Lea |
| Latitude<br>32.7547693 |               |                 |              |     | Longitude<br>-103.5386038 |               |             |               | NAD<br>83     |

## Last Take Point (LTP)

|                        |               |                 |              |     |                           |               |             |               |               |
|------------------------|---------------|-----------------|--------------|-----|---------------------------|---------------|-------------|---------------|---------------|
| UL<br>E                | Section<br>23 | Township<br>18S | Range<br>34E | Lot | Feet<br>2540              | From N/S<br>N | Feet<br>330 | From E/W<br>W | County<br>Lea |
| Latitude<br>32.7335458 |               |                 |              |     | Longitude<br>-103.5385563 |               |             |               | NAD<br>83     |

Is this well the defining well for the Horizontal Spacing Unit? ☐ YesIs this well an infill well? ☐ No

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018