

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-47846	⁵ Pool Name PURPLE SAGE;WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 329906	⁸ Property Name CYPRESS 33 FED COM	⁹ Well Number 208H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	28	23S	29E	-	23	SOUTH	974	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	33	23S	29E	-	43	SOUTH	358	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/6/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date 12/16/2021	²² Ready Date 5/3/2022	²³ TD 15255'	²⁴ PBTB 15211'	²⁵ Perforations 10246' - 15126'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	341'	315 sks		
9.875"	7.625"	9504'	1001 sks		
6.75"	5.5"	15235'	484 sks		

V. Well Test Data

³¹ Date New Oil 5/6/2022	³² Gas Delivery Date 5/6/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1597	³⁶ Csg. Pressure 1601
³⁷ Choke Size 30/64	³⁸ Oil 830	³⁹ Water 2757	⁴⁰ Gas 2137		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 6/30/2023		
Date: 5/30/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47846	² Pool Code 98220	³ Pool Name PURPLE SAGE;WOLFCAMP (GAS)
⁴ Property Code 329906	⁵ Property Name CYPRESS 33 FED COM	⁶ Well Number 208H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3004'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	28	23-S	29-E	-	23'	SOUTH	974'	EAST	EDDY


¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	33	23-S	29-E	-	43'	SOUTH	358'	EAST	EDDY
¹² Dedicated Acres 320	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8321						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 330' FNL; 285' FEL Section 33

LTP: 100' FSL; 358' FEL Section 33





LEASE NAME & WELL NO.: CYPRESS 33 FED COM 208H
SECTION 28 TWP. 23-S RGE 29-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM ELEVATION 3004'
DESCRIPTION 23' FSL & 974' FEL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

CYPRESS 33 FED COM 208H PRE-COPMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE: 03/14/22			
FILE: C_CYPRESS_33_FED_COM_208H			
DRAWN BY: SAR			
SHEET : 2 OF 2			



Final MWD Survey Certification

Lea County, New Mexico

Client: Tap Rock Resources

Well Name: Cypress 33 Fed Com #208H

Total Job No: SW-211414

API No: 30-015-47846

Start Date: 12/16/2021

End Date: 1/18/2022

Measured Start Depth: 0 feet

Measured End Depth: 15255 feet

Vertical Section from well center at TD: 5284.04

I, Paul J. Chinook, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 1/18/2022

Signed: *Paul J. Chinook* *Matt Foote*



Cypress 33 Fed Com 208H



Directional Survey Report


December 15 2021 TO January 17 2022

Company: Tap Rock Resources LLC	State/Prov: New Mexico	Survey Company: Total Directional Services
Well Name: Cypress 33 Fed Com 208H	County: Eddy County	Job Number: SW211414
Field: Delaware Basin	Country: America	Proposed Azimuth: 179.08
Rig ID: H&P 425	Declination: 6.56	Elevations KB: 3030
API: 30-015-47846	North Reference: Grid	DF: 26
Location: 32.268658 / -103.984343	Latitude/Longitude: 32.268726 / -103.984343	GL: 3004

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
TiIn	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
1	145.00	1.23	139.01	144.99	-1.17	1.02	1.19	0.85	145.00		
2	236.00	1.32	59.82	235.97	-1.39	2.57	1.43	1.79	91.00		
3	296.00	1.36	70.10	295.96	-0.80	3.83	0.86	0.41	60.00		
4	424.00	1.36	75.20	423.92	0.11	6.73	0.00	0.09	128.00	0	0
5	513.00	1.32	76.35	512.90	0.62	8.75	-0.48	0.05	89.00	0	0
6	603.00	1.05	89.88	602.88	0.87	10.58	-0.70	0.43	90.00	0	0
7	693.00	0.83	88.39	692.86	0.89	12.06	-0.69	0.25	90.00	1B	1R
8	783.00	0.88	88.56	782.85	0.92	13.40	-0.71	0.06	90.00	2B	1R
9	874.00	0.62	83.64	873.85	1.00	14.59	-0.76	0.29	91.00	3B	2R
10	966.00	0.70	77.40	965.84	1.17	15.63	-0.92	0.12	92.00	4B	3R
11	1,056.00	0.79	102.71	1,055.83	1.16	16.77	-0.89	0.38	90.00	5B	2R
12	1,150.00	0.57	115.10	1,149.83	0.82	17.83	-0.53	0.28	94.00	7B	3R
13	1,244.00	0.97	132.24	1,243.82	0.08	18.84	0.22	0.49	94.00	8B	5R
14	1,339.00	2.90	115.54	1,338.76	-1.49	21.60	1.84	2.10	95.00	8B	8R
15	1,433.00	4.44	112.56	1,432.56	-3.92	27.11	4.35	1.65	94.00	B8	11R
16	1,527.00	5.27	102.54	1,526.23	-6.25	34.68	6.80	1.26	94.00	7B	15R
17	1,622.00	6.11	83.02	1,620.77	-6.58	43.96	7.29	2.21	95.00	6B	16R
18	1,716.00	7.73	77.75	1,714.08	-4.63	55.11	5.52	1.85	94.00	4B	14R
19	1,811.00	8.75	83.90	1,808.10	-2.51	68.54	3.61	1.42	95.00	2B	13R
20	1,905.00	9.05	85.40	1,900.97	-1.16	83.01	2.49	0.40	94.00	0	12R
21	1,999.00	8.35	86.36	1,993.89	-0.13	97.20	1.69	0.76	94.00	0	11R
22	2,093.00	7.78	83.55	2,086.96	1.02	110.33	0.75	0.74	94.00	0	10.6R
23	2,187.00	7.12	82.41	2,180.16	2.50	122.43	-0.54	0.72	94.00	2B	10R
24	2,281.00	7.16	86.63	2,273.43	3.62	134.05	-1.46	0.56	94.00	3B	8R
25	2,375.00	7.82	90.23	2,366.63	3.94	146.29	-1.59	0.86	94.00	5B	8R
26	2,469.00	8.13	95.42	2,459.72	3.28	159.30	-0.72	0.83	94.00	6B	9R
27	2,563.00	7.56	90.14	2,552.85	2.64	172.10	0.13	0.98	94.00	6B	10R
28	2,657.00	7.47	94.01	2,646.04	2.20	184.38	0.76	0.55	94.00	8B	11R
29	2,751.00	7.73	96.21	2,739.21	1.09	196.76	2.07	0.42	94.00	9B	13R
30	2,846.00	9.32	92.78	2,833.16	0.02	210.80	3.36	1.76	95.00	9B	14R
31	2,939.00	8.83	84.69	2,925.00	0.32	225.43	3.30	1.47	93.00	8B	14R
32	3,033.00	8.57	75.55	3,017.92	2.73	239.40	1.11	1.49	94.00	7B	12R
33	3,127.00	7.73	74.06	3,110.97	6.22	252.26	-2.16	0.92	94.00	8B	10R
34	3,221.00	7.47	73.71	3,204.15	9.67	264.20	-5.42	0.28	94.00	9B	6R
35	3,315.00	7.69	76.43	3,297.33	12.86	276.18	-8.42	0.45	94.00	11B	3R
36	3,409.00	9.10	85.57	3,390.32	14.91	289.71	-10.25	2.06	94.00	11B	2R
37	3,503.00	8.96	81.71	3,483.16	16.53	304.36	-11.65	0.66	94.00	10B	1R
38	3,596.00	8.53	80.56	3,575.08	18.71	318.33	-13.60	0.50	93.00	10B	1L
39	3,690.00	8.22	78.54	3,668.07	21.19	331.79	-15.86	0.45	94.00	10B	3L
40	3,784.00	8.39	76.52	3,761.09	24.12	345.05	-18.58	0.36	94.00	10B	6L
41	3,878.00	8.48	78.45	3,854.07	27.11	358.51	-21.35	0.32	94.00	10B	8L
42	3,972.00	8.31	81.71	3,947.06	29.48	372.02	-23.50	0.54	94.00	10B	10L
43	4,066.00	8.39	84.61	4,040.07	31.10	385.57	-24.90	0.46	94.00	10B	11L
44	4,160.00	8.70	86.28	4,133.03	32.21	399.49	-25.79	0.42	94.00	10B	12L
45	4,254.00	8.75	87.16	4,225.94	33.02	413.73	-26.37	0.15	94.00	9B	12L
46	4,349.00	8.57	86.01	4,319.85	33.87	428.00	-26.99	0.26	95.00	9B	12L
47	4,442.00	8.09	84.87	4,411.87	34.94	441.43	-27.85	0.55	93.00	9B	13L
48	4,536.00	8.70	90.94	4,504.87	35.41	455.13	-28.10	1.14	94.00	9B	13L
49	4,630.00	9.14	92.87	4,597.73	34.92	469.70	-27.38	0.57	94.00	8B	12L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
50	4,724.00	9.18	93.48	4,690.53	34.09	484.64	-26.31	0.11	94.00	7B	11L
51	4,818.00	8.83	92.34	4,783.37	33.34	499.33	-25.32	0.42	94.00	6B	10L
52	4,912.00	8.92	89.70	4,876.25	33.09	513.83	-24.83	0.44	94.00	5B	9L
53	5,007.00	9.45	85.84	4,970.03	33.69	528.97	-25.19	0.86	95.00	3B	9L
54	5,101.00	9.62	86.98	5,062.73	34.67	544.51	-25.92	0.27	94.00	1B	10L
55	5,196.00	9.18	85.49	5,156.46	35.68	559.99	-26.68	0.53	95.00	0	10L
56	5,290.00	8.92	84.43	5,249.29	36.98	574.72	-27.74	0.33	94.00	1A	11L
57	5,385.00	8.48	83.90	5,343.19	38.44	589.01	-28.97	0.47	95.00	1A	12L
58	5,479.00	7.87	82.32	5,436.24	40.03	602.28	-30.36	0.69	94.00	1A	14L
59	5,573.00	7.34	78.98	5,529.41	42.04	614.56	-32.17	0.73	94.00	0	15L
60	5,667.00	6.90	76.78	5,622.69	44.48	625.95	-34.42	0.55	94.00	2B	17L
61	5,761.00	6.37	84.34	5,716.06	46.28	636.63	-36.06	1.09	94.00	5B	19L
62	5,855.00	5.71	102.36	5,809.54	45.80	646.39	-35.41	2.13	94.00	8B	18L
63	5,949.00	5.54	109.22	5,903.09	43.30	655.24	-32.78	0.74	94.00	11B	15L
64	6,044.00	4.22	104.21	5,997.75	40.94	662.96	-30.29	1.46	95.00	13B	13L
65	6,138.00	4.09	98.14	6,091.50	39.61	669.63	-28.86	0.49	94.00	15B	11L
66	6,233.00	3.96	99.55	6,186.26	38.59	676.22	-27.73	0.17	95.00	15B	10L
67	6,327.00	3.38	98.49	6,280.07	37.64	682.16	-26.68	0.62	94.00	14B	9L
68	6,421.00	3.12	99.20	6,373.92	36.82	687.43	-25.78	0.28	94.00	13B	8L
69	6,515.00	1.93	105.17	6,467.83	36.00	691.48	-24.89	1.29	94.00	11B	7L
70	6,610.00	1.89	101.92	6,562.77	35.26	694.56	-24.10	0.12	95.00	6B	8R
71	6,704.00	1.27	135.50	6,656.74	34.19	696.81	-23.00	1.16	94.00	5B	6R
72	6,798.00	0.79	165.64	6,750.73	32.82	697.70	-21.62	0.75	94.00	4B	5R
73	6,892.00	0.75	177.33	6,844.72	31.58	697.89	-20.37	0.17	94.00	2B	5R
74	6,986.00	0.62	222.86	6,938.71	30.59	697.57	-19.39	0.58	94.00	1B	5R
75	7,080.00	0.75	255.73	7,032.70	30.07	696.63	-18.88	0.43	94.00	1B	6R
76	7,161.00	1.41	275.68	7,113.69	30.04	695.12	-18.87	0.93	81.00	1B	8R
77	7,256.00	1.58	283.77	7,208.66	30.46	692.69	-19.34	0.28	95.00	1B	10R
78	7,350.00	1.14	244.22	7,302.63	30.37	690.59	-19.27	1.07	94.00	1B	12R
79	7,445.00	1.36	266.89	7,397.61	29.89	688.61	-18.83	0.56	95.00	1B	14R
80	7,539.00	2.42	272.25	7,491.56	29.91	685.51	-18.90	1.14	94.00	1B	17R
81	7,633.00	2.07	285.70	7,585.49	30.45	681.89	-19.50	0.67	94.00	1B	21R
82	7,728.00	1.27	285.35	7,680.45	31.19	679.23	-20.28	0.84	95.00	2B	24R
83	7,822.00	0.79	11.66	7,774.44	32.10	678.35	-21.21	1.54	94.00	3B	24R
84	7,917.00	0.83	18.07	7,869.43	33.40	678.70	-22.50	0.10	95.00	4B	24R
85	8,010.00	0.79	354.78	7,962.42	34.68	678.85	-23.77	0.35	93.00	6B	24R
86	8,105.00	0.83	81.62	8,057.41	35.43	679.47	-24.51	1.17	95.00	7B	23R
87	8,198.00	0.75	127.76	8,150.40	35.15	680.62	-24.22	0.67	93.00	6B	22R
88	8,292.00	0.92	102.71	8,244.39	34.61	681.84	-23.66	0.42	94.00	6B	21R
89	8,386.00	0.31	78.63	8,338.39	34.50	682.83	-23.53	0.69	94.00	6B	20R
90	8,480.00	0.31	253.27	8,432.39	34.47	682.83	-23.50	0.66	94.00	5B	20R
91	8,574.00	0.92	232.97	8,526.38	33.94	681.99	-22.99	0.68	94.00	5B	21R
92	8,668.00	0.79	155.53	8,620.37	32.90	681.65	-21.95	1.14	94.00	4B	21R
93	8,763.00	0.75	142.79	8,715.36	31.81	682.30	-20.85	0.18	95.00	3B	21R
94	8,856.00	0.79	136.20	8,808.36	30.86	683.11	-19.89	0.10	93.00	2B	20R
95	8,951.00	1.05	183.84	8,903.34	29.52	683.51	-18.54	0.82	95.00	1B	19R
96	9,044.00	1.36	195.26	8,996.32	27.61	683.16	-16.63	0.42	93.00	1A	20R
97	9,138.00	1.58	199.74	9,090.29	25.31	682.43	-14.35	0.26	94.00	3A	21R
98	9,233.00	1.63	210.64	9,185.26	22.91	681.30	-11.97	0.33	95.00	5A	22R
99	9,327.00	0.66	252.48	9,279.24	21.60	680.10	-10.68	1.30	94.00	6A	23R
100	9,421.00	0.79	336.33	9,373.23	22.03	679.32	-11.12	1.04	94.00	6A	24R
101	9,515.00	1.45	349.07	9,467.21	23.79	678.84	-12.89	0.75	94.00	4A	24R
102	9,559.00	1.45	344.68	9,511.20	24.88	678.58	-13.98	0.25	44.00	0	0
103	9,653.00	1.98	341.86	9,605.16	27.57	677.77	-16.68	0.57	94.00	0	0
104	9,748.00	10.59	194.12	9,699.68	20.63	675.11	-9.79	12.96	95.00	4A	2R
105	9,842.00	21.41	177.07	9,789.95	-4.97	673.88	15.79	12.43	94.00	10A	1R
106	9,937.00	31.60	170.39	9,874.87	-46.94	678.94	57.84	11.16	95.00	14A	5L
107	10,031.00	43.03	174.52	9,949.52	-103.35	686.13	114.35	12.44	94.00	17A	15L
108	10,126.00	52.70	173.38	10,013.18	-173.31	693.60	184.43	10.22	95.00	18A	26L
109	10,221.00	61.05	181.81	10,065.12	-252.63	696.66	263.78	11.50	95.00	15A	32L
110	10,314.00	72.13	181.90	10,102.01	-337.80	693.90	348.89	11.91	93.00	8A	34L
111	10,408.00	85.98	179.88	10,119.81	-429.85	692.50	440.91	14.88	94.00	4A	37L
112	10,502.00	91.87	181.11	10,121.58	-523.78	691.69	534.82	6.40	94.00	3A	39L
113	10,596.00	90.29	183.13	10,119.80	-617.69	688.21	628.66	2.73	94.00	5A	36L
114	10,690.00	87.96	183.57	10,121.24	-711.51	682.72	722.39	2.52	94.00	5A	29L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
115	10,785.00	90.37	183.13	10,122.62	-806.34	677.17	817.10	2.58	95.00	4A	22L
116	10,903.00	88.48	183.92	10,123.81	-924.10	669.92	934.74	1.74	118.00	3A	12L
117	10,997.00	89.05	184.45	10,125.83	-1,017.83	663.06	1,028.34	0.83	94.00	1A	4L
118	11,091.00	87.65	181.46	10,128.54	-1,111.65	658.22	1,122.08	3.51	94.00	0	1R
119	11,186.00	87.91	181.29	10,132.22	-1,206.55	655.94	1,216.93	0.33	95.00	4B	5R
120	11,280.00	87.91	181.37	10,135.65	-1,300.46	653.76	1,310.79	0.09	94.00	7B	9R
121	11,374.00	88.26	181.81	10,138.79	-1,394.37	651.15	1,404.65	0.60	94.00	10B	13R
122	11,469.00	88.31	179.88	10,141.63	-1,489.32	649.75	1,499.56	2.03	95.00	12B	16R
123	11,562.00	88.31	180.14	10,144.38	-1,582.28	649.73	1,592.50	0.28	93.00	15B	18R
124	11,657.00	88.31	180.23	10,147.18	-1,677.23	649.43	1,687.45	0.09	95.00	17B	19R
125	11,750.00	89.76	178.21	10,148.74	-1,770.21	650.69	1,780.42	2.67	93.00	9B	19R
126	11,844.00	90.73	177.16	10,148.34	-1,864.13	654.49	1,874.39	1.52	94.00	8B	17R
127	11,938.00	90.73	176.45	10,147.15	-1,957.97	659.73	1,968.31	0.76	94.00	7B	14R
128	12,033.00	91.38	176.98	10,145.40	-2,052.80	665.17	2,063.21	0.88	95.00	5B	10R
129	12,127.00	91.56	177.42	10,142.98	-2,146.65	669.76	2,157.13	0.51	94.00	2B	6R
130	12,220.00	91.82	177.86	10,140.24	-2,239.53	673.59	2,250.06	0.55	93.00	0	4R
131	12,315.00	91.74	177.95	10,137.29	-2,334.43	677.06	2,345.00	0.13	95.00	4A	2R
132	12,409.00	92.00	178.47	10,134.22	-2,428.33	680.00	2,438.93	0.62	94.00	7A	1R
133	12,504.00	89.41	179.09	10,133.05	-2,523.29	682.02	2,533.92	2.80	95.00	8A	0
134	12,597.00	88.18	179.09	10,135.01	-2,616.26	683.49	2,626.90	1.32	93.00	7A	0
135	12,692.00	87.69	179.09	10,138.43	-2,711.18	685.00	2,721.83	0.52	95.00	4A	0
136	12,785.00	86.77	179.44	10,142.93	-2,804.07	686.19	2,814.72	1.06	93.00	0	1R
137	12,879.00	86.73	179.70	10,148.26	-2,897.91	686.90	2,908.57	0.28	94.00	5B	1R
138	12,972.00	89.05	178.83	10,151.68	-2,990.83	688.09	3,001.50	2.66	93.00	8B	2R
139	13,066.00	89.01	179.27	10,153.27	-3,084.81	689.65	3,095.48	0.47	94.00	9B	2R
140	13,161.00	88.88	179.70	10,155.02	-3,179.79	690.50	3,190.46	0.47	95.00	10B	2R
141	13,254.00	88.92	180.06	10,156.81	-3,272.77	690.70	3,283.44	0.39	93.00	12B	4R
142	13,348.00	88.92	180.23	10,158.58	-3,366.75	690.46	3,377.41	0.18	94.00	13B	5R
143	13,443.00	88.70	180.06	10,160.55	-3,461.73	690.22	3,472.37	0.29	95.00	15B	7R
144	13,537.00	89.93	179.44	10,161.68	-3,555.72	690.63	3,566.35	1.47	94.00	16B	8R
145	13,631.00	90.37	179.62	10,161.43	-3,649.72	691.40	3,660.35	0.51	94.00	15B	9R
146	13,725.00	90.33	180.06	10,160.86	-3,743.72	691.66	3,754.34	0.47	94.00	2B	10R
147	13,820.00	90.07	179.79	10,160.52	-3,838.72	691.79	3,849.33	0.39	95.00	2B	12R
148	13,914.00	90.29	179.97	10,160.23	-3,932.71	691.98	3,943.32	0.30	94.00	1B	13R
149	14,009.00	90.51	179.97	10,159.56	-4,027.71	692.03	4,038.30	0.23	95.00	0	14R
150	14,103.00	90.59	180.14	10,158.66	-4,121.71	691.94	4,132.29	0.20	94.00	0	16R
151	14,198.00	90.51	180.23	10,157.75	-4,216.70	691.64	4,227.26	0.13	95.00	2A	18R
152	14,292.00	91.08	180.67	10,156.45	-4,310.69	690.90	4,321.23	0.77	94.00	3A	20R
153	14,386.00	88.66	179.97	10,156.66	-4,404.68	690.37	4,415.20	2.68	94.00	3A	22R
154	14,480.00	88.31	180.32	10,159.14	-4,498.65	690.14	4,509.15	0.53	94.00	1A	24R
155	14,574.00	89.27	179.35	10,161.13	-4,592.62	690.41	4,603.12	1.45	94.00	0	25R
156	14,668.00	89.98	179.27	10,161.75	-4,686.61	691.54	4,697.11	0.76	94.00	0	25R
157	14,762.00	89.71	178.91	10,162.00	-4,780.60	693.03	4,791.11	0.48	94.00	0	25R
158	14,856.00	88.88	178.74	10,163.16	-4,874.57	694.96	4,885.10	0.90	94.00	1B	25R
159	14,950.00	89.01	179.00	10,164.89	-4,968.54	696.81	4,979.09	0.31	94.00	2B	25R
160	15,044.00	88.79	179.09	10,166.69	-5,062.51	698.38	5,073.07	0.25	94.00	4B	25R
161	15,138.00	89.67	179.88	10,167.95	-5,156.50	699.22	5,167.06	1.26	94.00	5B	25R
162	15,202.00	90.02	180.06	10,168.13	-5,220.50	699.26	5,231.05	0.61	64.00	4B	26R
PTB	15,255.00	90.02	180.06	10,168.11	-5,273.50	699.20	5,284.04	0.00	53.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-47846										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CYPRESS 33 FED COM		
								6. Well Number: 208H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	28	23S	29E	-	23	SOUTH	974	EAST	EDDY
BH:	P	33	23S	29E	-	43	SOUTH	358	EAST	EDDY
13. Date Spudded 12/16/2021	14. Date T.D. Reached 1/17/2022		15. Date Rig Released 1/19/2022			16. Date Completed (Ready to Produce) 5/3/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3004 GR		
18. Total Measured Depth of Well 15255 ft			19. Plug Back Measured Depth 15211 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10246' - 15126'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		341'		17.5"		315 sks		0
7.625"		29.7		9504'		9.875"		1001 sks		0
5.5"		20		15235'		6.75"		484 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 10246 ft to 15126 ft, 1 SPF, .55 inch holes with 247 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10246' - 15126' 19 stage frac with 13,174,710 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 5/6/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 30/64	Prod'n For Test Period	Oil - Bbl 830	Gas - MCF 2137	Water - Bbl. 2757	Gas - Oil Ratio 2575			
Flow Tubing Press. 1597	Casing Pressure 1601	Calculated 24-Hour Rate	Oil - Bbl. 830	Gas - MCF 2137	Water - Bbl. 2757	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
			Latitude			Longitude			NAD83	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/30/2022	
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	132		Quaternary					
132	422		Rustler					
422	2830		Top of Salt					
2830	3050		Base of Salt					
3050	3076		Lamar					
3076	3921		Bell					
3921	5101		Cherry Canyon					
5101	6772		Brushy Canyon					
6772	7209		Bonespring					
7209	7737		Avalon					
7737	8552		1st Bone Spring Sand					
8552	9653		2nd Bone Spring Sand					
9653	9992		3rd Bone Spring Sand					
9992			Wolfcamp A					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 234736

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 234736
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 234736

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 234736
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/30/2023