Sundry Print Rego

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 1

Well Name: OPL NEW ZIPPER Well Location: T24S / R28E / SEC 21 / County or Parish/State: EDDY /

FEDERAL SESE /

> Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

Lease Number: NMNM36975 Unit or CA Name: 1 OPL NEW ZIPPER **Unit or CA Number:** NMNM112718

FED COM

Well Status: Producing Gas Well Operator: MEWBOURNE OIL

COMPANY

Notice of Intent

US Well Number: 3001533531

Sundry ID: 2731030

Type of Submission: Notice of Intent Type of Action: Plug and Abandonment

Date Sundry Submitted: 05/15/2023 **Time Sundry Submitted: 01:55**

Date proposed operation will begin: 06/01/2023

Procedure Description: Request to Plug & Abandon. See attached P&A procedure, before & after wellbore schematics. For any questions, please call Calum Townsend.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

WBS_After_20230515135336.pdf

WBS_Current_20230515135257.pdf

Opl_New_Zipper_Plugging_Procedure_20230515135222.docx

Page 1 of 2

eived by OCD: 6/29/2023 10:32:15 AM Well Name: OPL NEW ZIPPER

FEDERAL

Well Location: T24S / R28E / SEC 21 /

SESE /

County or Parish/State: EDD 200

Well Number: 1 Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMNM36975 Unit or CA Name: 1 OPL NEW ZIPPER

FED COM

Unit or CA Number:

NMNM112718

US Well Number: 3001533531 Operator: MEWBOURNE OIL Well Status: Producing Gas Well

COMPANY

Conditions of Approval

Specialist Review

OPL_NEW_ZIPPER_FEDERAL_1___2731030___COA_AND_PROCEDURE_20230629100544.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JACKIE LATHAN Signed on: MAY 15, 2023 01:53 PM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

City: Hobbs State: NM

Phone: (575) 393-5905

Email address: Jlathan@mewbourne.com

Field

Representative Name: Calum Townsend

Street Address: PO Box 5270

City: Hobbs State: NM **Zip:** 88241

Phone: (575)393-5905

Email address: ctownsend@mewbourne.com

BLM Point of Contact

Signature: KEITH IMMATTY

BLM POC Name: KEITH P IMMATTY BLM POC Title: ENGINEER

BLM POC Phone: 5759884722 BLM POC Email Address: KIMMATTY@BLM.GOV

Disposition: Approved Disposition Date: 06/29/2023

Page 2 of 2

Mewbourne Oil Company

COMPLETION PROCEDURE

Submitted By: L. Salinas

Wellname: OPL NEW ZIPPER FEDERAL #1

Location: 900' FSL & 990' FEL

Sec 21, T24S, R28E

Eddy Co, NM

Date: 4/28/2023

Liner Set: 9636'-12,291' **Surf Csg:** 13 %" 48# H40

Liner Size: 4 ½" 11.6# HCP110 **Set @**: 650'

Tbg: 2 %" 4.6# L-80 w/SN **Perfs:** 12,378'-12,568'

Inter Csg: 9 %" 36# K55 **Tbg set @**: 12313'

Set @: 2635' **Prod Csg** 7" 26# K55 & HCP110

Set @ 10025'

DV Tool Set @ 4985'


Procedure:

- 1) MIRU plugging crew.
- 2) ND tree & NU BOP.
- 3) POOH w/tbg.
- 4) RIH w/ 4 1/2" CIBP & set @ 12310'. Top perf @ 12378', top Morrow @ 12366'.
- 5) Circulate 400 bbls 9.0# MLF
- 6) Test csg to 500# for 30 minutes.
- 7) Spot 25 sks Class H neat cmt (335' ±) on top of CIBP.
- 8) WOC 4 hrs & tag plug @ 12210' or higher.
- 9) LD pipe to 10075' (Prod csg shoe @ 10025')
- 10)Spot 85 sks Class H neat cmt (725' ±).
- 11)WOC 4 hrs & tag plug @ 9400' or higher. (Wolfcamp top @ 9452')
- 12)LD pipe to 6400' (Bone Spring top @ 6205')
- 13)Spot 50 sks Class C neat cmt (310' ±).
- 14)WOC 4 hrs & tag plug @ 6155' or higher.
- 15)LD pipe to 5035' (DV Tool @ 4985')
- 16)Spot 25 sks Class C neat cmt (155' ±).
- 17)WOC 4 hrs & tag plug @ 4935' or higher
- 18)RIH w/wireline & perforate 7" csg @ 2685' (9 5/8" shoe @ 2635').
- 19) Attempt to squeeze under 9 %" shoe. Do not exceed 500# injection. If can inject, RIH w/pkr & squeeze shoe. After squeeze, spot 25 sks Class C neat cmt (155±). If not able to inject, step 20.
- 20)RIH w/tbg to 2685'. Spot cmt across the perfs w/25 sks Class C neat cmt (155
- 21)WOC 4 hrs & tag plug @ 2585' or above.
- 22)LD pipe to 1070' (Top of cement @ 1020')
- 23) Spot 25 sks Class C neat cmt (155' ±).
- 24)WOC 4 hrs & tag plug @ 970' or higher
- 25)RIH w/wireline & perforate 7" csg @ 700' (13 %" shoe @ 650').
- 26) Circulate approximately 200 sks Class C neat cmt to surface.
- 27)WOC & confirm that wellbore remains full.
- 28) Cut off WH & install dry hole marker. Cut off anchors & clean location.

Mewbourne Oil Company

Well Name: OPL New Zipper Federal #1
Updated by: Luis Salinas


Date Updated:4/28/2023



Mewbourne Oil Company

Well Name: OPL New Zipper Federal #1
Updated by: Luis Salinas

Date Updated:4/28/2023



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 234362

CONDITIONS

| Operator: | OGRID: |
|------------------|-------------------------------------|
| MEWBOURNE OIL CO | 14744 |
| P.O. Box 5270 | Action Number: |
| Hobbs, NM 88241 | 234362 |
| | Action Type: |
| | [C-103] NOI Plug & Abandon (C-103F) |

CONDITIONS

| Created By | Condition | Condition Date |
|---------------|--|-------------------|
| john.harrisor | Accepted for record - NMOCD JRH 7/3/23. BLM approved P&A 6/29/23 | 7/3/2023 |