

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 1/7/22
⁴ API Number 30-015-47508	⁵ Pool Name ; LOS MEDANOS; BONE SPRING	⁶ Pool Code 40295
⁷ Property Code 321175	⁸ Property Name KO LANTA 9 4 FEDERAL COM	⁹ Well Number 231H

II. ¹⁰ Surface Location

Ul or lot no. M	Section 9	Township 23S	Range 31E	Lot Idn	Feet from the 350	North/South line South	Feet from the 945	East/West line West	County EDDY
--------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

UL or lot no. D	Section 4	Township 23S	Range 31E	Lot Idn	Feet from the 93	North/South line North	Feet from the 437	East/West line West	County EDDY
¹² Lse Code F	¹³ Producing Method Code	¹⁴ Gas Connection Date 1/7/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas

IV. Well Completion Data

²¹ Spud Date 8/29/21	²² Ready Date 1/7/22	²³ TD 20150	²⁴ PBTB 20137/10063	²⁵ Perforations 10341 - 20125	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13 3/8	584	505		
12.25	9 5/8	8224	2270		
8.5	5 1/2	20140	2960		
	Tubing: N/A	0			

V. Well Test Data

³¹ Date New Oil 1/12/22	³² Gas Delivery Date 1/12/22	³³ Test Date 1/12/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 2020 bbl	³⁹ Water 4822 bbl	⁴⁰ Gas 3033 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jenny Harms			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jenny.harms@dnv.com			Approval Date: 7/3/2023		
Date: 1/28/2022		Phone: 405-552-6560			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47508	² Pool Code 40295	³ Pool Name Los Medanos Bone Spring
⁴ Property Code 321175	⁵ Property Name KO LANTA 9-4 FED COM	⁶ Well Number 231H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3350.9

¹⁰ Surface Location

UL or lot no. M	Section 9	Township 23 S	Range 31 E	Lot Idn	Feet from the 350	North/South line SOUTH	Feet from the 945	East/West line WEST	County EDDY
---------------------------	---------------------	-------------------------	----------------------	---------	-----------------------------	----------------------------------	-----------------------------	-------------------------------	-----------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. D	Section 4	Township 23 S	Range 31 E	Lot Idn	Feet from the 93	North/South line NORTH	Feet from the 437	East/West line WEST	County EDDY
---------------------------	---------------------	-------------------------	----------------------	---------	----------------------------	----------------------------------	-----------------------------	-------------------------------	-----------------------

¹² Dedicated Acres 319.79	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division <i>Jenny Harms</i> 1-17-2022 Signature Date JENNY HARMS Printed Name JENNY.HARMS@DVN.COM E-mail Address
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. DECEMBER 8, 2021 Date of Survey <i>[Signature]</i> Signature and Seal of Professional Surveyor Certificate Number: 12797 Surveyor No. 8075		

Intent ☐ As Drilled ☒

API # 30-015-47508		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: KO LANTA 9-4 FED COM	Well Number 231H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
M	9	23S	31E		167	SOUTH	366	WEST	EDDY
Latitude 32.3121963					Longitude 103.7901685				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
M	9	23S	31E		660	SOUTH	385	WEST	EDDY
Latitude 32.3135523					Longitude 103.7901096				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
	4	23S	31E	4	118	NORTH	438	WEST	EDDY
Latitude 32.3404255					Longitude 103.7899515				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☒

Is this well an infill well?

☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Final MWD Survey Certification

County: Eddy, Nm

Client: Devon Energy

Well Name: Ko Lanta 9-4 Fed Com 231H

Total Job No: SW-210929

API No: 30-015-47508

Start Date: 08/29/2021

End Date: 09/19/2021

Start Depth: 0'

End Depth: 20150 '

I, Jerry Jackson, MWD Operator, hereby certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Signed: *Jerry Jackson*

P.O Box 831, Windsor, CO 80550 | P:970.686.8893 | F:970.686.8894 | www.totaldirectional.com



Devon Energy

Eddy County, NM (NAD83)

Ko Lanta 9-4 Fed Com

Ko Lanta 9-4 Fed Com 231H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

01 October, 2021





Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Ko Lanta 9-4 Fed Com 231H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3380.90usft
Site:	Ko Lanta 9-4 Fed Com	MD Reference:	RKB @ 3380.90usft
Well:	Ko Lanta 9-4 Fed Com 231H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Ko Lanta 9-4 Fed Com			
Site Position:		Northing:	477,565.71 usft	Latitude:	32.311737
From:	Map	Easting:	708,775.36 usft	Longitude:	-103.791352
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.29 °

Well	Ko Lanta 9-4 Fed Com 231H					
Well Position	+N/-S	0.00 usft	Northing:	477,920.47 usft	Latitude:	32.312699
	+E/-W	0.00 usft	Easting:	709,717.77 usft	Longitude:	-103.788296
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,350.90 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	6/30/2021	6.65	59.95	47,520.19553944

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	356.81	

Survey Program	Date	10/1/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
172.00	20,150.00	Survey #1 (Wellbore #1)	OWSG (Rev2) MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	477,920.47	709,717.77	32.312699	-103.788296
172.00	0.20	134.40	172.00	-0.21	0.21	477,920.26	709,717.98	32.312699	-103.788295
265.00	0.30	162.60	265.00	-0.56	0.40	477,919.91	709,718.17	32.312698	-103.788295
359.00	0.40	110.60	359.00	-0.91	0.78	477,919.56	709,718.55	32.312697	-103.788294
452.00	0.20	114.50	452.00	-1.09	1.24	477,919.38	709,719.00	32.312696	-103.788292
519.00	0.40	98.80	518.99	-1.17	1.57	477,919.30	709,719.34	32.312696	-103.788291
612.00	0.40	105.50	611.99	-1.31	2.21	477,919.16	709,719.97	32.312696	-103.788289
706.00	0.50	117.40	705.99	-1.58	2.89	477,918.89	709,720.65	32.312695	-103.788287
799.00	0.40	113.30	798.99	-1.90	3.55	477,918.57	709,721.31	32.312694	-103.788285
893.00	0.30	109.50	892.99	-2.11	4.08	477,918.36	709,721.84	32.312694	-103.788283
987.00	0.20	88.70	986.98	-2.19	4.47	477,918.28	709,722.24	32.312693	-103.788282
1,080.00	0.40	55.70	1,079.98	-2.00	4.91	477,918.47	709,722.67	32.312694	-103.788280



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Ko Lanta 9-4 Fed Com 231H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3380.90usft
Site:	Ko Lanta 9-4 Fed Com	MD Reference:	RKB @ 3380.90usft
Well:	Ko Lanta 9-4 Fed Com 231H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,174.00	0.50	69.80	1,173.98	-1.68	5.56	477,918.79	709,723.33	32.312695	-103.788278
1,268.00	0.40	66.50	1,267.98	-1.40	6.25	477,919.07	709,724.01	32.312695	-103.788276
1,362.00	0.30	81.40	1,361.98	-1.24	6.79	477,919.23	709,724.56	32.312696	-103.788274
1,455.00	0.90	265.80	1,454.97	-1.25	6.30	477,919.22	709,724.07	32.312696	-103.788276
1,551.00	2.60	255.30	1,550.92	-1.86	3.45	477,918.61	709,721.21	32.312694	-103.788285
1,646.00	3.60	258.10	1,645.78	-3.02	-1.56	477,917.45	709,716.21	32.312691	-103.788301
1,741.00	4.80	263.30	1,740.53	-4.10	-8.42	477,916.37	709,709.34	32.312688	-103.788324
1,837.00	6.20	264.60	1,836.08	-5.06	-17.57	477,915.41	709,700.19	32.312686	-103.788353
1,932.00	6.40	263.10	1,930.51	-6.18	-27.94	477,914.29	709,689.83	32.312683	-103.788387
2,028.00	7.30	262.40	2,025.82	-7.63	-39.30	477,912.84	709,678.47	32.312679	-103.788423
2,123.00	7.70	261.40	2,120.01	-9.38	-51.57	477,911.09	709,666.19	32.312674	-103.788463
2,218.00	7.40	261.20	2,214.19	-11.27	-63.91	477,909.21	709,653.86	32.312669	-103.788503
2,314.00	7.30	262.80	2,309.40	-12.98	-76.07	477,907.50	709,641.70	32.312665	-103.788543
2,409.00	6.90	261.40	2,403.67	-14.59	-87.70	477,905.89	709,630.07	32.312661	-103.788580
2,505.00	7.50	261.90	2,498.91	-16.33	-99.60	477,904.14	709,618.16	32.312656	-103.788619
2,601.00	7.30	261.60	2,594.11	-18.10	-111.84	477,902.37	709,605.92	32.312651	-103.788658
2,696.00	6.90	261.50	2,688.38	-19.83	-123.46	477,900.64	709,594.31	32.312647	-103.788696
2,791.00	6.40	260.60	2,782.74	-21.54	-134.32	477,898.93	709,583.44	32.312642	-103.788731
2,887.00	7.10	258.50	2,878.08	-23.59	-145.42	477,896.88	709,572.35	32.312637	-103.788767
2,983.00	7.40	256.80	2,973.31	-26.19	-157.25	477,894.28	709,560.52	32.312630	-103.788806
3,078.00	6.80	257.60	3,067.58	-28.79	-168.70	477,891.68	709,549.07	32.312623	-103.788843
3,174.00	7.30	258.80	3,162.86	-31.20	-180.23	477,889.27	709,537.53	32.312616	-103.788880
3,270.00	7.10	258.80	3,258.10	-33.54	-192.03	477,886.94	709,525.73	32.312610	-103.788918
3,365.00	5.80	251.70	3,352.50	-36.18	-202.35	477,884.29	709,515.41	32.312603	-103.788952
3,461.00	5.00	246.00	3,448.07	-39.41	-210.78	477,881.06	709,506.99	32.312594	-103.788979
3,556.00	6.00	259.00	3,542.64	-42.04	-219.44	477,878.43	709,498.33	32.312587	-103.789007
3,652.00	6.50	259.50	3,638.07	-43.99	-229.70	477,876.48	709,488.06	32.312582	-103.789040
3,747.00	6.90	256.50	3,732.42	-46.30	-240.54	477,874.17	709,477.23	32.312575	-103.789076
3,843.00	6.40	255.10	3,827.77	-49.02	-251.32	477,871.45	709,466.45	32.312568	-103.789110
3,938.00	7.30	255.60	3,922.09	-51.88	-262.28	477,868.59	709,455.49	32.312560	-103.789146
4,034.00	9.10	259.00	4,017.11	-54.85	-275.64	477,865.62	709,442.12	32.312552	-103.789189
4,129.00	9.10	262.40	4,110.91	-57.28	-290.46	477,863.19	709,427.30	32.312546	-103.789237
4,225.00	7.80	259.40	4,205.87	-59.48	-304.39	477,860.99	709,413.37	32.312540	-103.789282
4,321.00	7.80	257.70	4,300.98	-62.06	-317.16	477,858.41	709,400.61	32.312533	-103.789324
4,416.00	8.60	258.00	4,395.01	-64.91	-330.41	477,855.56	709,387.36	32.312526	-103.789367
4,511.00	8.10	257.60	4,489.00	-67.83	-343.89	477,852.64	709,373.88	32.312518	-103.789410
4,607.00	7.30	256.40	4,584.13	-70.72	-356.42	477,849.76	709,361.34	32.312510	-103.789451
4,702.00	7.80	255.80	4,678.31	-73.72	-368.54	477,846.75	709,349.23	32.312502	-103.789490
4,798.00	8.30	256.80	4,773.36	-76.90	-381.60	477,843.57	709,336.16	32.312493	-103.789533
4,893.00	7.70	256.00	4,867.44	-80.00	-394.45	477,840.47	709,323.31	32.312485	-103.789574
4,989.00	7.00	254.80	4,962.65	-83.09	-406.34	477,837.38	709,311.43	32.312477	-103.789613
5,085.00	7.40	253.60	5,057.89	-86.37	-417.91	477,834.10	709,299.85	32.312468	-103.789650
5,181.00	7.30	252.80	5,153.10	-89.92	-429.67	477,830.55	709,288.09	32.312458	-103.789688
5,276.00	6.80	251.50	5,247.39	-93.49	-440.77	477,826.98	709,277.00	32.312449	-103.789724
5,371.00	6.40	250.40	5,341.76	-97.05	-451.09	477,823.42	709,266.67	32.312439	-103.789758
5,467.00	6.10	249.70	5,437.19	-100.61	-460.92	477,819.86	709,256.85	32.312429	-103.789790
5,562.00	5.70	249.80	5,531.68	-103.99	-470.08	477,816.48	709,247.69	32.312420	-103.789819
5,658.00	5.40	248.10	5,627.23	-107.33	-478.74	477,813.15	709,239.02	32.312411	-103.789848
5,753.00	5.20	249.30	5,721.83	-110.51	-486.92	477,809.96	709,230.85	32.312402	-103.789874
5,848.00	4.10	246.00	5,816.51	-113.42	-494.05	477,807.05	709,223.72	32.312395	-103.789897
5,944.00	3.70	244.30	5,912.29	-116.16	-499.97	477,804.31	709,217.79	32.312387	-103.789916
6,040.00	2.90	237.30	6,008.13	-118.81	-504.81	477,801.66	709,212.96	32.312380	-103.789932
6,135.00	2.90	236.40	6,103.01	-121.44	-508.83	477,799.03	709,208.93	32.312373	-103.789945
6,231.00	2.10	226.80	6,198.92	-123.99	-512.14	477,796.48	709,205.63	32.312366	-103.789956
6,327.00	1.10	225.20	6,294.88	-125.84	-514.07	477,794.63	709,203.69	32.312361	-103.789962



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Ko Lanta 9-4 Fed Com 231H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3380.90usft
Site:	Ko Lanta 9-4 Fed Com	MD Reference:	RKB @ 3380.90usft
Well:	Ko Lanta 9-4 Fed Com 231H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,422.00	0.70	232.40	6,389.87	-126.84	-515.18	477,793.63	709,202.59	32.312358	-103.789966
6,518.00	0.80	234.20	6,485.86	-127.59	-516.19	477,792.88	709,201.58	32.312356	-103.789969
6,613.00	0.90	235.30	6,580.85	-128.40	-517.34	477,792.07	709,200.43	32.312354	-103.789973
6,709.00	1.00	240.00	6,676.83	-129.25	-518.69	477,791.22	709,199.08	32.312351	-103.789977
6,805.00	0.90	256.70	6,772.82	-129.84	-520.14	477,790.63	709,197.62	32.312350	-103.789982
6,900.00	1.10	248.90	6,867.81	-130.34	-521.72	477,790.13	709,196.04	32.312348	-103.789987
6,996.00	1.30	250.30	6,963.79	-131.04	-523.61	477,789.43	709,194.16	32.312346	-103.789993
7,092.00	1.20	248.50	7,059.76	-131.78	-525.57	477,788.70	709,192.20	32.312344	-103.789999
7,187.00	1.10	253.70	7,154.74	-132.40	-527.37	477,788.07	709,190.40	32.312343	-103.790005
7,283.00	1.20	245.30	7,250.72	-133.07	-529.17	477,787.40	709,188.60	32.312341	-103.790011
7,379.00	1.20	242.50	7,346.70	-133.96	-530.97	477,786.51	709,186.80	32.312339	-103.790017
7,474.00	1.30	242.50	7,441.68	-134.92	-532.81	477,785.55	709,184.96	32.312336	-103.790023
7,570.00	1.80	237.10	7,537.64	-136.24	-535.04	477,784.23	709,182.73	32.312332	-103.790030
7,665.00	2.80	219.90	7,632.57	-138.83	-537.78	477,781.64	709,179.98	32.312325	-103.790039
7,857.00	1.30	200.00	7,824.44	-144.47	-541.54	477,776.00	709,176.23	32.312310	-103.790051
8,048.00	1.70	183.00	8,015.38	-149.34	-542.42	477,771.13	709,175.34	32.312296	-103.790054
8,143.00	1.60	186.10	8,110.34	-152.06	-542.64	477,768.41	709,175.13	32.312289	-103.790055
8,181.00	1.50	188.90	8,148.32	-153.08	-542.77	477,767.39	709,174.99	32.312286	-103.790056
8,240.00	1.30	195.10	8,207.31	-154.49	-543.07	477,765.98	709,174.70	32.312282	-103.790057
8,336.00	1.20	180.50	8,303.28	-156.55	-543.36	477,763.92	709,174.41	32.312277	-103.790057
8,431.00	1.90	197.10	8,398.25	-159.05	-543.83	477,761.42	709,173.94	32.312270	-103.790059
8,527.00	2.00	205.90	8,494.19	-162.08	-545.03	477,758.39	709,172.74	32.312261	-103.790063
8,622.00	2.20	213.20	8,589.13	-165.09	-546.75	477,755.38	709,171.01	32.312253	-103.790069
8,718.00	1.80	222.00	8,685.07	-167.76	-548.77	477,752.71	709,169.00	32.312246	-103.790075
8,814.00	1.70	224.20	8,781.03	-169.90	-550.77	477,750.57	709,166.99	32.312240	-103.790082
8,909.00	1.70	227.10	8,875.98	-171.87	-552.79	477,748.60	709,164.98	32.312235	-103.790088
9,005.00	2.20	233.80	8,971.93	-173.92	-555.32	477,746.55	709,162.45	32.312229	-103.790096
9,100.00	2.80	237.90	9,066.84	-176.23	-558.75	477,744.24	709,159.01	32.312223	-103.790108
9,196.00	3.30	238.70	9,162.70	-178.92	-563.10	477,741.55	709,154.66	32.312215	-103.790122
9,292.00	3.60	237.40	9,258.53	-181.98	-568.00	477,738.50	709,149.76	32.312207	-103.790138
9,387.00	3.60	240.40	9,353.34	-185.06	-573.11	477,735.42	709,144.66	32.312199	-103.790154
9,482.00	2.40	233.90	9,448.21	-187.70	-577.31	477,732.77	709,140.46	32.312191	-103.790168
KOP @ 9842' MD, 163' FSL, 368' FWL									
9,577.00	9.40	0.80	9,542.82	-181.10	-578.81	477,739.38	709,138.95	32.312210	-103.790173
9,672.00	19.40	1.40	9,634.72	-157.50	-578.32	477,762.97	709,139.45	32.312275	-103.790171
9,767.00	28.60	353.40	9,721.44	-119.05	-580.55	477,801.42	709,137.22	32.312380	-103.790177
9,863.00	34.50	354.80	9,803.21	-69.11	-585.66	477,851.36	709,132.11	32.312518	-103.790193
9,958.00	42.30	2.10	9,877.64	-10.25	-586.93	477,910.23	709,130.84	32.312679	-103.790196
10,054.00	49.60	0.80	9,944.35	58.68	-585.23	477,979.15	709,132.53	32.312869	-103.790189
10,150.00	55.40	5.20	10,002.78	134.67	-581.14	478,055.14	709,136.63	32.313078	-103.790175
10,245.00	65.90	7.20	10,049.28	216.86	-572.13	478,137.33	709,145.63	32.313303	-103.790144
10,341.00	78.60	5.60	10,078.49	307.54	-562.01	478,228.01	709,155.76	32.313553	-103.790110
10,436.00	89.00	1.70	10,088.74	401.64	-556.04	478,322.11	709,161.73	32.313811	-103.790089
10,532.00	90.90	0.40	10,088.82	497.62	-554.28	478,418.09	709,163.49	32.314075	-103.790082
10,627.00	91.50	359.80	10,086.83	592.60	-554.11	478,513.07	709,163.66	32.314336	-103.790080
10,722.00	91.20	0.50	10,084.60	687.57	-553.86	478,608.04	709,163.90	32.314597	-103.790078
10,818.00	92.30	359.40	10,081.66	783.52	-553.95	478,704.00	709,163.82	32.314861	-103.790076
10,913.00	89.80	0.60	10,079.92	878.50	-553.95	478,798.97	709,163.82	32.315122	-103.790075
11,009.00	90.00	0.60	10,080.09	974.49	-552.94	478,894.96	709,164.83	32.315386	-103.790070
11,103.00	90.90	0.10	10,079.35	1,068.49	-552.37	478,988.96	709,165.40	32.315644	-103.790067
11,199.00	89.20	1.40	10,079.27	1,164.47	-551.11	479,084.94	709,166.66	32.315908	-103.790061
11,295.00	89.80	0.90	10,080.11	1,260.45	-549.18	479,180.92	709,168.58	32.316172	-103.790053
11,390.00	88.70	0.90	10,081.35	1,355.43	-547.69	479,275.90	709,170.08	32.316433	-103.790047
11,486.00	89.30	1.10	10,083.03	1,451.40	-546.02	479,371.87	709,171.75	32.316697	-103.790040
11,581.00	90.00	1.20	10,083.61	1,546.38	-544.11	479,466.85	709,173.66	32.316958	-103.790032



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Ko Lanta 9-4 Fed Com 231H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3380.90usft
Site:	Ko Lanta 9-4 Fed Com	MD Reference:	RKB @ 3380.90usft
Well:	Ko Lanta 9-4 Fed Com 231H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,677.00	87.80	3.20	10,085.45	1,642.28	-540.43	479,562.75	709,177.34	32.317221	-103.790018
11,773.00	88.10	3.30	10,088.88	1,738.06	-534.99	479,658.53	709,182.78	32.317484	-103.789999
11,868.00	88.60	3.30	10,091.62	1,832.87	-529.52	479,753.34	709,188.25	32.317745	-103.789980
11,964.00	89.30	3.90	10,093.38	1,928.66	-523.49	479,849.13	709,194.27	32.318008	-103.789959
12,060.00	88.50	1.90	10,095.22	2,024.51	-518.64	479,944.98	709,199.13	32.318271	-103.789942
12,155.00	88.50	1.70	10,097.71	2,119.43	-515.65	480,039.90	709,202.11	32.318532	-103.789930
12,251.00	89.00	2.10	10,099.80	2,215.36	-512.47	480,135.83	709,205.29	32.318796	-103.789919
12,346.00	89.70	2.80	10,100.88	2,310.26	-508.41	480,230.73	709,209.35	32.319057	-103.789904
12,441.00	89.70	0.70	10,101.38	2,405.21	-505.51	480,325.68	709,212.26	32.319318	-103.789893
12,537.00	89.60	0.60	10,101.96	2,501.20	-504.42	480,421.68	709,213.34	32.319582	-103.789888
12,632.00	90.00	0.70	10,102.30	2,596.20	-503.34	480,516.67	709,214.42	32.319843	-103.789883
12,728.00	90.50	0.70	10,101.88	2,692.19	-502.17	480,612.66	709,215.60	32.320107	-103.789877
12,823.00	90.90	0.60	10,100.72	2,787.18	-501.09	480,707.65	709,216.67	32.320368	-103.789872
12,919.00	90.90	0.60	10,099.21	2,883.16	-500.09	480,803.63	709,217.68	32.320631	-103.789868
13,015.00	89.40	358.30	10,098.96	2,979.14	-501.01	480,899.62	709,216.76	32.320895	-103.789869
13,110.00	88.80	357.70	10,100.45	3,074.07	-504.32	480,994.54	709,213.44	32.321156	-103.789878
13,206.00	88.60	357.00	10,102.63	3,169.95	-508.76	481,090.42	709,209.00	32.321420	-103.789891
13,302.00	89.30	356.80	10,104.39	3,265.79	-513.95	481,186.26	709,203.81	32.321683	-103.789906
13,397.00	89.60	356.30	10,105.30	3,360.61	-519.67	481,281.08	709,198.10	32.321944	-103.789923
13,493.00	91.40	357.90	10,104.46	3,456.48	-524.53	481,376.95	709,193.24	32.322208	-103.789937
13,589.00	92.20	358.20	10,101.44	3,552.37	-527.79	481,472.85	709,189.98	32.322471	-103.789946
13,684.00	93.10	358.20	10,097.05	3,647.23	-530.77	481,567.70	709,186.99	32.322732	-103.789954
13,780.00	91.70	359.00	10,093.03	3,743.11	-533.11	481,663.58	709,184.65	32.322996	-103.789960
13,875.00	91.60	359.20	10,090.30	3,838.06	-534.61	481,758.53	709,183.16	32.323257	-103.789964
13,970.00	90.80	359.80	10,088.31	3,933.03	-535.43	481,853.50	709,182.33	32.323518	-103.789965
14,066.00	91.20	359.90	10,086.63	4,029.02	-535.69	481,949.49	709,182.08	32.323782	-103.789964
14,162.00	89.60	0.00	10,085.96	4,125.01	-535.77	482,045.48	709,182.00	32.324045	-103.789963
14,256.00	90.00	359.70	10,086.29	4,219.01	-536.02	482,139.48	709,181.75	32.324304	-103.789962
14,352.00	90.80	359.70	10,085.62	4,315.01	-536.52	482,235.48	709,181.25	32.324568	-103.789962
14,447.00	91.00	359.40	10,084.13	4,409.99	-537.26	482,330.46	709,180.50	32.324829	-103.789963
14,543.00	90.90	359.40	10,082.54	4,505.97	-538.27	482,426.44	709,179.50	32.325093	-103.789964
14,638.00	92.00	359.40	10,080.13	4,600.94	-539.26	482,521.41	709,178.50	32.325354	-103.789966
14,734.00	90.00	359.30	10,078.46	4,696.91	-540.35	482,617.38	709,177.41	32.325618	-103.789968
14,830.00	89.50	359.50	10,078.88	4,792.90	-541.36	482,713.37	709,176.41	32.325881	-103.789970
14,926.00	90.50	359.70	10,078.88	4,888.90	-542.03	482,809.37	709,175.74	32.326145	-103.789970
14,971.00	89.46	359.89	10,078.89	4,933.90	-542.19	482,854.37	709,175.58	32.326269	-103.789970
X Sec @ 14971' MD, 0' FSL, 403' FWL									
15,021.00	88.30	0.10	10,079.87	4,983.89	-542.19	482,904.36	709,175.57	32.326406	-103.789969
15,117.00	88.40	0.90	10,082.63	5,079.84	-541.36	483,000.31	709,176.41	32.326670	-103.789965
15,213.00	88.70	1.40	10,085.06	5,175.79	-539.43	483,096.26	709,178.34	32.326934	-103.789957
15,308.00	89.40	1.60	10,086.64	5,270.75	-536.94	483,191.22	709,180.82	32.327195	-103.789948
15,402.00	90.10	2.10	10,087.05	5,364.70	-533.91	483,285.17	709,183.86	32.327453	-103.789936
15,498.00	90.10	0.20	10,086.88	5,460.67	-531.98	483,381.14	709,185.78	32.327717	-103.789928
15,593.00	90.00	0.20	10,086.80	5,555.67	-531.65	483,476.14	709,186.11	32.327978	-103.789926
15,689.00	89.90	0.60	10,086.88	5,651.67	-530.98	483,572.14	709,186.78	32.328242	-103.789922
15,785.00	89.80	0.90	10,087.13	5,747.66	-529.72	483,668.13	709,188.04	32.328506	-103.789916
15,880.00	89.70	1.40	10,087.55	5,842.64	-527.82	483,763.11	709,189.95	32.328767	-103.789909
15,976.00	89.80	1.60	10,087.97	5,938.61	-525.31	483,859.08	709,192.46	32.329030	-103.789899
16,071.00	90.60	359.90	10,087.64	6,033.59	-524.06	483,954.06	709,193.70	32.329291	-103.789893
16,167.00	91.60	359.90	10,085.79	6,129.57	-524.23	484,050.05	709,193.54	32.329555	-103.789892
16,262.00	91.80	0.00	10,082.97	6,224.53	-524.31	484,145.00	709,193.45	32.329816	-103.789891
16,358.00	92.10	0.30	10,079.71	6,320.48	-524.06	484,240.95	709,193.71	32.330080	-103.789889
16,453.00	90.20	0.20	10,077.80	6,415.45	-523.65	484,335.92	709,194.12	32.330341	-103.789886
16,548.00	90.20	0.60	10,077.47	6,510.45	-522.98	484,430.92	709,194.78	32.330602	-103.789882
16,644.00	90.40	0.80	10,076.97	6,606.44	-521.81	484,526.91	709,195.96	32.330866	-103.789877



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Ko Lanta 9-4 Fed Com 231H
Project:	Eddy County, NM (NAD83)	TVD Reference:	RKB @ 3380.90usft
Site:	Ko Lanta 9-4 Fed Com	MD Reference:	RKB @ 3380.90usft
Well:	Ko Lanta 9-4 Fed Com 231H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,739.00	90.60	1.10	10,076.14	6,701.42	-520.24	484,621.89	709,197.53	32.331127	-103.789870
16,835.00	89.70	359.60	10,075.89	6,797.42	-519.65	484,717.89	709,198.12	32.331391	-103.789867
16,930.00	89.10	359.50	10,076.88	6,892.41	-520.40	484,812.88	709,197.37	32.331652	-103.789867
17,026.00	88.80	359.80	10,078.64	6,988.39	-520.98	484,908.86	709,196.78	32.331916	-103.789868
17,122.00	88.50	359.90	10,080.90	7,084.36	-521.23	485,004.83	709,196.53	32.332180	-103.789867
17,217.00	88.00	359.80	10,083.80	7,179.32	-521.48	485,099.79	709,196.28	32.332441	-103.789866
17,313.00	88.90	358.70	10,086.40	7,275.27	-522.74	485,195.74	709,195.03	32.332705	-103.789869
17,408.00	88.70	358.60	10,088.39	7,370.23	-524.98	485,290.70	709,192.79	32.332966	-103.789874
17,536.00	89.50	358.20	10,090.40	7,498.16	-528.55	485,418.63	709,189.22	32.333317	-103.789884
17,632.00	90.10	358.40	10,090.74	7,594.12	-531.40	485,514.59	709,186.37	32.333581	-103.789892
17,727.00	90.00	359.10	10,090.65	7,689.09	-533.47	485,609.56	709,184.30	32.333842	-103.789897
17,823.00	89.80	359.20	10,090.82	7,785.08	-534.89	485,705.55	709,182.87	32.334106	-103.789900
17,918.00	90.10	359.30	10,090.90	7,880.07	-536.14	485,800.54	709,181.63	32.334367	-103.789902
18,014.00	89.80	359.30	10,090.99	7,976.07	-537.31	485,896.54	709,180.46	32.334631	-103.789904
18,109.00	90.20	359.90	10,090.99	8,071.06	-537.97	485,991.53	709,179.79	32.334892	-103.789905
18,205.00	91.10	0.90	10,089.90	8,167.05	-537.30	486,087.52	709,180.46	32.335156	-103.789901
18,300.00	89.70	359.30	10,089.23	8,262.04	-537.14	486,182.52	709,180.63	32.335417	-103.789899
18,396.00	90.50	0.20	10,089.07	8,358.04	-537.56	486,278.51	709,180.21	32.335681	-103.789899
18,491.00	89.70	359.40	10,088.90	8,453.04	-537.89	486,373.51	709,179.88	32.335942	-103.789898
18,587.00	89.40	359.30	10,089.66	8,549.03	-538.98	486,469.50	709,178.79	32.336206	-103.789900
18,682.00	88.90	358.60	10,091.06	8,644.00	-540.72	486,564.47	709,177.05	32.336467	-103.789904
18,778.00	90.40	358.70	10,091.65	8,739.97	-542.98	486,660.44	709,174.79	32.336731	-103.789910
18,873.00	90.30	358.40	10,091.07	8,834.94	-545.38	486,755.41	709,172.38	32.336992	-103.789916
18,968.00	90.60	357.90	10,090.32	8,929.89	-548.45	486,850.36	709,169.32	32.337253	-103.789925
19,064.00	90.40	357.50	10,089.49	9,025.81	-552.30	486,946.28	709,165.46	32.337517	-103.789936
19,159.00	90.70	356.60	10,088.57	9,120.67	-557.19	487,041.14	709,160.58	32.337778	-103.789950
19,255.00	91.30	359.60	10,086.90	9,216.60	-560.37	487,137.07	709,157.39	32.338041	-103.789959
19,350.00	91.80	0.70	10,084.33	9,311.56	-560.12	487,232.03	709,157.64	32.338302	-103.789956
19,445.00	91.60	0.60	10,081.51	9,406.51	-559.05	487,326.98	709,158.72	32.338563	-103.789951
19,541.00	91.90	0.60	10,078.58	9,502.46	-558.04	487,422.93	709,159.72	32.338827	-103.789946
19,636.00	91.40	359.90	10,075.84	9,597.42	-557.63	487,517.89	709,160.14	32.339088	-103.789944
19,732.00	91.40	359.80	10,073.50	9,693.39	-557.88	487,613.86	709,159.89	32.339352	-103.789943
19,827.00	91.50	359.20	10,071.09	9,788.36	-558.71	487,708.83	709,159.06	32.339613	-103.789944
19,922.00	91.40	359.20	10,068.69	9,883.32	-560.03	487,803.79	709,157.73	32.339874	-103.789947
20,018.00	91.40	359.20	10,066.34	9,979.28	-561.37	487,899.75	709,156.39	32.340138	-103.789949
20,095.00	91.20	359.30	10,064.60	10,056.25	-562.38	487,976.72	709,155.38	32.340349	-103.789951
20,146.00	91.20	359.30	10,063.53	10,107.24	-563.00	488,027.71	709,154.76	32.340489	-103.789953
X LTP @ 20146' MD, 100' FNL, 437' FWL									
20,150.00	91.20	359.30	10,063.45	10,111.24	-563.05	488,031.71	709,154.71	32.340500	-103.789953
PBHL; 96' FNL, 437' FWL									

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
9,482.00	9,448.21	-187.70	-577.31	KOP @ 9842' MD, 163' FSL, 368' FWL
14,971.00	10,078.89	4,933.90	-542.19	X Sec @ 14971' MD, 0' FSL, 403' FWL
20,146.00	10,063.53	10,107.24	-563.00	X LTP @ 20146' MD, 100' FNL, 437' FWL
20,150.00	10,063.45	10,111.24	-563.05	PBHL; 96' FNL, 437' FWL



Checked By: _____ Approved By: _____ Date: _____



Ko Lanta 9-4 Fed Com 231H



WELL DETAILS: Ko Lanta 9-4 Fed Com 231H							
GL Elev: 3350.90							
	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	
	0.00	0.00	477920.47	709717.77	32.312699	-103.788296	
SECTION DETAILS							
MD	Inc	Azi	TVD	+N/-S	+E/-W	VSect	Departure Annotation
9482.00	2.40	233.90	9448.21	-187.70	-577.31	-155.31	640.96 KOP @ 9842' MD, 163' FSL, 368' FWL
14971.00	89.46	359.89	10078.89	4933.90	-542.19	4956.41	5769.53 X Sec @ 14971' MD, 0' FSL, 403' FWL
20146.00	91.20	359.30	10063.53	10107.24	-563.00	10122.90	10943.75 X LTP @ 20146' MD, 100' FNL, 437' FWL
20150.00	91.20	359.30	10063.45	10111.24	-563.05	10126.90	10947.75 PBHL; 96' FNL, 437' FWL



Submit 1 Copy To Appropriate District
Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised August 1, 2011

WELL API NO.	30-015-47508
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	KO LANTA 9 4 FEDERAL COM
8. Well Number	231H
9. OGRID Number	6137
10. Pool name or Wildcat	; LOS MEDANOS; BONE SPRING

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator	Devon Energy Production Company, L.P.
3. Address of Operator	333 West Sheridan, Oklahoma City, OK 73102
4. Well Location Unit Letter <u>M</u> : <u>350</u> feet from the <u>South</u> line and <u>945</u> feet from the <u>West</u> line Section <u>9</u> Township <u>23S</u> Range <u>31E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	GL: 3350.9

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐ COMPLETION ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11-21/2021- NO CBL REQUIRED. VERIFIED RETURNS ON SURFACE.

11/2/2021-11/21/2021 MIRU WL & PT. PT csg to 11500 PSI for 30min, OK.

TIH w/pump through frac plug and guns. Perf BONESPRING, 10341-20125 Frac totals 19619644 #prop , 341208 bbl fluid, 72 bbls acid.

DO plugs & CO to PBTD w/float collar 20137 MD/10063 TVD CHC, FWB, ND BOP. Tubing set :n/a

TOP: 1/7/2022

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenny Harms TITLE Regulatory Specialist DATE 1/28/2022


Type or print name Jenny Harms E-mail address: jenny.harms@dmn.com PHONE: 405-552-6560

For State Use Only

Jenny Harms

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011						
		1. WELL API NO. 30-015-47508		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN							
		3. State Oil & Gas Lease No.									
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name KO LANTA 9 4 FEDERAL COM					
						6. Well Number: 231H					
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137					
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat ; LOS MEDANOS; BONE SPRING					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	M	9	23S	31E		350	South	945	West	EDDY	
BH:	D	4	23S	31E		93	North	437	West	EDDY	
13. Date Spudded 8/29/21	14. Date T.D. Reached 9/19/21	15. Date Rig Released 9/21/21		16. Date Completed (Ready to Produce) 1/7/22		17. Elevations (DF and RKB, RT, GR, etc.) 3350.9 GL					
18. Total Measured Depth of Well 20150 MD, 10063 TVD		19. Plug Back Measured Depth 20137/10063		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run NO LOGS					
22. Producing Interval(s), of this completion - Top, Bottom, Name 10341-20125, LOS MEDANOS; BONE SPRING											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13 3/8		54.5		584		17.5		505			
9 5/8		40		8224		12.25		2270			
5 1/2		20		20140		8.5		2960			
24. LINER RECORD						25. TUBING RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET		
							N/A				
26. Perforation record (interval, size, and number) 10341 - 20125, total 1174 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10341-20125 Acidize and frac in 40 stages.					
28. PRODUCTION											
Date First Production 1/7/22		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)				Well Status (<i>Prod. or Shut-in</i>) Producing					
Date of Test 1/12/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 2020	Gas - MCF 3033	Water - Bbl. 4822	Gas - Oil Ratio 1501.485149				
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)					
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By			
31. List Attachments Directional Survey, Logs											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.											
33. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD 1927 1983			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature 		Printed Name Jenny Harms		Title Regulatory Specialist		Date 1/28/2022					
E-mail Address jenny.harms@dv.com											

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 226463

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 226463
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 226463

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 226463
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	7/3/2023