

Submit 1 Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-025-06150	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Skelly F State Com	
8. Well Number 002	
9. OGRID Number 330679	
10. Pool name or Wildcat Eumont; Yates – 7 Rivers - Queen	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/> 2. Name of Operator Empire New Mexico LLC 3. Address of Operator 2200 S. Utica Place Suite 150 Tulsa, OK 74114 4. Well Location Unit Letter O : 660 feet from the South line and 1980 feet from the East line Section 17 Township 20S Range 37E NMPM County Lea 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3529 GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Set 7" CIBP @ 3308'. Circ hole w/ MLF Pressure test csg – tested good. Ran CBL to surface. Spot 25 sx cmt @ 3308-3181'.
- Spot 50 sx cmt @ 2390-2145'. WOC & tagged @ 2174'.
- Perf & Sqz'd 60 sx cmt @ 1510'. WOC & tagged @ 1055'.
- Perf & Sqz. 60 sx cmt @ 186' to Surface. WOC & tagged @ 25'. Surface valve had pressure. State inspector instructed to drill out surface plug and re-spot plug.
- Drilled to 188' and cement fell out to 230'. Circulated hole clean and circulated 60 sks class C cement and tagged @ surface.
- Dug around well head and cut. Welded a dry hole marker.
- RDMO.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nathan Sandel TITLE Production Engineer DATE 06/30/2023


Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202

For State Use Only

APPROVED BY: John Harrison TITLE Petroleum Specialist DATE 07/13/2023

Conditions of Approval (if any):

Current WBD

		Company	Empire Petroleum				
		Well Name	SKELLY F ST COM 2		Co. Rep.	Toby Holland	
		County, State	NM		Rep.	HECTOR ORNELAS	
		Date	6/29/2023		SO#		
Installation	Depth	Length	Jts.	Description	OD	ID	
				KBC			
	-			Perforated at 187' CIRCULATED TO SURFACE. TAG			
	-			AT SURFACE			
	-						
	-						
	-						
	-						
	-			PERF AT 1510' PUMP 60 SKT CMT TAG AT 1055'			
	-						
	-						
	-						
	-						
	-						
	-			SPOT 50 SKS FROM 2390 TO TAG AT 2174'			
	-						
	-						
	-						
	-			25 SKS OF CEMENT TO 3181'			
	-						
	-			Circulated hole w/ MLF, pressure test to 500 psi (ok)			
	-			CIBP AT 3308'			
	-						
	-			PERFS 3358 - 3460			
	-						
	-						
	-						
	-						
	-			CIBP SET AT 3622 W/ 35 SKS OF CEMENT			
	-						
	-						
	-						
	-						

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 234878

CONDITIONS

Operator: Empire New Mexico LLC 2200 S. Utica Place Tulsa, OK 74114	OGRID: 330679
	Action Number: 234878
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None - Well P&A'd 6/29/2023	7/13/2023