

Submit 1 Copy To Appropriate District
Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>WELL API NO. 30-025-27181</p>
<p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/></p>		<p>5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/></p>
<p>2. Name of Operator Asher Enterprises, LTD, Co.</p>		<p>6. State Oil & Gas Lease No.</p>
<p>3. Address of Operator 3904 Maggies Meadow, Denton, TX 76210</p>		<p>7. Lease Name or Unit Agreement Name New Mexico "B" State</p>
<p>4. Well Location Unit Letter <u>H</u> : <u>1980</u> feet from the <u>North</u> line and <u>660</u> feet from the <u>East</u> line Section <u>3</u> Township <u>17S</u> Range <u>34E</u> NMPM Lea County</p>		<p>8. Well Number 001</p>
<p>11. Elevation (Show whether DR, RKB, RT, GR, etc.)</p>		<p>9. OGRID Number 149538</p>
<p>10. Pool name or Wildcat Vacuum; Atoka-Morrow North</p>		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/></p>		<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> XX CASING/CEMENT JOB <input type="checkbox"/></p>	
<p>OTHER: <input type="checkbox"/></p>		<p>OTHER: <input type="checkbox"/></p>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE owner DATE 7-11-23
 Type or print name Kevin Jones E-mail address: Kpj1260@gmail.com PHONE: 4055178688
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

**Plugging Report
Asher Enterprises, LTD Co.
New Mexico B State #1
API 30-025-27181**

7/3/2023 Clear location with backhoe, set matting board, and rigged up. Dug out cellar to the intermediate and surface heads and replaced the connections. Installed the BOP. Filled up the wellbore and ran cement bond log from 4500' to surface. Tied into original bond log that was ran from TD to 4400'. SION

7/4/2023 Called OCD and reported top of cement at 2320'. Picked up workstring and tagged existing CIBP at 8452'. Circulated MLF and tested casing to 550#. Casing good. Spot 25 sx Class H cement on top of CIBP. POOH to 6566' and spot 25 sx Class H cement. POOH and SION.

7/5/2023 Tagged cement at 6321'. POOH to 4726' and spot 25 sx Class C cement. WOC and tagged at 4508'. POOH and perforated at 4450'. Set packer and pressure up to 500# and held. Bled off at truck and repeated to 500# and held. Pulled packer and RIH to 4505' and spot 25 sx cement. POOH and SION.

7/6/2023 Tagged cement at 4254'. POOH to 3593'. Spot 25 sx cement. WOC and tagged at 3359'. Perforated at 2340'. Set packer and pressured up on perfs to 550# and held. Bled off at the truck and repeated to 600#. Held. Pulled packer and RIH with tubing to 2410' and spot 25 sx cement. POOH and SION.

7/7/2023 Tagged cement at 2188'. Perforated at 565'. Set packer. Good communication with intermediate head. No communication with surface head. Surface head has cement in the valve and cement behind the bull plug on the opposite side of the wellhead. Squeezed with 75sx with CaCl. WOC and tagged cement at 412'. Perforated at 150'. Pumped cement down the 5 1/2" casing to perfs at 150' and up the intermediate annulus to surface. Took 40 sx to get good cement to surface. Rigged down.

7/10/2023 Dug out and removed the wellhead. Good cement to surface in all strings. Installed standard marker. Removed the anchors, cleaned the pit and moved out equipment.

Perf at 150'. Circulate cement
in out of 5 1/2" up the intermediate
head. Surface casing had existing
cement when wellhead was removed
40 sx

P&S at 565' with 75 sx. Tag
above 412'. Surface Shoe

P&S at 2340' with 40 sx. Tag
Top Salt

Spot 25 sx cmt. WOC and
tagged at 2188'

Perforated at 4450'. Could not
get a rate or squeeze. Spot 25 cmt.
WOC and tagged at 4254'

Spot 25 sx Class C @ 4726'
WOC and tagged at 4508'

P&Spot 25 sx Class II @ 6566'
WOC and tagged at 6321'

Spot 25 sx Class II on top of CIBP
at 8452'.

13 3/8" 48# casins set @ 515'
with 530 sx. Circulated

TOC @ 2320'
as per bond log

8 5/8" 24# & 32# casing set at 4400'
Cemented w/2025 sx
TOC @ Surface

CIBP @ 8500' with 2 sx cement on top
10/11/2001 TAd

Perforations 8530' to 8584'

CIBP @ 8809' with 30' cement on top

CIBP with 36' of cement on top

Perforations 13618' to 13635'

5 1/2" 17# & 20 casing set at 13391'
Cemented w/1500 sx cement
TOC @ Surface

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 240956

CONDITIONS

Operator: ASHER ENTERPRISES LTD. CO. 3904 Magggies Meadow Denton, TX 76210	OGRID: 149538
	Action Number: 240956
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None - Well P&A'd 7/10/23	7/26/2023