

Well Name: CV 23 FEDERAL	Well Location: T16S / R27E / SEC 23 / SWNW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM93469	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001528570	Well Status: Abandoned	Operator: CHI OPERATING INCORPORATED

Subsequent Report

Sundry ID: 2739530

Type of Submission: Subsequent Report

Date Sundry Submitted: 07/06/2023

Date Operation Actually Began: 03/22/2023

Type of Action: Plug and Abandonment

Time Sundry Submitted: 09:23

Actual Procedure: Chi Energy Inc respectfully submits a subsequent report of abandonment for this well. Current wellbore schematic is attached. Notified Omar with BLM per condition of approval. -3/22/23: RU pulling unit. Test tbg to 1000 psi. Unset pump & TOH w/rods & pumps. ND wellhead, NU BOP. TOH, lay down perf sub & mud anchor. TIH and tag CIBP @ 1512. Circ hole w/55 bbls brine w/ 55 sxs MLF. Spot 55 sxs Class "C" cmt 1509' to 943'. TOH w/tbg. Secure well. -03/23/23: TIH & tag cmt @ 1040' (has to be @ 943'). Pump 10 sxs Class "C" to get TOC to 943'. TOH, WOC for 4 hrs. TIH, find TOC @ 942'. TOH. TIH w/guns & perf @925'. Attempt to establish inj rate, cannot. Consult BLM engineer. Verbal to spot 12 sxs Class "C" cmt @ 940' Secure well & WOC. -03/24/23: TIH tag cmt @ 800'. TOH w/tbg, TIH w/ wireline, perf @ 799'. TOH w/ wireline, TIH w/ 1 jt tbg & packer. RU pump truck, establish pump rate of 3 BM. Pump 370 sxs Class "C" cmt. TOH w/ packer. Secure well. -03/27/23: TIH @ tag cmt @ 350'. TOH w/ tbg. RU wireline, TIH, perf @ 349'. TOH. RD wireline. TIH w/ packer a& 1 jt tbg. RU pump truck establish 3 BM rate, pump 100 sxs Class "C" cmt. TOH w/ packer. Secure well. -03/28/23: TIH, tag cmt @ 65'. BLM wants us to fill after we cut off WH when dry hole marker welded. Will do both wells when welder is out. RD & MO to CV 14 #1. -03/31/23: Cut off WH, fill everything w/ cmt. Weld dry hole marker. Thank you for time spent reviewing this submittal.

Well Name: CV 23 FEDERAL	Well Location: T16S / R27E / SEC 23 / SWNW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM93469	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001528570	Well Status: Abandoned	Operator: CHI OPERATING INCORPORATED

SR Attachments

Actual Procedure

cv_23_fed_1_WBD_Plugged_20230706091918.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SUSAN MAUNDER	Signed on: JUL 06, 2023 09:19 AM
Name: CHI OPERATING INCORPORATED	
Title: Regulatory Specialist	
Street Address: PO BOX 1799	
City: MIDLAND	State: TX
Phone: (432) 556-6501	
Email address: SMAUNDER@PROTONMAIL.COM	

Field


Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 07/19/2023
Signature: James A Amos	

CURRENT PLUGGED WELLBORE SCHEMATIC

DATE: 6/30/23



LEASE CV 23 Federal #1

OPER: CHI Operating, Inc.

API 30-015-28570

LOCATION: Sec. 23, T-16-S, R-27-E, Eddy County, New Mexico

TD 1574' PBD 1533' KB 3527' DF 3,526'

COD DOD GL 3,513'

CASING/TBG: DEPTH CMT ID DRIFT BURST TENS

SURF. 8 5/8" 32# J55 STC 380' 240 sx

INTER.

PROD. 1/2" 17#&15.5# J55 ST 1574' 425 sx

LINER

TBG 2 3/8" 6.5# J-55 1461'

PERFS:

TUBING BREAKDOWN

ROD BREAKDOWN

Tbg Hd

ART. LIFT

UNIT

SPM

RT

MOTOR

SL

Cond

NOTES

8 5/8" 32# J55 STC; CMT Class C to Surface
 5 1/2" 17# & 15.5# J55 STC; CMT Class C to 980' -
 surveyed

PLUGGING NOTES:

Spot 55 sxs Class C cmt 1509' to 1040"

Pump 10 sxs Class C cmt 1040' - 942'

Perf @ 925'. Spot 12 sxs Class C cmt @ 940'-800'

Perf @ 799' & sqz 370 sxs Class C cmt 799' - 350'

Perf @ 349' & sqz 100 sxs Class C cmt 349' - 65'

Filled hole to surface w/cmt

By:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 243472

CONDITIONS

Operator: CHI OPERATING INC P.O. Box 1799 Midland, TX 79702	OGRID: 4378
	Action Number: 243472
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	Accepted for record - NMOCD 7/27/23. Well P&A'd 3/31/23	7/27/2023