
Energy, Minerals and Natural Resources Revised July 18, 2013 Cl25 N Tench Pt. Bebbs, NN 88240 Descript — Gross 1 New John St. 1982 Cl25 N Tench St. 1982 Cl25 N Tenc		To Appropriate District	S S	tate of New Me	exico		Fo	orm C -103
Index Present December D	Office <u>District I</u> – (5	75) 393-6161	Energy, M	Iinerals and Natu	ral Resources			July 18, 2013
SILS Fires 30, Amesia, NM 88-210 Diagra (III - 1) South 81 - 1	1625 N. Fren	ch Dr., Hobbs, NM 88240						
1.220 South St. Francis Dr. STATE FE			OIL CO	NSERVATION	DIVISION			
District N - (903) 476-3460 Santa Fe, NM 87505 6. State Oil & Gas Lease No. 12206 St. Francisc Nr., Sama Fe, NM 87505 12206 St. Francisc Nr., Sama Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name Arrowhead Grayburg Unit DIFFERENT RESEXURE. USS - PAPILCATION FOR PERMIT (FRANC 1-01) FOR SUCH Reports National Permits (Processed) Papil Name Processed Name Pro			1220	0 South St. Frai	ncis Dr.			
12.0 S. S. Francis Dr., Salan Fe, NM ST305 SUNDRY NOTICES AND REPORTS ON WELLS The proposal as TO DRIFL OR TO DEFIN OR PLAGE BACK TO A DIFFERENT RESERVOIR. USE 'APPLACTION FOR PREMIT' (FORM C-10.1) FOR SUCH PROPOSALS.			S	Santa Fe, NM 87	7505			
SUNDRY NOTICES AND REPORTS ON WELLS (fOO NOT USE THIS FORM FOR PROPOSALS TO BUIL OR TO DEFENOR PLUG BACK TO A DIFFERNT RESERVOR. USE 'APPLICATION FOR PERMIT' (FORM C-101) FOR SUCH PROFOSALS.) 1. Type of Well: Oil Well	1220 S. St. Fi							
GDNOT USE THIS FORM FOR PROPOSALS TO DEFIN OR PULG BACK TO A DIFFERENT RESPERVOR. LSF : APPRICATION FOR FREMTH "(FORM C-101) FOR SUCH PROPOSALS.) S. Well Number 218	8/303	SUNDRY NO	OTICES AND REPO	ORTS ON WELLS		7. Lease N	ame or Unit Agreen	nent Name
PROPOSALS.	,	SE THIS FORM FOR PRO	POSALS TO DRILL OF	R TO DEEPEN OR PL	UG BACK TO A			
1. Type of Well: Oil Well			PLICATION FOR PERM	IIT" (FORM C-101) FO	OR SUCH	8. Well Nu	mber	
Empire Petroleum Corporation - New Mexico 10. Pool name or Wildcat Arrowhead; Grayburg 11. Elevation 12. Check Nortice 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3427' GL 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PAND A PNR DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: OTHER: OTHER:		_	Gas Well 🔲 C	Other: Injector		218		
3. Address of Operator 2200 S. Utica Place Suite 150, Tulsa, Oklahoma 74114 4. Well Location Unit Letter C : 710 feet from the North line and 1980 feet from the West line Section 18 Township 22S Range 37E NMPM County Lea 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON STEPPORT OF: TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A LTERING CASING CASINGCEMENT JOB PAND PAND OWNHOLE COMMINGLE COMM						9. OGRID	Number 330679	
4. Well Location Unit Letter C : 710 feet from the North line and 1980 feet from the West line Section 18 Township 22S Range 37E NMPM County Lea 11. Elevation (Show whether DR, RRB, RT, GR, etc.) 3427° GL 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A STEPLING OF			- New Mexico			10 D 1	****1 1	
4. Well Location Unit Letter C: 710 feet from the North line and 1980 feet from the West line Section 18 Township 22S Range 37E NMPM County Lea 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A ALTERING CASING COMMENCE DRILLING OPNS. PAND A SUBJECT OF STATE OF S			Sulsa Oklahoma 741	114				
Unit Letter C : 710 feet from the North line and 1980 feet from the West line Section 18 Township 22S Range 37E NMPM County Lea 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLUG AND ABANDON COMMENCE DRILLING OPNS. PAND A PULL OR ALTERING CASING MULTIPLE COMPL COMMINGLE COMM			uisa, Okianoma 741	114		Allowileau	, Grayburg	
Section 18			710 fact from	the North	line and 1000	fact from	the West	lino
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3427' GL 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS PLUG AND ABANDON CHANGE PLANS COMMENCE BRILLING OPNS. PAND A PNR DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 1. Set CIBP @ 3594'. Circ hole w/ MLF. Pressure tested casing – held. Ran CBL. Spot 25 sks of class C cmt 3594' – 3431'. 2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: Rig Release Date: O7/22/2023 Type or print name Nathan Sandel E-mail address: **nsandel@empirepetrocorp.com** PHONE: 918-404-4202 **For State Use Only** APPROVED BY: **TITLE Compliance Officer A** **DATE 7/31/23				·				_
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	36	ection 18					County	Lea
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK □ PLUG AND ABANDON □ CHANGE PLANS □ COMMENCE ORILLING OPNS.□ P AND A □ CASING/CEMENT JOB □ PAND A □ CASING/CEMENT JOB □ PAND A □ CASING/CEMENT JOB □ PNR DOWNHOLE COMMINGLE □ COMMINGLE □ COMMENCE ORILLING OPNS.□ PAND A □ CASING/CEMENT JOB □ PNR OTHER: □ 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 1. Set CIBP @ 3594'. Circ hole w/ MLF. Pressure tested casing − held. Ran CBL. Spot 25 sks of class C cmt 3594' − 3431'. 2. Spot 50 sks of class C cement @ 2695' − 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' − surface. Spud Date: Rig Release Date: Rig Release Date: OT/122/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel E-mail address: TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: "nsandel@empirepetrocorp.com PHONE: 918-404-4202 For State Use Only APPROVED BY: **TITLE Compliance Officer A DATE 7/31/23			· ·	Show whether DK,	(KKD, K1, GK, etc.)			
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK								
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK		12. Check	Appropriate Box	x to Indicate Na	ture of Notice. R	eport or O	ther Data	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A PNR DOWNHOLE COMMINGLE CASING/CEMENT JOB PNR DOWNHOLE COMMINGLE COSED-LOOP SYSTEM OTHER: O			11 1		, i	•		
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PNR CASING/CEMENT JOB PNR DOWNHOLE COMMINGLE COMPL COMPL COMPL COMPL CASING/CEMENT JOB PNR OTHER:								
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PNR DOWNHOLE COMMINGLE OTHER: O								
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 1. Set CIBP @ 3594'. Circ hole w/ MLF. Pressure tested casing – held. Ran CBL. Spot 25 sks of class C cmt 3594' – 3431'. 2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: O7/22/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 PHONE: 918-404-4202 TITLE Compliance Officer A DATE 7/31/23								
CLOSED-LOOP SYSTEM OTHER: OTHE				NVIFL	CASING/CEMENT	1 100		PNR
OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 1. Set CIBP @ 3594'. Circ hole w/ MLF. Pressure tested casing – held. Ran CBL. Spot 25 sks of class C cmt 3594' – 3431'. 2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: O7/22/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: DATE 07/28/2023 PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23								
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 1. Set CIBP @ 3594'. Circ hole w/ MLF. Pressure tested casing – held. Ran CBL. Spot 25 sks of class C cmt 3594' – 3431'. 2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: O7/22/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: DATE 07/28/2023 PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	OTHER:	·			_			
proposed completion or recompletion. 1. Set CIBP @ 3594'. Circ hole w/ MLF. Pressure tested casing – held. Ran CBL. Spot 25 sks of class C cmt 3594' – 3431'. 2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: 07/22/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23								
1. Set CIBP @ 3594'. Circ hole w/ MLF. Pressure tested casing – held. Ran CBL. Spot 25 sks of class C cmt 3594' – 3431'. 2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: 07/22/2023 Type or print name Nathan Sandel TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23				19.15.7.14 NMAC.	For Multiple Com	pletions: Att	ach wellbore diagra	m of
2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: 07/22/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	prop	osed completion or re	ecompletion.					
2. Spot 50 sks of class C cement @ 2695' – 2369'. WOC & tagged @ 2300'. 3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: 07/22/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer DATE 07/28/2023 Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	1.	Set CIBP @ 3594', C	Circ hole w/ MLF. Pi	ressure tested casir	ıg – held. Ran CBL.	Spot 25 sks	of class C cmt 3594	, – 3431,
3. Perf'd @ 1233' but could not get injection rate. Spotted 25 sks of class C cement @ 1283'. WOC & tagged @ 1071'. 4. Spotted 30 sks of class C cement @ 250' – surface. Spud Date: Rig Release Date: 07/22/2023 Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23						~F		
Spud Date: Rig Release Date: 07/22/2023 I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 For State Use Only APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	3.	Perf'd @ 1233' but c	ould not get injectio	n rate. Spotted 25		nt @ 1283'. V	WOC & tagged @ 1	071'.
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 PHONE: 918-404-4202 TITLE Compliance Officer A DATE 7/31/23	4.	Spotted 30 sks of class	ss C cement @ 250'	surface.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 PHONE: 918-404-4202 TITLE Compliance Officer A DATE 7/31/23								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 PHONE: 918-404-4202 TITLE Compliance Officer A DATE 7/31/23								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 PHONE: 918-404-4202 TITLE Compliance Officer A DATE 7/31/23								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	Spud Date:			Rig Release Dat	e: 07/22/2023			
SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 PHONE: 918-404-4202 APPROVED BY: TITLE Compliance Officer A DATE 7/31/23					OTTZZTZOZO			
SIGNATURE Nathan Sandel TITLE Production Engineer Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 PHONE: 918-404-4202 APPROVED BY: TITLE Compliance Officer A DATE 7/31/23								
Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	I hereby certi	fy that the information	n above is true and o	complete to the bes	st of my knowledge	and belief.		
Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 APPROVED BY: TITLE Compliance Officer A DATE 7/31/23								
Type or print name Nathan Sandel E-mail address: nsandel@empirepetrocorp.com PHONE: 918-404-4202 APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	SIGNATURE	Nathan Sand	el	TITLE Produ	ction Engineer		DATE 07/28/20	023
APPROVED BY: TITLE Compliance Officer A DATE 7/31/23	SIGIVITORE							
APPROVED BY: TITLE Compliance Officer A DATE 7/31/23			ndel	_ E-mail address:	nsandel@empirepeti	rocorp.com	_ PHONE: 918-4	04-4202
//////	For State Us	e Only						
//////	A DDD OVED	DV. V	1.15.	TITI E Complia	ance Officer A		DATE 7/31/23	
	Conditions of	Approval (if any):	J CHINE	IIILEF			_DATE	

Current WBD



5-1/2" 15.5# CSG @ 3880'

PBTD @ 3870' TD @ 3880'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 245382

COMMENTS

Operator:	OGRID:
Empire New Mexico LLC	330679
2200 S. Utica Place	Action Number:
Tulsa, OK 74114	245382
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date	l
plmartinez	DATA ENTRY PM.	7/31/2023	l

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 245382

CONDITIONS

Operator:	OGRID:
Empire New Mexico LLC	330679
2200 S. Utica Place	Action Number:
Tulsa, OK 74114	245382
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release	7/28/2023