

105%

search report



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

07/26/2023

Well Name: LEGEND COM**Well Location:** T26N / R12W / SEC
25 / SWNE / 36.4619139 /
-108.0622736**County or Parish/State:**
SAN JUAN / NM**Well Number:** 1**Type of Well:** OTHER**Allottee or Tribe Name:**
EASTERN NAVAJO**Lease Number:** N0G00061391**Unit or CA Name:** 1 LEGEND COM
- N/2 FRUITLAND C**Unit or CA Number:**
NMNM104891**US Well Number:**
300453069500S1**Well Status:** Producing Gas Well**Operator:** EPIC ENERGY LLC**Subsequent Report****Sundry ID:** 2742913**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 07/26/2023**Time Sundry Submitted:** 09:51**Date Operation Actually Began:** 07/22/2023**Actual Procedure:** Please see attached P&A procedure.**SR Attachments****Actual Procedure**

SR_P_A_Legend_Com__1_20230726095049.pdf

105%

search report

Well Name: LEGEND COM**Well Location:** T26N / R12W / SEC
25 / SWNE / 36.4619139 /
-108.0622736**County or Parish/State:**
SAN JUAN / NM**Well Number:** 1**Type of Well:** OTHER**Allottee or Tribe Name:**
EASTERN NAVAJO**Lease Number:** N0G00061391**Unit or CA Name:** 1 LEGEND COM
- N/2 FRUITLAND C**Unit or CA Number:**
NMNM104891**US Well Number:**
300453069500S1**Well Status:** Producing Gas Well**Operator:** EPIC ENERGY LLC**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAWNA MARTINEZ**Signed on:** JUL 26, 2023 09:51 AM**Name:** EPIC ENERGY LLC**Title:** Regulatory Tech**Street Address:** 332 RD 3100**City:** AZTEC**State:** NM**Phone:** (505) 327-4892**Email address:** SHAWNA@WALSHENG.NET**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:****BLM Point of Contact****BLM POC Name:** MATTHEW H KADE**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5055647736**BLM POC Email Address:** MKADE@BLM.GOV**Disposition:** Accepted**Disposition Date:** 07/26/2023**Signature:** Matthew Kade

Epic Energy

Legend Com #1

Date Comp 7/22/2023

Plug #	Formation	NMOCD Pick Formation Top	Cement Pump Date	Perfs	CICR Depth	Cement Detail	Cement Plug Depths	Plug Position
1	Fruitland Coal	974'	7/22/2023	1233' - 1249'	N/A	127sx Class "G" cement w/2% CaCl ₂ & 0.5 pps Cello-Flake (146cuft)	Surf - 1249'	Inside
						Wellhead Cut-off & marker installed 7/22/2023		
<p>7/22/2023 SICP=20psi, BH=0psi upon arrival. MIRU Drake Cementing Services, installed ball lubricator in line. P/T lines to 1000psi. Pumped 5bbbls of water, well showing pump pressure of 320psi. Plug #1: FC (Surface-1249'). Pumped 127sx of CI "G" cement w/ 2% CaCl₂ and 1/2#/sk celloflake (did not drop diverter balls due to higher pump-in pressures). SD w/ 21bbbls of slurry in csg, well holding pressure. Monitored a few minutes and bled pressure off slowly. Cut-off wellhead. Cement at 65' in annulus & at surface in 4-1/2" csg. Weld on P&A marker. Top off annular, 4-1/2" csg and filled cellar with remaining cement. P&A well w/ a total of 127sx of CI "G" Cement (146cuft, 26bbbls, 1.15yld, 15.8ppg, 5.0gps) (103sx bullheaded into 4-1/2" csg, 24sx for top-off (Cellar). P&A completed at 1745hrs. BLM witness (Ken Christesen) on location and witnessed/approved cement plug & P&A marker.</p>								


Well/Facility:	Legend Com #1	Well Status:	P&A
Operator:	Epic Energy	Orig Oper:	Coleman
Lease/Op Agmt:		KB:	5'
Field:	Basin Fruitland Coal	API #:	30-045-30695
County:	San Juan	GR/KB:	6168' GL (5' KB)
State:	NM	TD:	1400'
Spud:	10/3/2001	PBTD:	1350'
Comp. Date:	10/18/2001	WI:	50.000000
1st Prod:	10/18/2001	NRI:	39.500000
Wellhead Conn:	flange		
Surface Loc:	1635" FNL & 2605' FEL		
Sec-Twn-Rge:	Sec 25/T26N/12W		
Pumper:	B Baldwin		
Foreman:	Jimmy McKinney		
Anchors Tested	N/A		
Notes:			

Date Drawn: JULY 2023 (KTM)



Plug #1 - Surface - 1249'

127sx Class "G" cement w/2% CaCl₂ & 0.5pps Cello-flake (146cuft)

[illegible][illegible]

PBTD: 1350' KB
TD: 1400' KB

Production Tubing Detail						
	Length	WT			Top	Bottom
KB Adjustment	5.00					5.00
Tail joint w/ NC	31.70					36.70
4' perf sub	4.00					40.70
SN	1.10					41.80
2-3/8" tubing	1254.54					1296.30

Rod Detail					
				Top	Bottom
7/8" guided	57				
3/4" guided	14				
3/4 snap on guides					
1ea 2' 1ea 4' 2ea 6' pony rods					
Pump details					
2"x1-1/4"x6"x8"x11" RHAC (w/ 12" strainer nipple)					

Pumping Unit:		Gear Sheave:	
API Designation:		Stroke Length:	
Samson Post SN:		Gear Ratio:	
Gear Box SN:		SPM:	
Structural Unbalance:		Horse Power:	
Power:		Volts:	
Power SN:		Amps:	
Sheave Size:		Belts:	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 244714

CONDITIONS

Operator: EPIC ENERGY, L.L.C. 332 Road 3100 Aztec, NM 87410	OGRID: 372834
	Action Number: 244714
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	Accepted for record - NMOCD 7/31/23. Well P&A'd 7/22/23	7/31/2023