

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. PO BOX 50250 MIDLAND, TX 79710		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date NW - 05/17/2023
⁴ API Number 30 - 015-47626	⁵ Pool Name WC 22S31E13; WOLFCAMP	
	⁶ Pool Code 98351	
⁷ Property Code 329719	⁸ Property Name Top Spot 12 13 Federal Com	
	⁹ Well Number 312H	

II. ¹⁰ Surface Location

UL or lot no. O	Section 13	Township 22S	Range 31E	Lot Idn	Feet from the 311 310	North/South Line South	Feet from the 1375	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	--------------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location

UL or lot no. C	Section 12	Township 22S	Range 31E	Lot Idn	Feet from the 43	North/South line North	Feet from the 2560	East/West line West	County Eddy
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 5/23/2023		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	Centurion Pipeline L.P.	O
248749	DCP Midstream, L.P.	G

IV. Well Completion Data

²¹ Spud Date 11/26/2022	²² Ready Date 05/17/2023	²³ TD 22629' MD, 11930' TVD	²⁴ PBTD 22585' MD, 11929' TVD	²⁵ Perforations 12,263' – 22,489'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14 3/4"		10 3/4" 45.5# J55 BTC		901'	860 sx - TOC 0'
9 7/8"		7 5/8" 26.4# HCL80		11423'	1305 sx - TOC 0'
6 3/4"		5 1/2" 20# P110		22609'	1337 sx- TOC 9611'

V. Well Test Data

³¹ Date New Oil 05/23/2023	³² Gas Delivery Date 05/23/2023	³³ Test Date 5/31/2023	³⁴ Test Length 24 Hours	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2620
³⁷ Choke Size 0	³⁸ Oil 4188	³⁹ Water 6000	⁴⁰ Gas 6415		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Sarah McKinney		OIL CONSERVATION DIVISION	
Printed name: Sarah McKinney		Approved by: PATRICIA MARTINEZ	
Title: Regulatory Analyst Sr.		Title: PETROLEUM SPECIALIST	
E-mail Address: sarah_mckinney@oxy.com		Approval Date: 8/24/2023	
Date: 06/26/2023	Phone: 713-215-7295		

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

As-Drilled Plat

¹ API Number 30-015-47626	² Pool Code 98351	³ Pool Name WC 22S31E13, WOLFCAMP
⁴ Property Code 329719	⁵ Property Name TOP SPOT 12 13 FEDERAL COM	⁶ Well Number 312H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3581'

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	13	22S	31E		311	South	1375	East	EDDY

UL or lot no. C	Section 12	Township 22S	Range 31E	Lot Idn	Feet from the 43	North/South line North	Feet from the 2560	East/West line West	County EDDY
¹² Dedicated Acres 640.00		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

16

BHL (NAD83)
N:514564.37' / E:726975.94'
LAT:32.41316809 / LON:-103.73176809

BHL (NAD27)
N:514503.67' / E:685793.89'
LAT:32.41304611 / LON:-103.73127818

LTP (NAD83)
N:514424.94' / E:726974.68'
LAT:32.41278537 / LON:-103.73177474

LTP (NAD27)
N:514364.25' / E:685792.62'
LAT:32.41266288 / LON:-103.73128483

FTP (NAD83)
N:504205.56' / E:727042.27'
LAT:32.38469453 / LON:-103.73174202

FTP (NAD27)
N:504145.14' / E:685859.91'
LAT:32.38457190 / LON:-103.73125323

PPP-1 (NAD83)
N:504042.24' / E:727061.32'
LAT:32.38424533 / LON:-103.73168326

PPP-1 (NAD27)
N:503981.83' / E:685878.96'
LAT:32.38412269 / LON:-103.73119449

KOP (NAD83)
N:503782.64' / E:727200.26'
LAT:32.38352962 / LON:-103.73123793

KOP (NAD27)
N:503722.23' / E:686017.89'
LAT:32.38340697 / LON:-103.73074920

SHL (NAD83)
N:504360.60' / E:728381.30'
LAT:32.38509992 / LON:-103.72740158

SHL (NAD27)
N:504300.17' / E:687198.94'
LAT:32.38497726 / LON:-103.72691290

**CORNER COORDINATES
NAD 83, SPCS NM EAST**
A - X: 727058.76' / Y: 514607.59'
B - X: 727086.90' / Y: 509326.30'
C - X: 727114.76' / Y: 504042.53'
D - X: 724471.63' / Y: 504028.35'
E - X: 724444.51' / Y: 509317.86'
F - X: 724430.42' / Y: 511899.39'
G - X: 724415.68' / Y: 514601.05'

**CORNER COORDINATES
NAD 27, SPCS NM EAST**
A - X: 685876.71' / Y: 514546.90'
B - X: 685904.70' / Y: 509265.75'
C - X: 685932.40' / Y: 503982.11'
D - X: 683289.28' / Y: 503967.93'
E - X: 683262.32' / Y: 509257.30'
F - X: 683248.31' / Y: 511898.77'
G - X: 683233.65' / Y: 514540.36'

BHL
10204' NORTH OF SHL
1405' WEST OF SHL
FNL 43'
FWL 2560'
M.D. 22629'

LTP
10064' NORTH OF SHL
1407' WEST OF SHL
FNL 182'
FWL 2558'
M.D. 22489'

Nearest
M.D. 20778'
67' FEL TO LEASE

Furthest
M.D. 12621'
107' FEL TO LEASE

FTP
155' SOUTH OF SHL
1339' WEST OF SHL
FSL 163'
FWL 2572'
M.D. 12263'

PPP-1
318' SOUTH OF SHL
1320' WEST OF SHL
FSL 0'
FWL 2590'
M.D. 12075'

KOP
578' SOUTH OF SHL
1181' WEST OF SHL
FNL 260'
FEL 2559'
M.D. 11454'

SHL
FSL 311'
FEL 1375'
M.D. 0'

Sec. 12

Sec. 13

Sec. 24
NMNM025876

NMNM029233

T22S R31E
T22S R32E

17

OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Sarah McKinney 06/26/23

Signature _____ Date _____

Sarah McKinney
Printed Name
sarah_mckinney@oxy.com
E-mail Address

18 SURVEYOR CERTIFICATION
I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurement performed by R-Squared Global

[Signature]

Date of Survey: **MAY 22, 2023**
Signature and Seal of Professional Surveyor

DAVID W. MYERS
NEW MEXICO
11403
PROFESSIONAL SURVEYOR

FEDERAL LEASE ID	LENGTH
NMNM029233	10224.66'
TOTAL	10224.66'

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Sarah McKinny 06/26/23

Sarah McKinney
Printed Name
sarah_mckinney@oxy.com
E-mail Address

I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurement performed by R-Squared Global

Date of Survey: **MAY 22, 2023**
Signature and Seal of Professional Surveyor



FEDERAL LEASE ID	LENGTH
NMNM029233	10224.66'
TOTAL	10224.66'

 Drill Line Events
 Corners
 Drill Line
 Dimension Lines
 Federal Leases
 HSU

All bearings and coordinates refer to New Mexico State Plane coordinate system, East Zone, U.S. Survey Feet.

Distances/areas relative to NAD 83 Combined Scale Factor: 0.999777779 Convergence Angle: 0.3213°

Released to Imaging: 8/24/2023 3:13:02 PM

SHEET 1 OF 1
JOB No. OXY_0026_TP07
REV 0 GM 5/22/2023



Oxy Top Spot 12_13 Federal Com 312H Gyro+Corrected MWD to 22629ft Survey Geodetic Report (Def Survey)



Report Date: February 01, 2023 - 10:07 AM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Top Spot 12_13 Federal Com Pad (Patterson 882) / Top Spot 12_13 Federal Com 312H
Well: Top Spot 12_13 Federal Com 312H
Borehole: Top Spot 12_13 Federal Com 312H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Top Spot 12_13 Federal Com 312H Gyro+Corrected MWD to 22629ft
Survey Date: December 18, 2022
Tort / AHD / DDI / ERD Ratio: 281.319 ° / 12201.495 ft / 6.814 / 1.023
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 23' 6.35970", W 103° 43' 38.64568"
Location Grid N/E Y/X: N 504360.600 ftUS, E 728381.300 ftUS
CRS Grid Convergence Angle: 0.3246 °
Grid Scale Factor: 0.99994916
Version / Patch: 2.10.834.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 352.290 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3606.400 ft above MSL
Seabed / Ground Elevation: 3581.400 ft above MSL
Magnetic Declination: 6.710 °
Total Gravity Field Strength: 998.4582mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47774.600 nT
Magnetic Dip Angle: 60.128 °
Declination Date: January 19, 2023
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.3300 °
Total Corr Mag North->Grid North: 6.3800 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N °)	Longitude (E °)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	504360.60	728381.30	N 32.385100	W 103.727402
First Gyro Survey	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	504360.60	728381.30	N 32.385100	W 103.727402
	101.43	0.26	202.79	101.43	-0.15	-0.16	-0.07	0.34	0.17	202.79	504360.44	728381.23	N 32.385099	W 103.727402
	130.08	0.40	185.12	130.08	-0.30	-0.32	-0.10	0.60	0.34	197.59	504360.28	728381.20	N 32.385099	W 103.727402
	214.62	0.62	198.03	214.62	-1.00	-1.05	-0.27	0.29	1.08	194.40	504359.55	728381.03	N 32.385097	W 103.727402
	308.23	0.67	184.92	308.22	-1.99	-2.08	-0.47	0.17	2.13	192.84	504358.53	728380.83	N 32.385094	W 103.727403
	402.54	0.75	199.37	402.52	-3.08	-3.21	-0.72	0.21	3.29	192.74	504357.39	728380.58	N 32.385091	W 103.727404
	496.73	0.79	195.76	496.70	-4.23	-4.41	-1.11	0.07	4.55	194.07	504356.19	728380.19	N 32.385088	W 103.727405
	590.82	0.86	179.52	590.78	-5.52	-5.74	-1.28	0.26	5.88	192.53	504354.86	728380.02	N 32.385084	W 103.727406
	685.10	0.80	177.44	685.05	-6.88	-7.11	-1.24	0.07	7.22	189.90	504353.49	728380.06	N 32.385080	W 103.727406
	779.42	0.70	168.54	779.37	-8.11	-8.33	-1.10	0.16	8.40	187.50	504352.27	728380.20	N 32.385077	W 103.727405
Last Gyro Survey	873.92	0.67	149.77	873.86	-9.20	-9.37	-0.70	0.24	9.40	184.29	504351.23	728380.60	N 32.385074	W 103.727404
	974.00	0.11	251.73	973.94	-9.75	-9.91	-0.50	0.70	9.92	182.89	504350.69	728380.80	N 32.385073	W 103.727403
	1068.00	0.09	83.34	1067.94	-9.77	-9.93	-0.51	0.21	9.94	182.96	504350.67	728380.79	N 32.385073	W 103.727403
	1161.00	0.10	54.63	1160.94	-9.73	-9.87	-0.37	0.05	9.88	182.17	504350.73	728380.93	N 32.385073	W 103.727403
	1254.00	0.12	95.41	1253.94	-9.72	-9.84	-0.21	0.08	9.84	181.23	504350.76	728381.09	N 32.385073	W 103.727402
	1347.00	0.08	107.33	1346.94	-9.77	-9.86	-0.05	0.05	9.87	180.30	504350.74	728381.25	N 32.385073	W 103.727402
	1440.00	0.12	356.09	1439.94	-9.70	-9.79	0.00	0.18	9.79	179.98	504350.81	728381.30	N 32.385073	W 103.727402
	1533.00	0.09	61.76	1532.94	-9.58	-9.66	0.06	0.13	9.66	179.64	504350.95	728381.36	N 32.385073	W 103.727402
	1627.00	0.09	330.67	1626.94	-9.48	-9.56	0.09	0.14	9.56	179.46	504351.04	728381.39	N 32.385074	W 103.727401
	1721.00	0.12	21.22	1720.94	-9.33	-9.40	0.09	0.10	9.40	179.46	504351.20	728381.39	N 32.385074	W 103.727401
First SLB Survey	1784.00	0.14	277.41	1783.94	-9.25	-9.33	0.04	0.33	9.33	179.77	504351.27	728381.34	N 32.385074	W 103.727402
	1879.00	0.12	243.55	1878.94	-9.25	-9.36	-0.17	0.08	9.36	181.02	504351.24	728381.13	N 32.385074	W 103.727402
	1974.00	0.10	344.85	1973.94	-9.20	-9.32	-0.28	0.18	9.33	181.71	504351.28	728381.02	N 32.385074	W 103.727402
	2069.00	0.09	217.84	2068.94	-9.17	-9.30	-0.35	0.18	9.31	182.13	504351.30	728380.95	N 32.385074	W 103.727403
	2164.00	0.09	92.77	2163.94	-9.24	-9.36	-0.32	0.17	9.37	181.94	504351.24	728380.98	N 32.385074	W 103.727403
	2258.00	0.12	127.41	2257.94	-9.32	-9.43	-0.16	0.07	9.43	181.00	504351.17	728381.14	N 32.385074	W 103.727402
	2353.00	0.11	140.38	2352.94	-9.47	-9.56	-0.03	0.03	9.56	180.17	504351.04	728381.27	N 32.385074	W 103.727402
	2448.00	0.40	338.29	2447.94	-9.22	-9.32	-0.09	0.53	9.32	180.57	504351.28	728381.21	N 32.385074	W 103.727402
	2542.00	1.76	331.23	2541.92	-7.56	-7.75	-0.91	1.45	7.80	186.68	504352.85	728380.39	N 32.385079	W 103.727405
	2637.00	3.20	334.76	2636.83	-3.67	-4.07	-2.74	1.52	4.91	213.95	504356.53	728378.56	N 32.385089	W 103.727411
2732.00	2.88	338.87	2731.69	1.18	0.55	-4.73	0.41	4.76	276.66	504361.15	728376.57	N 32.385102	W 103.727417	
2826.00	0.06	185.25	2825.65	3.43	2.71	-5.59	3.12	6.21	295.84	504363.31	728375.71	N 32.385107	W 103.727420	
2921.00	0.10	117.63	2920.85	3.34	2.62	-5.52	0.10	6.11	295.38	504363.22	728375.78	N 32.385107	W 103.727419	
3024.00	0.10	274.15	3023.85	3.30	2.58	-5.53	0.19	6.10	295.04	504363.18	728375.77	N 32.385107	W 103.727419	
3110.00	0.12	315.05	3109.65	3.39	2.65	-5.67	0.09	6.26	295.08	504363.25	728375.63	N 32.385107	W 103.727420	
3205.00	0.10	245.75	3204.65	3.44	2.69	-5.81	0.13	6.41	294.82	504363.29	728375.49	N 32.385107	W 103.727420	
3299.00	0.09	16.39	3298.65	3.49	2.73	-5.87	0.18	6.47	294.92	504363.33	728375.43	N 32.385108	W 103.727421	
3394.00	0.09	164.17	3393.65	3.48	2.73	-5.83	0.18	6.43	295.07	504363.33	728375.47	N 32.385107	W 103.727420	
3489.00	0.11	79.00	3488.65	3.41	2.67	-5.72	0.14	6.31	295.05	504363.27	728375.58	N 32.385107	W 103.727420	
3583.00	0.11	162.47	3582.65	3.33	2.60	-5.60	0.16	6.18	294.92	504363.20	728375.70	N 32.385107	W 103.727420	
3678.00	0.13	38.29	3677.65	3.32	2.60	-5.51	0.22	6.09	295.28	504363.20	728375.79	N 32.385107	W 103.727419	
3773.00	0.13	123.12	3772.65	3.32	2.63	-5.35	0.18	5.96	296.15	504363.23	728375.95	N 32.385107	W 103.727419	
3868.00	0.10	275.94	3867.65	3.27	2.58	-5.34	0.24	5.93	295.74	504363.18	728375.96	N 32.385107	W 103.727419	
3962.00	0.10	130.08	3961.65	3.17	2.47	-5.42	0.19	5.96	294.48	504363.07	728375.88	N 32.385107	W 103.727419	
4057.00	0.09	0.30	4056.65	3.13	2.43	-5.42	0.24	5.94	294.12	504363.03	728375.88	N 32.385107	W 103.727419	
4152.00	0.07	357.46	4151.65	3.27	2.56	-5.43	0.02	6.00	295.26	504363.16	728375.88	N 32.385107	W 103.727419	
4246.00	0.11	215.70	4245.65	3.26	2.54	-5.48	0.18	6.04	294.90	504363.14	728375.82	N 32.385107	W 103.727419	
4341.00	0.12	256.81	4340.65	3.18	2.45	-5.63	0.09	6.14	293.50	504363.05	728375.67	N 32.385107	W 103.727420	
4436.00	0.07	43.33	4435.65	3.21	2.47	-5.69	0.19	6.20	293.45	504363.07	728375.61	N 32.385107	W 103.727420	
4531.00	0.11	271.35	4530.65	3.26	2.51	-5.74	0.17	6.26	293.64	504363.11	728375.56	N 32.385107	W 103.727420	
4625.00	0.04	329.46	4624.65	3.30	2.54	-5.85	0.10	6.37	293.50	504363.14	728375.45	N 32.385107	W 103.727420	
4720.00	0.56	245.46	4719.65	3.20	2.38	-6.28	0.59	6.72	290.72	504362.98	728375.02	N 32.385107	W 103.727422	
4815.00	0.96	244.54	4814.64	2.82	1.84	-7.43	0.42	7.65	283.94	504362.44	728373.88	N 32.385105	W 103.727426	
4910.00	1.53	245.57	4909.62	2.21	0.98	-9.30	0.60	8.35	275.99	504361.58	728372.00	N 32.385103	W 103.727432	
5005.00	1.90	246.24	5004.58	1.41	0.50	-11.90	0.39	11.90	269.12	504360.42	728369.41	N 32.385100	W 103.727440	
5099.00	2.46	240.87	5098.51	0.25	-1.79	-15.08	0.63	15.19	263.22	504358.81	728366.22	N 32.385095	W 103.727450	
5194.00	2.91	245.21	5193.40	-1.21	-3.80	-19.05	0.52	19.43	258.73	504356.80	728362.25	N 32.385090	W 103.727463	
5289.00	3.33	243.60	5288.26	-2.80	-6.03	-23.71	0.45	24.47	255.72	504354.57	728357.59	N 32.385084	W 103.727479	
5383.00	4.03	248.80	5382.07	-4.44	-8.44	-29.24	0.82	30.43	253.89	504352.16	728352.06	N 32.385077	W 103.727496	
5478.00	4.86	248.83	5476.78	-6.16	-11.10	-36.10	0.87	37.77	252.91	504349.50	728345.20	N 32.385070	W 103.727519	
5573.00	5.69	250.14	5571.38	-8.09	-14.16	-44.29	0.88	46.49	252.27	504346.44	728337.02	N 32.385062	W 103.727545	
5668.00	7.42	254.00	5665.75	-9.96	-17.45	-54.61	1.88	57.33	252.28	504343.15	728326.69	N 32.385053	W 103.727579	
5763.00	9.81	255.66	5759.67	-11.78	-21.14	-68.35	2.53	71.55	252.81	504339.46	728312.95	N 32.385043	W 103.727623	
5857.00	11.37	255.77	5852.07	-13.76	-25.40	-85.09	1.66	88.81	253.38	504335.20	728296.21	N 32.385031	W 103.727678	
5952.00	12.41	253.61	5945.03	-16.36	-30.59	-103.96	1.19	108.37	253.67	504330.30	728277.34	N 32.385017	W 103.727739	
6047.00	12.97	250.78	6037.75	-19.07	-36.59	-123.76	0.46	123.76	253.51	504323.96	728269.41	N 32.385009	W 103.727841	
6142.00	12.39	252.63	6130.47	-23.22	-42.86	-143.48	0.39	149.25	253.63	504317.74	728237.82	N 32.384984	W	

Comments	MD (ft)	Incl (°)	Azim (°)	Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N S)	Longitude (E W)
	8603.00	11.41	236.72	8505.22	-240.38	-338.92	-711.67	0.76	788.25	244.53	504021.70	727669.67		N 32.384179	W 103.729713
	8698.00	10.47	237.24	8598.49	-248.09	-348.75	-726.78	0.99	806.12	244.37	504011.87	727654.56		N 32.384153	W 103.729762
	8793.00	9.86	237.49	8692.00	-255.17	-357.79	-740.90	0.64	822.77	244.22	504002.83	727640.44		N 32.384128	W 103.729808
	8887.00	9.46	236.91	8784.66	-261.84	-366.33	-754.16	0.44	838.42	244.09	503994.29	727627.18		N 32.384105	W 103.729851
	8982.00	8.53	239.12	8878.50	-267.96	-374.21	-766.75	1.04	853.19	243.99	503986.41	727614.59		N 32.384083	W 103.729892
	9077.00	8.89	245.89	8972.40	-272.81	-380.83	-779.49	1.14	867.55	243.96	503979.79	727601.85		N 32.384065	W 103.729933
	9171.00	9.03	245.45	9065.25	-277.00	-386.86	-792.83	0.17	882.18	243.99	503973.76	727588.51		N 32.384049	W 103.729977
	9266.00	9.46	242.34	9159.02	-281.82	-393.58	-806.53	0.69	897.44	243.99	503967.04	727574.81		N 32.384031	W 103.730021
	9360.00	9.03	247.21	9251.80	-286.37	-400.02	-820.17	0.95	912.53	244.00	503960.60	727561.17		N 32.384013	W 103.730066
	9455.00	9.40	252.17	9345.58	-289.68	-405.29	-834.43	0.92	927.65	244.09	503955.33	727546.91		N 32.383999	W 103.730112
	9550.00	10.14	254.49	9439.20	-292.17	-409.90	-849.88	0.88	943.56	244.25	503950.72	727531.47		N 32.383986	W 103.730162
	9644.00	10.68	250.75	9531.65	-295.03	-414.98	-866.07	0.91	960.36	244.40	503945.64	727515.27		N 32.383973	W 103.730215
	9739.00	10.80	249.10	9624.99	-298.82	-421.05	-882.70	0.35	977.98	244.50	503939.57	727498.64		N 32.383956	W 103.730269
	9834.00	10.45	245.57	9718.36	-303.33	-427.79	-898.86	0.78	995.47	244.55	503932.84	727482.49		N 32.383938	W 103.730321
	9928.00	10.86	242.08	9810.74	-308.84	-435.46	-914.45	0.81	1012.84	244.54	503925.16	727466.90		N 32.383917	W 103.730372
	10023.00	10.10	239.32	9904.16	-315.18	-443.90	-929.52	0.96	1030.08	244.47	503916.72	727451.83		N 32.383894	W 103.730421
	10118.00	9.53	240.72	9997.76	-321.33	-452.00	-943.54	0.65	1046.22	244.40	503908.63	727437.81		N 32.383872	W 103.730466
	10212.00	9.74	240.75	10090.44	-327.11	-459.69	-957.27	0.22	1061.92	244.35	503900.94	727424.08		N 32.383851	W 103.730511
	10307.00	9.90	242.71	10184.05	-332.79	-467.36	-971.54	0.39	1078.10	244.31	503893.27	727409.81		N 32.383830	W 103.730557
	10402.00	10.30	243.15	10277.57	-338.32	-474.94	-986.37	0.43	1094.76	244.29	503885.69	727394.98		N 32.383810	W 103.730605
	10497.00	10.81	245.29	10370.97	-343.70	-482.50	-1002.04	0.68	1112.16	244.29	503878.13	727379.31		N 32.383789	W 103.730656
	10591.00	11.33	245.44	10463.22	-348.36	-490.62	-1018.45	0.55	1130.25	244.11	503869.50	727362.90		N 32.383769	W 103.730709
	10686.00	10.62	245.67	10556.46	-354.17	-497.51	-1034.91	0.75	1148.29	244.33	503861.12	727346.47		N 32.383749	W 103.730763
	10784.00	10.06	244.11	10652.89	-359.42	-504.97	-1050.84	0.64	1165.87	244.33	503855.66	727330.51		N 32.383728	W 103.730815
	10879.00	10.65	240.36	10746.34	-365.29	-512.93	-1065.94	0.94	1182.93	244.30	503847.70	727315.42		N 32.383707	W 103.730864
	10973.00	11.92	236.23	10838.52	-372.80	-522.62	-1081.56	1.60	1201.21	244.21	503838.01	727299.80		N 32.383680	W 103.730914
	11068.00	12.83	233.76	10931.32	-382.15	-534.31	-1098.22	1.11	1221.30	244.06	503826.32	727283.14		N 32.383648	W 103.730969
	11163.00	13.41	236.87	11023.84	-391.91	-546.57	-1115.95	0.96	1242.61	243.91	503814.06	727265.41		N 32.383615	W 103.731026
	11257.00	13.36	240.46	11115.29	-400.63	-557.88	-1134.53	0.89	1264.27	243.82	503802.75	727248.83		N 32.383584	W 103.731087
	11352.00	14.97	245.64	11207.40	-408.23	-568.35	-1155.26	2.16	1287.50	243.80	503792.28	727226.10		N 32.383556	W 103.731154
Actual KOP	11410.00	16.00	248.49	11263.29	-412.28	-574.37	-1169.52	2.21	1302.95	243.84	503786.26	727211.84		N 32.383539	W 103.731200
	11454.00	15.92	258.92	11305.60	-414.29	-577.96	-1181.04	5.27	1314.88	243.92	503782.67	727200.32		N 32.383530	W 103.731216
	11464.00	15.95	258.94	11315.22	-414.50	-578.54	-1183.73	5.27	1317.54	243.95	503782.09	727197.64		N 32.383528	W 103.731246
	11559.00	25.01	299.17	11404.54	-451.67	-571.23	-1214.27	17.13	1341.93	244.81	503789.40	727167.09		N 32.383549	W 103.731345
	11654.00	25.36	312.18	11490.57	-375.53	-547.76	-1246.91	5.83	1361.92	246.28	503812.87	727134.46		N 32.383614	W 103.731451
	11748.00	31.80	321.29	11573.11	-338.85	-514.87	-1277.36	8.26	1377.22	248.05	503845.76	727104.00		N 32.383705	W 103.731549
	11837.00	37.53	335.11	11646.40	-292.73	-471.88	-1303.50	10.90	1386.28	250.10	503888.75	727077.87		N 32.383823	W 103.731632
	11843.00	37.97	335.90	11651.14	-289.22	-468.54	-1305.02	10.90	1386.58	250.25	503892.09	727076.34		N 32.383832	W 103.731637
	11938.00	39.33	355.08	11725.60	-230.90	-411.66	-1319.59	12.65	1382.31	252.67	503948.97	727061.78		N 32.383989	W 103.731683
	12032.00	43.64	3.14	11796.06	-169.22	-349.52	-1320.37	7.29	1365.85	255.17	504011.10	727061.00		N 32.384160	W 103.731685
FTP / 100' FSL Crossing	12127.00	55.17	354.08	11857.84	-97.72	-277.67	-1322.61	14.11	1351.44	258.14	504082.94	727058.76		N 32.384357	W 103.731691
	12199.00	66.89	351.95	11892.65	-34.85	-215.27	-1330.32	16.49	1347.62	260.81	504092.11	727051.05		N 32.384534	W 103.731715
	12222.00	70.65	351.36	11900.98	-13.42	-184.06	-1333.43	16.49	1347.48	261.72	504166.55	727047.18		N 32.384587	W 103.731724
	12316.00	86.92	353.39	11919.20	78.47	-102.98	-1345.58	17.44	1349.51	265.62	504257.63	727035.79		N 32.384838	W 103.731762
	12403.00	85.28	352.48	11925.12	165.26	-16.84	-1356.25	2.15	1356.36	269.29	504343.76	727025.12		N 32.385075	W 103.731795
	12476.00	88.17	352.78	11929.29	238.14	55.43	-1365.60	3.98	1366.72	272.32	504416.03	727015.77		N 32.385273	W 103.731824
	12571.00	90.16	356.58	11930.67	333.02	149.99	-1374.40	4.51	1382.56	276.23	504510.58	727006.97		N 32.385533	W 103.731851
	12665.00	90.92	1.09	11929.79	426.38	243.94	-1376.31	4.87	1397.77	280.05	504604.53	727005.06		N 32.385792	W 103.731855
	12760.00	90.73	2.22	11928.42	520.10	338.89	-1373.57	1.21	1414.76	283.86	504699.47	727007.80		N 32.386053	W 103.731845
	12855.00	90.84	2.43	11927.12	613.64	433.80	-1369.72	0.25	1436.77	287.57	504794.38	727011.65		N 32.386313	W 103.731830
	12949.00	90.59	4.19	11925.95	705.50	527.63	-1364.29	1.89	1462.77	291.14	504888.21	727017.08		N 32.386571	W 103.731811
	13044.00	90.74	4.06	11924.84	798.87	622.38	-1357.46	0.21	1493.34	294.63	504989.95	727023.93		N 32.386832	W 103.731787
	13139.00	90.34	5.54	11923.95	891.95	717.17	-1351.16	0.69	1528.70	297.96	505077.73	727030.21		N 32.387091	W 103.731765
	13233.00	90.33	2.59	11923.40	984.29	811.03	-1346.14	1.01	1571.58	301.07	505171.59	727035.24		N 32.387350	W 103.731747
	13328.00	90.59	1.62	11922.63	1077.90	905.96	-1342.65	1.06	1619.71	304.01	505266.51	727038.72		N 32.387611	W 103.731734
	13423.00	90.65	359.94	11921.61	1171.85	1000.94	-1341.35	1.77	1673.65	306.73	505361.49	727040.02		N 32.387872	W 103.731728
	13518.00	90.28	359.01	11920.84	1266.10	1095.94	-1342.22	1.05	1732.81	309.23	505456.48	727039.15		N 32.388133	W 103.731729
	13612.00	90.18	357.68	11920.46	1359.57	1189.89	-1344.94	1.42	1795.75	311.50	505550.43	727036.43		N 32.388391	W 103.731736
	13707.00	90.25	356.71	11920.10	1454.22	1284.78	-1349.59	1.02	1863.34	313.59	505645.31	727031.78		N 32.388652	W 103.731750
	13802.00	90.41	358.39	11919.55	1548.82	1379.69	-1353.65	1.78	1932.85	315.55	505740.21	727027.72		N 32.388913	W 103.731761
	13991.00	90.51	359.08	11918.04	1736.62	1568.63	-1357.82	0.37	2074.68	319.12	505829.15	727023.55		N 32.389432	W 103.731771
	14085.00	90.23	357.90	11917.43	1830.06	1662.60	-1350.32	1.29	2148.17	320.71	505923.11	727021.07		N 32.389659	W 103.731778
	14180.00	90.04	358.61	11917.21	1924.55	1757.55	-1363.19	0.77	2224.25	322.20	506118.06	727018.18		N 32.389952	W 103.731784
	14275.00	90.44	357.93	11916.81	2019.03	1852.51	-1366.06	0.83	2301.72	323.59	506213.01	727015.31		N 32.390213	W 103.731793

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (%100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S °)	Longitude (E/W °)
	20896.00	89.25	358.67	11916.35	8580.50	8471.73	-1381.62	0.84	8583.65	350.74	512831.89	726999.75	N 32.408406	W 103.731723
	20991.00	89.22	358.45	11917.62	8674.93	8566.69	-1394.01	0.23	8677.77	350.82	512926.84	726997.36	N 32.408667	W 103.731729
	21086.00	89.31	358.63	11918.84	8769.35	8661.66	-1386.43	0.21	8771.91	350.91	513021.80	726994.94	N 32.408928	W 103.731735
	21180.00	89.39	358.44	11919.90	8862.79	8755.62	-1388.83	0.22	8865.08	350.99	513115.76	726992.54	N 32.409187	W 103.731741
	21275.00	89.45	358.43	11920.86	8957.24	8850.58	-1391.43	0.06	8959.29	351.07	513210.71	726989.95	N 32.409448	W 103.731747
	21370.00	89.15	358.29	11922.02	9051.70	8945.53	-1394.15	0.35	9053.52	351.14	513305.66	726987.23	N 32.409709	W 103.731754
	21465.00	88.69	0.91	11923.82	9145.90	9040.50	-1394.81	2.80	9147.47	351.23	513400.63	726986.57	N 32.409970	W 103.731755
	21559.00	90.59	359.63	11924.41	9238.98	9134.49	-1394.37	2.44	9240.31	351.32	513494.61	726987.01	N 32.410228	W 103.731752
	21654.00	89.74	358.93	11924.13	9333.28	9229.49	-1395.56	1.16	9334.40	351.40	513589.60	726985.81	N 32.410489	W 103.731754
	21748.00	90.33	0.25	11924.08	9426.51	9323.48	-1396.23	1.54	9427.45	351.48	513683.59	726985.14	N 32.410747	W 103.731754
	21843.00	90.01	359.46	11923.79	9520.68	9418.48	-1396.47	0.90	9521.44	351.57	513778.58	726984.90	N 32.411009	W 103.731753
	22033.00	90.29	359.10	11923.30	9709.27	9608.46	-1398.86	0.24	9709.76	351.72	513968.56	726982.51	N 32.411531	W 103.731758
	22222.00	88.44	358.24	11925.39	9897.08	9797.39	-1403.25	1.08	9897.37	351.85	514157.47	726978.13	N 32.412050	W 103.731768
	22317.00	89.51	358.91	11927.09	9991.49	9892.34	-1405.61	1.33	9991.71	351.91	514252.42	726975.77	N 32.412311	W 103.731774
	22412.00	90.12	359.84	11927.40	10085.76	9987.34	-1406.64	1.17	10085.91	351.98	514347.41	726974.73	N 32.412572	W 103.731776
LTP / 100' FNL Crossing	22573.00	88.97	0.56	11928.68	10245.22	10148.33	-1406.08	0.84	10245.27	352.11	514508.39	726975.30	N 32.413015	W 103.731771
Final Survey	22601.00	88.77	0.69	11929.23	10272.92	10176.32	-1405.77	0.84	10272.96	352.13	514536.38	726975.60	N 32.413092	W 103.731770
Projection to TD	22629.00	88.77	0.69	11929.83	10300.61	10204.31	-1405.43	0.00	10300.64	352.16	514564.37	726975.94	N 32.413169	W 103.731768

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	25.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Top Spot 12_13 Federal Com 312H / Oxy Top Spot 12_13 Federal Com 312H Gyro+Corrected MWD to
	1	25.000	25.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Top Spot 12_13 Federal Com 312H / Oxy Top Spot 12_13 Federal Com 312H Gyro+Corrected MWD to
	1	25.000	873.920	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Top Spot 12_13 Federal Com 312H / Oxy Top Spot 12_13 Federal Com 312H
	1	873.920	10784.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Top Spot 12_13 Federal Com 312H / Oxy Top Spot 12_13 Federal Com 312H Gyro+Corrected MWD to
	1	10784.000	11464.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG	Top Spot 12_13 Federal Com 312H / Oxy Top Spot 12_13 Federal Com 312H
	1	11464.000	22629.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Top Spot 12_13 Federal Com 312H / Oxy Top Spot 12_13 Federal Com 312H Gyro+Corrected MWD to




OXY




Borehole:				Well:				Field:				Structure:					
Top Spot 12_13 Federal Com 312H				Top Spot 12_13 Federal Com 312H				NM Eddy County (NAD 83)				Oxy Top Spot 12_13 Federal Com Pad (Patterson 882)					
Gravity & Magnetic Parameters						Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous			
Model: IFR1		Dip: 60.128°		Date: 19-Jan-2023		Lat: N 32 23 6.36		Northing: 504360.6RUS		Grid Conv: 0.3246°		Slot: Top Spot 12_13 Federal Com 312H		TVD Ref: RKB(3606.4ft above MSL)			
MagDec: 6.71°		FS: 47774.6nT		Gravity FS: 998.458mgn (9.80665 Based)		Lon: W 103 43 38.65		Easting: 728381.3RUS		Scale Fact: 0.99994916		Plan: Oxy Top Spot 12_13 Federal Com 312H Gyro+Corrected MWD to 22629ft					

Critical Points

Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00
First Gyro Survey	101.43	0.26	202.79	101.43	-0.15	-0.16	-0.07	0.34
Last Gyro Survey	873.92	0.67	149.77	873.86	-9.20	-9.37	-0.70	0.24
First SLB Survey	974.00	0.11	251.73	973.94	-9.75	-9.91	-0.50	0.70
Actual KOP	11454.00	15.92	256.92	11305.60	-414.29	-577.96	-1181.04	5.27
Wolcamp Intersection	11837.00	37.53	335.11	11646.40	-292.73	-471.88	-1303.50	10.90
FTP / 100' FSL Crossing	12199.00	66.90	351.95	11892.65	-34.85	-215.27	-1330.32	16.49
Section 13-12 Line Cross	17389.82	89.85	358.79	11927.44	5105.81	4966.00	-1376.76	0.50
LTP / 100' FNL Crossing	22573.00	88.97	0.56	11928.68	10245.22	10148.33	-1406.08	0.84
Final Survey	22601.00	88.77	0.69	11929.23	10272.92	10176.32	-1405.77	0.84
Projection to TD	22629.00	88.77	0.69	11929.83	10300.61	10204.31	-1405.43	0.00



Vertical Section (ft) Azim = 352.29° Scale = 1:2400.00(ft) Origin = 0N-S, 0E-W



Intent ☐ As Drilled ☒

API # 30-015-47626		
Operator Name: OXY USA INC.	Property Name: Top Spot 12 13 Federal Com	Well Number 312H

Kick Off Point (KOP)

UL B	Section 24	Township 22S	Range 31E	Lot	Feet 260	From N/S North	Feet 2559	From E/W East	County Eddy
Latitude 32.38352962					Longitude -103.73123793			NAD Nad83	

First Take Point (FTP)

UL N	Section 13	Township 22S	Range 31E	Lot	Feet 163	From N/S South	Feet 2572	From E/W West	County Eddy
Latitude 32.38469453					Longitude -103.73174202			NAD Nad83	

Last Take Point (LTP)

UL C	Section 12	Township 22S	Range 31E	Lot	Feet 182	From N/S North	Feet 2558	From E/W West	County Eddy
Latitude 32.41278537					Longitude -103.73177474			NAD Nad83	

Is this well the defining well for the Horizontal Spacing Unit? ☐ NoIs this well an infill well? ☐ Yes

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-47627		
Operator Name: OXY USA INC.	Property Name: Top Spot 12 13 Federal Com	Well Number 311H

KZ 06/29/2018

Well Name: TOP SPOT 12_13 FED COM	Well Location: T22S / R31E / SEC 13 / SWSE / 32.3851 / -103.727402	County or Parish/State: EDDY / NM
Well Number: 312H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM29233	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547626	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2739799

Type of Submission: Subsequent Report

Date Sundry Submitted: 07/07/2023

Date Operation Actually Began: 04/21/2023

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 09:59

Actual Procedure: RUPU 4/21/23, RIH & clean out to PBTD @ 22585' , pressure test csg to 9800# for 30 min, good test. RIH & perf @ 12,263' – 22,489' Total 1230 holes. Frac in 41 stages 25,546,516 #'s 100 Mesh Proppant and 368,675 bbls clean frac fluid, RD Frac Crew 5/14/2023. Rig Down Coil Tubing Clean Out Crew and Well ready to produce 5/17/2023. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 08/20/2023.

Well Name: TOP SPOT 12_13 FED COM	Well Location: T22S / R31E / SEC 13 / SWSE / 32.3851 / -103.727402	County or Parish/State: EDDY / NM
Well Number: 312H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM29233	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547626	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH MCKINNEY	Signed on: JUL 07, 2023 09:58 AM
Name: OXY USA INCORPORATED	
Title: Regulatory Analyst Sr	
Street Address: 5 GREENWAY PLAZA SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 215-7295	
Email address: SARAH_MCKINNEY@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/11/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-47626		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN		
								3. State Oil & Gas Lease No. 329719		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____								5. Lease Name or Unit Agreement Name Top Spot 12 13 Federal Com		
8. Name of Operator OXY USA INC.								6. Well Number: 312H		
10. Address of Operator PO Box 50250, MIDLAND, TX 79710								9. OGRID 16696		
11. Pool name or Wildcat WC 22S31E13; WOLFCAMP										
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	13	22S	31E		311 310	South	1375	East	Eddy
BH:	C	12	22S	31E		43	North	2560	West	Eddy
13. Date Spudded 11/26/2022	14. Date T.D. Reached 01/28/2023		15. Date Rig Released 02/03/2023			16. Date Completed (Ready to Produce) 05/17/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3581 GR		
18. Total Measured Depth of Well 22629' MD, 11930' TVD			19. Plug Back Measured Depth 22585' MD, 11929' TVD			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CBL/Gamma		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,263' – 22,489' , Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10 3/4"		45.5# J55 BTC		901'		14 3/4"		860 sx - TOC 0'		
7 5/8"		26.4# HCL80		11423'		9 7/8"		1305 sx - TOC 0'		
5 1/2"		20# P110		22609'		6 3/4"		1337 sx- TOC 9611'		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET	PACKER SET	
26. Perforation record (interval, size, and number) 12,263' – 22,489', 0.42", 1230 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,263' – 22,489'		25,546,516 # 100 mesh sand, 368,675 bbls		
								clean frac fluid.		
28. PRODUCTION										
Date First Production 05/23/2023		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 05/31/2023	Hours Tested 24 Hours	Choke Size 0	Prod'n For Test Period	Oil - Bbl 4188	Gas - MCF 6415	Water - Bbl. 6000	Gas - Oil Ratio 1532			
Flow Tubing Press.	Casing Pressure 2620	Calculated 24-Hour Rate	Oil - Bbl. 4188	Gas - MCF 6415	Water - Bbl. 6000	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By		
31. List Attachments C103, C104c, C102, WBD, Directional Survey, Log										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Sarah McKinney		Title Regulatory Analyst Sr.			Date 6/26/2023			
E-mail Address sarah_mckinney@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 837'	T. Bell Canyon	T. Ojo Alamo	T. Penn A"
T. Salado 1139'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2883'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4492'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5390'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6609'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8395'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9449'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 10097'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11135'	T. Chinle	
T. Cisco (Bough C)	T. Wolfcamp 11647'	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Top Spot 12-13 Fed Com 312H
API No. 30-015-47626



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 242139

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 242139
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 242139

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 242139
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	8/24/2023