

|                                                                                                                                                                              |                                                                          |                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------|
| Form 3160-5<br>(June 2019)                                                                                                                                                   | UNITED STATES<br>DEPARTMENT OF THE INTERIOR<br>BUREAU OF LAND MANAGEMENT | FORM APPROVED<br>OMB No. 1004-0137<br>Expires: October 31, 2021 |
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br><i>Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.</i> |                                                                          | 5. Lease Serial No. <b>NOG13121863</b>                          |
|                                                                                                                                                                              |                                                                          | 6. If Indian, Allottee or Tribe Name<br><b>NAVAJO NATION</b>    |

|                                                                                                                                  |                                                            |                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>SUBMIT IN TRIPLICATE - Other instructions on page 2</b>                                                                       |                                                            | 7. If Unit of CA/Agreement, Name and/or No.<br><b>WEST LYBROOK EXPLORATORY UNIT/NMNM135216</b> |
| 1. Type of Well<br><input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other |                                                            | 8. Well Name and No. <b>GREATER LYBROOK UNIT/052H</b>                                          |
| 2. Name of Operator<br><b>ENDURING RESOURCES LLC</b>                                                                             |                                                            | 9. API Well No. <b>3004538281</b>                                                              |
| 3a. Address <b>200 ENERGY COURT, FARMINGTON, NM 87401</b>                                                                        | 3b. Phone No. (include area code)<br><b>(505) 497-8574</b> | 10. Field and Pool or Exploratory Area<br><b>LYBROOK MANCOS W</b>                              |
| 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)<br><b>SEC 23/T23N/R9W/NMP</b>                               |                                                            | 11. Country or Parish, State<br><b>SAN JUAN/NM</b>                                             |

|                                                                                      |                                               |                                               |                                                    |                                           |
|--------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------|----------------------------------------------------|-------------------------------------------|
| 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA |                                               |                                               |                                                    |                                           |
| TYPE OF SUBMISSION                                                                   | TYPE OF ACTION                                |                                               |                                                    |                                           |
| <input type="checkbox"/> Notice of Intent                                            | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen               | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off   |
|                                                                                      | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity   |
| <input checked="" type="checkbox"/> Subsequent Report                                | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction     | <input type="checkbox"/> Recomplete                | <input checked="" type="checkbox"/> Other |
|                                                                                      | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon     | <input type="checkbox"/> Temporarily Abandon       |                                           |
| <input type="checkbox"/> Final Abandonment Notice                                    | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back            | <input type="checkbox"/> Water Disposal            |                                           |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Enduring Resources performed a drillout and initial gas-lift installation. An updated well schematic is attached.

EOT: 5186 MD  
GLVs: 1358, 2009, 2631, 3220, 3776, 4301 MD  
Job Start: 7.6.2023  
Job End: 7.11.2023

|                                                                                                                                     |                                       |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)<br><b>HEATHER HUNTINGTON / Ph: (505) 636-9751</b> | Title<br><b>Permitting Technician</b> |
| Signature                                                                                                                           | Date<br><b>07/26/2023</b>             |

|                                                                                                                                                                                                                                                           |                                    |                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|---------------------------|
| <b>THE SPACE FOR FEDERAL OR STATE OFFICE USE</b>                                                                                                                                                                                                          |                                    |                           |
| Approved by<br><b>KENNETH G RENNICK / Ph: (505) 564-7742 / Accepted</b>                                                                                                                                                                                   | Title<br><b>Petroleum Engineer</b> | Date<br><b>07/26/2023</b> |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | Office <b>FARMINGTON</b>           |                           |

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


(Instructions on page 2)



# Enduring Resources IV - Production WBD

**Well Name: GREATER LYBROOK UNIT 032H (EKA WLU 777H)** NOTE: Well schematic is drawn vertically due to space constraints on the report. Please reference the directional surveys as needed.

|                                        |                                                                 |                              |                  |                              |                                                         |
|----------------------------------------|-----------------------------------------------------------------|------------------------------|------------------|------------------------------|---------------------------------------------------------|
| API/UWI<br>30-045-38281                | Surface Legal Location<br>23-23N-09W Sec-Twn-Rng 36.206409 N... | Field Name                   | License #        | State/Province<br>New Mexico | Well Configuration Type                                 |
| Original KB Elevation (ft)<br>6,772.00 | KB-Tubing Head Distance (ft)                                    | Spud Date<br>2/23/2023 06:00 | Rig Release Date | PBTD (All) (ftKB)            | Total Depth All (TVD) (ftKB)<br>Original Hole - 4,635.7 |




| Wellbore Sections                                         |  |                |           |              |         |                    |                      |                  |                      |
|-----------------------------------------------------------|--|----------------|-----------|--------------|---------|--------------------|----------------------|------------------|----------------------|
| Section Des                                               |  |                |           | Size (in)    |         | Act Top (ftKB)     | Act Top (TVD) (ftKB) | Act Btm (ftKB)   | Act Btm (TVD) (ftKB) |
| Surface                                                   |  |                |           | 17 1/2       |         | 0.0                |                      | 368.0            |                      |
| Intermediate                                              |  |                |           | 12 1/4       |         | 368.0              |                      | 2,707.0          | 2,651.9              |
| Production                                                |  |                |           | 8 1/2        |         | 2,707.0            | 2,651.9              | 13,479.0         | 4,635.7              |
| Rod Strings                                               |  |                |           |              |         |                    |                      |                  |                      |
| Rod Description                                           |  |                | Run Date  |              |         | String Length (ft) |                      | Set Depth (ftKB) |                      |
| Item Des                                                  |  |                |           | Jts          | OD (in) | Len (ft)           | Top (ftKB)           | Btm (ftKB)       |                      |
|                                                           |  |                |           |              |         |                    |                      |                  |                      |
| Tubing - Production set at 5,186.1ftKB on 7/11/2023 12:30 |  |                |           |              |         |                    |                      |                  |                      |
| Tubing Description                                        |  |                | Run Date  |              |         | String Length (ft) |                      | Set Depth (ftKB) |                      |
| Tubing - Production                                       |  |                | 7/11/2023 |              |         | 5,161.09           |                      | 5,186.1          |                      |
| Item Des                                                  |  | Jts            | Grade     | Wt (lb/ft)   | OD (in) | ID (in)            | Len (ft)             | Top (ftKB)       | Btm (ftKB)           |
| Tubing Hanger                                             |  | 1              |           |              | 4 3/4   | 2.44               | 0.80                 | 25.0             | 25.8                 |
| Tubing                                                    |  | 41             | J-55      | 6.50         | 2 7/8   | 2.44               | 1,332.17             | 25.8             | 1,358.0              |
| Gas Lift Mandrel - 6                                      |  | 1              |           |              | 4.335   | 2.44               | 4.10                 | 1,358.0          | 1,362.1              |
| Tubing                                                    |  | 20             | J-55      | 6.50         | 2 7/8   | 2.44               | 647.09               | 1,362.1          | 2,009.2              |
| Gas Lift Mandrel - 5                                      |  | 1              |           |              | 4.335   | 2.44               | 4.10                 | 2,009.2          | 2,013.3              |
| Tubing                                                    |  | 19             | J-55      | 6.50         | 2 7/8   | 2.44               | 617.41               | 2,013.3          | 2,630.7              |
| Gas Lift Mandrel - 4                                      |  | 1              |           |              | 4.335   | 2.44               | 4.10                 | 2,630.7          | 2,634.8              |
| Tubing                                                    |  | 18             | J-55      | 6.50         | 2 7/8   | 2.44               | 584.98               | 2,634.8          | 3,219.8              |
| Gas Lift Mandrel - 3                                      |  | 1              |           |              | 4.335   | 2.44               | 4.10                 | 3,219.8          | 3,223.9              |
| Tubing                                                    |  | 17             | J-55      | 6.50         | 2 7/8   | 2.44               | 552.34               | 3,223.9          | 3,776.2              |
| Gas Lift Mandrel - 2                                      |  | 1              |           |              | 4.335   | 2.44               | 4.10                 | 3,776.2          | 3,780.3              |
| Tubing                                                    |  | 15             | J-55      | 6.50         | 2 7/8   | 2.44               | 487.36               | 3,780.3          | 4,267.7              |
| Profile Nipple (X)                                        |  | 1              |           |              | 2 7/8   | 2.44               | 1.20                 | 4,267.7          | 4,268.9              |
| Tubing                                                    |  | 1              | J-55      | 6.50         | 2 7/8   | 2.44               | 32.51                | 4,268.9          | 4,301.4              |
| Gas Lift Mandrel - 1                                      |  | 1              |           |              | 4.335   | 2.44               | 4.10                 | 4,301.4          | 4,305.5              |
| Tubing                                                    |  | 26             | J-55      | 6.50         | 2 7/8   | 2.44               | 846.55               | 4,305.5          | 5,152.0              |
| Profile Nipple (XN w/ 2.205" no-go)                       |  | 1              |           |              | 2 7/8   | 2.31               | 1.20                 | 5,152.0          | 5,153.2              |
| Tubing                                                    |  | 1              | J-55      | 6.50         | 2 7/8   | 2.44               | 32.48                | 5,153.2          | 5,185.7              |
| Half Mule Shoe - EOT is considered OV                     |  | 1              |           |              | 2 7/8   | 2.44               | 0.40                 | 5,185.7          | 5,186.1              |
| Surface, 362.0ftKB                                        |  |                |           |              |         |                    |                      |                  |                      |
| OD (in)                                                   |  | Wt/Len (lb/ft) |           | String Grade |         | Top Connection     |                      | Top (ftKB)       | Set Depth (ftKB)     |
| 13 3/8                                                    |  | 54.50          |           | J-55         |         | Buttress Thread    |                      | -0.6             | 362.0                |
| Item Des                                                  |  |                |           | Jts          |         | Len (ft)           |                      | Top (ftKB)       | Btm (ftKB)           |
| Casing Joints                                             |  |                |           | 8            |         | 318.45             |                      | -0.6             | 317.8                |
| Float Collar                                              |  |                |           | 1            |         | 1.48               |                      | 317.8            | 319.3                |
| Casing Joints                                             |  |                |           | 1            |         | 40.80              |                      | 319.3            | 360.1                |
| Float Shoe                                                |  |                |           | 1            |         | 1.88               |                      | 360.1            | 362.0                |
| Intermediate, 2,697.6ftKB                                 |  |                |           |              |         |                    |                      |                  |                      |
| OD (in)                                                   |  | Wt/Len (lb/ft) |           | String Grade |         | Top Connection     |                      | Top (ftKB)       | Set Depth (ftKB)     |
| 9 5/8                                                     |  | 36.00          |           | J-55         |         |                    |                      | 25.0             | 2,697.6              |
| Item Des                                                  |  |                |           | Jts          |         | Len (ft)           |                      | Top (ftKB)       | Btm (ftKB)           |
| Casing Joints                                             |  |                |           | 0            |         | 0.00               |                      | 25.0             | 25.0                 |
| Landing Joint                                             |  |                |           | 0            |         | 0.00               |                      | 25.0             | 25.0                 |
| Casing Hanger                                             |  |                |           | 1            |         | 3.20               |                      | 25.0             | 28.2                 |
| Casing Pup Joint                                          |  |                |           | 1            |         | 3.00               |                      | 28.2             | 31.2                 |
| Casing Joints                                             |  |                |           | 64           |         | 2,582.82           |                      | 31.2             | 2,614.1              |



## Enduring Resources IV - Production WBD

Well Name: GREATER LYBROOK UNIT 052H (EKA WLU 777H) NOTE: Well schematic is drawn vertically due to space constraints on the report. Please reference the directional surveys as needed.

|                                        |                                                                 |                              |                  |                              |                                                         |
|----------------------------------------|-----------------------------------------------------------------|------------------------------|------------------|------------------------------|---------------------------------------------------------|
| API/UWI<br>30-045-38281                | Surface Legal Location<br>23-23N-09W Sec-Twn-Rng 36.206409 N... | Field Name                   | License #        | State/Province<br>New Mexico | Well Configuration Type                                 |
| Original KB Elevation (ft)<br>6,772.00 | KB-Tubing Head Distance (ft)                                    | Spud Date<br>2/23/2023 06:00 | Rig Release Date | PBTD (All) (ftKB)            | Total Depth All (TVD) (ftKB)<br>Original Hole - 4,635.7 |

| Original Hole, 7/13/2023 10:37:14 AM |                                                                                                       |                                                                                       |  |  |  |  |
|--------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|--|--|--|
| MD<br>(ftKB)                         | Vertical schematic (actual)                                                                           |                                                                                       |  |  |  |  |
| -0.7                                 |                     |                                                                                       |  |  |  |  |
| 0.0                                  |                                                                                                       |                                                                                       |  |  |  |  |
| 13.1                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 22.0                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 24.0                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 24.9                                 |                                                                                                       | Des:Tubing Hanger; OD:4 3/4 in; ID:2.44 in; Length:0.80 ft; Top MD:25.0 ftKB          |  |  |  |  |
| 25.6                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 25.9                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 27.2                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 28.2                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 30.2                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 31.2                                 |                                                                                                       |                                                                                       |  |  |  |  |
| 317.9                                |                                                                                                       |                                                                                       |  |  |  |  |
| 319.2                                |                                                                                                       |                                                                                       |  |  |  |  |
| 360.2                                |                                                                                                       |                                                                                       |  |  |  |  |
| 361.9                                |                                                                                                       |                                                                                       |  |  |  |  |
| 368.1                                |                                                                                                       |                                                                                       |  |  |  |  |
| 1,357.9                              |                                                                                                       | Des:Gas Lift Mandrel - 6; OD:4.34 in; ID:2.44 in; Length:4.10 ft; Top MD:1,358.0 ftKB |  |  |  |  |
| 1,362.2                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,009.2                              |                                                                                                       | Des:Gas Lift Mandrel - 5; OD:4.34 in; ID:2.44 in; Length:4.10 ft; Top MD:2,009.2 ftKB |  |  |  |  |
| 2,013.1                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,614.2                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,630.6                              | Des:Gas Lift Mandrel - 4; OD:4.34 in; ID:2.44 in; Length:4.10 ft; Top MD:2,630.7 ftKB                 |                                                                                       |  |  |  |  |
| 2,634.8                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,654.5                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,655.8                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,695.5                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,697.5                              |                                                                                                       |                                                                                       |  |  |  |  |
| 2,707.0                              |                                                                                                       |                                                                                       |  |  |  |  |
| 3,219.8                              | Des:Gas Lift Mandrel - 3; OD:4.34 in; ID:2.44 in; Length:4.10 ft; Top MD:3,219.7 ftKB                 |                                                                                       |  |  |  |  |
| 3,223.8                              |                                                                                                       |                                                                                       |  |  |  |  |
| 3,776.2                              | Des:Gas Lift Mandrel - 2; OD:4.34 in; ID:2.44 in; Length:4.10 ft; Top MD:3,776.2 ftKB                 |                                                                                       |  |  |  |  |
| 3,780.2                              |                                                                                                       |                                                                                       |  |  |  |  |
| 4,117.1                              |                                                                                                       |                                                                                       |  |  |  |  |
| 4,119.1                              |                                                                                                       |                                                                                       |  |  |  |  |
| 4,267.7                              | Des:Profile Nipple (X); OD:2 7/8 in; ID:2.44 in; Length:1.20 ft; Top MD:4,267.7 ftKB                  |                                                                                       |  |  |  |  |
| 4,268.7                              |                                                                                                       |                                                                                       |  |  |  |  |
| 4,301.5                              | Des:Gas Lift Mandrel - 1; OD:4.34 in; ID:2.44 in; Length:4.10 ft; Top MD:4,301.4 ftKB                 |                                                                                       |  |  |  |  |
| 4,305.4                              |                                                                                                       |                                                                                       |  |  |  |  |
| 5,151.9                              | Des:Profile Nipple (XN w/ 2.205" no-go); OD:2 7/8 in; ID:2.31 in; Length:1.20 ft; Top MD:5,152.0 ftKB |                                                                                       |  |  |  |  |
| 5,153.2                              |                                                                                                       |                                                                                       |  |  |  |  |
| 5,185.7                              | Des:Tubing - Production; OD:2 7/8 in; ID:2.31 in; Length:5,161.09 ft; Top MD:25.0 ftKB                |                                                                                       |  |  |  |  |
| 5,186.0                              |                                                                                                       |                                                                                       |  |  |  |  |
| 7,477.7                              |                                                                                                       |                                                                                       |  |  |  |  |
| 7,499.7                              |                                                                                                       |                                                                                       |  |  |  |  |
| 9,564.6                              |                                                                                                       |                                                                                       |  |  |  |  |
| 9,586.9                              |                                                                                                       |                                                                                       |  |  |  |  |
| 11,742.8                             |                                                                                                       |                                                                                       |  |  |  |  |
| 11,763.8                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,479.0                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,482.0                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,486.2                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,491.1                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,495.4                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,497.7                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,542.0                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,544.3                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,546.9                             |                                                                                                       |                                                                                       |  |  |  |  |
| 13,558.1                             |                                                                                                       |                                                                                       |  |  |  |  |

| Item Des                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Jts            | Len (ft)             | Top (ftKB)     | Btm (ftKB)         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------|----------------|--------------------|
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1              | 40.45                | 2,614.1        | 2,654.5            |
| Float Collar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1              | 1.20                 | 2,654.5        | 2,655.7            |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1              | 40.00                | 2,655.7        | 2,695.7            |
| Float Shoe                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1              | 1.90                 | 2,695.7        | 2,697.6            |
| Production, 13,547.0ftKB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |                      |                |                    |
| OD (in)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Wt/Len (lb/ft) | String Grade         | Top Connection | Top (ftKB)         |
| 5 1/2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 17.00          | P-110                | LT&C           | 24.0               |
| Set Depth (ftKB)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                      |                |                    |
| 13,547.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |                      |                |                    |
| Item Des                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Jts            | Len (ft)             | Top (ftKB)     | Btm (ftKB)         |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0              | 0.00                 | 24.0           | 24.0               |
| Landing Joint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0              | 0.00                 | 24.0           | 24.0               |
| Casing Hanger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1              | 3.20                 | 24.0           | 27.2               |
| Casing Pup Joint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1              | 3.00                 | 27.2           | 30.2               |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 93             | 4,086.82             | 30.2           | 4,117.1            |
| Airlock Sub                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 1              | 1.92                 | 4,117.1        | 4,119.0            |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 77             | 3,358.63             | 4,119.0        | 7,477.6            |
| Marker Joint C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1              | 22.14                | 7,477.6        | 7,499.7            |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 47             | 2,064.91             | 7,499.7        | 9,564.7            |
| Marker Joint B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1              | 22.14                | 9,564.7        | 9,586.8            |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 49             | 2,156.07             | 9,586.8        | 11,742.9           |
| Marker Joint A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1              | 21.03                | 11,742.9       | 11,763.9           |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 39             | 1,718.17             | 11,763.9       | 13,482.1           |
| Cross Over                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1              | 4.11                 | 13,482.1       | 13,486.2           |
| Toe Sleeve                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1              | 5.10                 | 13,486.2       | 13,491.3           |
| Cross Over                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1              | 4.00                 | 13,491.3       | 13,495.3           |
| Float Collar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1              | 2.42                 | 13,495.3       | 13,497.7           |
| Casing Joints                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1              | 44.24                | 13,497.7       | 13,541.9           |
| Float Collar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1              | 2.42                 | 13,541.9       | 13,544.4           |
| Float Shoe                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1              | 2.65                 | 13,544.4       | 13,547.0           |
| Cement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                |                      |                |                    |
| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                | Cementing Start Date |                | Cementing End Date |
| Surface Casing Cement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                | 2/25/2023            |                | 2/25/2023          |
| Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                |                      |                |                    |
| Cement Off Line As Follow's: Test Line's 2,500 posi, Pumped 10 bbl Freash Water Spacer, 10 bbl Mud Clean , 10 bbl Freash Water Spacer , 358 sks ( 88 bbl ) Type 111 Cement @ 14.6 ppg , 1.39 yield , 6.68 gps , Dropped Plug , Displaced with 49.42 bbl's freash water , FCP 142 PSI , Bumped Plug @ 770 psi , Bleed Back 1/4 bbl , Float's Held , 39 bbl's Cement Back To Surface , Cement in place @ 13:28 on 2/26/2023 , Rig Down Drake                                                                                                                                                                                                                                                                                                                                |                |                      |                |                    |
| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                | Cementing Start Date |                | Cementing End Date |
| Intermediate Casing Cement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                | 4/16/2023            |                | 4/16/2023          |
| Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                |                      |                |                    |
| PJSM with Drake Energy Services. Pressure tested lines to 2000 psi. Pumped 10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. Pumped Lead Cement: 195 bbls (491 sx) 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. Pumped Tail Cement: 33.0 bbls (137 sx) Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.61 gal H2O/sk. Dropped plug & began displacement. Displaced with 205.0 bbls FW. FCP at 800 psi and Bump Plug to 1430 psi @ 2.8 BPM, bled back 1.0 bbls, floats held. Maintained returns throughout job. Calculated 70 bbls to surface and got 65 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,064 ft MD.                                                                                                             |                |                      |                |                    |
| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                | Cementing Start Date |                | Cementing End Date |
| Production Casing Cement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                | 5/9/2023             |                | 5/9/2023           |
| Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                |                      |                |                    |
| Cement Summary: PJSM with American Cementing. Pressure tested lines to 5,000 psi. Pumped 60 bbls Intraguard Star @11.0 ppg. Pumped Lead Cement: 192 bbls (476 sx) ASTM Type I/II at 12.4 ppg, 2.26 ft3/sk, 12.70 gal H2O/sk. Pumped Tail Cement: 440 bbls (1579 sx) Class G Cement at 13.3 ppg, 1.57 ft3/sk, 7.70 gal H2O/sk. Washed lines, dropped plug & began displacement. Displaced with 313 bbls FW with cement retarder in 1st 50 bbls. FCP 1,487 -- psi Bump Plug at 4.0 bpm to 2,850- psi. Bled back 3 Bbls and floats held. Cement From 15:00 To 20:30 - 5/9/2023 Top of Tail: Calculated 2,795 ft MD. Top of Lead: Surface Cement Back 63 BBL, Calculated Back 60 bbl's Cement in place at 20:30 on 5/9/2023, Wash Through All Cement Lines, Rig Down American |                |                      |                |                    |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 258679

CONDITIONS

|                                                                                                |                                                |
|------------------------------------------------------------------------------------------------|------------------------------------------------|
| Operator:<br>ENDURING RESOURCES, LLC<br>6300 S Syracuse Way, Suite 525<br>Centennial, CO 80111 | OGRID:<br>372286                               |
|                                                                                                | Action Number:<br>258679                       |
|                                                                                                | Action Type:<br>[C-103] Sub. Workover (C-103R) |

CONDITIONS

|            |           |                |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| dmcclure   | None      | 9/5/2023       |