

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-26368
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 19554
7. Lease Name or Unit Agreement Name STATE HF COM
8. Well Number 001
9. OGRID Number 157984
10. Pool name or Wildcat HOBBS; DRINKARD

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OCCIDENTAL PERMIAN LTD	
3. Address of Operator P.O. Box 4294, Houston, TX 77210	
4. Well Location Unit Letter P : 610 feet from the South line and 610 feet from the East line Section 33 Township 18S Range 38E NMPM County LEA	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3626' (GL)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see performed procedure and final wellbore diagram attached.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Advisor DATE 08/23/2023

Type or print name Roni Mathew E-mail address: roni_mathew@oxy.com PHONE: 713-215-7827

For State Use Only

APPROVED BY: Accepted for record –NMOCD gc9/7/2023 DATE

Conditions of Approval (if any):

Daily Log

08/15/23: JSA. Moved the Rig and P&A Equipment from SHU 192 to State HF Com 001. Spot equipment. Dug out the cellar exposing surf and intermediate valves. RUPU/Cmt Equipment. SDON.

08/16/23: JSA. Surf-0 psi, Inter-0 Psi, Prod-0 psi, Tbg-0 psi. Function tested the bop. NDWH. NUBOP. Rih PU 1 jt 2.875" tbg. Tagged TOC @ 6525'. Pooh w/ 206 jts 2.875" tbg. RU RWLS. Ran a CBL from 6525' to surf. RDWL. RU Hydrotest truck. Had trouble placing the sheave where line didn't rub against rig. Rih testing 80 jts 2.875" tbg. SDON.

08/17/23: JSA. Surf-0 psi. Inter-0 Psi. Prod-0 Psi. Tbg-0 psi. Continued to rih hydrotesting 126 jts 2.875" tbg. No leaks were found. RD Test truck. EOT @ 6525'. Circ the well w/ 245 bbls of salt gel. Spotted 35 sxs Class C Cmt from 6525'-6316'. Disp w/ 36.5 bbls. Pooh w/ 60 jts 2.875" tbg. WOC. Rih w/ 54 jts. Tagged TOC @ 6340' (good tag). LD 34 jts 2.875" tbg. EOT @ 5304'. Spotted 35 sxs Class C Cmt from 5304'-5095'. Disp w/ 29.5 bbls. LD 6 jts. Pooh w/ 50 jts to the tbg board. SDON.


08/18/23: JSA. Surf-0 psi, Inter-0 psi, Prod-0 psi, Tbg-0 psi. Rih w/ 50 jts 2.875" tbg. Tagged TOC @ 5117' (good tag). LD 24 jts 2.875" tbg. Pooh w/ 138 jts 2.875" tbg. Rih w/ 7" pkr and 124 jts 2.875" tbg. Set the pkr @ 3913'. RUWL. Perf csg @ 4310' (8 holes). RDWL. No inj rate @ 1000 psi. NMOCD (Kerry) approved to drop 50' below perms and combine 2 plugs (spot 100 sxs). Pooh w/ 124 jts and 7" pkr. Rih open ended to 4362' w/ 138 jts. Spotted 100 sxs Class C Cmt from 4362'-3764'. Disp to 3764' w/ 21.8 bbls. LD 18 jts 2.875" tbg. Pooh w/ 70 jts. Tbg tongs broke. SDON.

08/21/23: JSA. Surf-0 psi. Inter-0 Psi. Prod-0 Psi, Tbg-0 psi. Pooh w/ 54 jts 2.875" tbg. Rih w/ 7" AD-1 pkr and 119 jts 2.875" tbg. Tagged TOC @ 3741' (good tag). Stood back 14 jts. Ld 33 jts 2.875" tbg. Set the pkr @ 2305'. RUWL. Perf (8 holes) @ 2700'. RDWL. Inj rate 2 bpm @ 500 psi. Circ out the intermediate csg. Circ 50 bbls 10#. Sqz 75 sxs Class C Cmt @ 2700'. Disp to 2600' w/ 24.8 bbls. WOC. Rih w/ 11 jts 2.875" tbg. Tagged TOC @ 2579' (good tag). Stood back 8 jts. LD 28 jts. Set the pkr @ 1485'. RUWL. Perf (8 holes) @ 1900'. RDWL. Inj rate 2 bpm @ 500 psi. Circ out inter csg. Sqz 75 sxs Class C Cmt @ 1900'. Disp to 1800' w/ 20.8 bbls. Washed up. Crew performed a bop drill. SDON.

08/22/23: JSA. Surf-0 psi, Inter-0 psi, Prod-0 psi, Tbg-0 psi. Rih w/ 10 jts 2.875" tbg. Tagged TOC @ 1762' (good tag). LD 57 jts 2.875" tbg. Set the Pkr @ 66'. RUWL. Perf csg @ 435' (8 holes). RDWL. Inj rate of 1.5 bbls @ 500 psi. Circ out the inter csg. No circ out the surface. NDBOP. NUWH. Sqz 140 sxs Class C Cmt @ 435'. All csqs are full. Washed up. RDPU/Cmt equipment. Verified cmt to surface.

P&A'd Wellbore

Occidental Permian Ltd.
State HF 1-P33
30-025-26368
Lea Co., NM



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 255727

COMMENTS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 255727
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	9/7/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 255727

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 255727
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/7/2023