

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	
8. Well Number	
9. OGRID Number	
10. Pool name or Wildcat	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ 2. Name of Operator 3. Address of Operator 4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____ 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 9/8/23
Conditions of Approval (if any):




WBD Proposed - TA

Well Name: RED LAKE 36 C ST 2

Reference Datum: KB

API/Surface Loc 3001534004	Surface Legal Location 30015340040000	Field Name Red Lake NE	State/Province New Mexico	Well Purpose Production
Spud Date 4/6/2005 00:00	Original KB Elevation (ft) 3,618.0	Ground Elevation (ft) 3,611.0	KB-Ground Distance (ft) 7.0	
PBTD (All) (ftKB) Original Hole - 3,585		Total Depth All (TVD) (ftKB)		



Wellbore Sections								
Section Des		Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date			
Section 12.25		12 1/4	7.0	423.0	3/24/2005			
Section 7.87		7 7/8	423.0	3,650.0	3/27/2005			
Casing Strings								
Csg Des	OD (in)	Wt/Len (lb/ft)	Grade		Set Depth (ftKB)			
Surface	8 5/8	24.00	J-55		423.00			
Prod 1	5 1/2	15.50	J-55		3,641.00			
Cement Stages								
Des	String		Top (ftKB)	Btm (ftKB)	Start Date			
	Surface, 423.00ftKB, 8 5/8		7.00	423.00	1/1/1899			
	Prod 1, 3,641.00ftKB, 5 1/2		7.00	3,650.00	1/1/1899			
	Prod 1, 3,641.00ftKB, 5 1/2		3,111.00	3,146.00				
Tubing Strings								
Tubing Description		Run Date	String Length (ft)		Set Depth (ftKB)			
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)	
Rod Strings								
Rod Description		Run Date	String Length (ft)		Set Depth (ftKB)			
Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)	
Other In Hole								
Des	Icon	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date			
CIBP		4.95	3,146	3,150	8/10/2023			
Perforations								
Date	Type	Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total		
4/19/2005	PERFORATED	3,196	3,197	No	1.0	1		
4/19/2005	PERFORATED	3,201	3,205	No	1.0	4		
4/19/2005	PERFORATED	3,257	3,266	No	1.0	9		
4/19/2005	PERFORATED	3,270	3,274	No	1.0	4		
4/19/2005	PERFORATED	3,281	3,282	No	1.0	1		
4/19/2005	PERFORATED	3,284	3,293	No	1.0	9		
4/19/2005	PERFORATED	3,298	3,300	No	1.0	2		
4/19/2005	PERFORATED	3,331	3,334	No	1.0	3		
4/19/2005	PERFORATED	3,365	3,368	No	1.0	3		
4/19/2005	PERFORATED	3,395	3,398	No	1.0	3		
4/19/2005	PERFORATED	3,400	3,402	No	1.0	2		
4/19/2005	PERFORATED	3,465	3,467	No	1.0	2		
Plug Back Total Depths								
Date		Type	Depth (ftKB)		Depth (TVD) (ftKB)			
4/13/2005		Fill	3,585					
Schematic Annotations								
Start Date	Depth (ftKB)	Annotation						



WBD Current


Well Name: RED LAKE 36 C ST 2

Reference Datum: KB

API/Surface Loc 3001534004	Surface Legal Location 30015340040000	Field Name Red Lake NE	State/Province New Mexico	Well Purpose Production
Spud Date 4/6/2005 00:00	Original KB Elevation (ft) 3,618.0	Ground Elevation (ft) 3,611.0	KB-Ground Distance (ft) 7.0	
PBTD (All) (ftKB) Original Hole - 3,585		Total Depth All (TVD) (ftKB)		

Production, RED LAKE 36 C STATE 2 - Original Hole, 8/10/2023 11:00:00 AM

Vertical schematic (actual)



Wellbore Sections

Section Description Section 12.25	Size (in) 12 1/4	Act Top (ftKB) 7.0	Act Btm (ftKB) 423.0	Start Date 3/24/2005
Section Description Section 7.87	Size (in) 7 7/8	Act Top (ftKB) 423.0	Act Btm (ftKB) 3,650.0	Start Date 3/27/2005

Casing Strings

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)
Surface	8 5/8	24.00	J-55	423.00
Prod 1	5 1/2	15.50	J-55	3,641.00

Cement Stages

String Surface, 423.00ftKB, 8 5/8	Top Depth (ftKB) 7.00	Bottom Depth (ftKB) 423.00
String Prod 1, 3,641.00ftKB, 5 1/2	Top Depth (ftKB) 7.00	Bottom Depth (ftKB) 3,650.00

Tubing Strings

Tubing Description		Run Date	String Length (ft)		Set Depth (ftKB)		
Tubing		4/22/2005	3,483.69		3,487.7		
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Tubing	97			2 7/8	21.33	L-80	3,092.74
Anchor/catcher	1			2 7/8			3.10
Tubing	11			2 7/8	21.33	L-80	349.99
Pump Seating Nipple	1			2 7/8			1.10
Perforated Joint	1			2 7/8			4.11
Tubing	1			2 7/8	21.33	L-80	31.85
Bull Plug	1			2 7/8			0.80

Rod Strings

Rod Description		Run Date		String Length (ft)		Set Depth (ftKB)		
Item Des		Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)

Other In Hole

Description	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date
-------------	---------	------------	------------	----------

Perforations

Date	Type	Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total
4/19/2005	PERFORATED	3,196	3,197	No	1.0	1
4/19/2005	PERFORATED	3,201	3,205	No	1.0	4
4/19/2005	PERFORATED	3,257	3,266	No	1.0	9
4/19/2005	PERFORATED	3,270	3,274	No	1.0	4
4/19/2005	PERFORATED	3,281	3,282	No	1.0	1
4/19/2005	PERFORATED	3,284	3,293	No	1.0	9
4/19/2005	PERFORATED	3,298	3,300	No	1.0	2
4/19/2005	PERFORATED	3,331	3,334	No	1.0	3
4/19/2005	PERFORATED	3,365	3,368	No	1.0	3
4/19/2005	PERFORATED	3,395	3,398	No	1.0	3
4/19/2005	PERFORATED	3,400	3,402	No	1.0	2
4/19/2005	PERFORATED	3,465	3,467	No	1.0	2

Plug Back Total Depths

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
4/13/2005	Fill	3,585	

Schematic Annotations

Start Date	Depth (ftKB)	Annotation
------------	--------------	------------

Stimulation Jobs

<typ1> on <dtmstart>									
Min Top...	Max Bt...	R Treat...	P Treat...	P Treat...	Vol Clea...	Vol Clea...	Vol Slurr...	Vol Slurr...	Mass Pr...

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 259566

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 259566
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/8/2023