

Well Name: SAN JUAN 30-6 UNIT	Well Location: T30N / R7W / SEC 15 / NESW / 36.80927 / -107.56165	County or Parish/State: RIO ARRIBA / NM
Well Number: 402	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM012710	Unit or CA Name: SAN JUAN 30-6 UNIT--FR	Unit or CA Number: NMNM78420B
US Well Number: 3003924015	Well Status: Monitoring Well	Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2737851

Type of Submission: Subsequent Report

Type of Action: Well Test

Date Sundry Submitted: 06/26/2023

Time Sundry Submitted: 08:15

Date Operation Actually Began: 06/12/2023

Actual Procedure: Attached is the annual POW Test results for the subject well.

SR Attachments

Actual Procedure

SJ_30_6_UNIT_402_POW_2023_Test_Results_20230626081434.pdf

Well Name: SAN JUAN 30-6 UNIT

Well Location: T30N / R7W / SEC 15 /
NESW / 36.80927 / -107.56165County or Parish/State: RIO
ARRIBA / NM

Well Number: 402

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM012710

Unit or CA Name: SAN JUAN 30-6
UNIT--FRUnit or CA Number:
NMNM78420B

US Well Number: 3003924015

Well Status: Monitoring Well

Operator: HILCORP ENERGY
COMPANY**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: PRISCILLA SHORTY

Signed on: JUN 26, 2023 08:14 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Technician

Street Address: 382 Road 3100

City: Aztec

State: NM

Phone: (505) 324-5188

Email address: pshorty@hilcorp.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 06/26/2023

Signature: Kenneth Rennick



SPARTEK SYSTEMS
GEOPHYSICAL INSTRUMENTATION

Pressure Survey Report

SJ 30-6 UNIT #402 API #3003924015

SJ 30-6 UNIT #402 API #3003924015

Monday, June 12, 2023

JOB INFORMATION SHEET

Company Information		
Company Name:	SJ 30-6 UNIT #402 API #3003924015	
Address:		
Well Information		
Well Name:	SJ 30-6 UNIT #402 API #3003924015	
Location:	T30N-R6W-SEC15	
Field – Pool:	FRUITLAND COAL	
Status:		
Test Information		
Type of Test:	POOH STATIC GRADIENT	
Gauge Depth:	3130 ft	
Production Interval:	0 ft to 0 ft	
Production Through:		
Tubing Pressure:	30 psi	
Casing Pressure:	132 psi	
Shut In Time		
Status:		
Temperature @ Run Depth	110.7 degF	
Surface Temperature:	74.07 degF	
Gauge Information		
	Top Recorder	Bottom Recorder
Serial Number:	79785	
Calibration Date:	2/27/2023	
Pressure Range:	15000 psi	
Comments		

EXPERT DOWNHOLE SERVICES

SJ 30-6 UNIT #402 API
#3003924015**WELL INFORMATION SHEET**

Well:	SJ 30-6 UNIT #402 API #3003924015		
Well License:		Unique Well Identifier:	
Company:	SJ 30-6 UNIT #402 API #3003924015		
Partner:			
Field	FRUITLAND COAL		

Location:	T30N-R6W-SEC15	County:	SAN JUAN
Formation:		State:	NM
Purpose:		Country:	

Permanent Datum	Elevation:	0 ft
Vertical Zero Entity	Distance above PD:	0 ft

Magnetic declination	0 deg	Area	11
Latitude	0 deg	Block ID	
Longitude	0 deg	Range	
Section		Quarter Section	

Type Production (EUB Code):	2	
Producing Status (EUB Code):	0	
Type of Well (EUB Code):	0	
Well Type		(H) orizontal, (V)ertical, or (D)eviated

Open Hole Completion?	N	(Y)es or (N)o
Casing Liner Present?	N	(Y)es or (N)o
Flow Regime		(T)ubing, (A)nnular, or (C)asing

Total Depth:	3131 ft	ID Borehole:	0 in
Packer Depth:	0 ft	ID Production Casing:	0 in
Depth of whipstock:	0 ft	OD Production Tubing:	0 in
Depth at which casing is landed:	0 ft	ID Production Tubing:	0 in
Depth at which tubing is landed:	0 ft	ID Drill Pipe:	0 in

EXPERT DOWNHOLE SERVICES

Sequence of Events
SJ 30-6 UNIT #402 API #3003924015
SJ 30-6 UNIT #402 API #3003924015

Date/Time	ElapseTime [hr]	Pressure [psi]	Temperature [degF]	Event

EXPERT DOWNHOLE SERVICES

ASCII Data Report

SJ 30-6 UNIT #402 API #3003924015

SJ 30-6 UNIT #402 API #3003924015

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1	2023-06-12	12:54:11 PM	0.00000	13.2111	80.9895	0.0000
2	2023-06-12	12:54:16 PM	0.00139	13.2415	80.9669	0.0303
3	2023-06-12	12:54:21 PM	0.00278	13.2133	81.0558	-0.0281
4	2023-06-12	12:54:26 PM	0.00417	13.2158	81.1206	0.0025
5	2023-06-12	12:54:31 PM	0.00556	13.1822	81.1627	-0.0336
6	2023-06-12	12:54:36 PM	0.00694	13.0850	81.1883	-0.0972
7	2023-06-12	12:54:41 PM	0.00833	13.0684	81.2079	-0.0165
8	2023-06-12	12:54:46 PM	0.00972	13.1313	81.2290	0.0629
9	2023-06-12	12:54:51 PM	0.01111	13.0085	81.2486	-0.1228
10	2023-06-12	12:54:56 PM	0.01250	13.0845	81.2712	0.0759
11	2023-06-12	12:55:01 PM	0.01389	13.0942	81.2923	0.0098
12	2023-06-12	12:55:06 PM	0.01528	13.0639	81.3149	-0.0303
13	2023-06-12	12:55:11 PM	0.01667	13.0310	81.3525	-0.0328
14	2023-06-12	12:55:16 PM	0.01806	12.9719	81.3887	-0.0592
15	2023-06-12	12:55:21 PM	0.01944	13.0433	81.4384	0.0714
16	2023-06-12	12:55:26 PM	0.02083	12.9706	81.4761	-0.0727
17	2023-06-12	12:55:31 PM	0.02222	12.9749	81.5303	0.0043
18	2023-06-12	12:55:36 PM	0.02361	12.9275	81.5755	-0.0474
19	2023-06-12	12:55:41 PM	0.02500	12.9603	81.6177	0.0329
20	2023-06-12	12:55:46 PM	0.02639	12.9651	81.6689	0.0048
21	2023-06-12	12:55:51 PM	0.02778	12.9569	81.7186	-0.0083
22	2023-06-12	12:55:56 PM	0.02917	12.8039	81.7592	-0.1530
23	2023-06-12	12:56:01 PM	0.03056	12.9953	81.8075	0.1914
24	2023-06-12	12:56:06 PM	0.03194	12.8824	81.8466	-0.1128
25	2023-06-12	12:56:11 PM	0.03333	12.8508	81.8768	-0.0316
26	2023-06-12	12:56:16 PM	0.03472	12.9424	81.8858	0.0916
27	2023-06-12	12:56:21 PM	0.03611	12.8727	81.9054	-0.0697
28	2023-06-12	12:56:26 PM	0.03750	12.9103	81.9189	0.0376
29	2023-06-12	12:56:31 PM	0.03889	12.8830	81.9235	-0.0273
30	2023-06-12	12:56:36 PM	0.04028	12.8807	81.9370	-0.0022
31	2023-06-12	12:56:41 PM	0.04167	12.8792	81.9461	-0.0015
32	2023-06-12	12:56:46 PM	0.04306	12.9575	81.9551	0.0783
33	2023-06-12	12:56:51 PM	0.04444	38.8128	81.9808	25.8553
34	2023-06-12	12:56:56 PM	0.04583	39.3797	82.0170	0.5669
35	2023-06-12	12:57:01 PM	0.04722	39.2562	82.0457	-0.1234
36	2023-06-12	12:57:06 PM	0.04861	39.3608	82.0592	0.1046
37	2023-06-12	12:57:11 PM	0.05000	39.3588	82.0743	-0.0020
38	2023-06-12	12:57:16 PM	0.05139	39.2368	82.0924	-0.1221
39	2023-06-12	12:57:21 PM	0.05278	39.2627	82.0969	0.0260
40	2023-06-12	12:57:26 PM	0.05417	39.3582	82.0788	0.0955
41	2023-06-12	12:57:31 PM	0.05556	39.3287	82.0005	-0.0295
42	2023-06-12	12:57:36 PM	0.05694	39.3323	81.8724	0.0036
43	2023-06-12	12:57:41 PM	0.05833	39.3832	81.6886	0.0509
44	2023-06-12	12:57:46 PM	0.05972	39.4772	81.4807	0.0940
45	2023-06-12	12:57:51 PM	0.06111	39.4702	81.2337	-0.0070
46	2023-06-12	12:57:56 PM	0.06250	39.4138	80.9595	-0.0564
47	2023-06-12	12:58:01 PM	0.06389	39.3734	80.6657	-0.0403

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
48	2023-06-12	12:58:06 PM	0.06528	39.4278	80.3600	0.0543
49	2023-06-12	12:58:11 PM	0.06667	39.5361	80.0482	0.1083
50	2023-06-12	12:58:16 PM	0.06806	39.4854	79.7363	-0.0507
51	2023-06-12	12:58:21 PM	0.06944	39.5810	79.4215	0.0957
52	2023-06-12	12:58:26 PM	0.07083	39.6499	79.1097	0.0689
53	2023-06-12	12:58:31 PM	0.07222	39.6786	78.8025	0.0286
54	2023-06-12	12:58:36 PM	0.07361	39.7727	78.5012	0.0941
55	2023-06-12	12:58:41 PM	0.07500	39.8136	78.2030	0.0409
56	2023-06-12	12:58:46 PM	0.07639	39.7486	77.9063	-0.0650
57	2023-06-12	12:58:51 PM	0.07778	39.9209	77.6156	0.1723
58	2023-06-12	12:58:56 PM	0.07917	39.9469	77.3325	0.0260
59	2023-06-12	12:59:01 PM	0.08056	39.9319	77.0598	-0.0150
60	2023-06-12	12:59:06 PM	0.08194	39.9015	76.8038	-0.0304
61	2023-06-12	12:59:11 PM	0.08333	40.1487	76.5463	0.2472
62	2023-06-12	12:59:16 PM	0.08472	40.2492	76.2993	0.1005
63	2023-06-12	12:59:21 PM	0.08611	40.1631	76.0658	-0.0861
64	2023-06-12	12:59:26 PM	0.08750	40.2085	75.8369	0.0454
65	2023-06-12	12:59:31 PM	0.08889	40.3836	75.6231	0.1752
66	2023-06-12	12:59:36 PM	0.09028	40.3457	75.4243	-0.0379
67	2023-06-12	12:59:41 PM	0.09167	40.4266	75.2255	0.0808
68	2023-06-12	12:59:46 PM	0.09306	40.5053	75.0417	0.0787
69	2023-06-12	12:59:51 PM	0.09444	40.5409	74.8836	0.0356
70	2023-06-12	12:59:56 PM	0.09583	40.7084	74.7240	0.1675
71	2023-06-12	1:00:01 PM	0.09722	40.6750	74.5884	-0.0334
72	2023-06-12	1:00:06 PM	0.09861	40.7191	74.4634	0.0441
73	2023-06-12	1:00:11 PM	0.10000	40.7870	74.3565	0.0679
74	2023-06-12	1:00:16 PM	0.10139	40.9045	74.2707	0.1175
75	2023-06-12	1:00:21 PM	0.10278	40.9944	74.1939	0.0899
76	2023-06-12	1:00:26 PM	0.10417	40.9489	74.1442	-0.0456
77	2023-06-12	1:00:31 PM	0.10556	41.0742	74.0960	0.1253
78	2023-06-12	1:00:36 PM	0.10694	41.0765	74.0794	0.0024
79	2023-06-12	1:00:41 PM	0.10833	41.2496	74.0659	0.1730
80	2023-06-12	1:00:46 PM	0.10972	41.1670	74.0915	-0.0826
81	2023-06-12	1:00:51 PM	0.11111	41.3074	74.1216	0.1405
82	2023-06-12	1:00:56 PM	0.11250	41.3526	74.1743	0.0452
83	2023-06-12	1:01:01 PM	0.11389	41.4213	74.2466	0.0687
84	2023-06-12	1:01:06 PM	0.11528	41.5799	74.3355	0.1586
85	2023-06-12	1:01:11 PM	0.11667	41.5514	74.4439	-0.0285
86	2023-06-12	1:01:16 PM	0.11806	41.5592	74.5750	0.0078
87	2023-06-12	1:01:21 PM	0.11944	41.6831	74.7241	0.1239
88	2023-06-12	1:01:26 PM	0.12083	41.6586	74.8988	-0.0245
89	2023-06-12	1:01:31 PM	0.12222	41.7236	75.0931	0.0650
90	2023-06-12	1:01:36 PM	0.12361	41.8125	75.3054	0.0889
91	2023-06-12	1:01:41 PM	0.12500	41.9269	75.5253	0.1144
92	2023-06-12	1:01:46 PM	0.12639	41.9320	75.7738	0.0051
93	2023-06-12	1:01:51 PM	0.12778	41.9215	76.0404	-0.0105
94	2023-06-12	1:01:56 PM	0.12917	42.0165	76.3085	0.0950
95	2023-06-12	1:02:01 PM	0.13056	42.0948	76.6037	0.0783
96	2023-06-12	1:02:06 PM	0.13194	42.1180	76.9170	0.0232
97	2023-06-12	1:02:11 PM	0.13333	42.2457	77.2408	0.1277
98	2023-06-12	1:02:16 PM	0.13472	42.2256	77.5842	-0.0201
99	2023-06-12	1:02:21 PM	0.13611	42.2560	77.9472	0.0304

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
100	2023-06-12	1:02:26 PM	0.13750	42.2984	78.3208	0.0425
101	2023-06-12	1:02:31 PM	0.13889	42.4322	78.7064	0.1338
102	2023-06-12	1:02:36 PM	0.14028	42.4836	79.1176	0.0513
103	2023-06-12	1:02:41 PM	0.14167	42.5198	79.5454	0.0362
104	2023-06-12	1:02:46 PM	0.14306	42.5671	79.9928	0.0473
105	2023-06-12	1:02:51 PM	0.14444	42.6510	80.4673	0.0840
106	2023-06-12	1:02:56 PM	0.14583	42.6287	80.9463	-0.0224
107	2023-06-12	1:03:01 PM	0.14722	42.6964	81.4510	0.0677
108	2023-06-12	1:03:06 PM	0.14861	42.7214	81.9813	0.0250
109	2023-06-12	1:03:11 PM	0.15000	42.8252	82.5237	0.1038
110	2023-06-12	1:03:16 PM	0.15139	42.8736	83.0887	0.0483
111	2023-06-12	1:03:21 PM	0.15278	43.0009	83.6658	0.1273
112	2023-06-12	1:03:26 PM	0.15417	42.9515	84.2760	-0.0494
113	2023-06-12	1:03:31 PM	0.15556	42.9412	84.8984	-0.0103
114	2023-06-12	1:03:36 PM	0.15694	42.9435	85.5313	0.0023
115	2023-06-12	1:03:41 PM	0.15833	43.0764	86.1945	0.1329
116	2023-06-12	1:03:46 PM	0.15972	48.1079	86.8432	5.0315
117	2023-06-12	1:03:51 PM	0.16111	56.3697	87.5392	8.2618
118	2023-06-12	1:03:56 PM	0.16250	65.8855	88.4645	9.5158
119	2023-06-12	1:04:01 PM	0.16389	73.2194	89.7833	7.3340
120	2023-06-12	1:04:06 PM	0.16528	75.9302	91.7911	2.7107
121	2023-06-12	1:04:11 PM	0.16667	74.9594	94.4057	-0.9708
122	2023-06-12	1:04:16 PM	0.16806	74.8431	97.0308	-0.1163
123	2023-06-12	1:04:21 PM	0.16944	74.5705	99.2525	-0.2727
124	2023-06-12	1:04:26 PM	0.17083	74.2660	100.9766	-0.3045
125	2023-06-12	1:04:31 PM	0.17222	73.9638	102.2690	-0.3022
126	2023-06-12	1:04:36 PM	0.17361	73.8055	103.2443	-0.1583
127	2023-06-12	1:04:41 PM	0.17500	73.6344	104.0005	-0.1711
128	2023-06-12	1:04:46 PM	0.17639	73.5411	104.6101	-0.0933
129	2023-06-12	1:04:51 PM	0.17778	73.5910	105.1215	0.0499
130	2023-06-12	1:04:56 PM	0.17917	73.3714	105.5694	-0.2196
131	2023-06-12	1:05:01 PM	0.18056	73.3881	105.9614	0.0167
132	2023-06-12	1:05:06 PM	0.18194	73.3525	106.3141	-0.0356
133	2023-06-12	1:05:11 PM	0.18333	73.2242	106.6153	-0.1283
134	2023-06-12	1:05:16 PM	0.18472	73.1261	106.8726	-0.0981
135	2023-06-12	1:05:21 PM	0.18611	73.1533	107.0982	0.0273
136	2023-06-12	1:05:26 PM	0.18750	73.1406	107.3056	-0.0127
137	2023-06-12	1:05:31 PM	0.18889	73.0474	107.4828	-0.0932
138	2023-06-12	1:05:36 PM	0.19028	73.1061	107.6448	0.0587
139	2023-06-12	1:05:41 PM	0.19167	72.9605	107.7811	-0.1456
140	2023-06-12	1:05:46 PM	0.19306	72.9665	107.9083	0.0060
141	2023-06-12	1:05:51 PM	0.19444	72.9738	108.0143	0.0073
142	2023-06-12	1:05:56 PM	0.19583	72.9128	108.1143	-0.0610
143	2023-06-12	1:06:01 PM	0.19722	72.9073	108.2036	-0.0054
144	2023-06-12	1:06:06 PM	0.19861	72.9157	108.2915	0.0084
145	2023-06-12	1:06:11 PM	0.20000	72.8142	108.3793	-0.1015
146	2023-06-12	1:06:16 PM	0.20139	72.8094	108.4581	-0.0048
147	2023-06-12	1:06:21 PM	0.20278	72.8051	108.5292	-0.0043
148	2023-06-12	1:06:26 PM	0.20417	72.8147	108.5974	0.0096
149	2023-06-12	1:06:31 PM	0.20556	72.8243	108.6656	0.0096
150	2023-06-12	1:06:36 PM	0.20694	72.8201	108.7353	-0.0042
151	2023-06-12	1:06:41 PM	0.20833	72.8711	108.8019	0.0509

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
152	2023-06-12	1:06:46 PM	0.20972	72.7161	108.8640	-0.1550
153	2023-06-12	1:06:51 PM	0.21111	72.8635	108.9277	0.1474
154	2023-06-12	1:06:56 PM	0.21250	72.8185	108.9898	-0.0450
155	2023-06-12	1:07:01 PM	0.21389	72.7873	109.0504	-0.0312
156	2023-06-12	1:07:06 PM	0.21528	72.8256	109.1004	0.0382
157	2023-06-12	1:07:11 PM	0.21667	72.8772	109.1564	0.0516
158	2023-06-12	1:07:16 PM	0.21806	72.7915	109.2094	-0.0857
159	2023-06-12	1:07:21 PM	0.21944	72.7476	109.2534	-0.0439
160	2023-06-12	1:07:26 PM	0.22083	72.8553	109.2928	0.1077
161	2023-06-12	1:07:31 PM	0.22222	72.8393	109.3291	-0.0159
162	2023-06-12	1:07:36 PM	0.22361	72.7410	109.3640	-0.0984
163	2023-06-12	1:07:41 PM	0.22500	72.8074	109.4034	0.0664
164	2023-06-12	1:07:46 PM	0.22639	72.7637	109.4428	-0.0436
165	2023-06-12	1:07:51 PM	0.22778	72.7763	109.4625	0.0126
166	2023-06-12	1:07:56 PM	0.22917	72.7187	109.5049	-0.0576
167	2023-06-12	1:08:01 PM	0.23056	72.7582	109.5352	0.0395
168	2023-06-12	1:08:06 PM	0.23194	72.6190	109.5624	-0.1392
169	2023-06-12	1:08:11 PM	0.23333	72.6998	109.5912	0.0808
170	2023-06-12	1:08:16 PM	0.23472	72.7118	109.6200	0.0120
171	2023-06-12	1:08:21 PM	0.23611	72.6277	109.6458	-0.0841
172	2023-06-12	1:08:26 PM	0.23750	72.6942	109.6852	0.0664
173	2023-06-12	1:08:31 PM	0.23889	72.6928	109.7079	-0.0014
174	2023-06-12	1:08:36 PM	0.24028	72.7602	109.7322	0.0673
175	2023-06-12	1:08:41 PM	0.24167	72.8135	109.7610	0.0533
176	2023-06-12	1:08:46 PM	0.24306	72.6336	109.7776	-0.1799
177	2023-06-12	1:08:51 PM	0.24444	72.6460	109.8003	0.0124
178	2023-06-12	1:08:56 PM	0.24583	72.5208	109.8231	-0.1252
179	2023-06-12	1:09:01 PM	0.24722	72.6847	109.8428	0.1640
180	2023-06-12	1:09:06 PM	0.24861	72.6425	109.8594	-0.0423
181	2023-06-12	1:09:11 PM	0.25000	72.6829	109.8731	0.0405
182	2023-06-12	1:09:16 PM	0.25139	72.7096	109.8867	0.0267
183	2023-06-12	1:09:21 PM	0.25278	72.7225	109.9019	0.0129
184	2023-06-12	1:09:26 PM	0.25417	72.6387	109.9231	-0.0838
185	2023-06-12	1:09:31 PM	0.25556	72.6511	109.9458	0.0124
186	2023-06-12	1:09:36 PM	0.25694	72.6918	109.9549	0.0407
187	2023-06-12	1:09:41 PM	0.25833	72.6491	109.9792	-0.0427
188	2023-06-12	1:09:46 PM	0.25972	72.7580	109.9989	0.1089
189	2023-06-12	1:09:51 PM	0.26111	72.5916	110.0201	-0.1664
190	2023-06-12	1:09:56 PM	0.26250	72.6458	110.0337	0.0542
191	2023-06-12	1:10:01 PM	0.26389	72.6995	110.0565	0.0537
192	2023-06-12	1:10:06 PM	0.26528	72.6434	110.0746	-0.0561
193	2023-06-12	1:10:11 PM	0.26667	72.6286	110.0913	-0.0148
194	2023-06-12	1:10:16 PM	0.26806	72.5586	110.1110	-0.0700
195	2023-06-12	1:10:21 PM	0.26944	72.6680	110.1231	0.1094
196	2023-06-12	1:10:26 PM	0.27083	72.6536	110.1337	-0.0144
197	2023-06-12	1:10:31 PM	0.27222	72.6392	110.1443	-0.0144
198	2023-06-12	1:10:36 PM	0.27361	72.6934	110.1595	0.0542
199	2023-06-12	1:10:41 PM	0.27500	72.7071	110.1610	0.0137
200	2023-06-12	1:10:46 PM	0.27639	72.6238	110.1716	-0.0832
201	2023-06-12	1:10:51 PM	0.27778	72.6784	110.1792	0.0546
202	2023-06-12	1:10:56 PM	0.27917	72.6093	110.1837	-0.0691
203	2023-06-12	1:11:01 PM	0.28056	72.5814	110.1898	-0.0279

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
204	2023-06-12	1:11:06 PM	0.28194	72.7466	110.1913	0.1651
205	2023-06-12	1:11:11 PM	0.28333	72.5534	110.1974	-0.1931
206	2023-06-12	1:11:16 PM	0.28472	72.5534	110.1974	0.0000
207	2023-06-12	1:11:21 PM	0.28611	72.5668	110.2050	0.0133
208	2023-06-12	1:11:26 PM	0.28750	72.5533	110.2004	-0.0135
209	2023-06-12	1:11:31 PM	0.28889	72.5528	110.2080	-0.0005
210	2023-06-12	1:11:36 PM	0.29028	72.5114	110.2095	-0.0414
211	2023-06-12	1:11:41 PM	0.29167	72.6212	110.2156	0.1098
212	2023-06-12	1:11:46 PM	0.29306	72.6350	110.2156	0.0138
213	2023-06-12	1:11:51 PM	0.29444	72.6068	110.2262	-0.0282
214	2023-06-12	1:11:56 PM	0.29583	72.5927	110.2322	-0.0141
215	2023-06-12	1:12:01 PM	0.29722	72.6338	110.2353	0.0411
216	2023-06-12	1:12:06 PM	0.29861	72.5782	110.2444	-0.0556
217	2023-06-12	1:12:11 PM	0.30000	72.6602	110.2550	0.0820
218	2023-06-12	1:12:16 PM	0.30139	72.5638	110.2550	-0.0964
219	2023-06-12	1:12:21 PM	0.30278	72.6187	110.2580	0.0549
220	2023-06-12	1:12:26 PM	0.30417	72.5081	110.2656	-0.1106
221	2023-06-12	1:12:31 PM	0.30556	72.6179	110.2701	0.1099
222	2023-06-12	1:12:36 PM	0.30694	72.5626	110.2747	-0.0553
223	2023-06-12	1:12:41 PM	0.30833	72.6312	110.2792	0.0686
224	2023-06-12	1:12:46 PM	0.30972	72.6170	110.2868	-0.0142
225	2023-06-12	1:12:51 PM	0.31111	72.6168	110.2898	-0.0002
226	2023-06-12	1:12:56 PM	0.31250	72.5336	110.2989	-0.0832
227	2023-06-12	1:13:01 PM	0.31389	72.6025	110.2989	0.0688
228	2023-06-12	1:13:06 PM	0.31528	72.6299	110.3005	0.0274
229	2023-06-12	1:13:11 PM	0.31667	72.5603	110.3126	-0.0696
230	2023-06-12	1:13:16 PM	0.31806	72.5604	110.3110	0.0001
231	2023-06-12	1:13:21 PM	0.31944	72.5461	110.3201	-0.0143
232	2023-06-12	1:13:26 PM	0.32083	72.6693	110.3323	0.1232
233	2023-06-12	1:13:31 PM	0.32222	72.5865	110.3353	-0.0828
234	2023-06-12	1:13:36 PM	0.32361	72.5864	110.3368	-0.0001
235	2023-06-12	1:13:41 PM	0.32500	72.5998	110.3429	0.0134
236	2023-06-12	1:13:46 PM	0.32639	72.5998	110.3444	-0.0001
237	2023-06-12	1:13:51 PM	0.32778	72.5854	110.3550	-0.0144
238	2023-06-12	1:13:56 PM	0.32917	72.5026	110.3580	-0.0828
239	2023-06-12	1:14:01 PM	0.33056	72.5847	110.3656	0.0822
240	2023-06-12	1:14:06 PM	0.33194	72.5154	110.3732	-0.0693
241	2023-06-12	1:14:11 PM	0.33333	72.5292	110.3732	0.0138
242	2023-06-12	1:14:16 PM	0.33472	72.5701	110.3808	0.0409
243	2023-06-12	1:14:21 PM	0.33611	72.5562	110.3823	-0.0139
244	2023-06-12	1:14:26 PM	0.33750	72.6248	110.3868	0.0686
245	2023-06-12	1:14:31 PM	0.33889	72.5968	110.3944	-0.0280
246	2023-06-12	1:14:36 PM	0.34028	72.6239	110.4020	0.0271
247	2023-06-12	1:14:41 PM	0.34167	72.5824	110.4050	-0.0415
248	2023-06-12	1:14:46 PM	0.34306	72.5963	110.4020	0.0140
249	2023-06-12	1:14:51 PM	0.34444	72.5132	110.4111	-0.0832
250	2023-06-12	1:14:56 PM	0.34583	72.5545	110.4111	0.0413
251	2023-06-12	1:15:01 PM	0.34722	72.5813	110.4232	0.0268
252	2023-06-12	1:15:06 PM	0.34861	72.4986	110.4247	-0.0827
253	2023-06-12	1:15:11 PM	0.35000	72.4018	110.4308	-0.0968
254	2023-06-12	1:15:16 PM	0.35139	72.5117	110.4353	0.1099
255	2023-06-12	1:15:21 PM	0.35278	72.6349	110.4475	0.1232

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
256	2023-06-12	1:15:26 PM	0.35417	72.5794	110.4550	-0.0555
257	2023-06-12	1:15:31 PM	0.35556	72.5244	110.4535	-0.0550
258	2023-06-12	1:15:36 PM	0.35694	72.6206	110.4566	0.0962
259	2023-06-12	1:15:41 PM	0.35833	72.5099	110.4656	-0.1107
260	2023-06-12	1:15:46 PM	0.35972	72.5512	110.4656	0.0413
261	2023-06-12	1:15:51 PM	0.36111	72.4130	110.4747	-0.1383
262	2023-06-12	1:15:56 PM	0.36250	72.5644	110.4763	0.1514
263	2023-06-12	1:16:01 PM	0.36389	72.6193	110.4793	0.0549
264	2023-06-12	1:16:06 PM	0.36528	72.5641	110.4808	-0.0552
265	2023-06-12	1:16:11 PM	0.36667	72.6327	110.4854	0.0686
266	2023-06-12	1:16:16 PM	0.36806	72.6052	110.4838	-0.0275
267	2023-06-12	1:16:21 PM	0.36944	72.5640	110.4823	-0.0412
268	2023-06-12	1:16:26 PM	0.37083	72.5226	110.4838	-0.0414
269	2023-06-12	1:16:31 PM	0.37222	72.5363	110.4853	0.0137
270	2023-06-12	1:16:36 PM	0.37361	72.5229	110.4793	-0.0134
271	2023-06-12	1:16:41 PM	0.37500	72.5646	110.4717	0.0418
272	2023-06-12	1:16:46 PM	0.37639	72.5229	110.4793	-0.0418
273	2023-06-12	1:16:51 PM	0.37778	72.4268	110.4732	-0.0960
274	2023-06-12	1:16:56 PM	0.37917	72.4546	110.4702	0.0277
275	2023-06-12	1:17:01 PM	0.38056	72.5099	110.4656	0.0554
276	2023-06-12	1:17:06 PM	0.38194	72.5512	110.4656	0.0413
277	2023-06-12	1:17:11 PM	0.38333	72.4273	110.4656	-0.1240
278	2023-06-12	1:17:16 PM	0.38472	72.4544	110.4732	0.0271
279	2023-06-12	1:17:21 PM	0.38611	72.4408	110.4702	-0.0136
280	2023-06-12	1:17:26 PM	0.38750	72.5925	110.4672	0.1517
281	2023-06-12	1:17:31 PM	0.38889	72.5097	110.4687	-0.0827
282	2023-06-12	1:17:36 PM	0.39028	72.4820	110.4717	-0.0277
283	2023-06-12	1:17:41 PM	0.39167	72.4952	110.4808	0.0132
284	2023-06-12	1:17:46 PM	0.39306	72.5090	110.4808	0.0138
285	2023-06-12	1:17:51 PM	0.39444	72.5087	110.4853	-0.0003
286	2023-06-12	1:17:56 PM	0.39583	72.5505	110.4778	0.0418
287	2023-06-12	1:18:01 PM	0.39722	72.5225	110.4853	-0.0280
288	2023-06-12	1:18:06 PM	0.39861	72.4120	110.4914	-0.1105
289	2023-06-12	1:18:11 PM	0.40000	72.4396	110.4899	0.0276
290	2023-06-12	1:18:16 PM	0.40139	72.4392	110.4975	-0.0005
291	2023-06-12	1:18:21 PM	0.40278	72.5217	110.4990	0.0825
292	2023-06-12	1:18:26 PM	0.40417	72.5768	110.4990	0.0551
293	2023-06-12	1:18:31 PM	0.40556	72.5354	110.5005	-0.0414
294	2023-06-12	1:18:36 PM	0.40694	72.5493	110.4990	0.0139
295	2023-06-12	1:18:41 PM	0.40833	72.4801	110.5035	-0.0691
296	2023-06-12	1:18:46 PM	0.40972	72.4803	110.5005	0.0002
297	2023-06-12	1:18:51 PM	0.41111	72.6177	110.5066	0.1374
298	2023-06-12	1:18:56 PM	0.41250	72.5208	110.5141	-0.0969
299	2023-06-12	1:19:01 PM	0.41389	72.6174	110.5111	0.0966
300	2023-06-12	1:19:06 PM	0.41528	72.5761	110.5111	-0.0413
301	2023-06-12	1:19:11 PM	0.41667	72.4799	110.5066	-0.0961
302	2023-06-12	1:19:16 PM	0.41806	72.5759	110.5142	0.0960
303	2023-06-12	1:19:21 PM	0.41944	72.5067	110.5202	-0.0692
304	2023-06-12	1:19:26 PM	0.42083	72.4240	110.5202	-0.0826
305	2023-06-12	1:19:31 PM	0.42222	72.5342	110.5202	0.1102
306	2023-06-12	1:19:36 PM	0.42361	72.4789	110.5232	-0.0553
307	2023-06-12	1:19:41 PM	0.42500	72.5062	110.5278	0.0273

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
308	2023-06-12	1:19:46 PM	0.42639	72.4509	110.5308	-0.0553
309	2023-06-12	1:19:51 PM	0.42778	72.4509	110.5308	0.0000
310	2023-06-12	1:19:56 PM	0.42917	72.5195	110.5369	0.0685
311	2023-06-12	1:20:01 PM	0.43056	72.5196	110.5338	0.0002
312	2023-06-12	1:20:06 PM	0.43194	72.5743	110.5414	0.0546
313	2023-06-12	1:20:11 PM	0.43333	72.5191	110.5429	-0.0552
314	2023-06-12	1:20:16 PM	0.43472	72.4915	110.5445	-0.0276
315	2023-06-12	1:20:21 PM	0.43611	72.5875	110.5505	0.0961
316	2023-06-12	1:20:26 PM	0.43750	72.5185	110.5536	-0.0690
317	2023-06-12	1:20:31 PM	0.43889	72.3807	110.5535	-0.1377
318	2023-06-12	1:20:36 PM	0.44028	72.4494	110.5566	0.0687
319	2023-06-12	1:20:41 PM	0.44167	72.4634	110.5535	0.0140
320	2023-06-12	1:20:46 PM	0.44306	72.4495	110.5551	-0.0139
321	2023-06-12	1:20:51 PM	0.44444	72.5872	110.5566	0.1377
322	2023-06-12	1:20:56 PM	0.44583	72.4768	110.5596	-0.1104
323	2023-06-12	1:21:01 PM	0.44722	72.5320	110.5581	0.0552
324	2023-06-12	1:21:06 PM	0.44861	72.5182	110.5581	-0.0138
325	2023-06-12	1:21:11 PM	0.45000	72.5321	110.5566	0.0139
326	2023-06-12	1:21:16 PM	0.45139	72.5041	110.5642	-0.0280
327	2023-06-12	1:21:21 PM	0.45278	72.4215	110.5626	-0.0826
328	2023-06-12	1:21:26 PM	0.45417	72.4217	110.5596	0.0002
329	2023-06-12	1:21:31 PM	0.45556	72.5179	110.5626	0.0962
330	2023-06-12	1:21:36 PM	0.45694	72.5042	110.5611	-0.0137
331	2023-06-12	1:21:41 PM	0.45833	72.3807	110.5535	-0.1235
332	2023-06-12	1:21:46 PM	0.45972	72.5873	110.5536	0.2066
333	2023-06-12	1:21:51 PM	0.46111	72.4769	110.5581	-0.1105
334	2023-06-12	1:21:56 PM	0.46250	72.4908	110.5551	0.0140
335	2023-06-12	1:22:01 PM	0.46389	72.4769	110.5581	-0.0140
336	2023-06-12	1:22:06 PM	0.46528	72.6013	110.5505	0.1244
337	2023-06-12	1:22:11 PM	0.46667	72.3670	110.5520	-0.2342
338	2023-06-12	1:22:16 PM	0.46806	72.5320	110.5581	0.1649
339	2023-06-12	1:22:21 PM	0.46944	72.4912	110.5490	-0.0408
340	2023-06-12	1:22:26 PM	0.47083	72.4912	110.5490	0.0000
341	2023-06-12	1:22:31 PM	0.47222	72.5461	110.5520	0.0549
342	2023-06-12	1:22:36 PM	0.47361	72.4495	110.5551	-0.0966
343	2023-06-12	1:22:41 PM	0.47500	72.5319	110.5596	0.0824
344	2023-06-12	1:22:46 PM	0.47639	72.5458	110.5566	0.0140
345	2023-06-12	1:22:51 PM	0.47778	72.5455	110.5627	-0.0004
346	2023-06-12	1:22:56 PM	0.47917	72.4489	110.5657	-0.0966
347	2023-06-12	1:23:01 PM	0.48056	72.5041	110.5626	0.0553
348	2023-06-12	1:23:06 PM	0.48194	72.4214	110.5641	-0.0827
349	2023-06-12	1:23:11 PM	0.48333	72.4350	110.5672	0.0136
350	2023-06-12	1:23:16 PM	0.48472	72.4494	110.5566	0.0144
351	2023-06-12	1:23:21 PM	0.48611	72.4767	110.5611	0.0273
352	2023-06-12	1:23:26 PM	0.48750	72.5041	110.5626	0.0275
353	2023-06-12	1:23:31 PM	0.48889	72.5870	110.5596	0.0828
354	2023-06-12	1:23:36 PM	0.49028	72.4352	110.5642	-0.1518
355	2023-06-12	1:23:41 PM	0.49167	72.3937	110.5672	-0.0415
356	2023-06-12	1:23:46 PM	0.49306	72.5728	110.5657	0.1792
357	2023-06-12	1:23:51 PM	0.49444	72.4626	110.5657	-0.1102
358	2023-06-12	1:23:56 PM	0.49583	72.4347	110.5717	-0.0279
359	2023-06-12	1:24:01 PM	0.49722	72.4483	110.5748	0.0136

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
360	2023-06-12	1:24:06 PM	0.49861	72.4756	110.5793	0.0273
361	2023-06-12	1:24:11 PM	0.50000	72.4614	110.5869	-0.0142
362	2023-06-12	1:24:16 PM	0.50139	72.5442	110.5839	0.0828
363	2023-06-12	1:24:21 PM	0.50278	72.5027	110.5869	-0.0415
364	2023-06-12	1:24:26 PM	0.50417	72.5027	110.5869	0.0000
365	2023-06-12	1:24:31 PM	0.50556	72.4473	110.5914	-0.0554
366	2023-06-12	1:24:36 PM	0.50694	72.5302	110.5884	0.0828
367	2023-06-12	1:24:41 PM	0.50833	72.5023	110.5945	-0.0279
368	2023-06-12	1:24:46 PM	0.50972	72.5714	110.5899	0.0691
369	2023-06-12	1:24:51 PM	0.51111	72.5024	110.5914	-0.0690
370	2023-06-12	1:24:56 PM	0.51250	72.5167	110.5839	0.0142
371	2023-06-12	1:25:01 PM	0.51389	72.4615	110.5854	-0.0552
372	2023-06-12	1:25:06 PM	0.51528	72.4335	110.5930	-0.0280
373	2023-06-12	1:25:11 PM	0.51667	72.4892	110.5823	0.0557
374	2023-06-12	1:25:16 PM	0.51806	72.5171	110.5763	0.0279
375	2023-06-12	1:25:21 PM	0.51944	72.5168	110.5824	-0.0004
376	2023-06-12	1:25:26 PM	0.52083	72.5723	110.5748	0.0555
377	2023-06-12	1:25:31 PM	0.52222	72.5585	110.5748	-0.0138
378	2023-06-12	1:25:36 PM	0.52361	72.4621	110.5748	-0.0964
379	2023-06-12	1:25:41 PM	0.52500	72.4348	110.5702	-0.0273
380	2023-06-12	1:25:46 PM	0.52639	72.4071	110.5732	-0.0277
381	2023-06-12	1:25:51 PM	0.52778	72.5038	110.5687	0.0967
382	2023-06-12	1:25:56 PM	0.52917	72.4208	110.5748	-0.0830
383	2023-06-12	1:26:01 PM	0.53056	72.4897	110.5748	0.0689
384	2023-06-12	1:26:06 PM	0.53194	72.5447	110.5763	0.0550
385	2023-06-12	1:26:11 PM	0.53333	72.5311	110.5733	-0.0136
386	2023-06-12	1:26:16 PM	0.53472	72.4892	110.5823	-0.0419
387	2023-06-12	1:26:21 PM	0.53611	72.4481	110.5778	-0.0411
388	2023-06-12	1:26:26 PM	0.53750	72.3660	110.5687	-0.0821
389	2023-06-12	1:26:31 PM	0.53889	72.6826	110.5733	0.3165
390	2023-06-12	1:26:36 PM	0.54028	72.5861	110.5748	-0.0965
391	2023-06-12	1:26:41 PM	0.54167	72.4619	110.5778	-0.1241
392	2023-06-12	1:26:46 PM	0.54306	72.4895	110.5778	0.0275
393	2023-06-12	1:26:51 PM	0.54444	72.3930	110.5793	-0.0965
394	2023-06-12	1:26:56 PM	0.54583	72.4205	110.5793	0.0275
395	2023-06-12	1:27:01 PM	0.54722	72.5167	110.5839	0.0962
396	2023-06-12	1:27:06 PM	0.54861	72.4754	110.5823	-0.0412
397	2023-06-12	1:27:11 PM	0.55000	72.5444	110.5808	0.0690
398	2023-06-12	1:27:16 PM	0.55139	72.5028	110.5854	-0.0416
399	2023-06-12	1:27:21 PM	0.55278	72.5032	110.5793	0.0004
400	2023-06-12	1:27:26 PM	0.55417	72.4752	110.5854	-0.0279
401	2023-06-12	1:27:31 PM	0.55556	72.5169	110.5793	0.0417
402	2023-06-12	1:27:36 PM	0.55694	72.5028	110.5854	-0.0141
403	2023-06-12	1:27:41 PM	0.55833	72.5025	110.5899	-0.0003
404	2023-06-12	1:27:46 PM	0.55972	72.4203	110.5823	-0.0822
405	2023-06-12	1:27:51 PM	0.56111	72.4614	110.5869	0.0411
406	2023-06-12	1:27:56 PM	0.56250	72.3651	110.5838	-0.0962
407	2023-06-12	1:28:01 PM	0.56389	72.5307	110.5793	0.1656
408	2023-06-12	1:28:06 PM	0.56528	72.4201	110.5869	-0.1106
409	2023-06-12	1:28:11 PM	0.56667	72.5168	110.5808	0.0968
410	2023-06-12	1:28:16 PM	0.56806	72.4341	110.5823	-0.0827
411	2023-06-12	1:28:21 PM	0.56944	72.4346	110.5748	0.0005

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
412	2023-06-12	1:28:26 PM	0.57083	72.5589	110.5687	0.1243
413	2023-06-12	1:28:31 PM	0.57222	72.5865	110.5672	0.0276
414	2023-06-12	1:28:36 PM	0.57361	72.6002	110.5687	0.0137
415	2023-06-12	1:28:41 PM	0.57500	72.4489	110.5657	-0.1513
416	2023-06-12	1:28:46 PM	0.57639	72.3801	110.5641	-0.0688
417	2023-06-12	1:28:51 PM	0.57778	72.5864	110.5687	0.2063
418	2023-06-12	1:28:56 PM	0.57917	72.5592	110.5642	-0.0273
419	2023-06-12	1:29:01 PM	0.58056	72.5318	110.5611	-0.0274
420	2023-06-12	1:29:06 PM	0.58194	72.4075	110.5657	-0.1242
421	2023-06-12	1:29:11 PM	0.58333	72.5039	110.5672	0.0963
422	2023-06-12	1:29:16 PM	0.58472	72.6002	110.5687	0.0963
423	2023-06-12	1:29:21 PM	0.58611	72.4488	110.5672	-0.1514
424	2023-06-12	1:29:26 PM	0.58750	72.4349	110.5687	-0.0139
425	2023-06-12	1:29:31 PM	0.58889	72.4210	110.5717	-0.0140
426	2023-06-12	1:29:36 PM	0.59028	72.5038	110.5687	0.0828
427	2023-06-12	1:29:41 PM	0.59167	72.5452	110.5672	0.0414
428	2023-06-12	1:29:46 PM	0.59306	72.4347	110.5717	-0.1105
429	2023-06-12	1:29:51 PM	0.59444	72.4758	110.5763	0.0411
430	2023-06-12	1:29:56 PM	0.59583	72.4896	110.5763	0.0138
431	2023-06-12	1:30:01 PM	0.59722	72.5033	110.5763	0.0138
432	2023-06-12	1:30:06 PM	0.59861	72.4756	110.5793	-0.0277
433	2023-06-12	1:30:11 PM	0.60000	72.3659	110.5717	-0.1097
434	2023-06-12	1:30:16 PM	0.60139	72.3932	110.5748	0.0274
435	2023-06-12	1:30:21 PM	0.60278	72.4482	110.5763	0.0550
436	2023-06-12	1:30:26 PM	0.60417	72.3933	110.5732	-0.0549
437	2023-06-12	1:30:31 PM	0.60556	72.4617	110.5808	0.0684
438	2023-06-12	1:30:36 PM	0.60694	72.4895	110.5778	0.0277
439	2023-06-12	1:30:41 PM	0.60833	72.5030	110.5824	0.0135
440	2023-06-12	1:30:46 PM	0.60972	72.3651	110.5838	-0.1378
441	2023-06-12	1:30:51 PM	0.61111	72.4618	110.5793	0.0967
442	2023-06-12	1:30:56 PM	0.61250	72.4619	110.5778	0.0001
443	2023-06-12	1:31:01 PM	0.61389	72.4070	110.5748	-0.0549
444	2023-06-12	1:31:06 PM	0.61528	72.5311	110.5733	0.1241
445	2023-06-12	1:31:11 PM	0.61667	72.4897	110.5733	-0.0413
446	2023-06-12	1:31:16 PM	0.61806	72.4626	110.5672	-0.0272
447	2023-06-12	1:31:21 PM	0.61944	72.4489	110.5657	-0.0137
448	2023-06-12	1:31:26 PM	0.62083	72.4492	110.5596	0.0004
449	2023-06-12	1:31:31 PM	0.62222	72.3533	110.5520	-0.0960
450	2023-06-12	1:31:36 PM	0.62361	72.4770	110.5566	0.1237
451	2023-06-12	1:31:41 PM	0.62500	72.3943	110.5566	-0.0826
452	2023-06-12	1:31:46 PM	0.62639	72.3948	110.5490	0.0005
453	2023-06-12	1:31:51 PM	0.62778	72.3946	110.5520	-0.0002
454	2023-06-12	1:31:56 PM	0.62917	72.5323	110.5520	0.1377
455	2023-06-12	1:32:01 PM	0.63056	72.3952	110.5414	-0.1371
456	2023-06-12	1:32:06 PM	0.63194	72.4638	110.5460	0.0686
457	2023-06-12	1:32:11 PM	0.63333	72.4775	110.5475	0.0137
458	2023-06-12	1:32:16 PM	0.63472	72.4226	110.5444	-0.0549
459	2023-06-12	1:32:21 PM	0.63611	72.3535	110.5475	-0.0691
460	2023-06-12	1:32:26 PM	0.63750	72.4914	110.5460	0.1378
461	2023-06-12	1:32:31 PM	0.63889	72.5326	110.5475	0.0412
462	2023-06-12	1:32:36 PM	0.64028	72.5047	110.5536	-0.0279
463	2023-06-12	1:32:41 PM	0.64167	72.4358	110.5535	-0.0689

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
464	2023-06-12	1:32:46 PM	0.64306	72.4771	110.5535	0.0413
465	2023-06-12	1:32:51 PM	0.64444	72.3807	110.5535	-0.0964
466	2023-06-12	1:32:56 PM	0.64583	72.4632	110.5566	0.0825
467	2023-06-12	1:33:01 PM	0.64722	72.4496	110.5535	-0.0136
468	2023-06-12	1:33:06 PM	0.64861	72.4905	110.5611	0.0409
469	2023-06-12	1:33:11 PM	0.65000	72.4769	110.5581	-0.0136
470	2023-06-12	1:33:16 PM	0.65139	72.4764	110.5657	-0.0005
471	2023-06-12	1:33:21 PM	0.65278	72.5451	110.5687	0.0687
472	2023-06-12	1:33:26 PM	0.65417	72.5584	110.5763	0.0133
473	2023-06-12	1:33:31 PM	0.65556	72.4761	110.5702	-0.0823
474	2023-06-12	1:33:36 PM	0.65694	72.5587	110.5717	0.0826
475	2023-06-12	1:33:41 PM	0.65833	72.5311	110.5733	-0.0276
476	2023-06-12	1:33:46 PM	0.65972	72.4895	110.5778	-0.0416
477	2023-06-12	1:33:51 PM	0.66111	72.5032	110.5778	0.0138
478	2023-06-12	1:33:56 PM	0.66250	72.2963	110.5838	-0.2070
479	2023-06-12	1:34:01 PM	0.66389	72.4479	110.5823	0.1516
480	2023-06-12	1:34:06 PM	0.66528	72.4342	110.5808	-0.0137
481	2023-06-12	1:34:11 PM	0.66667	72.4895	110.5778	0.0553
482	2023-06-12	1:34:16 PM	0.66806	72.4617	110.5808	-0.0277
483	2023-06-12	1:34:21 PM	0.66944	72.4618	110.5793	0.0001
484	2023-06-12	1:34:26 PM	0.67083	72.3380	110.5763	-0.1238
485	2023-06-12	1:34:31 PM	0.67222	72.5588	110.5702	0.2208
486	2023-06-12	1:34:36 PM	0.67361	72.5306	110.5808	-0.0282
487	2023-06-12	1:34:41 PM	0.67500	72.4209	110.5732	-0.1097
488	2023-06-12	1:34:46 PM	0.67639	72.3792	110.5793	-0.0417
489	2023-06-12	1:34:51 PM	0.67778	72.4890	110.5854	0.1098
490	2023-06-12	1:34:56 PM	0.67917	72.4755	110.5808	-0.0135
491	2023-06-12	1:35:01 PM	0.68056	72.4617	110.5808	-0.0138
492	2023-06-12	1:35:06 PM	0.68194	72.5028	110.5854	0.0411
493	2023-06-12	1:35:11 PM	0.68333	72.3927	110.5839	-0.1101
494	2023-06-12	1:35:16 PM	0.68472	72.4196	110.5945	0.0269
495	2023-06-12	1:35:21 PM	0.68611	72.3790	110.5823	-0.0406
496	2023-06-12	1:35:26 PM	0.68750	72.5303	110.5854	0.1513
497	2023-06-12	1:35:31 PM	0.68889	72.2960	110.5884	-0.2343
498	2023-06-12	1:35:36 PM	0.69028	72.4065	110.5839	0.1105
499	2023-06-12	1:35:41 PM	0.69167	72.4617	110.5808	0.0553
500	2023-06-12	1:35:46 PM	0.69306	72.4757	110.5778	0.0140
501	2023-06-12	1:35:51 PM	0.69444	72.4617	110.5808	-0.0140
502	2023-06-12	1:35:56 PM	0.69583	72.4064	110.5854	-0.0554
503	2023-06-12	1:36:01 PM	0.69722	72.4754	110.5823	0.0691
504	2023-06-12	1:36:06 PM	0.69861	72.5030	110.5824	0.0275
505	2023-06-12	1:36:11 PM	0.70000	72.5718	110.5824	0.0689
506	2023-06-12	1:36:16 PM	0.70139	72.5031	110.5808	-0.0688
507	2023-06-12	1:36:21 PM	0.70278	72.4480	110.5808	-0.0551
508	2023-06-12	1:36:26 PM	0.70417	72.4754	110.5823	0.0275
509	2023-06-12	1:36:31 PM	0.70556	72.4893	110.5808	0.0139
510	2023-06-12	1:36:36 PM	0.70694	72.4342	110.5808	-0.0551
511	2023-06-12	1:36:41 PM	0.70833	72.4203	110.5823	-0.0139
512	2023-06-12	1:36:46 PM	0.70972	72.5581	110.5824	0.1377
513	2023-06-12	1:36:51 PM	0.71111	72.4201	110.5869	-0.1380
514	2023-06-12	1:36:56 PM	0.71250	72.4064	110.5854	-0.0137
515	2023-06-12	1:37:01 PM	0.71389	72.4888	110.5884	0.0825

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
516	2023-06-12	1:37:06 PM	0.71528	72.5852	110.5899	0.0963
517	2023-06-12	1:37:11 PM	0.71667	72.3924	110.5884	-0.1928
518	2023-06-12	1:37:16 PM	0.71806	72.4063	110.5869	0.0139
519	2023-06-12	1:37:21 PM	0.71944	72.4474	110.5899	0.0411
520	2023-06-12	1:37:26 PM	0.72083	72.4747	110.5945	0.0273
521	2023-06-12	1:37:31 PM	0.72222	72.3505	110.5990	-0.1242
522	2023-06-12	1:37:36 PM	0.72361	72.4746	110.5960	0.1242
523	2023-06-12	1:37:41 PM	0.72500	72.2955	110.5975	-0.1792
524	2023-06-12	1:37:46 PM	0.72639	72.4606	110.6005	0.1651
525	2023-06-12	1:37:51 PM	0.72778	72.3777	110.6036	-0.0828
526	2023-06-12	1:37:56 PM	0.72917	72.4467	110.6020	0.0690
527	2023-06-12	1:38:01 PM	0.73056	72.4604	110.6036	0.0137
528	2023-06-12	1:38:06 PM	0.73194	72.3363	110.6051	-0.1241
529	2023-06-12	1:38:11 PM	0.73333	72.4465	110.6051	0.1102
530	2023-06-12	1:38:16 PM	0.73472	72.4605	110.6020	0.0140
531	2023-06-12	1:38:21 PM	0.73611	72.5294	110.6005	0.0690
532	2023-06-12	1:38:26 PM	0.73750	72.4468	110.6005	-0.0826
533	2023-06-12	1:38:31 PM	0.73889	72.5431	110.6021	0.0963
534	2023-06-12	1:38:36 PM	0.74028	72.4191	110.6036	-0.1241
535	2023-06-12	1:38:41 PM	0.74167	72.4053	110.6036	-0.0138
536	2023-06-12	1:38:46 PM	0.74306	72.4738	110.6096	0.0685
537	2023-06-12	1:38:51 PM	0.74444	72.5422	110.6172	0.0684
538	2023-06-12	1:38:56 PM	0.74583	72.5013	110.6112	-0.0410
539	2023-06-12	1:39:01 PM	0.74722	72.4322	110.6142	-0.0691
540	2023-06-12	1:39:06 PM	0.74861	72.4317	110.6233	-0.0005
541	2023-06-12	1:39:11 PM	0.75000	72.5139	110.6309	0.0822
542	2023-06-12	1:39:16 PM	0.75139	72.5278	110.6278	0.0140
543	2023-06-12	1:39:21 PM	0.75278	72.5138	110.6324	-0.0140
544	2023-06-12	1:39:26 PM	0.75417	72.4037	110.6308	-0.1101
545	2023-06-12	1:39:31 PM	0.75556	72.3898	110.6324	-0.0139
546	2023-06-12	1:39:36 PM	0.75694	72.3756	110.6399	-0.0142
547	2023-06-12	1:39:41 PM	0.75833	72.3758	110.6354	0.0003
548	2023-06-12	1:39:46 PM	0.75972	72.4445	110.6384	0.0687
549	2023-06-12	1:39:51 PM	0.76111	72.4581	110.6415	0.0136
550	2023-06-12	1:39:56 PM	0.76250	72.4171	110.6369	-0.0411
551	2023-06-12	1:40:01 PM	0.76389	72.4579	110.6460	0.0408
552	2023-06-12	1:40:06 PM	0.76528	72.4992	110.6460	0.0413
553	2023-06-12	1:40:11 PM	0.76667	72.4031	110.6399	-0.0961
554	2023-06-12	1:40:16 PM	0.76806	72.4719	110.6415	0.0688
555	2023-06-12	1:40:21 PM	0.76944	72.4034	110.6354	-0.0685
556	2023-06-12	1:40:26 PM	0.77083	72.4169	110.6399	0.0135
557	2023-06-12	1:40:31 PM	0.77222	72.3757	110.6384	-0.0412
558	2023-06-12	1:40:36 PM	0.77361	72.4305	110.6430	0.0548
559	2023-06-12	1:40:41 PM	0.77500	72.4308	110.6384	0.0003
560	2023-06-12	1:40:46 PM	0.77639	72.4999	110.6339	0.0691
561	2023-06-12	1:40:51 PM	0.77778	72.4583	110.6384	-0.0416
562	2023-06-12	1:40:56 PM	0.77917	72.3759	110.6339	-0.0824
563	2023-06-12	1:41:01 PM	0.78056	72.4997	110.6369	0.1238
564	2023-06-12	1:41:06 PM	0.78194	72.4039	110.6263	-0.0958
565	2023-06-12	1:41:11 PM	0.78333	72.5276	110.6309	0.1237
566	2023-06-12	1:41:16 PM	0.78472	72.4177	110.6263	-0.1099
567	2023-06-12	1:41:21 PM	0.78611	72.3352	110.6248	-0.0826

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
568	2023-06-12	1:41:26 PM	0.78750	72.4454	110.6233	0.1103
569	2023-06-12	1:41:31 PM	0.78889	72.4454	110.6248	-0.0001
570	2023-06-12	1:41:36 PM	0.79028	72.4038	110.6278	-0.0415
571	2023-06-12	1:41:41 PM	0.79167	72.5419	110.6233	0.1380
572	2023-06-12	1:41:46 PM	0.79306	72.3903	110.6248	-0.1516
573	2023-06-12	1:41:51 PM	0.79444	72.4731	110.6218	0.0828
574	2023-06-12	1:41:56 PM	0.79583	72.4869	110.6202	0.0139
575	2023-06-12	1:42:01 PM	0.79722	72.5287	110.6127	0.0418
576	2023-06-12	1:42:06 PM	0.79861	72.5007	110.6202	-0.0280
577	2023-06-12	1:42:11 PM	0.80000	72.4738	110.6096	-0.0269
578	2023-06-12	1:42:16 PM	0.80139	72.4188	110.6081	-0.0550
579	2023-06-12	1:42:21 PM	0.80278	72.4051	110.6066	-0.0137
580	2023-06-12	1:42:26 PM	0.80417	72.4192	110.6020	0.0140
581	2023-06-12	1:42:31 PM	0.80556	72.4608	110.5975	0.0416
582	2023-06-12	1:42:36 PM	0.80694	72.3921	110.5945	-0.0687
583	2023-06-12	1:42:41 PM	0.80833	72.4610	110.5930	0.0690
584	2023-06-12	1:42:46 PM	0.80972	72.4473	110.5914	-0.0137
585	2023-06-12	1:42:51 PM	0.81111	72.4611	110.5914	0.0138
586	2023-06-12	1:42:56 PM	0.81250	72.3927	110.5839	-0.0684
587	2023-06-12	1:43:01 PM	0.81389	72.3923	110.5899	-0.0004
588	2023-06-12	1:43:06 PM	0.81528	72.5711	110.5945	0.1788
589	2023-06-12	1:43:11 PM	0.81667	72.4475	110.5884	-0.1236
590	2023-06-12	1:43:16 PM	0.81806	72.4886	110.5930	0.0411
591	2023-06-12	1:43:21 PM	0.81944	72.3924	110.5884	-0.0962
592	2023-06-12	1:43:26 PM	0.82083	72.4476	110.5869	0.0552
593	2023-06-12	1:43:31 PM	0.82222	72.4612	110.5899	0.0136
594	2023-06-12	1:43:36 PM	0.82361	72.5303	110.5869	0.0691
595	2023-06-12	1:43:41 PM	0.82500	72.4752	110.5854	-0.0550
596	2023-06-12	1:43:46 PM	0.82639	72.4197	110.5929	-0.0555
597	2023-06-12	1:43:51 PM	0.82778	72.4199	110.5899	0.0002
598	2023-06-12	1:43:56 PM	0.82917	72.3924	110.5884	-0.0275
599	2023-06-12	1:44:01 PM	0.83056	72.4477	110.5854	0.0553
600	2023-06-12	1:44:06 PM	0.83194	72.5023	110.5930	0.0546
601	2023-06-12	1:44:11 PM	0.83333	72.3923	110.5899	-0.1100
602	2023-06-12	1:44:16 PM	0.83472	72.4611	110.5914	0.0688
603	2023-06-12	1:44:21 PM	0.83611	72.4473	110.5914	-0.0138
604	2023-06-12	1:44:26 PM	0.83750	72.3647	110.5914	-0.0826
605	2023-06-12	1:44:31 PM	0.83889	72.3647	110.5914	0.0000
606	2023-06-12	1:44:36 PM	0.84028	72.4612	110.5899	0.0965
607	2023-06-12	1:44:41 PM	0.84167	72.2820	110.5929	-0.1793
608	2023-06-12	1:44:46 PM	0.84306	72.3368	110.5975	0.0548
609	2023-06-12	1:44:51 PM	0.84444	72.3915	110.6036	0.0547
610	2023-06-12	1:44:56 PM	0.84583	72.4194	110.5975	0.0279
611	2023-06-12	1:45:01 PM	0.84722	72.4192	110.6020	-0.0003
612	2023-06-12	1:45:06 PM	0.84861	72.4743	110.6005	0.0552
613	2023-06-12	1:45:11 PM	0.85000	72.3915	110.6036	-0.0828
614	2023-06-12	1:45:16 PM	0.85139	72.4464	110.6066	0.0549
615	2023-06-12	1:45:21 PM	0.85278	72.5018	110.6021	0.0554
616	2023-06-12	1:45:26 PM	0.85417	72.3911	110.6111	-0.1107
617	2023-06-12	1:45:31 PM	0.85556	72.4600	110.6096	0.0690
618	2023-06-12	1:45:36 PM	0.85694	72.3912	110.6096	-0.0689
619	2023-06-12	1:45:41 PM	0.85833	72.4870	110.6187	0.0959

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
620	2023-06-12	1:45:46 PM	0.85972	72.4180	110.6217	-0.0691
621	2023-06-12	1:45:51 PM	0.86111	72.3904	110.6217	-0.0276
622	2023-06-12	1:45:56 PM	0.86250	72.4179	110.6233	0.0275
623	2023-06-12	1:46:01 PM	0.86389	72.4870	110.6187	0.0691
624	2023-06-12	1:46:06 PM	0.86528	72.4039	110.6263	-0.0831
625	2023-06-12	1:46:11 PM	0.86667	72.4181	110.6202	0.0141
626	2023-06-12	1:46:16 PM	0.86806	72.4177	110.6263	-0.0004
627	2023-06-12	1:46:21 PM	0.86944	72.4176	110.6278	-0.0001
628	2023-06-12	1:46:26 PM	0.87083	72.4589	110.6278	0.0413
629	2023-06-12	1:46:31 PM	0.87222	72.3624	110.6293	-0.0965
630	2023-06-12	1:46:36 PM	0.87361	72.3482	110.6369	-0.0142
631	2023-06-12	1:46:41 PM	0.87500	72.4585	110.6354	0.1103
632	2023-06-12	1:46:46 PM	0.87639	72.3894	110.6399	-0.0691
633	2023-06-12	1:46:51 PM	0.87778	72.4996	110.6384	0.1103
634	2023-06-12	1:46:56 PM	0.87917	72.3892	110.6430	-0.1105
635	2023-06-12	1:47:01 PM	0.88056	72.4439	110.6490	0.0547
636	2023-06-12	1:47:06 PM	0.88194	72.4165	110.6460	-0.0274
637	2023-06-12	1:47:11 PM	0.88333	72.4161	110.6536	-0.0005
638	2023-06-12	1:47:16 PM	0.88472	72.4850	110.6536	0.0689
639	2023-06-12	1:47:21 PM	0.88611	72.2785	110.6505	-0.2065
640	2023-06-12	1:47:26 PM	0.88750	72.5265	110.6506	0.2480
641	2023-06-12	1:47:31 PM	0.88889	72.4573	110.6551	-0.0691
642	2023-06-12	1:47:36 PM	0.89028	72.4849	110.6551	0.0276
643	2023-06-12	1:47:41 PM	0.89167	72.4572	110.6566	-0.0276
644	2023-06-12	1:47:46 PM	0.89306	72.3744	110.6596	-0.0828
645	2023-06-12	1:47:51 PM	0.89444	72.4710	110.6566	0.0966
646	2023-06-12	1:47:56 PM	0.89583	72.4296	110.6581	-0.0414
647	2023-06-12	1:48:01 PM	0.89722	72.3742	110.6627	-0.0554
648	2023-06-12	1:48:06 PM	0.89861	72.3191	110.6627	-0.0551
649	2023-06-12	1:48:11 PM	0.90000	72.3190	110.6642	-0.0001
650	2023-06-12	1:48:16 PM	0.90139	72.4015	110.6672	0.0825
651	2023-06-12	1:48:21 PM	0.90278	72.4292	110.6642	0.0277
652	2023-06-12	1:48:26 PM	0.90417	72.3876	110.6687	-0.0416
653	2023-06-12	1:48:31 PM	0.90556	72.4288	110.6718	0.0411
654	2023-06-12	1:48:36 PM	0.90694	72.4840	110.6703	0.0552
655	2023-06-12	1:48:41 PM	0.90833	72.4420	110.6809	-0.0420
656	2023-06-12	1:48:46 PM	0.90972	72.4287	110.6733	-0.0133
657	2023-06-12	1:48:51 PM	0.91111	72.4286	110.6748	-0.0001
658	2023-06-12	1:48:56 PM	0.91250	72.5109	110.6809	0.0823
659	2023-06-12	1:49:01 PM	0.91389	72.4283	110.6794	-0.0826
660	2023-06-12	1:49:06 PM	0.91528	72.3729	110.6854	-0.0555
661	2023-06-12	1:49:11 PM	0.91667	72.4280	110.6854	0.0551
662	2023-06-12	1:49:16 PM	0.91806	72.3867	110.6839	-0.0412
663	2023-06-12	1:49:21 PM	0.91944	72.4417	110.6869	0.0549
664	2023-06-12	1:49:26 PM	0.92083	72.3314	110.6869	-0.1102
665	2023-06-12	1:49:31 PM	0.92222	72.3318	110.6809	0.0004
666	2023-06-12	1:49:36 PM	0.92361	72.4968	110.6869	0.1650
667	2023-06-12	1:49:41 PM	0.92500	72.5104	110.6900	0.0136
668	2023-06-12	1:49:46 PM	0.92639	72.4002	110.6900	-0.1102
669	2023-06-12	1:49:51 PM	0.92778	72.3729	110.6854	-0.0273
670	2023-06-12	1:49:56 PM	0.92917	72.5105	110.6885	0.1376
671	2023-06-12	1:50:01 PM	0.93056	72.3727	110.6884	-0.1378

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
672	2023-06-12	1:50:06 PM	0.93194	72.3728	110.6869	0.0001
673	2023-06-12	1:50:11 PM	0.93333	72.5105	110.6885	0.1377
674	2023-06-12	1:50:16 PM	0.93472	72.5105	110.6885	0.0000
675	2023-06-12	1:50:21 PM	0.93611	72.4828	110.6900	-0.0276
676	2023-06-12	1:50:26 PM	0.93750	72.4831	110.6854	0.0003
677	2023-06-12	1:50:31 PM	0.93889	72.4695	110.6824	-0.0136
678	2023-06-12	1:50:36 PM	0.94028	72.3730	110.6824	-0.0964
679	2023-06-12	1:50:41 PM	0.94167	72.3320	110.6778	-0.0411
680	2023-06-12	1:50:46 PM	0.94306	72.4559	110.6794	0.1239
681	2023-06-12	1:50:51 PM	0.94444	72.5109	110.6809	0.0550
682	2023-06-12	1:50:56 PM	0.94583	72.4699	110.6748	-0.0410
683	2023-06-12	1:51:01 PM	0.94722	72.4971	110.6809	0.0272
684	2023-06-12	1:51:06 PM	0.94861	72.3733	110.6778	-0.1238
685	2023-06-12	1:51:11 PM	0.95000	72.4837	110.6748	0.1104
686	2023-06-12	1:51:16 PM	0.95139	72.4696	110.6809	-0.0141
687	2023-06-12	1:51:21 PM	0.95278	72.3598	110.6733	-0.1098
688	2023-06-12	1:51:26 PM	0.95417	72.4148	110.6748	0.0550
689	2023-06-12	1:51:31 PM	0.95556	72.4291	110.6657	0.0143
690	2023-06-12	1:51:36 PM	0.95694	72.4291	110.6657	0.0000
691	2023-06-12	1:51:41 PM	0.95833	72.5117	110.6672	0.0826
692	2023-06-12	1:51:46 PM	0.95972	72.4158	110.6581	-0.0959
693	2023-06-12	1:51:51 PM	0.96111	72.4436	110.6551	0.0277
694	2023-06-12	1:51:56 PM	0.96250	72.4436	110.6551	0.0000
695	2023-06-12	1:52:01 PM	0.96389	72.3610	110.6536	-0.0826
696	2023-06-12	1:52:06 PM	0.96528	72.4023	110.6536	0.0413
697	2023-06-12	1:52:11 PM	0.96667	72.4163	110.6505	0.0140
698	2023-06-12	1:52:16 PM	0.96806	72.4713	110.6521	0.0550
699	2023-06-12	1:52:21 PM	0.96944	72.4709	110.6581	-0.0004
700	2023-06-12	1:52:26 PM	0.97083	72.5264	110.6521	0.0555
701	2023-06-12	1:52:31 PM	0.97222	72.3883	110.6581	-0.1381
702	2023-06-12	1:52:36 PM	0.97361	72.4571	110.6581	0.0689
703	2023-06-12	1:52:41 PM	0.97500	72.4432	110.6612	-0.0140
704	2023-06-12	1:52:46 PM	0.97639	72.4571	110.6596	0.0139
705	2023-06-12	1:52:51 PM	0.97778	72.2642	110.6596	-0.1929
706	2023-06-12	1:52:56 PM	0.97917	72.5122	110.6597	0.2480
707	2023-06-12	1:53:01 PM	0.98056	72.3604	110.6642	-0.1518
708	2023-06-12	1:53:06 PM	0.98194	72.2502	110.6627	-0.1101
709	2023-06-12	1:53:11 PM	0.98333	72.4842	110.6657	0.2340
710	2023-06-12	1:53:16 PM	0.98472	72.4843	110.6642	0.0001
711	2023-06-12	1:53:21 PM	0.98611	72.4840	110.6703	-0.0004
712	2023-06-12	1:53:26 PM	0.98750	72.5118	110.6657	0.0278
713	2023-06-12	1:53:31 PM	0.98889	72.3743	110.6612	-0.1375
714	2023-06-12	1:53:36 PM	0.99028	72.4293	110.6627	0.0550
715	2023-06-12	1:53:41 PM	0.99167	72.3884	110.6566	-0.0410
716	2023-06-12	1:53:46 PM	0.99306	72.4019	110.6612	0.0135
717	2023-06-12	1:53:51 PM	0.99444	72.3471	110.6551	-0.0547
718	2023-06-12	1:53:56 PM	0.99583	72.3884	110.6566	0.0412
719	2023-06-12	1:54:01 PM	0.99722	72.4713	110.6521	0.0829
720	2023-06-12	1:54:06 PM	0.99861	72.4162	110.6521	-0.0551
721	2023-06-12	1:54:11 PM	1.00000	72.4299	110.6536	0.0137
722	2023-06-12	1:54:16 PM	1.00139	72.3611	110.6521	-0.0688
723	2023-06-12	1:54:21 PM	1.00278	72.4303	110.6460	0.0692

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
724	2023-06-12	1:54:26 PM	1.00417	72.4300	110.6521	-0.0004
725	2023-06-12	1:54:31 PM	1.00556	72.4161	110.6536	-0.0139
726	2023-06-12	1:54:36 PM	1.00694	72.4156	110.6612	-0.0005
727	2023-06-12	1:54:41 PM	1.00833	72.4435	110.6566	0.0278
728	2023-06-12	1:54:46 PM	1.00972	72.2779	110.6611	-0.1656
729	2023-06-12	1:54:51 PM	1.01111	72.4571	110.6596	0.1792
730	2023-06-12	1:54:56 PM	1.01250	72.3609	110.6551	-0.0962
731	2023-06-12	1:55:01 PM	1.01389	72.3603	110.6657	-0.0006
732	2023-06-12	1:55:06 PM	1.01528	72.4704	110.6672	0.1101
733	2023-06-12	1:55:11 PM	1.01667	72.3462	110.6702	-0.1242
734	2023-06-12	1:55:16 PM	1.01806	72.4428	110.6672	0.0966
735	2023-06-12	1:55:21 PM	1.01944	72.4289	110.6703	-0.0140
736	2023-06-12	1:55:26 PM	1.02083	72.3736	110.6733	-0.0553
737	2023-06-12	1:55:31 PM	1.02222	72.4977	110.6718	0.1241
738	2023-06-12	1:55:36 PM	1.02361	72.3869	110.6809	-0.1107
739	2023-06-12	1:55:41 PM	1.02500	72.3043	110.6808	-0.0827
740	2023-06-12	1:55:46 PM	1.02639	72.4144	110.6824	0.1101
741	2023-06-12	1:55:51 PM	1.02778	72.4282	110.6809	0.0139
742	2023-06-12	1:55:56 PM	1.02917	72.3730	110.6839	-0.0553
743	2023-06-12	1:56:01 PM	1.03056	72.4969	110.6839	0.1240
744	2023-06-12	1:56:06 PM	1.03194	72.4832	110.6839	-0.0138
745	2023-06-12	1:56:11 PM	1.03333	72.4694	110.6839	-0.0138
746	2023-06-12	1:56:16 PM	1.03472	72.3863	110.6915	-0.0831
747	2023-06-12	1:56:21 PM	1.03611	72.4553	110.6900	0.0690
748	2023-06-12	1:56:26 PM	1.03750	72.4413	110.6930	-0.0140
749	2023-06-12	1:56:31 PM	1.03889	72.3863	110.6915	-0.0550
750	2023-06-12	1:56:36 PM	1.04028	72.4000	110.6930	0.0137
751	2023-06-12	1:56:41 PM	1.04167	72.5100	110.6960	0.1100
752	2023-06-12	1:56:46 PM	1.04306	72.4000	110.6930	-0.1100
753	2023-06-12	1:56:51 PM	1.04444	72.4000	110.6930	0.0000
754	2023-06-12	1:56:56 PM	1.04583	72.3448	110.6945	-0.0552
755	2023-06-12	1:57:01 PM	1.04722	72.4689	110.6930	0.1241
756	2023-06-12	1:57:06 PM	1.04861	72.3172	110.6945	-0.1516
757	2023-06-12	1:57:11 PM	1.05000	72.4139	110.6900	0.0967
758	2023-06-12	1:57:16 PM	1.05139	72.4416	110.6884	0.0276
759	2023-06-12	1:57:21 PM	1.05278	72.5104	110.6900	0.0688
760	2023-06-12	1:57:26 PM	1.05417	72.3863	110.6915	-0.1241
761	2023-06-12	1:57:31 PM	1.05556	72.4141	110.6869	0.0278
762	2023-06-12	1:57:36 PM	1.05694	72.4002	110.6900	-0.0140
763	2023-06-12	1:57:41 PM	1.05833	72.4415	110.6900	0.0413
764	2023-06-12	1:57:46 PM	1.05972	72.4280	110.6854	-0.0135
765	2023-06-12	1:57:51 PM	1.06111	72.3730	110.6839	-0.0550
766	2023-06-12	1:57:56 PM	1.06250	72.3591	110.6854	-0.0139
767	2023-06-12	1:58:01 PM	1.06389	72.4557	110.6824	0.0966
768	2023-06-12	1:58:06 PM	1.06528	72.4832	110.6839	0.0275
769	2023-06-12	1:58:11 PM	1.06667	72.3726	110.6900	-0.1106
770	2023-06-12	1:58:16 PM	1.06806	72.4006	110.6824	0.0280
771	2023-06-12	1:58:21 PM	1.06944	72.4418	110.6839	0.0412
772	2023-06-12	1:58:26 PM	1.07083	72.4416	110.6884	-0.0003
773	2023-06-12	1:58:31 PM	1.07222	72.4967	110.6885	0.0551
774	2023-06-12	1:58:36 PM	1.07361	72.4007	110.6809	-0.0960
775	2023-06-12	1:58:41 PM	1.07500	72.3731	110.6809	-0.0276

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
776	2023-06-12	1:58:46 PM	1.07639	72.4562	110.6733	0.0831
777	2023-06-12	1:58:51 PM	1.07778	72.4704	110.6672	0.0141
778	2023-06-12	1:58:56 PM	1.07917	72.3466	110.6642	-0.1238
779	2023-06-12	1:59:01 PM	1.08056	72.3605	110.6612	0.0140
780	2023-06-12	1:59:06 PM	1.08194	72.4158	110.6581	0.0553
781	2023-06-12	1:59:11 PM	1.08333	72.3609	110.6551	-0.0549
782	2023-06-12	1:59:16 PM	1.08472	72.4436	110.6536	0.0827
783	2023-06-12	1:59:21 PM	1.08611	72.3881	110.6612	-0.0556
784	2023-06-12	1:59:26 PM	1.08750	72.4713	110.6521	0.0832
785	2023-06-12	1:59:31 PM	1.08889	72.4575	110.6521	-0.0138
786	2023-06-12	1:59:36 PM	1.09028	72.3887	110.6505	-0.0688
787	2023-06-12	1:59:41 PM	1.09167	72.4718	110.6430	0.0831
788	2023-06-12	1:59:46 PM	1.09306	72.4169	110.6399	-0.0549
789	2023-06-12	1:59:51 PM	1.09444	72.4032	110.6384	-0.0137
790	2023-06-12	1:59:56 PM	1.09583	72.4720	110.6399	0.0688
791	2023-06-12	2:00:01 PM	1.09722	72.4308	110.6384	-0.0412
792	2023-06-12	2:00:06 PM	1.09861	72.3757	110.6384	-0.0551
793	2023-06-12	2:00:11 PM	1.10000	72.4304	110.6445	0.0547
794	2023-06-12	2:00:16 PM	1.10139	72.4447	110.6354	0.0143
795	2023-06-12	2:00:21 PM	1.10278	72.4445	110.6384	-0.0002
796	2023-06-12	2:00:26 PM	1.10417	72.3894	110.6384	-0.0551
797	2023-06-12	2:00:31 PM	1.10556	72.4169	110.6399	0.0275
798	2023-06-12	2:00:36 PM	1.10694	72.4309	110.6369	0.0140
799	2023-06-12	2:00:41 PM	1.10833	72.4581	110.6415	0.0273
800	2023-06-12	2:00:46 PM	1.10972	72.4307	110.6399	-0.0275
801	2023-06-12	2:00:51 PM	1.11111	72.4027	110.6475	-0.0280
802	2023-06-12	2:00:56 PM	1.11250	72.4168	110.6415	0.0141
803	2023-06-12	2:01:01 PM	1.11389	72.4303	110.6460	0.0135
804	2023-06-12	2:01:06 PM	1.11528	72.3615	110.6445	-0.0688
805	2023-06-12	2:01:11 PM	1.11667	72.4029	110.6445	0.0413
806	2023-06-12	2:01:16 PM	1.11806	72.3478	110.6445	-0.0551
807	2023-06-12	2:01:21 PM	1.11944	72.4579	110.6460	0.1101
808	2023-06-12	2:01:26 PM	1.12083	72.4026	110.6490	-0.0553
809	2023-06-12	2:01:31 PM	1.12222	72.4299	110.6536	0.0273
810	2023-06-12	2:01:36 PM	1.12361	72.3749	110.6505	-0.0549
811	2023-06-12	2:01:41 PM	1.12500	72.4574	110.6536	0.0825
812	2023-06-12	2:01:46 PM	1.12639	72.3196	110.6551	-0.1378
813	2023-06-12	2:01:51 PM	1.12778	72.3882	110.6596	0.0686
814	2023-06-12	2:01:56 PM	1.12917	72.3607	110.6581	-0.0275
815	2023-06-12	2:02:01 PM	1.13056	72.3744	110.6596	0.0137
816	2023-06-12	2:02:06 PM	1.13194	72.4844	110.6627	0.1100
817	2023-06-12	2:02:11 PM	1.13333	72.4153	110.6672	-0.0691
818	2023-06-12	2:02:16 PM	1.13472	72.4155	110.6642	0.0002
819	2023-06-12	2:02:21 PM	1.13611	72.4841	110.6687	0.0686
820	2023-06-12	2:02:26 PM	1.13750	72.4564	110.6703	-0.0276
821	2023-06-12	2:02:31 PM	1.13889	72.4428	110.6672	-0.0136
822	2023-06-12	2:02:36 PM	1.14028	72.4288	110.6718	-0.0140
823	2023-06-12	2:02:41 PM	1.14167	72.4565	110.6687	0.0277
824	2023-06-12	2:02:46 PM	1.14306	72.5249	110.6778	0.0683
825	2023-06-12	2:02:51 PM	1.14444	72.4563	110.6718	-0.0685
826	2023-06-12	2:02:56 PM	1.14583	72.3872	110.6763	-0.0692
827	2023-06-12	2:03:01 PM	1.14722	72.2908	110.6763	-0.0964

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
828	2023-06-12	2:03:06 PM	1.14861	72.4284	110.6778	0.1377
829	2023-06-12	2:03:11 PM	1.15000	72.4283	110.6794	-0.0001
830	2023-06-12	2:03:16 PM	1.15139	72.4143	110.6839	-0.0140
831	2023-06-12	2:03:21 PM	1.15278	72.5383	110.6839	0.1240
832	2023-06-12	2:03:26 PM	1.15417	72.3864	110.6900	-0.1519
833	2023-06-12	2:03:31 PM	1.15556	72.3724	110.6930	-0.0140
834	2023-06-12	2:03:36 PM	1.15694	72.4551	110.6930	0.0827
835	2023-06-12	2:03:41 PM	1.15833	72.4001	110.6915	-0.0550
836	2023-06-12	2:03:46 PM	1.15972	72.4965	110.6915	0.0964
837	2023-06-12	2:03:51 PM	1.16111	72.4825	110.6945	-0.0140
838	2023-06-12	2:03:56 PM	1.16250	72.5241	110.6900	0.0416
839	2023-06-12	2:04:01 PM	1.16389	72.4276	110.6915	-0.0965
840	2023-06-12	2:04:06 PM	1.16528	72.4689	110.6930	0.0412
841	2023-06-12	2:04:11 PM	1.16667	72.4414	110.6915	-0.0275
842	2023-06-12	2:04:16 PM	1.16806	65.5675	110.6829	-6.8739
843	2023-06-12	2:04:21 PM	1.16944	56.2845	110.6512	-9.2830
844	2023-06-12	2:04:26 PM	1.17083	47.2046	110.5119	-9.0799
845	2023-06-12	2:04:31 PM	1.17222	41.5395	110.2671	-5.6650
846	2023-06-12	2:04:36 PM	1.17361	41.3741	109.9867	-0.1654
847	2023-06-12	2:04:41 PM	1.17500	41.3444	109.7275	-0.0297
848	2023-06-12	2:04:46 PM	1.17639	41.4342	109.5139	0.0897
849	2023-06-12	2:04:51 PM	1.17778	41.4508	109.3442	0.0167
850	2023-06-12	2:04:56 PM	1.17917	41.3948	109.2139	-0.0560
851	2023-06-12	2:05:01 PM	1.18056	41.3905	109.1184	-0.0044
852	2023-06-12	2:05:06 PM	1.18194	41.3704	109.0427	-0.0200
853	2023-06-12	2:05:11 PM	1.18333	41.4184	108.9745	0.0480
854	2023-06-12	2:05:16 PM	1.18472	41.3273	108.9230	-0.0912
855	2023-06-12	2:05:21 PM	1.18611	41.2505	108.8654	-0.0768
856	2023-06-12	2:05:26 PM	1.18750	41.3241	108.8154	0.0737
857	2023-06-12	2:05:31 PM	1.18889	41.3161	108.7579	-0.0081
858	2023-06-12	2:05:36 PM	1.19028	41.2253	108.7033	-0.0908
859	2023-06-12	2:05:41 PM	1.19167	41.2175	108.6427	-0.0077
860	2023-06-12	2:05:46 PM	1.19306	41.2376	108.5791	0.0200
861	2023-06-12	2:05:51 PM	1.19444	41.1761	108.5064	-0.0615
862	2023-06-12	2:05:56 PM	1.19583	41.1285	108.4322	-0.0476
863	2023-06-12	2:06:01 PM	1.19722	41.1223	108.3565	-0.0062
864	2023-06-12	2:06:06 PM	1.19861	41.0616	108.2762	-0.0607
865	2023-06-12	2:06:11 PM	1.20000	41.0021	108.1838	-0.0595
866	2023-06-12	2:06:16 PM	1.20139	41.0105	108.0990	0.0085
867	2023-06-12	2:06:21 PM	1.20278	41.0201	108.0036	0.0095
868	2023-06-12	2:06:26 PM	1.20417	41.1393	107.9097	0.1192
869	2023-06-12	2:06:31 PM	1.20556	41.0114	107.8158	-0.1279
870	2023-06-12	2:06:36 PM	1.20694	41.0064	107.7279	-0.0049
871	2023-06-12	2:06:41 PM	1.20833	41.0981	107.6356	0.0916
872	2023-06-12	2:06:46 PM	1.20972	41.1064	107.5523	0.0083
873	2023-06-12	2:06:51 PM	1.21111	41.0879	107.4630	-0.0185
874	2023-06-12	2:06:56 PM	1.21250	41.1101	107.3782	0.0222
875	2023-06-12	2:07:01 PM	1.21389	41.0782	107.2858	-0.0319
876	2023-06-12	2:07:06 PM	1.21528	41.0601	107.1934	-0.0182
877	2023-06-12	2:07:11 PM	1.21667	41.1783	107.1087	0.1183
878	2023-06-12	2:07:16 PM	1.21806	41.0927	107.0057	-0.0857
879	2023-06-12	2:07:21 PM	1.21944	41.1704	106.9149	0.0777

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
880	2023-06-12	2:07:26 PM	1.22083	41.0979	106.8180	-0.0725
881	2023-06-12	2:07:31 PM	1.22222	41.0938	106.7226	-0.0041
882	2023-06-12	2:07:36 PM	1.22361	41.1173	106.6257	0.0235
883	2023-06-12	2:07:41 PM	1.22500	41.0853	106.5349	-0.0319
884	2023-06-12	2:07:46 PM	1.22639	41.0260	106.4441	-0.0593
885	2023-06-12	2:07:51 PM	1.22778	41.1731	106.3442	0.1472
886	2023-06-12	2:07:56 PM	1.22917	41.0321	106.2488	-0.1411
887	2023-06-12	2:08:01 PM	1.23056	41.0682	106.1625	0.0362
888	2023-06-12	2:08:06 PM	1.23194	41.0777	106.0687	0.0095
889	2023-06-12	2:08:11 PM	1.23333	41.0460	105.9764	-0.0317
890	2023-06-12	2:08:16 PM	1.23472	41.1648	105.8856	0.1188
891	2023-06-12	2:08:21 PM	1.23611	41.1601	105.7978	-0.0048
892	2023-06-12	2:08:26 PM	1.23750	41.1831	105.7055	0.0231
893	2023-06-12	2:08:31 PM	1.23889	41.1368	105.6222	-0.0463
894	2023-06-12	2:08:36 PM	1.24028	41.0227	105.5329	-0.1141
895	2023-06-12	2:08:41 PM	1.24167	41.1417	105.4407	0.1189
896	2023-06-12	2:08:46 PM	1.24306	41.1239	105.3468	-0.0178
897	2023-06-12	2:08:51 PM	1.24444	40.9950	105.2681	-0.1288
898	2023-06-12	2:08:56 PM	1.24583	41.1135	105.1804	0.1185
899	2023-06-12	2:09:01 PM	1.24722	41.1087	105.0941	-0.0049
900	2023-06-12	2:09:06 PM	1.24861	41.1313	105.0064	0.0227
901	2023-06-12	2:09:11 PM	1.25000	41.2215	104.9277	0.0901
902	2023-06-12	2:09:16 PM	1.25139	41.1064	104.8490	-0.1151
903	2023-06-12	2:09:21 PM	1.25278	41.1420	104.7688	0.0356
904	2023-06-12	2:09:26 PM	1.25417	41.2186	104.6887	0.0766
905	2023-06-12	2:09:31 PM	1.25556	41.1579	104.6145	-0.0608
906	2023-06-12	2:09:36 PM	1.25694	41.1670	104.5253	0.0092
907	2023-06-12	2:09:41 PM	1.25833	41.1061	104.4527	-0.0609
908	2023-06-12	2:09:46 PM	1.25972	41.1958	104.3785	0.0897
909	2023-06-12	2:09:51 PM	1.26111	41.1758	104.3074	-0.0200
910	2023-06-12	2:09:56 PM	1.26250	41.1702	104.2288	-0.0056
911	2023-06-12	2:10:01 PM	1.26389	41.1634	104.1622	-0.0068
912	2023-06-12	2:10:06 PM	1.26528	41.2122	104.0866	0.0488
913	2023-06-12	2:10:11 PM	1.26667	41.2739	104.0185	0.0617
914	2023-06-12	2:10:16 PM	1.26806	41.1038	103.9459	-0.1701
915	2023-06-12	2:10:21 PM	1.26944	41.0972	103.8778	-0.0066
916	2023-06-12	2:10:26 PM	1.27083	41.1873	103.7992	0.0901
917	2023-06-12	2:10:31 PM	1.27222	41.2075	103.7357	0.0202
918	2023-06-12	2:10:36 PM	1.27361	41.1733	103.6706	-0.0342
919	2023-06-12	2:10:41 PM	1.27500	41.1668	103.6011	-0.0064
920	2023-06-12	2:10:46 PM	1.27639	41.2003	103.5421	0.0334
921	2023-06-12	2:10:51 PM	1.27778	41.2753	103.4771	0.0750
922	2023-06-12	2:10:56 PM	1.27917	41.1731	103.4090	-0.1022
923	2023-06-12	2:11:01 PM	1.28056	41.2753	103.3455	0.1022
924	2023-06-12	2:11:06 PM	1.28194	41.1725	103.2835	-0.1028
925	2023-06-12	2:11:11 PM	1.28333	41.1928	103.2199	0.0203
926	2023-06-12	2:11:16 PM	1.28472	41.1854	103.1595	-0.0074
927	2023-06-12	2:11:21 PM	1.28611	41.1648	103.0959	-0.0207
928	2023-06-12	2:11:26 PM	1.28750	41.1577	103.0324	-0.0070
929	2023-06-12	2:11:31 PM	1.28889	41.0701	102.9568	-0.0876
930	2023-06-12	2:11:36 PM	1.29028	41.0499	102.8888	-0.0202
931	2023-06-12	2:11:41 PM	1.29167	41.0172	102.8101	-0.0327

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
932	2023-06-12	2:11:46 PM	1.29306	41.0110	102.7391	-0.0062
933	2023-06-12	2:11:51 PM	1.29444	40.9647	102.6604	-0.0463
934	2023-06-12	2:11:56 PM	1.29583	40.9596	102.5788	-0.0051
935	2023-06-12	2:12:01 PM	1.29722	40.8449	102.5016	-0.1147
936	2023-06-12	2:12:06 PM	1.29861	40.8537	102.4185	0.0088
937	2023-06-12	2:12:11 PM	1.30000	40.9298	102.3429	0.0761
938	2023-06-12	2:12:16 PM	1.30139	40.8441	102.2507	-0.0857
939	2023-06-12	2:12:21 PM	1.30278	40.7710	102.1675	-0.0730
940	2023-06-12	2:12:26 PM	1.30417	40.7662	102.0844	-0.0048
941	2023-06-12	2:12:31 PM	1.30556	40.7493	101.9861	-0.0169
942	2023-06-12	2:12:36 PM	1.30694	40.6499	101.8954	-0.0994
943	2023-06-12	2:12:41 PM	1.30833	40.7147	101.7986	0.0648
944	2023-06-12	2:12:46 PM	1.30972	40.6563	101.7064	-0.0584
945	2023-06-12	2:12:51 PM	1.31111	40.6398	101.6051	-0.0165
946	2023-06-12	2:12:56 PM	1.31250	40.5814	101.5144	-0.0585
947	2023-06-12	2:13:01 PM	1.31389	40.6591	101.4237	0.0778
948	2023-06-12	2:13:06 PM	1.31528	40.6947	101.3451	0.0356
949	2023-06-12	2:13:11 PM	1.31667	40.6211	101.2696	-0.0737
950	2023-06-12	2:13:16 PM	1.31806	40.6147	101.2015	-0.0064
951	2023-06-12	2:13:21 PM	1.31944	40.6640	101.1230	0.0492
952	2023-06-12	2:13:26 PM	1.32083	40.7393	101.0550	0.0753
953	2023-06-12	2:13:31 PM	1.32222	40.6649	100.9869	-0.0744
954	2023-06-12	2:13:36 PM	1.32361	40.7004	100.9099	0.0355
955	2023-06-12	2:13:41 PM	1.32500	40.7085	100.8343	0.0081
956	2023-06-12	2:13:46 PM	1.32639	40.7026	100.7617	-0.0058
957	2023-06-12	2:13:51 PM	1.32778	40.6018	100.6862	-0.1008
958	2023-06-12	2:13:56 PM	1.32917	40.5960	100.6136	-0.0058
959	2023-06-12	2:14:01 PM	1.33056	40.6990	100.5411	0.1030
960	2023-06-12	2:14:06 PM	1.33194	40.7744	100.4731	0.0753
961	2023-06-12	2:14:11 PM	1.33333	40.6200	100.3900	-0.1543
962	2023-06-12	2:14:16 PM	1.33472	40.6541	100.3265	0.0340
963	2023-06-12	2:14:21 PM	1.33611	40.6081	100.2479	-0.0459
964	2023-06-12	2:14:26 PM	1.33750	40.6833	100.1815	0.0752
965	2023-06-12	2:14:31 PM	1.33889	40.6092	100.1119	-0.0741
966	2023-06-12	2:14:36 PM	1.34028	40.7535	100.0349	0.1443
967	2023-06-12	2:14:41 PM	1.34167	40.6802	99.9578	-0.0733
968	2023-06-12	2:14:46 PM	1.34306	40.7415	99.8944	0.0612
969	2023-06-12	2:14:51 PM	1.34444	40.7636	99.8158	0.0221
970	2023-06-12	2:14:56 PM	1.34583	40.7165	99.7478	-0.0470
971	2023-06-12	2:15:01 PM	1.34722	40.7109	99.6738	-0.0056
972	2023-06-12	2:15:06 PM	1.34861	40.7322	99.6028	0.0213
973	2023-06-12	2:15:11 PM	1.35000	40.7399	99.5318	0.0077
974	2023-06-12	2:15:16 PM	1.35139	40.6806	99.4517	-0.0593
975	2023-06-12	2:15:21 PM	1.35278	40.7285	99.3867	0.0478
976	2023-06-12	2:15:26 PM	1.35417	40.7638	99.3112	0.0354
977	2023-06-12	2:15:31 PM	1.35556	40.7296	99.2508	-0.0342
978	2023-06-12	2:15:36 PM	1.35694	40.6704	99.1707	-0.0592
979	2023-06-12	2:15:41 PM	1.35833	40.7588	99.1073	0.0884
980	2023-06-12	2:15:46 PM	1.35972	40.7805	99.0332	0.0216
981	2023-06-12	2:15:51 PM	1.36111	40.7607	98.9653	-0.0198
982	2023-06-12	2:15:56 PM	1.36250	40.6730	98.8973	-0.0877
983	2023-06-12	2:16:01 PM	1.36389	40.8437	98.8263	0.1707

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
984	2023-06-12	2:16:06 PM	1.36528	40.7020	98.7568	-0.1418
985	2023-06-12	2:16:11 PM	1.36667	40.7776	98.6858	0.0756
986	2023-06-12	2:16:16 PM	1.36806	40.7988	98.6163	0.0212
987	2023-06-12	2:16:21 PM	1.36944	40.6976	98.5483	-0.1012
988	2023-06-12	2:16:26 PM	1.37083	40.7451	98.4864	0.0475
989	2023-06-12	2:16:31 PM	1.37222	40.7127	98.4109	-0.0324
990	2023-06-12	2:16:36 PM	1.37361	40.7332	98.3475	0.0205
991	2023-06-12	2:16:41 PM	1.37500	40.7544	98.2780	0.0212
992	2023-06-12	2:16:46 PM	1.37639	40.7612	98.2161	0.0068
993	2023-06-12	2:16:51 PM	1.37778	40.6880	98.1405	-0.0731
994	2023-06-12	2:16:56 PM	1.37917	40.7226	98.0726	0.0346
995	2023-06-12	2:17:01 PM	1.38056	40.7025	98.0091	-0.0202
996	2023-06-12	2:17:06 PM	1.38194	40.7232	97.9442	0.0207
997	2023-06-12	2:17:11 PM	1.38333	40.6900	97.8762	-0.0332
998	2023-06-12	2:17:16 PM	1.38472	40.7782	97.8143	0.0882
999	2023-06-12	2:17:21 PM	1.38611	40.6772	97.7464	-0.1010
1000	2023-06-12	2:17:26 PM	1.38750	40.7520	97.6829	0.0748
1001	2023-06-12	2:17:31 PM	1.38889	40.6239	97.6150	-0.1281
1002	2023-06-12	2:17:36 PM	1.39028	40.7802	97.5500	0.1563
1003	2023-06-12	2:17:41 PM	1.39167	40.8152	97.4791	0.0350
1004	2023-06-12	2:17:46 PM	1.39306	40.7405	97.4187	-0.0747
1005	2023-06-12	2:17:51 PM	1.39444	40.7072	97.3522	-0.0333
1006	2023-06-12	2:17:56 PM	1.39583	40.6329	97.2888	-0.0743
1007	2023-06-12	2:18:01 PM	1.39722	40.6271	97.2193	-0.0058
1008	2023-06-12	2:18:06 PM	1.39861	40.5956	97.1363	-0.0314
1009	2023-06-12	2:18:11 PM	1.40000	40.6861	97.0532	0.0905
1010	2023-06-12	2:18:16 PM	1.40139	40.5462	96.9717	-0.1400
1011	2023-06-12	2:18:21 PM	1.40278	40.5840	96.8751	0.0379
1012	2023-06-12	2:18:26 PM	1.40417	40.5547	96.7739	-0.0294
1013	2023-06-12	2:18:31 PM	1.40556	40.4300	96.6772	-0.1246
1014	2023-06-12	2:18:36 PM	1.40694	40.4689	96.5716	0.0389
1015	2023-06-12	2:18:41 PM	1.40833	40.3718	96.4719	-0.0972
1016	2023-06-12	2:18:46 PM	1.40972	40.3977	96.3617	0.0259
1017	2023-06-12	2:18:51 PM	1.41111	40.3552	96.2575	-0.0424
1018	2023-06-12	2:18:56 PM	1.41250	40.3005	96.1428	-0.0548
1019	2023-06-12	2:19:01 PM	1.41389	40.2464	96.0220	-0.0541
1020	2023-06-12	2:19:06 PM	1.41528	40.2458	95.9073	-0.0006
1021	2023-06-12	2:19:11 PM	1.41667	40.0976	95.7820	-0.1482
1022	2023-06-12	2:19:16 PM	1.41806	40.1795	95.6567	0.0818
1023	2023-06-12	2:19:21 PM	1.41944	40.1940	95.5284	0.0145
1024	2023-06-12	2:19:26 PM	1.42083	40.2750	95.4107	0.0810
1025	2023-06-12	2:19:31 PM	1.42222	40.1791	95.3020	-0.0958
1026	2023-06-12	2:19:36 PM	1.42361	40.1628	95.2084	-0.0164
1027	2023-06-12	2:19:41 PM	1.42500	40.2261	95.1269	0.0633
1028	2023-06-12	2:19:46 PM	1.42639	40.3170	95.0409	0.0909
1029	2023-06-12	2:19:51 PM	1.42778	40.2855	94.9609	-0.0314
1030	2023-06-12	2:19:56 PM	1.42917	40.2545	94.8779	-0.0311
1031	2023-06-12	2:20:01 PM	1.43056	40.2229	94.7994	-0.0316
1032	2023-06-12	2:20:06 PM	1.43194	40.2578	94.7300	0.0349
1033	2023-06-12	2:20:11 PM	1.43333	40.2135	94.6454	-0.0444
1034	2023-06-12	2:20:16 PM	1.43472	40.2898	94.5685	0.0763
1035	2023-06-12	2:20:21 PM	1.43611	40.2313	94.4900	-0.0585

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1036	2023-06-12	2:20:26 PM	1.43750	40.2939	94.4145	0.0627
1037	2023-06-12	2:20:31 PM	1.43889	40.2898	94.3330	-0.0042
1038	2023-06-12	2:20:36 PM	1.44028	40.2311	94.2561	-0.0587
1039	2023-06-12	2:20:41 PM	1.44167	40.1329	94.1700	-0.0981
1040	2023-06-12	2:20:46 PM	1.44306	40.2629	94.0961	0.1300
1041	2023-06-12	2:20:51 PM	1.44444	40.2716	94.0207	0.0087
1042	2023-06-12	2:20:56 PM	1.44583	40.2542	93.9377	-0.0174
1043	2023-06-12	2:21:01 PM	1.44722	40.2495	93.8607	-0.0046
1044	2023-06-12	2:21:06 PM	1.44861	40.3394	93.7838	0.0898
1045	2023-06-12	2:21:11 PM	1.45000	40.2808	93.7068	-0.0586
1046	2023-06-12	2:21:16 PM	1.45139	40.2084	93.6329	-0.0724
1047	2023-06-12	2:21:21 PM	1.45278	40.2176	93.5529	0.0092
1048	2023-06-12	2:21:26 PM	1.45417	40.3211	93.4745	0.1035
1049	2023-06-12	2:21:31 PM	1.45556	40.2896	93.3975	-0.0316
1050	2023-06-12	2:21:36 PM	1.45694	40.2438	93.3266	-0.0457
1051	2023-06-12	2:21:41 PM	1.45833	40.3070	93.2466	0.0632
1052	2023-06-12	2:21:46 PM	1.45972	40.2618	93.1712	-0.0452
1053	2023-06-12	2:21:51 PM	1.46111	40.2708	93.0942	0.0089
1054	2023-06-12	2:21:56 PM	1.46250	40.3067	93.0173	0.0359
1055	2023-06-12	2:22:01 PM	1.46389	40.4504	92.9404	0.1437
1056	2023-06-12	2:22:06 PM	1.46528	40.3114	92.8604	-0.1390
1057	2023-06-12	2:22:11 PM	1.46667	40.2927	92.7895	-0.0187
1058	2023-06-12	2:22:16 PM	1.46806	40.2609	92.7155	-0.0318
1059	2023-06-12	2:22:21 PM	1.46944	40.3240	92.6371	0.0630
1060	2023-06-12	2:22:26 PM	1.47083	40.2787	92.5632	-0.0453
1061	2023-06-12	2:22:31 PM	1.47222	40.3270	92.4953	0.0483
1062	2023-06-12	2:22:36 PM	1.47361	40.3086	92.4229	-0.0185
1063	2023-06-12	2:22:41 PM	1.47500	40.2906	92.3460	-0.0179
1064	2023-06-12	2:22:46 PM	1.47639	40.3266	92.2690	0.0359
1065	2023-06-12	2:22:51 PM	1.47778	40.2002	92.1981	-0.1264
1066	2023-06-12	2:22:56 PM	1.47917	40.3164	92.1257	0.1162
1067	2023-06-12	2:23:01 PM	1.48056	40.3247	92.0548	0.0083
1068	2023-06-12	2:23:06 PM	1.48194	40.3607	91.9779	0.0360
1069	2023-06-12	2:23:11 PM	1.48333	40.2749	91.9055	-0.0857
1070	2023-06-12	2:23:16 PM	1.48472	40.3230	91.8406	0.0480
1071	2023-06-12	2:23:21 PM	1.48611	40.3455	91.7637	0.0225
1072	2023-06-12	2:23:26 PM	1.48750	40.2731	91.6928	-0.0724
1073	2023-06-12	2:23:31 PM	1.48889	40.2276	91.6219	-0.0455
1074	2023-06-12	2:23:36 PM	1.49028	40.3571	91.5510	0.1295
1075	2023-06-12	2:23:41 PM	1.49167	40.4061	91.4771	0.0491
1076	2023-06-12	2:23:46 PM	1.49306	40.2392	91.4092	-0.1669
1077	2023-06-12	2:23:51 PM	1.49444	40.3552	91.3383	0.1160
1078	2023-06-12	2:23:56 PM	1.49583	40.3633	91.2705	0.0080
1079	2023-06-12	2:24:01 PM	1.49722	40.3449	91.1981	-0.0183
1080	2023-06-12	2:24:06 PM	1.49861	40.3261	91.1302	-0.0189
1081	2023-06-12	2:24:11 PM	1.50000	40.4012	91.0639	0.0751
1082	2023-06-12	2:24:16 PM	1.50139	40.3825	90.9945	-0.0187
1083	2023-06-12	2:24:21 PM	1.50278	40.2157	90.9266	-0.1667
1084	2023-06-12	2:24:26 PM	1.50417	40.2783	90.8527	0.0626
1085	2023-06-12	2:24:31 PM	1.50556	40.3005	90.7788	0.0222
1086	2023-06-12	2:24:36 PM	1.50694	40.1500	90.6883	-0.1505
1087	2023-06-12	2:24:41 PM	1.50833	40.2151	90.5933	0.0651

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1088	2023-06-12	2:24:46 PM	1.50972	40.1476	90.4832	-0.0675
1089	2023-06-12	2:24:51 PM	1.51111	40.1606	90.3746	0.0130
1090	2023-06-12	2:24:56 PM	1.51250	40.0670	90.2585	-0.0936
1091	2023-06-12	2:25:01 PM	1.51389	40.0408	90.1409	-0.0262
1092	2023-06-12	2:25:06 PM	1.51528	39.9219	90.0127	-0.1189
1093	2023-06-12	2:25:11 PM	1.51667	39.8976	89.8800	-0.0243
1094	2023-06-12	2:25:16 PM	1.51806	39.9261	89.7548	0.0285
1095	2023-06-12	2:25:21 PM	1.51944	39.9563	89.6161	0.0302
1096	2023-06-12	2:25:26 PM	1.52083	39.8924	89.4789	-0.0639
1097	2023-06-12	2:25:31 PM	1.52222	39.7878	89.3447	-0.1045
1098	2023-06-12	2:25:36 PM	1.52361	39.8326	89.1969	0.0448
1099	2023-06-12	2:25:41 PM	1.52500	39.7424	89.0567	-0.0903
1100	2023-06-12	2:25:46 PM	1.52639	39.6940	88.9029	-0.0483
1101	2023-06-12	2:25:51 PM	1.52778	39.8442	88.7717	0.1501
1102	2023-06-12	2:25:56 PM	1.52917	39.8321	88.6511	-0.0121
1103	2023-06-12	2:26:01 PM	1.53056	39.8172	88.5531	-0.0148
1104	2023-06-12	2:26:06 PM	1.53194	39.8265	88.4777	0.0092
1105	2023-06-12	2:26:11 PM	1.53333	39.7812	88.4099	-0.0453
1106	2023-06-12	2:26:16 PM	1.53472	39.8833	88.3421	0.1021
1107	2023-06-12	2:26:21 PM	1.53611	39.8239	88.2802	-0.0594
1108	2023-06-12	2:26:26 PM	1.53750	39.8843	88.2245	0.0604
1109	2023-06-12	2:26:31 PM	1.53889	39.8240	88.1702	-0.0603
1110	2023-06-12	2:26:36 PM	1.54028	39.7238	88.1129	-0.1001
1111	2023-06-12	2:26:41 PM	1.54167	39.7847	88.0541	0.0608
1112	2023-06-12	2:26:46 PM	1.54306	39.8315	87.9998	0.0469
1113	2023-06-12	2:26:51 PM	1.54444	39.7839	87.9516	-0.0476
1114	2023-06-12	2:26:56 PM	1.54583	39.7509	87.8928	-0.0329
1115	2023-06-12	2:27:01 PM	1.54722	39.8246	87.8385	0.0737
1116	2023-06-12	2:27:06 PM	1.54861	39.7506	87.7873	-0.0740
1117	2023-06-12	2:27:11 PM	1.55000	39.7841	87.7330	0.0335
1118	2023-06-12	2:27:16 PM	1.55139	39.8045	87.6757	0.0205
1119	2023-06-12	2:27:21 PM	1.55278	39.7839	87.6260	-0.0206
1120	2023-06-12	2:27:26 PM	1.55417	39.8038	87.5732	0.0199
1121	2023-06-12	2:27:31 PM	1.55556	39.8501	87.5235	0.0463
1122	2023-06-12	2:27:36 PM	1.55694	39.8842	87.4647	0.0340
1123	2023-06-12	2:27:41 PM	1.55833	39.7704	87.4104	-0.1138
1124	2023-06-12	2:27:46 PM	1.55972	39.8701	87.3622	0.0997
1125	2023-06-12	2:27:51 PM	1.56111	39.8499	87.3094	-0.0202
1126	2023-06-12	2:27:56 PM	1.56250	39.8025	87.2597	-0.0474
1127	2023-06-12	2:28:01 PM	1.56389	39.9027	87.2069	0.1002
1128	2023-06-12	2:28:06 PM	1.56528	39.8420	87.1572	-0.0607
1129	2023-06-12	2:28:11 PM	1.56667	39.7686	87.1014	-0.0734
1130	2023-06-12	2:28:16 PM	1.56806	39.8688	87.0487	0.1002
1131	2023-06-12	2:28:21 PM	1.56944	39.8882	87.0004	0.0194
1132	2023-06-12	2:28:26 PM	1.57083	39.8678	86.9492	-0.0204
1133	2023-06-12	2:28:31 PM	1.57222	39.7930	86.9055	-0.0748
1134	2023-06-12	2:28:36 PM	1.57361	39.7994	86.8542	0.0064
1135	2023-06-12	2:28:41 PM	1.57500	39.9134	86.7985	0.1140
1136	2023-06-12	2:28:46 PM	1.57639	39.8122	86.7517	-0.1012
1137	2023-06-12	2:28:51 PM	1.57778	39.8986	86.7020	0.0865
1138	2023-06-12	2:28:56 PM	1.57917	39.8246	86.6522	-0.0740
1139	2023-06-12	2:29:01 PM	1.58056	39.8300	86.6085	0.0055


Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1140	2023-06-12	2:29:06 PM	1.58194	39.8638	86.5528	0.0337
1141	2023-06-12	2:29:11 PM	1.58333	39.8965	86.5045	0.0328
1142	2023-06-12	2:29:16 PM	1.58472	39.9022	86.4593	0.0057
1143	2023-06-12	2:29:21 PM	1.58611	39.8414	86.4111	-0.0608
1144	2023-06-12	2:29:26 PM	1.58750	39.8608	86.3629	0.0194
1145	2023-06-12	2:29:31 PM	1.58889	39.8670	86.3131	0.0062
1146	2023-06-12	2:29:36 PM	1.59028	39.9534	86.2634	0.0864
1147	2023-06-12	2:29:41 PM	1.59167	39.8390	86.2167	-0.1144
1148	2023-06-12	2:29:46 PM	1.59306	39.9384	86.1699	0.0994
1149	2023-06-12	2:29:51 PM	1.59444	39.8639	86.1247	-0.0745
1150	2023-06-12	2:29:56 PM	1.59583	39.8161	86.0795	-0.0478
1151	2023-06-12	2:30:01 PM	1.59722	39.8894	86.0283	0.0733
1152	2023-06-12	2:30:06 PM	1.59861	39.9086	85.9816	0.0192
1153	2023-06-12	2:30:11 PM	1.60000	39.8880	85.9333	-0.0207
1154	2023-06-12	2:30:16 PM	1.60139	39.9601	85.8911	0.0721
1155	2023-06-12	2:30:21 PM	1.60278	39.9789	85.8474	0.0189
1156	2023-06-12	2:30:26 PM	1.60417	39.7854	85.7931	-0.1936
1157	2023-06-12	2:30:31 PM	1.60556	39.9103	85.7555	0.1250
1158	2023-06-12	2:30:36 PM	1.60694	39.8231	85.7057	-0.0872
1159	2023-06-12	2:30:41 PM	1.60833	39.9088	85.6620	0.0857
1160	2023-06-12	2:30:46 PM	1.60972	39.8740	85.6198	-0.0347
1161	2023-06-12	2:30:51 PM	1.61111	39.8669	85.5701	-0.0071
1162	2023-06-12	2:30:56 PM	1.61250	39.7540	85.5128	-0.1130
1163	2023-06-12	2:31:01 PM	1.61389	39.7519	85.4239	-0.0021
1164	2023-06-12	2:31:06 PM	1.61528	39.8313	85.3245	0.0794
1165	2023-06-12	2:31:11 PM	1.61667	39.7394	85.2069	-0.0919
1166	2023-06-12	2:31:16 PM	1.61806	39.7299	85.0713	-0.0095
1167	2023-06-12	2:31:21 PM	1.61944	39.5746	84.9281	-0.1553
1168	2023-06-12	2:31:26 PM	1.62083	39.5666	84.7819	-0.0080
1169	2023-06-12	2:31:31 PM	1.62222	39.6141	84.6192	0.0475
1170	2023-06-12	2:31:36 PM	1.62361	39.5141	84.4624	-0.1000
1171	2023-06-12	2:31:41 PM	1.62500	39.4152	84.2982	-0.0989
1172	2023-06-12	2:31:46 PM	1.62639	39.3703	84.1294	-0.0449
1173	2023-06-12	2:31:51 PM	1.62778	39.4066	83.9516	0.0363
1174	2023-06-12	2:31:56 PM	1.62917	39.4031	83.7723	-0.0035
1175	2023-06-12	2:32:01 PM	1.63056	39.4013	83.5809	-0.0019
1176	2023-06-12	2:32:06 PM	1.63194	39.3446	83.4016	-0.0566
1177	2023-06-12	2:32:11 PM	1.63333	39.3294	83.2118	-0.0152
1178	2023-06-12	2:32:16 PM	1.63472	39.3772	83.0491	0.0478
1179	2023-06-12	2:32:21 PM	1.63611	39.3951	82.9120	0.0179
1180	2023-06-12	2:32:26 PM	1.63750	39.3287	82.8095	-0.0665
1181	2023-06-12	2:32:31 PM	1.63889	39.3141	82.7176	-0.0146
1182	2023-06-12	2:32:36 PM	1.64028	39.3645	82.6378	0.0504
1183	2023-06-12	2:32:41 PM	1.64167	39.4403	82.5670	0.0758
1184	2023-06-12	2:32:46 PM	1.64306	39.3029	82.4991	-0.1374
1185	2023-06-12	2:32:51 PM	1.64444	39.3374	82.4389	0.0345
1186	2023-06-12	2:32:56 PM	1.64583	39.4124	82.3741	0.0750
1187	2023-06-12	2:33:01 PM	1.64722	39.4469	82.3138	0.0345
1188	2023-06-12	2:33:06 PM	1.64861	39.4021	82.2506	-0.0449
1189	2023-06-12	2:33:11 PM	1.65000	39.4098	82.1918	0.0077
1190	2023-06-12	2:33:16 PM	1.65139	39.4574	82.1331	0.0476
1191	2023-06-12	2:33:21 PM	1.65278	39.4525	82.0698	-0.0050


Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1192	2023-06-12	2:33:26 PM	1.65417	39.4074	82.0080	-0.0450
1193	2023-06-12	2:33:31 PM	1.65556	39.4416	81.9508	0.0341
1194	2023-06-12	2:33:36 PM	1.65694	39.3170	81.8875	-0.1246
1195	2023-06-12	2:33:41 PM	1.65833	39.3250	81.8272	0.0080
1196	2023-06-12	2:33:46 PM	1.65972	39.4258	81.7685	0.1008
1197	2023-06-12	2:33:51 PM	1.66111	39.4068	81.7112	-0.0190
1198	2023-06-12	2:33:56 PM	1.66250	39.4685	81.6465	0.0617
1199	2023-06-12	2:34:01 PM	1.66389	39.3825	81.5937	-0.0860
1200	2023-06-12	2:34:06 PM	1.66528	39.4177	81.5289	0.0352
1201	2023-06-12	2:34:11 PM	1.66667	39.4380	81.4762	0.0203
1202	2023-06-12	2:34:16 PM	1.66806	39.3526	81.4190	-0.0854
1203	2023-06-12	2:34:21 PM	1.66944	39.4675	81.3542	0.1149
1204	2023-06-12	2:34:26 PM	1.67083	39.3682	81.3015	-0.0993
1205	2023-06-12	2:34:31 PM	1.67222	39.3762	81.2412	0.0080
1206	2023-06-12	2:34:36 PM	1.67361	39.4499	81.1870	0.0736
1207	2023-06-12	2:34:41 PM	1.67500	39.3249	81.1282	-0.1250
1208	2023-06-12	2:34:46 PM	1.67639	39.4524	81.0680	0.1276
1209	2023-06-12	2:34:51 PM	1.67778	39.4462	81.0152	-0.0062
1210	2023-06-12	2:34:56 PM	1.67917	39.4011	80.9550	-0.0451
1211	2023-06-12	2:35:01 PM	1.68056	39.4488	80.8962	0.0477
1212	2023-06-12	2:35:06 PM	1.68194	39.4568	80.8360	0.0081
1213	2023-06-12	2:35:11 PM	1.68333	39.4373	80.7833	-0.0195
1214	2023-06-12	2:35:16 PM	1.68472	39.4187	80.7245	-0.0187
1215	2023-06-12	2:35:21 PM	1.68611	39.5050	80.6748	0.0863
1216	2023-06-12	2:35:26 PM	1.68750	39.4330	80.6175	-0.0720
1217	2023-06-12	2:35:31 PM	1.68889	39.5730	80.5633	0.1400
1218	2023-06-12	2:35:36 PM	1.69028	39.5147	80.5031	-0.0583
1219	2023-06-12	2:35:41 PM	1.69167	39.4285	80.4534	-0.0862
1220	2023-06-12	2:35:46 PM	1.69306	39.5425	80.3946	0.1140
1221	2023-06-12	2:35:51 PM	1.69444	39.5104	80.3374	-0.0321
1222	2023-06-12	2:35:56 PM	1.69583	39.5440	80.2847	0.0336
1223	2023-06-12	2:36:01 PM	1.69722	39.5123	80.2244	-0.0317
1224	2023-06-12	2:36:06 PM	1.69861	39.4390	80.1777	-0.0733
1225	2023-06-12	2:36:11 PM	1.70000	39.4867	80.1189	0.0477
1226	2023-06-12	2:36:16 PM	1.70139	39.5328	80.0723	0.0461
1227	2023-06-12	2:36:21 PM	1.70278	39.4348	80.0120	-0.0980
1228	2023-06-12	2:36:26 PM	1.70417	39.4291	79.9563	-0.0057
1229	2023-06-12	2:36:31 PM	1.70556	39.5291	79.9035	0.0999
1230	2023-06-12	2:36:36 PM	1.70694	39.4299	79.8523	-0.0992
1231	2023-06-12	2:36:41 PM	1.70833	39.5696	79.7996	0.1397
1232	2023-06-12	2:36:46 PM	1.70972	39.4709	79.7454	-0.0987
1233	2023-06-12	2:36:51 PM	1.71111	39.4774	79.6972	0.0065
1234	2023-06-12	2:36:56 PM	1.71250	39.4060	79.6369	-0.0714
1235	2023-06-12	2:37:01 PM	1.71389	39.5323	79.5857	0.1262
1236	2023-06-12	2:37:06 PM	1.71528	39.5127	79.5345	-0.0196
1237	2023-06-12	2:37:11 PM	1.71667	39.4797	79.4848	-0.0330
1238	2023-06-12	2:37:16 PM	1.71806	39.5015	79.4215	0.0218
1239	2023-06-12	2:37:21 PM	1.71944	39.4325	79.3447	-0.0691
1240	2023-06-12	2:37:26 PM	1.72083	39.3537	79.2423	-0.0788
1241	2023-06-12	2:37:31 PM	1.72222	39.3838	79.1187	0.0301
1242	2023-06-12	2:37:36 PM	1.72361	39.2173	78.9802	-0.1665
1243	2023-06-12	2:37:41 PM	1.72500	39.2906	78.8310	0.0734


Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1244	2023-06-12	2:37:46 PM	1.72639	39.2970	78.6880	0.0064
1245	2023-06-12	2:37:51 PM	1.72778	39.1990	78.5343	-0.0980
1246	2023-06-12	2:37:56 PM	1.72917	39.2080	78.3731	0.0090
1247	2023-06-12	2:38:01 PM	1.73056	39.1363	78.2210	-0.0716
1248	2023-06-12	2:38:06 PM	1.73194	39.1985	78.0583	0.0622
1249	2023-06-12	2:38:11 PM	1.73333	39.1412	77.8987	-0.0572
1250	2023-06-12	2:38:16 PM	1.73472	39.1777	77.7315	0.0364
1251	2023-06-12	2:38:21 PM	1.73611	39.1342	77.5688	-0.0435
1252	2023-06-12	2:38:26 PM	1.73750	39.0236	77.4137	-0.1106
1253	2023-06-12	2:38:31 PM	1.73889	38.9813	77.2435	-0.0423
1254	2023-06-12	2:38:36 PM	1.74028	38.9389	77.0748	-0.0424
1255	2023-06-12	2:38:41 PM	1.74167	38.8829	76.9091	-0.0560
1256	2023-06-12	2:38:46 PM	1.74306	39.0097	76.7585	0.1268
1257	2023-06-12	2:38:51 PM	1.74444	39.0778	76.6501	0.0681
1258	2023-06-12	2:38:56 PM	1.74583	39.0369	76.5657	-0.0409
1259	2023-06-12	2:39:01 PM	1.74722	39.0032	76.5236	-0.0337
1260	2023-06-12	2:39:06 PM	1.74861	39.0726	76.4995	0.0694
1261	2023-06-12	2:39:11 PM	1.75000	39.0728	76.4980	0.0002
1262	2023-06-12	2:39:16 PM	1.75139	39.0603	76.4934	-0.0126
1263	2023-06-12	2:39:21 PM	1.75278	39.0724	76.5010	0.0121
1264	2023-06-12	2:39:26 PM	1.75417	39.0435	76.5190	-0.0290
1265	2023-06-12	2:39:31 PM	1.75556	39.0827	76.5221	0.0392
1266	2023-06-12	2:39:36 PM	1.75694	39.1468	76.5356	0.0641
1267	2023-06-12	2:39:41 PM	1.75833	39.1306	76.5567	-0.0162
1268	2023-06-12	2:39:46 PM	1.75972	39.1287	76.5703	-0.0019
1269	2023-06-12	2:39:51 PM	1.76111	39.1261	76.5883	-0.0025
1270	2023-06-12	2:39:56 PM	1.76250	39.1766	76.6049	0.0505
1271	2023-06-12	2:40:01 PM	1.76389	39.0297	76.6169	-0.1469
1272	2023-06-12	2:40:06 PM	1.76528	39.0271	76.6350	-0.0025
1273	2023-06-12	2:40:11 PM	1.76667	39.0648	76.6486	0.0377
1274	2023-06-12	2:40:16 PM	1.76806	38.9833	76.6651	-0.0816
1275	2023-06-12	2:40:21 PM	1.76944	39.0732	76.6832	0.0899
1276	2023-06-12	2:40:26 PM	1.77083	39.1511	76.6923	0.0780
1277	2023-06-12	2:40:31 PM	1.77222	39.0696	76.7088	-0.0816
1278	2023-06-12	2:40:36 PM	1.77361	39.1066	76.7269	0.0371
1279	2023-06-12	2:40:41 PM	1.77500	39.1043	76.7435	-0.0023
1280	2023-06-12	2:40:46 PM	1.77639	39.0892	76.7570	-0.0151
1281	2023-06-12	2:40:51 PM	1.77778	39.1531	76.7721	0.0639
1282	2023-06-12	2:40:56 PM	1.77917	39.1634	76.7932	0.0102
1283	2023-06-12	2:41:01 PM	1.78056	39.1485	76.8052	-0.0149
1284	2023-06-12	2:41:06 PM	1.78194	39.1331	76.8203	-0.0153
1285	2023-06-12	2:41:11 PM	1.78333	39.1170	76.8414	-0.0162
1286	2023-06-12	2:41:16 PM	1.78472	39.1553	76.8504	0.0384
1287	2023-06-12	2:41:21 PM	1.78611	39.1526	76.8700	-0.0027
1288	2023-06-12	2:41:26 PM	1.78750	39.0980	76.8820	-0.0545
1289	2023-06-12	2:41:31 PM	1.78889	39.1223	76.8971	0.0243
1290	2023-06-12	2:41:36 PM	1.79028	39.1729	76.9137	0.0505
1291	2023-06-12	2:41:41 PM	1.79167	39.0651	76.9287	-0.1078
1292	2023-06-12	2:41:46 PM	1.79306	39.1942	76.9498	0.1291
1293	2023-06-12	2:41:51 PM	1.79444	39.0336	76.9649	-0.1606
1294	2023-06-12	2:41:56 PM	1.79583	39.1369	76.9814	0.1034
1295	2023-06-12	2:42:01 PM	1.79722	39.0830	76.9890	-0.0539

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1296	2023-06-12	2:42:06 PM	1.79861	39.1728	77.0085	0.0897
1297	2023-06-12	2:42:11 PM	1.80000	39.0778	77.0266	-0.0950
1298	2023-06-12	2:42:16 PM	1.80139	39.1946	77.0417	0.1168
1299	2023-06-12	2:42:21 PM	1.80278	39.1262	77.0582	-0.0684
1300	2023-06-12	2:42:26 PM	1.80417	39.1897	77.0763	0.0635
1301	2023-06-12	2:42:31 PM	1.80556	39.1211	77.0944	-0.0686
1302	2023-06-12	2:42:36 PM	1.80694	39.1064	77.1049	-0.0147
1303	2023-06-12	2:42:41 PM	1.80833	39.1962	77.1245	0.0897
1304	2023-06-12	2:42:46 PM	1.80972	39.1546	77.1381	-0.0415
1305	2023-06-12	2:42:51 PM	1.81111	39.1657	77.1531	0.0111
1306	2023-06-12	2:42:56 PM	1.81250	39.1762	77.1727	0.0105
1307	2023-06-12	2:43:01 PM	1.81389	39.1607	77.1893	-0.0155
1308	2023-06-12	2:43:06 PM	1.81528	39.1714	77.2074	0.0107
1309	2023-06-12	2:43:11 PM	1.81667	39.0900	77.2224	-0.0814
1310	2023-06-12	2:43:16 PM	1.81806	39.1537	77.2390	0.0638
1311	2023-06-12	2:43:21 PM	1.81944	39.1644	77.2571	0.0107
1312	2023-06-12	2:43:26 PM	1.82083	39.1095	77.2721	-0.0550
1313	2023-06-12	2:43:31 PM	1.82222	39.1466	77.2902	0.0371
1314	2023-06-12	2:43:36 PM	1.82361	39.0918	77.3037	-0.0548
1315	2023-06-12	2:43:41 PM	1.82500	39.0633	77.3188	-0.0285
1316	2023-06-12	2:43:46 PM	1.82639	39.1793	77.3399	0.1160
1317	2023-06-12	2:43:51 PM	1.82778	39.1369	77.3595	-0.0424
1318	2023-06-12	2:43:56 PM	1.82917	39.0820	77.3745	-0.0550
1319	2023-06-12	2:44:01 PM	1.83056	38.9479	77.3881	-0.1341
1320	2023-06-12	2:44:06 PM	1.83194	38.6949	77.4016	-0.2530
1321	2023-06-12	2:44:11 PM	1.83333	38.4024	77.4136	-0.2925
1322	2023-06-12	2:44:16 PM	1.83472	38.1376	77.4166	-0.2648
1323	2023-06-12	2:44:21 PM	1.83611	37.8441	77.4361	-0.2935
1324	2023-06-12	2:44:26 PM	1.83750	16.6037	77.4277	-21.2404
1325	2023-06-12	2:44:31 PM	1.83889	12.6532	77.4167	-3.9505
1326	2023-06-12	2:44:36 PM	1.84028	12.6410	77.4107	-0.0122
1327	2023-06-12	2:44:41 PM	1.84167	12.6042	77.3941	-0.0368
1328	2023-06-12	2:44:46 PM	1.84306	12.5410	77.3776	-0.0632
1329	2023-06-12	2:44:51 PM	1.84444	12.7020	77.3640	0.1610
1330	2023-06-12	2:44:56 PM	1.84583	12.6372	77.3565	-0.0648
1331	2023-06-12	2:45:01 PM	1.84722	12.6118	77.3505	-0.0254
1332	2023-06-12	2:45:06 PM	1.84861	12.5717	77.3535	-0.0402
1333	2023-06-12	2:45:11 PM	1.85000	12.6639	77.3550	0.0923
1334	2023-06-12	2:45:16 PM	1.85139	12.6364	77.3610	-0.0275
1335	2023-06-12	2:45:21 PM	1.85278	12.6087	77.3685	-0.0277
1336	2023-06-12	2:45:26 PM	1.85417	12.4638	77.3655	-0.1449
1337	2023-06-12	2:45:31 PM	1.85556	12.6219	77.3685	0.1581
1338	2023-06-12	2:45:36 PM	1.85694	12.5683	77.3730	-0.0537
1339	2023-06-12	2:45:41 PM	1.85833	12.6817	77.4047	0.1135
1340	2023-06-12	2:45:46 PM	1.85972	12.5412	77.4529	-0.1405
1341	2023-06-12	2:45:51 PM	1.86111	12.6666	77.4920	0.1254
1342	2023-06-12	2:45:56 PM	1.86250	12.6336	77.5297	-0.0330
1343	2023-06-12	2:46:01 PM	1.86389	12.6546	77.5613	0.0210
1344	2023-06-12	2:46:06 PM	1.86528	12.5558	77.5974	-0.0988
1345	2023-06-12	2:46:11 PM	1.86667	12.6032	77.6291	0.0474
1346	2023-06-12	2:46:16 PM	1.86806	12.6239	77.6622	0.0207
1347	2023-06-12	2:46:21 PM	1.86944	12.6967	77.6999	0.0728

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1348	2023-06-12	2:46:26 PM	1.87083	12.6762	77.7420	-0.0205
1349	2023-06-12	2:46:31 PM	1.87222	12.6311	77.7737	-0.0451
1350	2023-06-12	2:46:36 PM	1.87361	12.6515	77.8083	0.0205
1351	2023-06-12	2:46:41 PM	1.87500	12.6468	77.8354	-0.0047
1352	2023-06-12	2:46:46 PM	1.87639	12.6945	77.8655	0.0477
1353	2023-06-12	2:46:51 PM	1.87778	12.5584	77.8881	-0.1362
1354	2023-06-12	2:46:56 PM	1.87917	12.5957	77.9017	0.0373
1355	2023-06-12	2:47:01 PM	1.88056	12.6058	77.9198	0.0101
1356	2023-06-12	2:47:06 PM	1.88194	12.5918	77.9243	-0.0140
1357	2023-06-12	2:47:11 PM	1.88333	12.6426	77.9363	0.0508
1358	2023-06-12	2:47:16 PM	1.88472	12.6123	77.9589	-0.0304
1359	2023-06-12	2:47:21 PM	1.88611	12.6826	78.0116	0.0703
1360	2023-06-12	2:47:26 PM	1.88750	12.6052	78.0764	-0.0773
1361	2023-06-12	2:47:31 PM	1.88889	12.7126	78.1442	0.1074
1362	2023-06-12	2:47:36 PM	1.89028	12.6218	78.2104	-0.0908
1363	2023-06-12	2:47:41 PM	1.89167	12.6138	78.2571	-0.0080
1364	2023-06-12	2:47:46 PM	1.89306	12.6359	78.2827	0.0221
1365	2023-06-12	2:47:51 PM	1.89444	12.5658	78.3053	-0.0701









District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 232679

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 232679
	Action Type: [C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
dmcclosure	ACCEPTED FOR RECORD	9/28/2023