



Pressure Survey Report

HILCORP

SAN JUAN 29-7 #300

30-045-25498

Thursday, July 8, 2021

JOB INFORMATION SHEET

Company Information		
Company Name:	HILCORP	
Address:		
Well Information		
Well Name:	SAN JUAN 29-7 #300 30-045-25498	
Location:		
Field – Pool:		
Status:		
Test Information		
Type of Test:	POOH STATIC GRADIENT	
Gauge Depth:	5400 ft	
Production Interval:	0 ft to 0 ft	
Production Through:		
Tubing Pressure:	390 psi	
Casing Pressure:	0 psi	
Shut In Time		
Status:		
Temperature @ Run Depth	167.1 degF	
Surface Temperature:	65.44 degF	
Gauge Information		
	Top Recorder	Bottom Recorder
Serial Number:	3946	
Calibration Date:	7/15/2020	
Pressure Range:	15000 psi	
Comments		

EXPERT DOWNHOLE SERVICES

HILCORP

WELL INFORMATION SHEET**Well:** SAN JUAN 29-7 #300**Well License:****Company:****Partner:****Field**

HILCORP

Unique Well Identifier:

Location:

Formation:

Purpose:

County:

RIO ARRIBA

State:

NM

Country:

Permanent Datum

Vertical Zero Entity

Elevation:

0 ft

Distance above PD:

0 ft

Magnetic declination 0 deg

Latitude 0 deg

Longitude 0 deg

Section

Area

Block ID

Range

Quarter Section

Type Production (EUB Code): 2

Producing Status (EUB Code): 0

Type of Well (EUB Code): 0

Well Type (H) orizontal, (V)ertical, or (D)eviated

Open Hole Completion? N

(Y)es or (N)o

Casing Liner Present? N

(Y)es or (N)o

Flow Regime

(T)ubing, (A)nnular, or (C)asing

Total Depth: 5751 ft

Packer Depth: 0 ft

Depth of whipstock: 0 ft

Depth at which casing is landed: 0 ft

Depth at which tubing is landed: 0 ft

ID Borehole: 0 in


ID Production Casing: 0 in


OD Production Tubing: 0 in


ID Production Tubing: 0 in

ID Drill Pipe: 0 in

EXPERT DOWNHOLE SERVICES









Sequence of Events
HILCORP
SAN JUAN 29-7 #300

Date/Time	ElapseTime [hr]	Pressure [psi]	Temperature [degF]	Event
2021-JUL-08 12:34:38	0.2383	446.47	163.17	5400 WLM
2021-JUL-08 13:35:32	1.2533	445.49	166.65	5200 WLM
2021-JUL-08 13:41:21	1.3503	444.35	164.44	5000 WLM
2021-JUL-08 13:48:58	1.4772	435.03	146.66	4000 WLM
2021-JUL-08 13:56:37	1.6047	427.28	130.56	3000 WLM
2021-JUL-08 14:04:04	1.7289	416.83	99.29	2000 WLM
2021-JUL-08 14:11:23	1.8508	406.78	82.84	1000 WLM
2021-JUL-08 14:18:39	1.9719	397.00	67.10	0 WLM

EXPERT DOWNHOLE SERVICES

ASCII Data Report

HILCORP

SAN JUAN 29-7 #300

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1	2021-07-08	12:20:20 PM	0.00000	13.6380	89.2229	0.0000
2	2021-07-08	12:20:25 PM	0.00139	13.6829	89.1579	0.0449
3	2021-07-08	12:20:30 PM	0.00278	13.5325	89.2694	-0.1504
4	2021-07-08	12:20:35 PM	0.00417	13.3569	89.3452	-0.1756
5	2021-07-08	12:20:40 PM	0.00556	13.3336	89.4645	-0.0233
6	2021-07-08	12:20:45 PM	0.00694	13.1932	89.6069	-0.1404
7	2021-07-08	12:20:50 PM	0.00833	13.2110	89.7633	0.0178
8	2021-07-08	12:20:55 PM	0.00972	13.3951	89.8919	0.1841
9	2021-07-08	12:21:00 PM	0.01111	13.4200	90.0127	0.0249
10	2021-07-08	12:21:05 PM	0.01250	13.3510	90.1196	-0.0690
11	2021-07-08	12:21:10 PM	0.01389	13.3456	90.2311	-0.0055
12	2021-07-08	12:21:15 PM	0.01528	13.3720	90.3442	0.0265
13	2021-07-08	12:21:20 PM	0.01667	13.3196	90.4495	-0.0525
14	2021-07-08	12:21:25 PM	0.01806	13.2641	90.5703	-0.0554
15	2021-07-08	12:21:30 PM	0.01944	13.4014	90.6943	0.1372
16	2021-07-08	12:21:35 PM	0.02083	13.2008	90.8166	-0.2006
17	2021-07-08	12:21:40 PM	0.02222	13.4366	90.9313	0.2358
18	2021-07-08	12:21:45 PM	0.02361	13.4006	91.0351	-0.0359
19	2021-07-08	12:21:50 PM	0.02500	13.3322	91.1404	-0.0684
20	2021-07-08	12:21:55 PM	0.02639	13.2802	91.2442	-0.0520
21	2021-07-08	12:22:00 PM	0.02778	13.2452	91.3434	-0.0350
22	2021-07-08	12:22:05 PM	0.02917	13.2768	91.4317	0.0316
23	2021-07-08	12:22:10 PM	0.03056	13.3556	91.5262	0.0788
24	2021-07-08	12:22:15 PM	0.03194	13.2729	91.6222	-0.0827
25	2021-07-08	12:22:20 PM	0.03333	13.4163	91.7168	0.1434
26	2021-07-08	12:22:25 PM	0.03472	13.4175	91.7958	0.0012
27	2021-07-08	12:22:30 PM	0.03611	13.2932	91.8562	-0.1243
28	2021-07-08	12:22:35 PM	0.03750	13.3496	91.8996	0.0563
29	2021-07-08	12:22:40 PM	0.03889	13.4390	91.9383	0.0895
30	2021-07-08	12:22:45 PM	0.04028	13.4669	91.9616	0.0279
31	2021-07-08	12:22:50 PM	0.04167	13.5435	91.9833	0.0766
32	2021-07-08	12:22:55 PM	0.04306	13.4749	92.0050	-0.0686
33	2021-07-08	12:23:00 PM	0.04444	13.4737	92.0112	-0.0012
34	2021-07-08	12:23:05 PM	0.04583	13.5172	92.0375	0.0434
35	2021-07-08	12:23:10 PM	0.04722	54.3567	92.0695	40.8395
36	2021-07-08	12:23:15 PM	0.04861	391.5629	92.2603	337.2063
37	2021-07-08	12:23:20 PM	0.05000	391.7768	91.9922	0.2138
38	2021-07-08	12:23:25 PM	0.05139	391.6971	91.6560	-0.0797
39	2021-07-08	12:23:30 PM	0.05278	391.6674	91.3818	-0.0297
40	2021-07-08	12:23:35 PM	0.05417	391.6889	91.1742	0.0215
41	2021-07-08	12:23:40 PM	0.05556	391.6471	91.0271	-0.0418
42	2021-07-08	12:23:45 PM	0.05694	391.6981	90.9233	0.0510
43	2021-07-08	12:23:50 PM	0.05833	391.5982	90.8551	-0.0999
44	2021-07-08	12:23:55 PM	0.05972	391.7773	90.8056	0.1791
45	2021-07-08	12:24:00 PM	0.06111	392.1737	90.6709	0.3963
46	2021-07-08	12:24:05 PM	0.06250	392.3396	90.1226	0.1659
47	2021-07-08	12:24:10 PM	0.06389	392.6886	89.3700	0.3490

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
48	2021-07-08	12:24:15 PM	0.06528	392.9928	88.5168	0.3042
49	2021-07-08	12:24:20 PM	0.06667	393.5413	87.5075	0.5485
50	2021-07-08	12:24:25 PM	0.06806	394.1044	86.2677	0.5631
51	2021-07-08	12:24:30 PM	0.06944	394.7925	84.7915	0.6881
52	2021-07-08	12:24:35 PM	0.07083	395.1618	83.1453	0.3694
53	2021-07-08	12:24:40 PM	0.07222	395.7457	81.4052	0.5838
54	2021-07-08	12:24:45 PM	0.07361	396.2936	79.6439	0.5479
55	2021-07-08	12:24:50 PM	0.07500	396.9125	77.9014	0.6189
56	2021-07-08	12:24:55 PM	0.07639	397.4418	76.2272	0.5293
57	2021-07-08	12:25:00 PM	0.07778	398.0414	74.6274	0.5996
58	2021-07-08	12:25:05 PM	0.07917	398.5704	73.1669	0.5290
59	2021-07-08	12:25:10 PM	0.08056	399.1774	71.8749	0.6070
60	2021-07-08	12:25:15 PM	0.08194	399.8706	70.7886	0.6932
61	2021-07-08	12:25:20 PM	0.08333	400.3377	69.9171	0.4671
62	2021-07-08	12:25:25 PM	0.08472	400.7204	69.2650	0.3827
63	2021-07-08	12:25:30 PM	0.08611	400.7464	68.8091	0.0260
64	2021-07-08	12:25:35 PM	0.08750	400.8151	68.5217	0.0687
65	2021-07-08	12:25:40 PM	0.08889	400.9232	68.3286	0.1080
66	2021-07-08	12:25:45 PM	0.09028	401.0623	68.1972	0.1391
67	2021-07-08	12:25:50 PM	0.09167	401.2000	68.1231	0.1377
68	2021-07-08	12:25:55 PM	0.09306	401.4235	68.0798	0.2235
69	2021-07-08	12:26:00 PM	0.09444	401.6891	68.0799	0.2656
70	2021-07-08	12:26:05 PM	0.09583	401.9319	68.1139	0.2428
71	2021-07-08	12:26:10 PM	0.09722	402.2122	68.1726	0.2803
72	2021-07-08	12:26:15 PM	0.09861	402.4269	68.2809	0.2147
73	2021-07-08	12:26:20 PM	0.10000	402.7413	68.4122	0.3144
74	2021-07-08	12:26:25 PM	0.10139	403.0965	68.5807	0.3552
75	2021-07-08	12:26:30 PM	0.10278	403.6600	68.7678	0.5635
76	2021-07-08	12:26:35 PM	0.10417	403.7164	68.9888	0.0564
77	2021-07-08	12:26:40 PM	0.10556	404.2195	69.2423	0.5031
78	2021-07-08	12:26:45 PM	0.10694	404.5766	69.5344	0.3571
79	2021-07-08	12:26:50 PM	0.10833	405.0206	69.8574	0.4440
80	2021-07-08	12:26:55 PM	0.10972	405.3801	70.2145	0.3596
81	2021-07-08	12:27:00 PM	0.11111	405.8390	70.5885	0.4588
82	2021-07-08	12:27:05 PM	0.11250	406.1979	70.9965	0.3589
83	2021-07-08	12:27:10 PM	0.11389	406.6444	71.4355	0.4465
84	2021-07-08	12:27:15 PM	0.11528	407.1119	71.8899	0.4675
85	2021-07-08	12:27:20 PM	0.11667	407.4929	72.3690	0.3810
86	2021-07-08	12:27:25 PM	0.11806	407.9731	72.8621	0.4802
87	2021-07-08	12:27:30 PM	0.11944	408.3653	73.3737	0.3921
88	2021-07-08	12:27:35 PM	0.12083	408.6973	73.8916	0.3320
89	2021-07-08	12:27:40 PM	0.12222	409.0377	74.4357	0.3404
90	2021-07-08	12:27:45 PM	0.12361	409.5295	75.0092	0.4918
91	2021-07-08	12:27:50 PM	0.12500	410.0574	75.5935	0.5279
92	2021-07-08	12:27:55 PM	0.12639	410.4381	76.2104	0.3807
93	2021-07-08	12:28:00 PM	0.12778	410.8096	76.8458	0.3716
94	2021-07-08	12:28:05 PM	0.12917	411.2472	77.4858	0.4376
95	2021-07-08	12:28:10 PM	0.13056	411.7212	78.1368	0.4739
96	2021-07-08	12:28:15 PM	0.13194	412.2632	78.7986	0.5420
97	2021-07-08	12:28:20 PM	0.13333	412.6622	79.4543	0.3991
98	2021-07-08	12:28:25 PM	0.13472	413.0790	80.1115	0.4168
99	2021-07-08	12:28:30 PM	0.13611	413.5976	80.7859	0.5186

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
100	2021-07-08	12:28:35 PM	0.13750	414.1396	81.4803	0.5421
101	2021-07-08	12:28:40 PM	0.13889	414.5756	82.1872	0.4360
102	2021-07-08	12:28:45 PM	0.14028	415.0674	82.9159	0.4918
103	2021-07-08	12:28:50 PM	0.14167	415.4655	83.6461	0.3981
104	2021-07-08	12:28:55 PM	0.14306	416.0825	84.4090	0.6170
105	2021-07-08	12:29:00 PM	0.14444	416.6872	85.1781	0.6047
106	2021-07-08	12:29:05 PM	0.14583	417.0852	85.9457	0.3980
107	2021-07-08	12:29:10 PM	0.14722	417.5971	86.7150	0.5119
108	2021-07-08	12:29:15 PM	0.14861	418.0561	87.4642	0.4590
109	2021-07-08	12:29:20 PM	0.15000	418.5295	88.2043	0.4734
110	2021-07-08	12:29:25 PM	0.15139	419.1141	88.9367	0.5846
111	2021-07-08	12:29:30 PM	0.15278	419.6564	89.6832	0.5423
112	2021-07-08	12:29:35 PM	0.15417	420.1747	90.4514	0.5183
113	2021-07-08	12:29:40 PM	0.15556	420.7390	91.2585	0.5643
114	2021-07-08	12:29:45 PM	0.15694	421.1725	92.1060	0.4336
115	2021-07-08	12:29:50 PM	0.15833	421.6032	92.9909	0.4306
116	2021-07-08	12:29:55 PM	0.15972	422.2446	93.9240	0.6414
117	2021-07-08	12:30:00 PM	0.16111	422.8164	94.8867	0.5718
118	2021-07-08	12:30:05 PM	0.16250	423.2769	95.9008	0.4605
119	2021-07-08	12:30:10 PM	0.16389	423.7692	96.9586	0.4923
120	2021-07-08	12:30:15 PM	0.16528	424.1178	98.0695	0.3486
121	2021-07-08	12:30:20 PM	0.16667	424.6766	99.2722	0.5588
122	2021-07-08	12:30:25 PM	0.16806	425.0550	100.5654	0.3784
123	2021-07-08	12:30:30 PM	0.16944	425.3868	101.9118	0.3318
124	2021-07-08	12:30:35 PM	0.17083	425.7453	103.3365	0.3585
125	2021-07-08	12:30:40 PM	0.17222	426.0632	105.0307	0.3179
126	2021-07-08	12:30:45 PM	0.17361	426.3821	106.9234	0.3188
127	2021-07-08	12:30:50 PM	0.17500	426.7320	108.8594	0.3499
128	2021-07-08	12:30:55 PM	0.17639	427.3061	110.7749	0.5742
129	2021-07-08	12:31:00 PM	0.17778	427.6056	112.6075	0.2995
130	2021-07-08	12:31:05 PM	0.17917	428.2591	114.3603	0.6535
131	2021-07-08	12:31:10 PM	0.18056	428.7034	116.0300	0.4443
132	2021-07-08	12:31:15 PM	0.18194	429.2636	117.6477	0.5602
133	2021-07-08	12:31:20 PM	0.18333	429.7025	119.1994	0.4389
134	2021-07-08	12:31:25 PM	0.18472	430.2082	120.7004	0.5057
135	2021-07-08	12:31:30 PM	0.18611	430.7680	122.1618	0.5598
136	2021-07-08	12:31:35 PM	0.18750	431.1803	123.5803	0.4122
137	2021-07-08	12:31:40 PM	0.18889	431.6345	124.9730	0.4543
138	2021-07-08	12:31:45 PM	0.19028	432.2146	126.3385	0.5800
139	2021-07-08	12:31:50 PM	0.19167	432.5740	127.6955	0.3594
140	2021-07-08	12:31:55 PM	0.19306	432.9209	129.0644	0.3469
141	2021-07-08	12:32:00 PM	0.19444	433.5010	130.4232	0.5802
142	2021-07-08	12:32:05 PM	0.19583	433.9034	131.7531	0.4023
143	2021-07-08	12:32:10 PM	0.19722	434.4233	133.0289	0.5199
144	2021-07-08	12:32:15 PM	0.19861	434.9359	134.2804	0.5126
145	2021-07-08	12:32:20 PM	0.20000	435.4861	135.4901	0.5502
146	2021-07-08	12:32:25 PM	0.20139	435.9545	136.6566	0.4684
147	2021-07-08	12:32:30 PM	0.20278	436.3732	137.7749	0.4187
148	2021-07-08	12:32:35 PM	0.20417	436.9299	138.8466	0.5568
149	2021-07-08	12:32:40 PM	0.20556	437.4766	139.8857	0.5467
150	2021-07-08	12:32:45 PM	0.20694	437.9073	140.8828	0.4307
151	2021-07-08	12:32:50 PM	0.20833	438.3964	141.8489	0.4891

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
152	2021-07-08	12:32:55 PM	0.20972	438.7360	142.7760	0.3395
153	2021-07-08	12:33:00 PM	0.21111	439.3064	143.6751	0.5704
154	2021-07-08	12:33:05 PM	0.21250	439.8193	144.5541	0.5130
155	2021-07-08	12:33:10 PM	0.21389	440.2626	145.4272	0.4432
156	2021-07-08	12:33:15 PM	0.21528	440.5942	146.2739	0.3316
157	2021-07-08	12:33:20 PM	0.21667	440.9748	147.1115	0.3807
158	2021-07-08	12:33:25 PM	0.21806	441.4508	147.9241	0.4759
159	2021-07-08	12:33:30 PM	0.21944	441.9917	148.7229	0.5409
160	2021-07-08	12:33:35 PM	0.22083	442.3751	149.5126	0.3834
161	2021-07-08	12:33:40 PM	0.22222	442.9052	150.2756	0.5301
162	2021-07-08	12:33:45 PM	0.22361	443.3562	151.0566	0.4510
163	2021-07-08	12:33:50 PM	0.22500	443.7430	151.8490	0.3868
164	2021-07-08	12:33:55 PM	0.22639	444.1825	152.6897	0.4395
165	2021-07-08	12:34:00 PM	0.22778	444.5127	153.5611	0.3302
166	2021-07-08	12:34:05 PM	0.22917	444.7848	154.4617	0.2721
167	2021-07-08	12:34:10 PM	0.23056	445.0324	155.3885	0.2475
168	2021-07-08	12:34:15 PM	0.23194	445.2715	156.3381	0.2392
169	2021-07-08	12:34:20 PM	0.23333	445.5401	157.3188	0.2686
170	2021-07-08	12:34:25 PM	0.23472	445.7355	158.3353	0.1954
171	2021-07-08	12:34:30 PM	0.23611	445.8423	159.2981	0.1068
172	2021-07-08	12:34:35 PM	0.23750	445.9287	160.1560	0.0864
173	2021-07-08	12:34:40 PM	0.23889	446.0055	160.8910	0.0768
174	2021-07-08	12:34:45 PM	0.24028	446.0078	161.5174	0.0023
175	2021-07-08	12:34:50 PM	0.24167	446.1476	161.9935	0.1398
176	2021-07-08	12:34:55 PM	0.24306	446.1366	162.3446	-0.0110
177	2021-07-08	12:35:00 PM	0.24444	446.2830	162.5996	0.1464
178	2021-07-08	12:35:05 PM	0.24583	446.3913	162.7985	0.1083
179	2021-07-08	12:35:10 PM	0.24722	446.4667	162.9557	0.0755
180	2021-07-08	12:35:15 PM	0.24861	446.4674	163.1001	0.0007
181	2021-07-08	12:35:20 PM	0.25000	446.4797	163.2285	0.0123
182	2021-07-08	12:35:25 PM	0.25139	446.5369	163.3360	0.0572
183	2021-07-08	12:35:30 PM	0.25278	446.5531	163.4275	0.0162
184	2021-07-08	12:35:35 PM	0.25417	446.5670	163.5125	0.0139
185	2021-07-08	12:35:40 PM	0.25556	446.6335	163.5976	0.0665
186	2021-07-08	12:35:45 PM	0.25694	446.6263	163.6731	-0.0072
187	2021-07-08	12:35:50 PM	0.25833	446.5296	163.7437	-0.0967
188	2021-07-08	12:35:55 PM	0.25972	446.6550	163.7983	0.1254
189	2021-07-08	12:36:00 PM	0.26111	446.6588	163.8561	0.0038
190	2021-07-08	12:36:05 PM	0.26250	446.6451	163.9138	-0.0137
191	2021-07-08	12:36:10 PM	0.26389	446.6805	163.9620	0.0354
192	2021-07-08	12:36:15 PM	0.26528	446.5627	164.0230	-0.1178
193	2021-07-08	12:36:20 PM	0.26667	446.5605	164.0647	-0.0021
194	2021-07-08	12:36:25 PM	0.26806	446.6837	164.1129	0.1231
195	2021-07-08	12:36:30 PM	0.26944	446.5786	164.1611	-0.1050
196	2021-07-08	12:36:35 PM	0.27083	446.7889	164.2077	0.2103
197	2021-07-08	12:36:40 PM	0.27222	446.6440	164.2430	-0.1449
198	2021-07-08	12:36:45 PM	0.27361	446.6461	164.2960	0.0021
199	2021-07-08	12:36:50 PM	0.27500	446.7106	164.3281	0.0645
200	2021-07-08	12:36:55 PM	0.27639	446.5851	164.3682	-0.1256
201	2021-07-08	12:37:00 PM	0.27778	446.7240	164.4116	0.1389
202	2021-07-08	12:37:05 PM	0.27917	446.6505	164.4502	-0.0735
203	2021-07-08	12:37:10 PM	0.28056	446.6478	164.4903	-0.0027

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
204	2021-07-08	12:37:15 PM	0.28194	446.7124	164.5224	0.0646
205	2021-07-08	12:37:20 PM	0.28333	446.7600	164.5562	0.0476
206	2021-07-08	12:37:25 PM	0.28472	446.7028	164.5915	-0.0571
207	2021-07-08	12:37:30 PM	0.28611	446.6439	164.6220	-0.0589
208	2021-07-08	12:37:35 PM	0.28750	446.7606	164.6525	0.1167
209	2021-07-08	12:37:40 PM	0.28889	446.5992	164.6911	-0.1613
210	2021-07-08	12:37:45 PM	0.29028	446.7498	164.7184	0.1506
211	2021-07-08	12:37:50 PM	0.29167	446.7097	164.7521	-0.0402
212	2021-07-08	12:37:55 PM	0.29306	446.7186	164.7762	0.0089
213	2021-07-08	12:38:00 PM	0.29444	446.7305	164.8084	0.0119
214	2021-07-08	12:38:05 PM	0.29583	446.6207	164.8437	-0.1098
215	2021-07-08	12:38:10 PM	0.29722	446.7028	164.8758	0.0822
216	2021-07-08	12:38:15 PM	0.29861	446.6737	164.8919	-0.0292
217	2021-07-08	12:38:20 PM	0.30000	446.6686	164.9256	-0.0051
218	2021-07-08	12:38:25 PM	0.30139	446.6400	164.9433	-0.0286
219	2021-07-08	12:38:30 PM	0.30278	446.6332	164.9722	-0.0068
220	2021-07-08	12:38:35 PM	0.30417	446.7838	164.9996	0.1507
221	2021-07-08	12:38:40 PM	0.30556	446.7395	165.0220	-0.0444
222	2021-07-08	12:38:45 PM	0.30694	446.8392	165.0542	0.0998
223	2021-07-08	12:38:50 PM	0.30833	446.6871	165.0702	-0.1521
224	2021-07-08	12:38:55 PM	0.30972	446.7172	165.1040	0.0301
225	2021-07-08	12:39:00 PM	0.31111	446.7419	165.1233	0.0247
226	2021-07-08	12:39:05 PM	0.31250	446.7532	165.1538	0.0113
227	2021-07-08	12:39:10 PM	0.31389	446.6046	165.1795	-0.1486
228	2021-07-08	12:39:15 PM	0.31528	446.7881	165.2004	0.1835
229	2021-07-08	12:39:20 PM	0.31667	446.6008	165.2165	-0.1873
230	2021-07-08	12:39:25 PM	0.31806	446.7133	165.2358	0.1126
231	2021-07-08	12:39:30 PM	0.31944	446.6877	165.2615	-0.0256
232	2021-07-08	12:39:35 PM	0.32083	446.7979	165.2743	0.1102
233	2021-07-08	12:39:40 PM	0.32222	446.7851	165.2872	-0.0128
234	2021-07-08	12:39:45 PM	0.32361	446.8292	165.3113	0.0441
235	2021-07-08	12:39:50 PM	0.32500	446.7292	165.3258	-0.1001
236	2021-07-08	12:39:55 PM	0.32639	446.7217	165.3531	-0.0074
237	2021-07-08	12:40:00 PM	0.32778	446.6380	165.3643	-0.0837
238	2021-07-08	12:40:05 PM	0.32917	446.8415	165.3917	0.2035
239	2021-07-08	12:40:10 PM	0.33056	446.7772	165.4077	-0.0643
240	2021-07-08	12:40:15 PM	0.33194	446.6958	165.4254	-0.0813
241	2021-07-08	12:40:20 PM	0.33333	446.7897	165.4415	0.0938
242	2021-07-08	12:40:25 PM	0.33472	446.7617	165.4608	-0.0280
243	2021-07-08	12:40:30 PM	0.33611	446.8004	165.4704	0.0387
244	2021-07-08	12:40:35 PM	0.33750	446.7409	165.4993	-0.0596
245	2021-07-08	12:40:40 PM	0.33889	446.6741	165.5090	-0.0667
246	2021-07-08	12:40:45 PM	0.34028	446.9262	165.5251	0.2520
247	2021-07-08	12:40:50 PM	0.34167	446.6679	165.5395	-0.2583
248	2021-07-08	12:40:55 PM	0.34306	446.8169	165.5620	0.1490
249	2021-07-08	12:41:00 PM	0.34444	446.7719	165.5829	-0.0450
250	2021-07-08	12:41:05 PM	0.34583	446.8112	165.5942	0.0393
251	2021-07-08	12:41:10 PM	0.34722	446.8372	165.6167	0.0259
252	2021-07-08	12:41:15 PM	0.34861	446.8977	165.6376	0.0605
253	2021-07-08	12:41:20 PM	0.35000	446.7097	165.6520	-0.1880
254	2021-07-08	12:41:25 PM	0.35139	446.8393	165.6697	0.1296
255	2021-07-08	12:41:30 PM	0.35278	446.8793	165.6826	0.0399

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
256	2021-07-08	12:41:35 PM	0.35417	446.8349	165.7051	-0.0444
257	2021-07-08	12:41:40 PM	0.35556	446.8918	165.7164	0.0569
258	2021-07-08	12:41:45 PM	0.35694	446.8093	165.7308	-0.0825
259	2021-07-08	12:41:50 PM	0.35833	446.9899	165.7437	0.1806
260	2021-07-08	12:41:55 PM	0.35972	446.6436	165.7581	-0.3463
261	2021-07-08	12:42:00 PM	0.36111	446.7715	165.7710	0.1278
262	2021-07-08	12:42:05 PM	0.36250	446.7950	165.7871	0.0236
263	2021-07-08	12:42:10 PM	0.36389	446.8326	165.7935	0.0376
264	2021-07-08	12:42:15 PM	0.36528	446.7676	165.8080	-0.0650
265	2021-07-08	12:42:20 PM	0.36667	446.7215	165.8257	-0.0462
266	2021-07-08	12:42:25 PM	0.36806	446.8124	165.8337	0.0909
267	2021-07-08	12:42:30 PM	0.36944	446.7298	165.8482	-0.0825
268	2021-07-08	12:42:35 PM	0.37083	446.8201	165.8546	0.0903
269	2021-07-08	12:42:40 PM	0.37222	446.8273	165.8739	0.0072
270	2021-07-08	12:42:45 PM	0.37361	446.7951	165.8819	-0.0322
271	2021-07-08	12:42:50 PM	0.37500	446.6446	165.9028	-0.1505
272	2021-07-08	12:42:55 PM	0.37639	446.7865	165.9061	0.1419
273	2021-07-08	12:43:00 PM	0.37778	446.8095	165.9205	0.0230
274	2021-07-08	12:43:05 PM	0.37917	446.8136	165.9318	0.0042
275	2021-07-08	12:43:10 PM	0.38056	446.7821	165.9414	-0.0316
276	2021-07-08	12:43:15 PM	0.38194	446.7511	165.9527	-0.0310
277	2021-07-08	12:43:20 PM	0.38333	446.7353	165.9575	-0.0158
278	2021-07-08	12:43:25 PM	0.38472	446.7770	165.9752	0.0417
279	2021-07-08	12:43:30 PM	0.38611	446.7982	165.9848	0.0212
280	2021-07-08	12:43:35 PM	0.38750	446.8042	166.0009	0.0060
281	2021-07-08	12:43:40 PM	0.38889	446.7720	166.0090	-0.0322
282	2021-07-08	12:43:45 PM	0.39028	446.7756	166.0186	0.0036
283	2021-07-08	12:43:50 PM	0.39167	446.8817	166.0202	0.1061
284	2021-07-08	12:43:55 PM	0.39306	446.7640	166.0347	-0.1177
285	2021-07-08	12:44:00 PM	0.39444	446.6808	166.0475	-0.0832
286	2021-07-08	12:44:05 PM	0.39583	446.8039	166.0476	0.1231
287	2021-07-08	12:44:10 PM	0.39722	446.7572	166.0636	-0.0468
288	2021-07-08	12:44:15 PM	0.39861	446.9009	166.0717	0.1437
289	2021-07-08	12:44:20 PM	0.40000	446.7649	166.0845	-0.1359
290	2021-07-08	12:44:25 PM	0.40139	446.7485	166.0877	-0.0164
291	2021-07-08	12:44:30 PM	0.40278	446.8085	166.1071	0.0599
292	2021-07-08	12:44:35 PM	0.40417	446.8097	166.1103	0.0012
293	2021-07-08	12:44:40 PM	0.40556	446.7775	166.1183	-0.0322
294	2021-07-08	12:44:45 PM	0.40694	446.8315	166.1215	0.0540
295	2021-07-08	12:44:50 PM	0.40833	446.8362	166.1344	0.0048
296	2021-07-08	12:44:55 PM	0.40972	446.8738	166.1408	0.0376
297	2021-07-08	12:45:00 PM	0.41111	446.7901	166.1521	-0.0838
298	2021-07-08	12:45:05 PM	0.41250	446.8294	166.1633	0.0394
299	2021-07-08	12:45:10 PM	0.41389	446.7966	166.1698	-0.0328
300	2021-07-08	12:45:15 PM	0.41528	446.7996	166.1778	0.0030
301	2021-07-08	12:45:20 PM	0.41667	446.7498	166.1858	-0.0498
302	2021-07-08	12:45:25 PM	0.41806	446.8942	166.1955	0.1443
303	2021-07-08	12:45:30 PM	0.41944	446.8474	166.2116	-0.0468
304	2021-07-08	12:45:35 PM	0.42083	446.8116	166.2100	-0.0358
305	2021-07-08	12:45:40 PM	0.42222	446.9019	166.2164	0.0903
306	2021-07-08	12:45:45 PM	0.42361	446.7666	166.2309	-0.1353
307	2021-07-08	12:45:50 PM	0.42500	446.7854	166.2341	0.0188

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
308	2021-07-08	12:45:55 PM	0.42639	446.7872	166.2389	0.0018
309	2021-07-08	12:46:00 PM	0.42778	446.7908	166.2486	0.0036
310	2021-07-08	12:46:05 PM	0.42917	446.9369	166.2631	0.1461
311	2021-07-08	12:46:10 PM	0.43056	446.7974	166.2663	-0.1395
312	2021-07-08	12:46:15 PM	0.43194	446.8343	166.2711	0.0370
313	2021-07-08	12:46:20 PM	0.43333	446.7482	166.2759	-0.0862
314	2021-07-08	12:46:25 PM	0.43472	446.9805	166.2856	0.2323
315	2021-07-08	12:46:30 PM	0.43611	446.8967	166.2968	-0.0838
316	2021-07-08	12:46:35 PM	0.43750	446.9671	166.2968	0.0704
317	2021-07-08	12:46:40 PM	0.43889	446.8669	166.3113	-0.1002
318	2021-07-08	12:46:45 PM	0.44028	446.9754	166.3194	0.1086
319	2021-07-08	12:46:50 PM	0.44167	446.9596	166.3242	-0.0158
320	2021-07-08	12:46:55 PM	0.44306	447.0828	166.3242	0.1232
321	2021-07-08	12:47:00 PM	0.44444	446.8401	166.3338	-0.2427
322	2021-07-08	12:47:05 PM	0.44583	446.8249	166.3402	-0.0152
323	2021-07-08	12:47:10 PM	0.44722	446.7387	166.3451	-0.0862
324	2021-07-08	12:47:15 PM	0.44861	447.0068	166.3564	0.2681
325	2021-07-08	12:47:20 PM	0.45000	446.7623	166.3611	-0.2445
326	2021-07-08	12:47:25 PM	0.45139	446.8345	166.3660	0.0722
327	2021-07-08	12:47:30 PM	0.45278	446.8545	166.3724	0.0200
328	2021-07-08	12:47:35 PM	0.45417	446.9278	166.3805	0.0734
329	2021-07-08	12:47:40 PM	0.45556	446.9484	166.3885	0.0206
330	2021-07-08	12:47:45 PM	0.45694	446.8780	166.3885	-0.0704
331	2021-07-08	12:47:50 PM	0.45833	446.9502	166.3933	0.0722
332	2021-07-08	12:47:55 PM	0.45972	446.8148	166.4078	-0.1354
333	2021-07-08	12:48:00 PM	0.46111	446.7955	166.4030	-0.0194
334	2021-07-08	12:48:05 PM	0.46250	446.8178	166.4158	0.0224
335	2021-07-08	12:48:10 PM	0.46389	446.8530	166.4158	0.0352
336	2021-07-08	12:48:15 PM	0.46528	446.8560	166.4239	0.0030
337	2021-07-08	12:48:20 PM	0.46667	446.8402	166.4287	-0.0158
338	2021-07-08	12:48:25 PM	0.46806	446.7716	166.4335	-0.0686
339	2021-07-08	12:48:30 PM	0.46944	446.8250	166.4351	0.0534
340	2021-07-08	12:48:35 PM	0.47083	446.7588	166.4464	-0.0662
341	2021-07-08	12:48:40 PM	0.47222	446.9202	166.4545	0.1614
342	2021-07-08	12:48:45 PM	0.47361	447.0440	166.4561	0.1238
343	2021-07-08	12:48:50 PM	0.47500	446.8364	166.4657	-0.2076
344	2021-07-08	12:48:55 PM	0.47639	446.9420	166.4657	0.1056
345	2021-07-08	12:49:00 PM	0.47778	446.8746	166.4738	-0.0674
346	2021-07-08	12:49:05 PM	0.47917	446.8400	166.4754	-0.0346
347	2021-07-08	12:49:10 PM	0.48056	446.8976	166.4882	0.0576
348	2021-07-08	12:49:15 PM	0.48194	446.8970	166.4866	-0.0006
349	2021-07-08	12:49:20 PM	0.48333	446.8994	166.4931	0.0024
350	2021-07-08	12:49:25 PM	0.48472	446.8642	166.4931	-0.0352
351	2021-07-08	12:49:30 PM	0.48611	446.8484	166.4979	-0.0158
352	2021-07-08	12:49:35 PM	0.48750	446.8514	166.5059	0.0030
353	2021-07-08	12:49:40 PM	0.48889	446.7828	166.5107	-0.0686
354	2021-07-08	12:49:45 PM	0.49028	446.8538	166.5124	0.0710
355	2021-07-08	12:49:50 PM	0.49167	446.9612	166.5172	0.1074
356	2021-07-08	12:49:55 PM	0.49306	446.8404	166.5236	-0.1208
357	2021-07-08	12:50:00 PM	0.49444	446.8058	166.5252	-0.0346
358	2021-07-08	12:50:05 PM	0.49583	446.9326	166.5349	0.1268
359	2021-07-08	12:50:10 PM	0.49722	447.0235	166.5429	0.0910

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
360	2021-07-08	12:50:15 PM	0.49861	446.8124	166.5429	-0.2112
361	2021-07-08	12:50:20 PM	0.50000	446.8324	166.5494	0.0200
362	2021-07-08	12:50:25 PM	0.50139	446.8876	166.5558	0.0552
363	2021-07-08	12:50:30 PM	0.50278	446.8864	166.5526	-0.0012
364	2021-07-08	12:50:35 PM	0.50417	446.7668	166.5622	-0.1196
365	2021-07-08	12:50:40 PM	0.50556	446.8741	166.5671	0.1074
366	2021-07-08	12:50:45 PM	0.50694	446.7522	166.5703	-0.1220
367	2021-07-08	12:50:50 PM	0.50833	446.8759	166.5719	0.1238
368	2021-07-08	12:50:55 PM	0.50972	446.8765	166.5735	0.0006
369	2021-07-08	12:51:00 PM	0.51111	446.8613	166.5799	-0.0152
370	2021-07-08	12:51:05 PM	0.51250	446.9323	166.5815	0.0710
371	2021-07-08	12:51:10 PM	0.51389	446.8455	166.5847	-0.0868
372	2021-07-08	12:51:15 PM	0.51528	446.8843	166.5944	0.0388
373	2021-07-08	12:51:20 PM	0.51667	446.7793	166.5960	-0.1050
374	2021-07-08	12:51:25 PM	0.51806	446.8867	166.6008	0.1074
375	2021-07-08	12:51:30 PM	0.51944	446.9249	166.6089	0.0382
376	2021-07-08	12:51:35 PM	0.52083	446.9777	166.6089	0.0528
377	2021-07-08	12:51:40 PM	0.52222	446.8551	166.6105	-0.1226
378	2021-07-08	12:51:45 PM	0.52361	446.8229	166.6185	-0.0322
379	2021-07-08	12:51:50 PM	0.52500	446.9655	166.6234	0.1426
380	2021-07-08	12:51:55 PM	0.52639	446.8617	166.6282	-0.1038
381	2021-07-08	12:52:00 PM	0.52778	446.9145	166.6282	0.0528
382	2021-07-08	12:52:05 PM	0.52917	446.8131	166.6394	-0.1014
383	2021-07-08	12:52:10 PM	0.53056	447.0261	166.6443	0.2130
384	2021-07-08	12:52:15 PM	0.53194	446.8477	166.6378	-0.1784
385	2021-07-08	12:52:20 PM	0.53333	446.9563	166.6459	0.1086
386	2021-07-08	12:52:25 PM	0.53472	446.9035	166.6459	-0.0528
387	2021-07-08	12:52:30 PM	0.53611	446.8695	166.6491	-0.0340
388	2021-07-08	12:52:35 PM	0.53750	446.9071	166.6555	0.0376
389	2021-07-08	12:52:40 PM	0.53889	446.9247	166.6555	0.0176
390	2021-07-08	12:52:45 PM	0.54028	446.8919	166.6620	-0.0328
391	2021-07-08	12:52:50 PM	0.54167	446.9119	166.6684	0.0200
392	2021-07-08	12:52:55 PM	0.54306	446.9999	166.6684	0.0880
393	2021-07-08	12:53:00 PM	0.54444	446.9805	166.6636	-0.0194
394	2021-07-08	12:53:05 PM	0.54583	446.9313	166.6732	-0.0492
395	2021-07-08	12:53:10 PM	0.54722	446.8111	166.6813	-0.1202
396	2021-07-08	12:53:15 PM	0.54861	446.9865	166.6797	0.1754
397	2021-07-08	12:53:20 PM	0.55000	446.8481	166.6861	-0.1384
398	2021-07-08	12:53:25 PM	0.55139	446.9537	166.6861	0.1056
399	2021-07-08	12:53:30 PM	0.55278	446.9731	166.6909	0.0194
400	2021-07-08	12:53:35 PM	0.55417	446.9573	166.6958	-0.0158
401	2021-07-08	12:53:40 PM	0.55556	446.8013	166.7022	-0.1560
402	2021-07-08	12:53:45 PM	0.55694	446.8347	166.6974	0.0334
403	2021-07-08	12:53:50 PM	0.55833	446.8911	166.7070	0.0564
404	2021-07-08	12:53:55 PM	0.55972	447.0149	166.7086	0.1238
405	2021-07-08	12:54:00 PM	0.56111	446.9099	166.7102	-0.1050
406	2021-07-08	12:54:05 PM	0.56250	446.8941	166.7151	-0.0158
407	2021-07-08	12:54:10 PM	0.56389	446.8589	166.7151	-0.0352
408	2021-07-08	12:54:15 PM	0.56528	446.9651	166.7167	0.1062
409	2021-07-08	12:54:20 PM	0.56667	446.9323	166.7231	-0.0328
410	2021-07-08	12:54:25 PM	0.56806	446.9505	166.7247	0.0182
411	2021-07-08	12:54:30 PM	0.56944	446.9711	166.7328	0.0206

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
412	2021-07-08	12:54:35 PM	0.57083	446.9681	166.7247	-0.0030
413	2021-07-08	12:54:40 PM	0.57222	446.8983	166.7263	-0.0698
414	2021-07-08	12:54:45 PM	0.57361	446.8321	166.7376	-0.0662
415	2021-07-08	12:54:50 PM	0.57500	446.7799	166.7392	-0.0522
416	2021-07-08	12:54:55 PM	0.57639	446.9377	166.7376	0.1578
417	2021-07-08	12:55:00 PM	0.57778	447.0087	166.7392	0.0710
418	2021-07-08	12:55:05 PM	0.57917	446.9401	166.7440	-0.0686
419	2021-07-08	12:55:10 PM	0.58056	446.9583	166.7456	0.0182
420	2021-07-08	12:55:15 PM	0.58194	446.8897	166.7505	-0.0686
421	2021-07-08	12:55:20 PM	0.58333	446.8727	166.7521	-0.0170
422	2021-07-08	12:55:25 PM	0.58472	447.0171	166.7617	0.1444
423	2021-07-08	12:55:30 PM	0.58611	446.9801	166.7569	-0.0370
424	2021-07-08	12:55:35 PM	0.58750	446.8933	166.7601	-0.0868
425	2021-07-08	12:55:40 PM	0.58889	446.8963	166.7682	0.0030
426	2021-07-08	12:55:45 PM	0.59028	447.0359	166.7650	0.1396
427	2021-07-08	12:55:50 PM	0.59167	446.7203	166.7681	-0.3156
428	2021-07-08	12:55:55 PM	0.59306	446.8975	166.7714	0.1772
429	2021-07-08	12:56:00 PM	0.59444	446.9497	166.7698	0.0522
430	2021-07-08	12:56:05 PM	0.59583	446.9855	166.7714	0.0358
431	2021-07-08	12:56:10 PM	0.59722	446.9151	166.7714	-0.0704
432	2021-07-08	12:56:15 PM	0.59861	446.8811	166.7746	-0.0340
433	2021-07-08	12:56:20 PM	0.60000	446.9709	166.7794	0.0898
434	2021-07-08	12:56:25 PM	0.60139	446.8471	166.7778	-0.1238
435	2021-07-08	12:56:30 PM	0.60278	446.9387	166.7875	0.0916
436	2021-07-08	12:56:35 PM	0.60417	446.9915	166.7875	0.0528
437	2021-07-08	12:56:40 PM	0.60556	446.9739	166.7875	-0.0176
438	2021-07-08	12:56:45 PM	0.60694	446.8713	166.7955	-0.1026
439	2021-07-08	12:56:50 PM	0.60833	446.9933	166.7923	0.1220
440	2021-07-08	12:56:55 PM	0.60972	446.8731	166.8003	-0.1202
441	2021-07-08	12:57:00 PM	0.61111	446.9599	166.7971	0.0868
442	2021-07-08	12:57:05 PM	0.61250	446.8549	166.7987	-0.1050
443	2021-07-08	12:57:10 PM	0.61389	447.0321	166.8020	0.1772
444	2021-07-08	12:57:15 PM	0.61528	446.9271	166.8036	-0.1050
445	2021-07-08	12:57:20 PM	0.61667	446.9465	166.8084	0.0194
446	2021-07-08	12:57:25 PM	0.61806	446.8573	166.8052	-0.0892
447	2021-07-08	12:57:30 PM	0.61944	447.0685	166.8052	0.2112
448	2021-07-08	12:57:35 PM	0.62083	446.9999	166.8100	-0.0686
449	2021-07-08	12:57:40 PM	0.62222	447.0545	166.8148	0.0546
450	2021-07-08	12:57:45 PM	0.62361	446.9125	166.8116	-0.1420
451	2021-07-08	12:57:50 PM	0.62500	446.8803	166.8196	-0.0322
452	2021-07-08	12:57:55 PM	0.62639	446.9683	166.8196	0.0880
453	2021-07-08	12:58:00 PM	0.62778	446.9841	166.8148	0.0158
454	2021-07-08	12:58:05 PM	0.62917	447.0599	166.8293	0.0758
455	2021-07-08	12:58:10 PM	0.63056	447.0757	166.8245	0.0158
456	2021-07-08	12:58:15 PM	0.63194	446.9191	166.8293	-0.1566
457	2021-07-08	12:58:20 PM	0.63333	446.9901	166.8309	0.0710
458	2021-07-08	12:58:25 PM	0.63472	446.9173	166.8245	-0.0728
459	2021-07-08	12:58:30 PM	0.63611	447.0089	166.8341	0.0916
460	2021-07-08	12:58:35 PM	0.63750	446.8681	166.8341	-0.1408
461	2021-07-08	12:58:40 PM	0.63889	446.8857	166.8341	0.0176
462	2021-07-08	12:58:45 PM	0.64028	446.9209	166.8341	0.0352
463	2021-07-08	12:58:50 PM	0.64167	446.9573	166.8373	0.0364

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
464	2021-07-08	12:58:55 PM	0.64306	447.0137	166.8470	0.0564
465	2021-07-08	12:59:00 PM	0.64444	446.8717	166.8438	-0.1420
466	2021-07-08	12:59:05 PM	0.64583	446.8699	166.8389	-0.0018
467	2021-07-08	12:59:10 PM	0.64722	446.9785	166.8470	0.1086
468	2021-07-08	12:59:15 PM	0.64861	446.8377	166.8470	-0.1408
469	2021-07-08	12:59:20 PM	0.65000	446.9093	166.8502	0.0716
470	2021-07-08	12:59:25 PM	0.65139	446.9615	166.8486	0.0522
471	2021-07-08	12:59:30 PM	0.65278	446.8929	166.8534	-0.0686
472	2021-07-08	12:59:35 PM	0.65417	447.0319	166.8486	0.1390
473	2021-07-08	12:59:40 PM	0.65556	446.9445	166.8502	-0.0874
474	2021-07-08	12:59:45 PM	0.65694	446.9475	166.8583	0.0030
475	2021-07-08	12:59:50 PM	0.65833	446.9475	166.8583	0.0000
476	2021-07-08	12:59:55 PM	0.65972	446.9135	166.8615	-0.0340
477	2021-07-08	1:00:00 PM	0.66111	446.9827	166.8583	0.0692
478	2021-07-08	1:00:05 PM	0.66250	446.9117	166.8566	-0.0710
479	2021-07-08	1:00:10 PM	0.66389	446.8260	166.8631	-0.0856
480	2021-07-08	1:00:15 PM	0.66528	446.9687	166.8679	0.1426
481	2021-07-08	1:00:20 PM	0.66667	446.9323	166.8647	-0.0364
482	2021-07-08	1:00:25 PM	0.66806	446.9165	166.8695	-0.0158
483	2021-07-08	1:00:30 PM	0.66944	446.8454	166.8679	-0.0710
484	2021-07-08	1:00:35 PM	0.67083	446.8466	166.8711	0.0012
485	2021-07-08	1:00:40 PM	0.67222	447.0057	166.8727	0.1590
486	2021-07-08	1:00:45 PM	0.67361	447.0245	166.8760	0.0188
487	2021-07-08	1:00:50 PM	0.67500	446.9013	166.8760	-0.1232
488	2021-07-08	1:00:55 PM	0.67639	446.8995	166.8711	-0.0018
489	2021-07-08	1:01:00 PM	0.67778	446.9007	166.8743	0.0012
490	2021-07-08	1:01:05 PM	0.67917	446.9213	166.8824	0.0206
491	2021-07-08	1:01:10 PM	0.68056	447.0087	166.8808	0.0874
492	2021-07-08	1:01:15 PM	0.68194	446.8338	166.8840	-0.1748
493	2021-07-08	1:01:20 PM	0.68333	446.8861	166.8824	0.0522
494	2021-07-08	1:01:25 PM	0.68472	446.9377	166.8792	0.0516
495	2021-07-08	1:01:30 PM	0.68611	446.9577	166.8856	0.0200
496	2021-07-08	1:01:35 PM	0.68750	447.0645	166.8888	0.1068
497	2021-07-08	1:01:40 PM	0.68889	446.9249	166.8920	-0.1396
498	2021-07-08	1:01:45 PM	0.69028	447.0633	166.8856	0.1384
499	2021-07-08	1:01:50 PM	0.69167	446.9753	166.8856	-0.0880
500	2021-07-08	1:01:55 PM	0.69306	446.9777	166.8921	0.0024
501	2021-07-08	1:02:00 PM	0.69444	446.9941	166.8888	0.0164
502	2021-07-08	1:02:05 PM	0.69583	446.8738	166.8969	-0.1202
503	2021-07-08	1:02:10 PM	0.69722	446.9449	166.8985	0.0710
504	2021-07-08	1:02:15 PM	0.69861	446.8927	166.9001	-0.0522
505	2021-07-08	1:02:20 PM	0.70000	447.0335	166.9001	0.1408
506	2021-07-08	1:02:25 PM	0.70139	447.0869	166.9017	0.0534
507	2021-07-08	1:02:30 PM	0.70278	447.0201	166.9114	-0.0668
508	2021-07-08	1:02:35 PM	0.70417	447.0171	166.9033	-0.0030
509	2021-07-08	1:02:40 PM	0.70556	446.8762	166.9033	-0.1408
510	2021-07-08	1:02:45 PM	0.70694	446.9273	166.8985	0.0510
511	2021-07-08	1:02:50 PM	0.70833	446.8434	166.9097	-0.0838
512	2021-07-08	1:02:55 PM	0.70972	446.8963	166.9097	0.0528
513	2021-07-08	1:03:00 PM	0.71111	446.9139	166.9097	0.0176
514	2021-07-08	1:03:05 PM	0.71250	446.9491	166.9098	0.0352
515	2021-07-08	1:03:10 PM	0.71389	446.9861	166.9146	0.0370

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
516	2021-07-08	1:03:15 PM	0.71528	446.9151	166.9130	-0.0710
517	2021-07-08	1:03:20 PM	0.71667	447.0037	166.9146	0.0886
518	2021-07-08	1:03:25 PM	0.71806	446.9327	166.9130	-0.0710
519	2021-07-08	1:03:30 PM	0.71944	446.9169	166.9178	-0.0158
520	2021-07-08	1:03:35 PM	0.72083	446.9333	166.9146	0.0164
521	2021-07-08	1:03:40 PM	0.72222	447.0595	166.9226	0.1262
522	2021-07-08	1:03:45 PM	0.72361	446.9175	166.9194	-0.1420
523	2021-07-08	1:03:50 PM	0.72500	446.9363	166.9226	0.0188
524	2021-07-08	1:03:55 PM	0.72639	446.8858	166.9291	-0.0504
525	2021-07-08	1:04:00 PM	0.72778	447.0055	166.9194	0.1196
526	2021-07-08	1:04:05 PM	0.72917	446.9733	166.9275	-0.0322
527	2021-07-08	1:04:10 PM	0.73056	447.1469	166.9210	0.1736
528	2021-07-08	1:04:15 PM	0.73194	447.0601	166.9242	-0.0868
529	2021-07-08	1:04:20 PM	0.73333	446.7972	166.9274	-0.2629
530	2021-07-08	1:04:25 PM	0.73472	447.0971	166.9291	0.2999
531	2021-07-08	1:04:30 PM	0.73611	447.0279	166.9323	-0.0692
532	2021-07-08	1:04:35 PM	0.73750	446.8506	166.9290	-0.1773
533	2021-07-08	1:04:40 PM	0.73889	447.0091	166.9291	0.1584
534	2021-07-08	1:04:45 PM	0.74028	447.0273	166.9307	0.0182
535	2021-07-08	1:04:50 PM	0.74167	447.0625	166.9307	0.0352
536	2021-07-08	1:04:55 PM	0.74306	446.9781	166.9403	-0.0844
537	2021-07-08	1:05:00 PM	0.74444	446.9071	166.9387	-0.0710
538	2021-07-08	1:05:05 PM	0.74583	446.9241	166.9371	0.0170
539	2021-07-08	1:05:10 PM	0.74722	446.9745	166.9307	0.0504
540	2021-07-08	1:05:15 PM	0.74861	446.8900	166.9403	-0.0844
541	2021-07-08	1:05:20 PM	0.75000	447.1177	166.9371	0.2277
542	2021-07-08	1:05:25 PM	0.75139	446.9957	166.9403	-0.1220
543	2021-07-08	1:05:30 PM	0.75278	447.0157	166.9468	0.0200
544	2021-07-08	1:05:35 PM	0.75417	446.9095	166.9451	-0.1062
545	2021-07-08	1:05:40 PM	0.75556	446.9787	166.9419	0.0692
546	2021-07-08	1:05:45 PM	0.75694	446.9095	166.9451	-0.0692
547	2021-07-08	1:05:50 PM	0.75833	446.9629	166.9468	0.0534
548	2021-07-08	1:05:55 PM	0.75972	446.9459	166.9484	-0.0170
549	2021-07-08	1:06:00 PM	0.76111	446.9089	166.9435	-0.0370
550	2021-07-08	1:06:05 PM	0.76250	446.9993	166.9500	0.0904
551	2021-07-08	1:06:10 PM	0.76389	447.0181	166.9532	0.0188
552	2021-07-08	1:06:15 PM	0.76528	446.9635	166.9484	-0.0546
553	2021-07-08	1:06:20 PM	0.76667	446.8590	166.9516	-0.1044
554	2021-07-08	1:06:25 PM	0.76806	446.8766	166.9516	0.0176
555	2021-07-08	1:06:30 PM	0.76944	447.0023	166.9580	0.1256
556	2021-07-08	1:06:35 PM	0.77083	447.0357	166.9532	0.0334
557	2021-07-08	1:06:40 PM	0.77222	446.8784	166.9564	-0.1572
558	2021-07-08	1:06:45 PM	0.77361	447.0205	166.9596	0.1420
559	2021-07-08	1:06:50 PM	0.77500	447.1055	166.9516	0.0850
560	2021-07-08	1:06:55 PM	0.77639	447.0557	166.9596	-0.0498
561	2021-07-08	1:07:00 PM	0.77778	446.8614	166.9580	-0.1943
562	2021-07-08	1:07:05 PM	0.77917	447.0745	166.9629	0.2131
563	2021-07-08	1:07:10 PM	0.78056	447.0569	166.9629	-0.0176
564	2021-07-08	1:07:15 PM	0.78194	447.1613	166.9597	0.1044
565	2021-07-08	1:07:20 PM	0.78333	446.9683	166.9612	-0.1931
566	2021-07-08	1:07:25 PM	0.78472	447.0557	166.9596	0.0874
567	2021-07-08	1:07:30 PM	0.78611	446.9155	166.9612	-0.1402

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
568	2021-07-08	1:07:35 PM	0.78750	446.9865	166.9629	0.0710
569	2021-07-08	1:07:40 PM	0.78889	447.0757	166.9661	0.0892
570	2021-07-08	1:07:45 PM	0.79028	446.9197	166.9725	-0.1561
571	2021-07-08	1:07:50 PM	0.79167	447.0059	166.9677	0.0862
572	2021-07-08	1:07:55 PM	0.79306	447.0065	166.9693	0.0006
573	2021-07-08	1:08:00 PM	0.79444	447.0951	166.9709	0.0886
574	2021-07-08	1:08:05 PM	0.79583	447.0223	166.9645	-0.0728
575	2021-07-08	1:08:10 PM	0.79722	447.0241	166.9693	0.0018
576	2021-07-08	1:08:15 PM	0.79861	447.1473	166.9693	0.1232
577	2021-07-08	1:08:20 PM	0.80000	447.0259	166.9741	-0.1214
578	2021-07-08	1:08:25 PM	0.80139	446.8850	166.9741	-0.1408
579	2021-07-08	1:08:30 PM	0.80278	446.8668	166.9725	-0.0182
580	2021-07-08	1:08:35 PM	0.80417	446.9549	166.9725	0.0880
581	2021-07-08	1:08:40 PM	0.80556	446.9209	166.9757	-0.0340
582	2021-07-08	1:08:45 PM	0.80694	446.8862	166.9773	-0.0346
583	2021-07-08	1:08:50 PM	0.80833	446.9543	166.9709	0.0680
584	2021-07-08	1:08:55 PM	0.80972	446.9385	166.9757	-0.0158
585	2021-07-08	1:09:00 PM	0.81111	446.9379	166.9741	-0.0006
586	2021-07-08	1:09:05 PM	0.81250	446.9785	166.9886	0.0406
587	2021-07-08	1:09:10 PM	0.81389	447.0283	166.9806	0.0498
588	2021-07-08	1:09:15 PM	0.81528	446.9050	166.9805	-0.1232
589	2021-07-08	1:09:20 PM	0.81667	446.9391	166.9773	0.0340
590	2021-07-08	1:09:25 PM	0.81806	446.8686	166.9773	-0.0704
591	2021-07-08	1:09:30 PM	0.81944	447.0623	166.9773	0.1937
592	2021-07-08	1:09:35 PM	0.82083	447.0277	166.9790	-0.0346
593	2021-07-08	1:09:40 PM	0.82222	447.0635	166.9806	0.0358
594	2021-07-08	1:09:45 PM	0.82361	446.9263	166.9902	-0.1372
595	2021-07-08	1:09:50 PM	0.82500	447.0647	166.9838	0.1384
596	2021-07-08	1:09:55 PM	0.82639	447.0841	166.9886	0.0194
597	2021-07-08	1:10:00 PM	0.82778	446.9779	166.9870	-0.1062
598	2021-07-08	1:10:05 PM	0.82917	446.9949	166.9854	0.0170
599	2021-07-08	1:10:10 PM	0.83056	446.9597	166.9854	-0.0352
600	2021-07-08	1:10:15 PM	0.83194	446.9591	166.9838	-0.0006
601	2021-07-08	1:10:20 PM	0.83333	447.0313	166.9886	0.0722
602	2021-07-08	1:10:25 PM	0.83472	446.9627	166.9934	-0.0686
603	2021-07-08	1:10:30 PM	0.83611	446.9251	166.9870	-0.0376
604	2021-07-08	1:10:35 PM	0.83750	446.9979	166.9934	0.0728
605	2021-07-08	1:10:40 PM	0.83889	446.9633	166.9950	-0.0346
606	2021-07-08	1:10:45 PM	0.84028	446.9809	166.9950	0.0176
607	2021-07-08	1:10:50 PM	0.84167	446.9797	166.9918	-0.0012
608	2021-07-08	1:10:55 PM	0.84306	446.9821	166.9983	0.0024
609	2021-07-08	1:11:00 PM	0.84444	446.9099	166.9934	-0.0722
610	2021-07-08	1:11:05 PM	0.84583	447.0331	166.9934	0.1232
611	2021-07-08	1:11:10 PM	0.84722	447.0689	166.9951	0.0358
612	2021-07-08	1:11:15 PM	0.84861	447.0871	166.9967	0.0182
613	2021-07-08	1:11:20 PM	0.85000	447.1029	166.9918	0.0158
614	2021-07-08	1:11:25 PM	0.85139	447.1041	166.9951	0.0012
615	2021-07-08	1:11:30 PM	0.85278	446.9845	167.0047	-0.1196
616	2021-07-08	1:11:35 PM	0.85417	447.1599	167.0031	0.1755
617	2021-07-08	1:11:40 PM	0.85556	446.9493	167.0047	-0.2107
618	2021-07-08	1:11:45 PM	0.85694	447.1745	166.9951	0.2253
619	2021-07-08	1:11:50 PM	0.85833	447.0191	167.0031	-0.1555

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
620	2021-07-08	1:11:55 PM	0.85972	447.0361	167.0015	0.0170
621	2021-07-08	1:12:00 PM	0.86111	447.0367	167.0031	0.0006
622	2021-07-08	1:12:05 PM	0.86250	447.0919	167.0095	0.0552
623	2021-07-08	1:12:10 PM	0.86389	447.1782	167.0047	0.0862
624	2021-07-08	1:12:15 PM	0.86528	447.0707	166.9999	-0.1074
625	2021-07-08	1:12:20 PM	0.86667	447.0537	167.0015	-0.0170
626	2021-07-08	1:12:25 PM	0.86806	446.9681	167.0079	-0.0856
627	2021-07-08	1:12:30 PM	0.86944	447.1794	167.0079	0.2113
628	2021-07-08	1:12:35 PM	0.87083	447.1265	167.0079	-0.0528
629	2021-07-08	1:12:40 PM	0.87222	447.1788	167.0063	0.0522
630	2021-07-08	1:12:45 PM	0.87361	447.0215	167.0095	-0.1573
631	2021-07-08	1:12:50 PM	0.87500	447.1788	167.0063	0.1573
632	2021-07-08	1:12:55 PM	0.87639	447.0913	167.0079	-0.0874
633	2021-07-08	1:13:00 PM	0.87778	447.0567	167.0095	-0.0346
634	2021-07-08	1:13:05 PM	0.87917	447.1617	167.0079	0.1050
635	2021-07-08	1:13:10 PM	0.88056	447.0233	167.0144	-0.1385
636	2021-07-08	1:13:15 PM	0.88194	447.1271	167.0095	0.1038
637	2021-07-08	1:13:20 PM	0.88333	447.1125	167.0176	-0.0146
638	2021-07-08	1:13:25 PM	0.88472	447.1465	167.0144	0.0340
639	2021-07-08	1:13:30 PM	0.88611	447.1629	167.0112	0.0164
640	2021-07-08	1:13:35 PM	0.88750	447.1794	167.0079	0.0164
641	2021-07-08	1:13:40 PM	0.88889	447.2352	167.0160	0.0558
642	2021-07-08	1:13:45 PM	0.89028	447.1295	167.0160	-0.1056
643	2021-07-08	1:13:50 PM	0.89167	447.1483	167.0192	0.0188
644	2021-07-08	1:13:55 PM	0.89306	447.2018	167.0208	0.0534
645	2021-07-08	1:14:00 PM	0.89444	447.1483	167.0192	-0.0534
646	2021-07-08	1:14:05 PM	0.89583	447.1842	167.0208	0.0358
647	2021-07-08	1:14:10 PM	0.89722	447.0943	167.0160	-0.0898
648	2021-07-08	1:14:15 PM	0.89861	447.1477	167.0176	0.0534
649	2021-07-08	1:14:20 PM	0.90000	447.0469	167.0304	-0.1008
650	2021-07-08	1:14:25 PM	0.90139	447.1824	167.0160	0.1355
651	2021-07-08	1:14:30 PM	0.90278	447.1836	167.0192	0.0012
652	2021-07-08	1:14:35 PM	0.90417	447.1507	167.0256	-0.0328
653	2021-07-08	1:14:40 PM	0.90556	447.1854	167.0240	0.0346
654	2021-07-08	1:14:45 PM	0.90694	447.0809	167.0272	-0.1044
655	2021-07-08	1:14:50 PM	0.90833	447.0609	167.0208	-0.0200
656	2021-07-08	1:14:55 PM	0.90972	447.2200	167.0224	0.1591
657	2021-07-08	1:15:00 PM	0.91111	447.2012	167.0192	-0.0188
658	2021-07-08	1:15:05 PM	0.91250	447.0973	167.0240	-0.1038
659	2021-07-08	1:15:10 PM	0.91389	447.0961	167.0208	-0.0012
660	2021-07-08	1:15:15 PM	0.91528	447.1678	167.0240	0.0716
661	2021-07-08	1:15:20 PM	0.91667	447.1696	167.0289	0.0018
662	2021-07-08	1:15:25 PM	0.91806	447.1331	167.0256	-0.0364
663	2021-07-08	1:15:30 PM	0.91944	446.9389	167.0240	-0.1943
664	2021-07-08	1:15:35 PM	0.92083	447.1167	167.0288	0.1779
665	2021-07-08	1:15:40 PM	0.92222	447.2042	167.0273	0.0874
666	2021-07-08	1:15:45 PM	0.92361	447.0985	167.0272	-0.1056
667	2021-07-08	1:15:50 PM	0.92500	447.2054	167.0305	0.1068
668	2021-07-08	1:15:55 PM	0.92639	447.1167	167.0288	-0.0886
669	2021-07-08	1:16:00 PM	0.92778	447.2400	167.0289	0.1232
670	2021-07-08	1:16:05 PM	0.92917	447.0809	167.0272	-0.1591
671	2021-07-08	1:16:10 PM	0.93056	447.1179	167.0321	0.0370

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
672	2021-07-08	1:16:15 PM	0.93194	447.1708	167.0321	0.0528
673	2021-07-08	1:16:20 PM	0.93333	447.0797	167.0240	-0.0910
674	2021-07-08	1:16:25 PM	0.93472	447.2048	167.0289	0.1251
675	2021-07-08	1:16:30 PM	0.93611	447.1337	167.0272	-0.0710
676	2021-07-08	1:16:35 PM	0.93750	447.1890	167.0337	0.0552
677	2021-07-08	1:16:40 PM	0.93889	447.2940	167.0321	0.1050
678	2021-07-08	1:16:45 PM	0.94028	447.0863	167.0417	-0.2077
679	2021-07-08	1:16:50 PM	0.94167	447.1185	167.0337	0.0322
680	2021-07-08	1:16:55 PM	0.94306	447.1908	167.0385	0.0722
681	2021-07-08	1:17:00 PM	0.94444	447.1173	167.0305	-0.0734
682	2021-07-08	1:17:05 PM	0.94583	447.2788	167.0385	0.1615
683	2021-07-08	1:17:10 PM	0.94722	447.1349	167.0305	-0.1439
684	2021-07-08	1:17:15 PM	0.94861	447.0311	167.0353	-0.1038
685	2021-07-08	1:17:20 PM	0.95000	447.1379	167.0385	0.1068
686	2021-07-08	1:17:25 PM	0.95139	447.1738	167.0401	0.0358
687	2021-07-08	1:17:30 PM	0.95278	447.1550	167.0369	-0.0188
688	2021-07-08	1:17:35 PM	0.95417	447.1197	167.0369	-0.0352
689	2021-07-08	1:17:40 PM	0.95556	447.0129	167.0337	-0.1068
690	2021-07-08	1:17:45 PM	0.95694	447.1373	167.0369	0.1245
691	2021-07-08	1:17:50 PM	0.95833	447.2072	167.0353	0.0698
692	2021-07-08	1:17:55 PM	0.95972	447.1543	167.0353	-0.0528
693	2021-07-08	1:18:00 PM	0.96111	447.2090	167.0401	0.0546
694	2021-07-08	1:18:05 PM	0.96250	447.1902	167.0369	-0.0188
695	2021-07-08	1:18:10 PM	0.96389	447.1391	167.0417	-0.0510
696	2021-07-08	1:18:15 PM	0.96528	447.1762	167.0466	0.0370
697	2021-07-08	1:18:20 PM	0.96667	447.1908	167.0385	0.0146
698	2021-07-08	1:18:25 PM	0.96806	447.1568	167.0417	-0.0340
699	2021-07-08	1:18:30 PM	0.96944	447.2102	167.0433	0.0534
700	2021-07-08	1:18:35 PM	0.97083	447.1908	167.0385	-0.0194
701	2021-07-08	1:18:40 PM	0.97222	447.1908	167.0385	0.0000
702	2021-07-08	1:18:45 PM	0.97361	447.1938	167.0466	0.0030
703	2021-07-08	1:18:50 PM	0.97500	447.1580	167.0449	-0.0358
704	2021-07-08	1:18:55 PM	0.97639	447.1604	167.0514	0.0024
705	2021-07-08	1:19:00 PM	0.97778	447.1592	167.0482	-0.0012
706	2021-07-08	1:19:05 PM	0.97917	447.0693	167.0433	-0.0898
707	2021-07-08	1:19:10 PM	0.98056	447.1203	167.0385	0.0510
708	2021-07-08	1:19:15 PM	0.98194	447.0863	167.0417	-0.0340
709	2021-07-08	1:19:20 PM	0.98333	447.1415	167.0482	0.0552
710	2021-07-08	1:19:25 PM	0.98472	447.1051	167.0449	-0.0364
711	2021-07-08	1:19:30 PM	0.98611	447.2800	167.0417	0.1749
712	2021-07-08	1:19:35 PM	0.98750	447.1063	167.0482	-0.1737
713	2021-07-08	1:19:40 PM	0.98889	447.0875	167.0449	-0.0188
714	2021-07-08	1:19:45 PM	0.99028	447.2460	167.0450	0.1585
715	2021-07-08	1:19:50 PM	0.99167	447.0705	167.0465	-0.1755
716	2021-07-08	1:19:55 PM	0.99306	447.2114	167.0466	0.1409
717	2021-07-08	1:20:00 PM	0.99444	447.2114	167.0466	0.0000
718	2021-07-08	1:20:05 PM	0.99583	447.1792	167.0546	-0.0322
719	2021-07-08	1:20:10 PM	0.99722	447.1932	167.0450	0.0140
720	2021-07-08	1:20:15 PM	0.99861	447.0881	167.0465	-0.1050
721	2021-07-08	1:20:20 PM	1.00000	447.1774	167.0498	0.0892
722	2021-07-08	1:20:25 PM	1.00139	447.1616	167.0546	-0.0158
723	2021-07-08	1:20:30 PM	1.00278	447.1397	167.0433	-0.0218

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
724	2021-07-08	1:20:35 PM	1.00417	447.1956	167.0514	0.0558
725	2021-07-08	1:20:40 PM	1.00556	447.2830	167.0498	0.0874
726	2021-07-08	1:20:45 PM	1.00694	447.1598	167.0498	-0.1233
727	2021-07-08	1:20:50 PM	1.00833	447.0905	167.0530	-0.0692
728	2021-07-08	1:20:55 PM	1.00972	447.0383	167.0546	-0.0522
729	2021-07-08	1:21:00 PM	1.01111	447.1786	167.0530	0.1403
730	2021-07-08	1:21:05 PM	1.01250	447.2514	167.0594	0.0728
731	2021-07-08	1:21:10 PM	1.01389	447.0905	167.0530	-0.1609
732	2021-07-08	1:21:15 PM	1.01528	447.1804	167.0578	0.0898
733	2021-07-08	1:21:20 PM	1.01667	447.1640	167.0610	-0.0164
734	2021-07-08	1:21:25 PM	1.01806	447.2326	167.0562	0.0686
735	2021-07-08	1:21:30 PM	1.01944	447.1622	167.0562	-0.0704
736	2021-07-08	1:21:35 PM	1.02083	447.3564	167.0578	0.1943
737	2021-07-08	1:21:40 PM	1.02222	447.1786	167.0530	-0.1779
738	2021-07-08	1:21:45 PM	1.02361	447.2860	167.0578	0.1074
739	2021-07-08	1:21:50 PM	1.02500	447.1269	167.0562	-0.1591
740	2021-07-08	1:21:55 PM	1.02639	447.1780	167.0514	0.0510
741	2021-07-08	1:22:00 PM	1.02778	447.0911	167.0546	-0.0868
742	2021-07-08	1:22:05 PM	1.02917	447.2320	167.0546	0.1409
743	2021-07-08	1:22:10 PM	1.03056	447.0413	167.0626	-0.1907
744	2021-07-08	1:22:15 PM	1.03194	447.1652	167.0643	0.1239
745	2021-07-08	1:22:20 PM	1.03333	447.2678	167.0562	0.1026
746	2021-07-08	1:22:25 PM	1.03472	447.2526	167.0627	-0.0152
747	2021-07-08	1:22:30 PM	1.03611	447.3236	167.0643	0.0710
748	2021-07-08	1:22:35 PM	1.03750	447.0929	167.0594	-0.2307
749	2021-07-08	1:22:40 PM	1.03889	447.2872	167.0611	0.1943
750	2021-07-08	1:22:45 PM	1.04028	447.3576	167.0611	0.0704
751	2021-07-08	1:22:50 PM	1.04167	447.1470	167.0626	-0.2107
752	2021-07-08	1:22:55 PM	1.04306	447.3060	167.0643	0.1591
753	2021-07-08	1:23:00 PM	1.04444	447.1658	167.0659	-0.1403
754	2021-07-08	1:23:05 PM	1.04583	447.1458	167.0594	-0.0200
755	2021-07-08	1:23:10 PM	1.04722	447.4129	167.0675	0.2671
756	2021-07-08	1:23:15 PM	1.04861	447.2180	167.0643	-0.1949
757	2021-07-08	1:23:20 PM	1.05000	447.1494	167.0691	-0.0686
758	2021-07-08	1:23:25 PM	1.05139	447.1476	167.0643	-0.0018
759	2021-07-08	1:23:30 PM	1.05278	447.2556	167.0707	0.1081
760	2021-07-08	1:23:35 PM	1.05417	447.2362	167.0659	-0.0194
761	2021-07-08	1:23:40 PM	1.05556	447.0911	167.0546	-0.1451
762	2021-07-08	1:23:45 PM	1.05694	447.1317	167.0691	0.0406
763	2021-07-08	1:23:50 PM	1.05833	447.0431	167.0675	-0.0886
764	2021-07-08	1:23:55 PM	1.05972	447.1117	167.0626	0.0686
765	2021-07-08	1:24:00 PM	1.06111	447.2004	167.0643	0.0886
766	2021-07-08	1:24:05 PM	1.06250	447.1670	167.0691	-0.0334
767	2021-07-08	1:24:10 PM	1.06389	447.2702	167.0627	0.1032
768	2021-07-08	1:24:15 PM	1.06528	447.2380	167.0707	-0.0322
769	2021-07-08	1:24:20 PM	1.06667	447.2556	167.0707	0.0176
770	2021-07-08	1:24:25 PM	1.06806	447.2714	167.0659	0.0158
771	2021-07-08	1:24:30 PM	1.06944	447.1506	167.0723	-0.1209
772	2021-07-08	1:24:35 PM	1.07083	447.0965	167.0691	-0.0540
773	2021-07-08	1:24:40 PM	1.07222	447.1658	167.0659	0.0692
774	2021-07-08	1:24:45 PM	1.07361	447.1652	167.0643	-0.0006
775	2021-07-08	1:24:50 PM	1.07500	447.1646	167.0627	-0.0006

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
776	2021-07-08	1:24:55 PM	1.07639	447.2198	167.0691	0.0552
777	2021-07-08	1:25:00 PM	1.07778	447.2374	167.0691	0.0176
778	2021-07-08	1:25:05 PM	1.07917	447.1317	167.0691	-0.1056
779	2021-07-08	1:25:10 PM	1.08056	447.1111	167.0610	-0.0206
780	2021-07-08	1:25:15 PM	1.08194	447.0971	167.0707	-0.0140
781	2021-07-08	1:25:20 PM	1.08333	447.2568	167.0739	0.1597
782	2021-07-08	1:25:25 PM	1.08472	447.2544	167.0675	-0.0024
783	2021-07-08	1:25:30 PM	1.08611	447.1846	167.0691	-0.0698
784	2021-07-08	1:25:35 PM	1.08750	447.2896	167.0675	0.1050
785	2021-07-08	1:25:40 PM	1.08889	447.2040	167.0739	-0.0856
786	2021-07-08	1:25:45 PM	1.09028	447.0279	167.0739	-0.1761
787	2021-07-08	1:25:50 PM	1.09167	447.2216	167.0739	0.1937
788	2021-07-08	1:25:55 PM	1.09306	447.1682	167.0723	-0.0534
789	2021-07-08	1:26:00 PM	1.09444	447.0995	167.0771	-0.0686
790	2021-07-08	1:26:05 PM	1.09583	447.3078	167.0691	0.2083
791	2021-07-08	1:26:10 PM	1.09722	447.1342	167.0755	-0.1737
792	2021-07-08	1:26:15 PM	1.09861	447.2052	167.0771	0.0710
793	2021-07-08	1:26:20 PM	1.10000	447.1858	167.0723	-0.0194
794	2021-07-08	1:26:25 PM	1.10139	447.2046	167.0755	0.0188
795	2021-07-08	1:26:30 PM	1.10278	447.0807	167.0739	-0.1239
796	2021-07-08	1:26:35 PM	1.10417	447.1518	167.0755	0.0710
797	2021-07-08	1:26:40 PM	1.10556	447.2580	167.0771	0.1062
798	2021-07-08	1:26:45 PM	1.10694	447.2204	167.0707	-0.0376
799	2021-07-08	1:26:50 PM	1.10833	447.2544	167.0675	0.0340
800	2021-07-08	1:26:55 PM	1.10972	447.1882	167.0787	-0.0662
801	2021-07-08	1:27:00 PM	1.11111	447.2404	167.0771	0.0522
802	2021-07-08	1:27:05 PM	1.11250	447.0989	167.0755	-0.1415
803	2021-07-08	1:27:10 PM	1.11389	447.2234	167.0788	0.1245
804	2021-07-08	1:27:15 PM	1.11528	447.1858	167.0723	-0.0376
805	2021-07-08	1:27:20 PM	1.11667	447.2962	167.0852	0.1105
806	2021-07-08	1:27:25 PM	1.11806	447.2750	167.0755	-0.0212
807	2021-07-08	1:27:30 PM	1.11944	447.3102	167.0755	0.0352
808	2021-07-08	1:27:35 PM	1.12083	447.1342	167.0755	-0.1761
809	2021-07-08	1:27:40 PM	1.12222	447.1882	167.0787	0.0540
810	2021-07-08	1:27:45 PM	1.12361	447.1700	167.0771	-0.0182
811	2021-07-08	1:27:50 PM	1.12500	447.2058	167.0787	0.0358
812	2021-07-08	1:27:55 PM	1.12639	447.2750	167.0755	0.0692
813	2021-07-08	1:28:00 PM	1.12778	447.1530	167.0787	-0.1221
814	2021-07-08	1:28:05 PM	1.12917	447.2768	167.0804	0.1239
815	2021-07-08	1:28:10 PM	1.13056	447.1183	167.0803	-0.1585
816	2021-07-08	1:28:15 PM	1.13194	447.2416	167.0804	0.1233
817	2021-07-08	1:28:20 PM	1.13333	446.9787	167.0835	-0.2629
818	2021-07-08	1:28:25 PM	1.13472	447.3631	167.0756	0.3844
819	2021-07-08	1:28:30 PM	1.13611	447.1700	167.0771	-0.1931
820	2021-07-08	1:28:35 PM	1.13750	447.2064	167.0804	0.0364
821	2021-07-08	1:28:40 PM	1.13889	447.1177	167.0787	-0.0886
822	2021-07-08	1:28:45 PM	1.14028	447.1372	167.0836	0.0194
823	2021-07-08	1:28:50 PM	1.14167	447.2422	167.0820	0.1050
824	2021-07-08	1:28:55 PM	1.14306	447.1007	167.0803	-0.1415
825	2021-07-08	1:29:00 PM	1.14444	447.1706	167.0787	0.0698
826	2021-07-08	1:29:05 PM	1.14583	447.1366	167.0820	-0.0340
827	2021-07-08	1:29:10 PM	1.14722	447.2234	167.0788	0.0868

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
828	2021-07-08	1:29:15 PM	1.14861	447.2604	167.0836	0.0370
829	2021-07-08	1:29:20 PM	1.15000	447.1742	167.0884	-0.0862
830	2021-07-08	1:29:25 PM	1.15139	447.2944	167.0804	0.1203
831	2021-07-08	1:29:30 PM	1.15278	447.2598	167.0820	-0.0346
832	2021-07-08	1:29:35 PM	1.15417	447.2270	167.0884	-0.0328
833	2021-07-08	1:29:40 PM	1.15556	447.1554	167.0852	-0.0716
834	2021-07-08	1:29:45 PM	1.15694	447.1207	167.0868	-0.0346
835	2021-07-08	1:29:50 PM	1.15833	447.1201	167.0852	-0.0006
836	2021-07-08	1:29:55 PM	1.15972	447.3132	167.0836	0.1931
837	2021-07-08	1:30:00 PM	1.16111	447.1530	167.0787	-0.1603
838	2021-07-08	1:30:05 PM	1.16250	447.1007	167.0803	-0.0522
839	2021-07-08	1:30:10 PM	1.16389	447.0855	167.0868	-0.0152
840	2021-07-08	1:30:15 PM	1.16528	447.1183	167.0803	0.0328
841	2021-07-08	1:30:20 PM	1.16667	447.1037	167.0884	-0.0146
842	2021-07-08	1:30:25 PM	1.16806	447.1706	167.0787	0.0668
843	2021-07-08	1:30:30 PM	1.16944	447.2076	167.0836	0.0370
844	2021-07-08	1:30:35 PM	1.17083	447.1894	167.0820	-0.0182
845	2021-07-08	1:30:40 PM	1.17222	447.1384	167.0868	-0.0510
846	2021-07-08	1:30:45 PM	1.17361	447.2094	167.0884	0.0710
847	2021-07-08	1:30:50 PM	1.17500	447.2440	167.0868	0.0346
848	2021-07-08	1:30:55 PM	1.17639	447.1031	167.0868	-0.1409
849	2021-07-08	1:31:00 PM	1.17778	447.2464	167.0932	0.1433
850	2021-07-08	1:31:05 PM	1.17917	447.2622	167.0884	0.0158
851	2021-07-08	1:31:10 PM	1.18056	447.1554	167.0852	-0.1069
852	2021-07-08	1:31:15 PM	1.18194	447.2264	167.0868	0.0710
853	2021-07-08	1:31:20 PM	1.18333	447.2974	167.0884	0.0710
854	2021-07-08	1:31:25 PM	1.18472	447.1560	167.0868	-0.1415
855	2021-07-08	1:31:30 PM	1.18611	447.2634	167.0916	0.1075
856	2021-07-08	1:31:35 PM	1.18750	447.1566	167.0884	-0.1069
857	2021-07-08	1:31:40 PM	1.18889	447.2252	167.0836	0.0686
858	2021-07-08	1:31:45 PM	1.19028	447.2440	167.0868	0.0188
859	2021-07-08	1:31:50 PM	1.19167	447.1742	167.0884	-0.0698
860	2021-07-08	1:31:55 PM	1.19306	447.0521	167.0916	-0.1221
861	2021-07-08	1:32:00 PM	1.19444	447.2106	167.0916	0.1585
862	2021-07-08	1:32:05 PM	1.19583	447.1766	167.0948	-0.0340
863	2021-07-08	1:32:10 PM	1.19722	447.1930	167.0916	0.0164
864	2021-07-08	1:32:15 PM	1.19861	447.1226	167.0916	-0.0704
865	2021-07-08	1:32:20 PM	1.20000	447.0849	167.0852	-0.0376
866	2021-07-08	1:32:25 PM	1.20139	447.2288	167.0932	0.1439
867	2021-07-08	1:32:30 PM	1.20278	447.0339	167.0900	-0.1949
868	2021-07-08	1:32:35 PM	1.20417	447.2646	167.0948	0.2307
869	2021-07-08	1:32:40 PM	1.20556	447.2652	167.0965	0.0006
870	2021-07-08	1:32:45 PM	1.20694	447.1043	167.0900	-0.1609
871	2021-07-08	1:32:50 PM	1.20833	447.1760	167.0932	0.0716
872	2021-07-08	1:32:55 PM	1.20972	447.1936	167.0932	0.0176
873	2021-07-08	1:33:00 PM	1.21111	447.1402	167.0916	-0.0534
874	2021-07-08	1:33:05 PM	1.21250	447.3150	167.0884	0.1749
875	2021-07-08	1:33:10 PM	1.21389	447.2106	167.0916	-0.1044
876	2021-07-08	1:33:15 PM	1.21528	447.2628	167.0900	0.0522
877	2021-07-08	1:33:20 PM	1.21667	447.2106	167.0916	-0.0522
878	2021-07-08	1:33:25 PM	1.21806	447.2130	167.0981	0.0024
879	2021-07-08	1:33:30 PM	1.21944	447.1930	167.0916	-0.0200

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
880	2021-07-08	1:33:35 PM	1.22083	447.1602	167.0981	-0.0328
881	2021-07-08	1:33:40 PM	1.22222	447.1772	167.0964	0.0170
882	2021-07-08	1:33:45 PM	1.22361	447.2822	167.0949	0.1050
883	2021-07-08	1:33:50 PM	1.22500	447.2834	167.0981	0.0012
884	2021-07-08	1:33:55 PM	1.22639	447.2470	167.0948	-0.0364
885	2021-07-08	1:34:00 PM	1.22778	447.2476	167.0965	0.0006
886	2021-07-08	1:34:05 PM	1.22917	447.3192	167.0997	0.0716
887	2021-07-08	1:34:10 PM	1.23056	447.1796	167.1029	-0.1397
888	2021-07-08	1:34:15 PM	1.23194	447.1438	167.1013	-0.0358
889	2021-07-08	1:34:20 PM	1.23333	447.1256	167.0997	-0.0182
890	2021-07-08	1:34:25 PM	1.23472	447.1960	167.0997	0.0704
891	2021-07-08	1:34:30 PM	1.23611	447.1766	167.0948	-0.0194
892	2021-07-08	1:34:35 PM	1.23750	447.0569	167.1045	-0.1197
893	2021-07-08	1:34:40 PM	1.23889	447.2840	167.0997	0.2271
894	2021-07-08	1:34:45 PM	1.24028	446.9465	167.0916	-0.3376
895	2021-07-08	1:34:50 PM	1.24167	446.8766	167.0932	-0.0698
896	2021-07-08	1:34:55 PM	1.24306	446.5203	167.0819	-0.3564
897	2021-07-08	1:35:00 PM	1.24444	446.3632	167.0384	-0.1570
898	2021-07-08	1:35:05 PM	1.24583	446.2008	166.9804	-0.1624
899	2021-07-08	1:35:10 PM	1.24722	446.0306	166.9016	-0.1702
900	2021-07-08	1:35:15 PM	1.24861	445.7537	166.8195	-0.2770
901	2021-07-08	1:35:20 PM	1.25000	445.6122	166.7229	-0.1415
902	2021-07-08	1:35:25 PM	1.25139	445.4508	166.6199	-0.1614
903	2021-07-08	1:35:30 PM	1.25278	445.2525	166.5121	-0.1983
904	2021-07-08	1:35:35 PM	1.25417	445.3467	166.3867	0.0943
905	2021-07-08	1:35:40 PM	1.25556	445.4246	166.2645	0.0779
906	2021-07-08	1:35:45 PM	1.25694	445.3191	166.1696	-0.1055
907	2021-07-08	1:35:50 PM	1.25833	445.2190	166.0891	-0.1001
908	2021-07-08	1:35:55 PM	1.25972	445.2873	166.0361	0.0683
909	2021-07-08	1:36:00 PM	1.26111	445.2864	165.9862	-0.0009
910	2021-07-08	1:36:05 PM	1.26250	445.2909	165.9509	0.0045
911	2021-07-08	1:36:10 PM	1.26389	445.1723	165.9155	-0.1186
912	2021-07-08	1:36:15 PM	1.26528	445.2114	165.8785	0.0391
913	2021-07-08	1:36:20 PM	1.26667	445.2886	165.8496	0.0772
914	2021-07-08	1:36:25 PM	1.26806	445.3676	165.8255	0.0790
915	2021-07-08	1:36:30 PM	1.26944	445.2126	165.7869	-0.1549
916	2021-07-08	1:36:35 PM	1.27083	445.2025	165.7595	-0.0101
917	2021-07-08	1:36:40 PM	1.27222	445.2288	165.7354	0.0262
918	2021-07-08	1:36:45 PM	1.27361	445.1999	165.7049	-0.0289
919	2021-07-08	1:36:50 PM	1.27500	445.2795	165.6824	0.0796
920	2021-07-08	1:36:55 PM	1.27639	445.2300	165.6438	-0.0494
921	2021-07-08	1:37:00 PM	1.27778	445.1169	165.6229	-0.1132
922	2021-07-08	1:37:05 PM	1.27917	445.2673	165.6020	0.1505
923	2021-07-08	1:37:10 PM	1.28056	445.2239	165.5795	-0.0435
924	2021-07-08	1:37:15 PM	1.28194	445.2999	165.5474	0.0760
925	2021-07-08	1:37:20 PM	1.28333	445.2212	165.5248	-0.0786
926	2021-07-08	1:37:25 PM	1.28472	445.2311	165.5040	0.0099
927	2021-07-08	1:37:30 PM	1.28611	445.2368	165.4718	0.0057
928	2021-07-08	1:37:35 PM	1.28750	445.2320	165.4589	-0.0048
929	2021-07-08	1:37:40 PM	1.28889	445.3444	165.4300	0.1123
930	2021-07-08	1:37:45 PM	1.29028	445.3197	165.4107	-0.0247
931	2021-07-08	1:37:50 PM	1.29167	445.2235	165.3882	-0.0962

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
932	2021-07-08	1:37:55 PM	1.29306	445.1958	165.3609	-0.0277
933	2021-07-08	1:38:00 PM	1.29444	445.2590	165.3416	0.0632
934	2021-07-08	1:38:05 PM	1.29583	445.3760	165.3256	0.1171
935	2021-07-08	1:38:10 PM	1.29722	445.3829	165.2966	0.0069
936	2021-07-08	1:38:15 PM	1.29861	445.2206	165.2854	-0.1623
937	2021-07-08	1:38:20 PM	1.30000	445.3335	165.2581	0.1129
938	2021-07-08	1:38:25 PM	1.30139	445.3762	165.2308	0.0426
939	2021-07-08	1:38:30 PM	1.30278	445.2993	165.2131	-0.0768
940	2021-07-08	1:38:35 PM	1.30417	445.3631	165.1954	0.0638
941	2021-07-08	1:38:40 PM	1.30556	445.2500	165.1745	-0.1131
942	2021-07-08	1:38:45 PM	1.30694	445.2967	165.1584	0.0468
943	2021-07-08	1:38:50 PM	1.30833	445.3575	165.1327	0.0608
944	2021-07-08	1:38:55 PM	1.30972	445.3691	165.1167	0.0116
945	2021-07-08	1:39:00 PM	1.31111	445.1863	165.0974	-0.1828
946	2021-07-08	1:39:05 PM	1.31250	445.1992	165.0845	0.0128
947	2021-07-08	1:39:10 PM	1.31389	445.2799	165.0652	0.0807
948	2021-07-08	1:39:15 PM	1.31528	445.2739	165.0492	-0.0059
949	2021-07-08	1:39:20 PM	1.31667	445.3014	165.0283	0.0274
950	2021-07-08	1:39:25 PM	1.31806	445.1373	165.0122	-0.1640
951	2021-07-08	1:39:30 PM	1.31944	445.3767	164.9945	0.2394
952	2021-07-08	1:39:35 PM	1.32083	445.2824	164.9769	-0.0944
953	2021-07-08	1:39:40 PM	1.32222	445.2431	164.9656	-0.0393
954	2021-07-08	1:39:45 PM	1.32361	445.2366	164.9479	-0.0065
955	2021-07-08	1:39:50 PM	1.32500	445.3530	164.9303	0.1164
956	2021-07-08	1:39:55 PM	1.32639	445.1908	164.9190	-0.1622
957	2021-07-08	1:40:00 PM	1.32778	445.2364	164.8997	0.0456
958	2021-07-08	1:40:05 PM	1.32917	445.2644	164.8805	0.0280
959	2021-07-08	1:40:10 PM	1.33056	445.2409	164.8644	-0.0235
960	2021-07-08	1:40:15 PM	1.33194	445.3070	164.8532	0.0661
961	2021-07-08	1:40:20 PM	1.33333	445.2314	164.8387	-0.0756
962	2021-07-08	1:40:25 PM	1.33472	445.4011	164.8226	0.1697
963	2021-07-08	1:40:30 PM	1.33611	445.3267	164.8114	-0.0744
964	2021-07-08	1:40:35 PM	1.33750	445.1094	164.7937	-0.2173
965	2021-07-08	1:40:40 PM	1.33889	444.8722	164.7696	-0.2372
966	2021-07-08	1:40:45 PM	1.34028	444.8422	164.7358	-0.0300
967	2021-07-08	1:40:50 PM	1.34167	444.6371	164.6555	-0.2052
968	2021-07-08	1:40:55 PM	1.34306	444.4365	164.5398	-0.2006
969	2021-07-08	1:41:00 PM	1.34444	444.3102	164.3872	-0.1263
970	2021-07-08	1:41:05 PM	1.34583	444.0305	164.1993	-0.2796
971	2021-07-08	1:41:10 PM	1.34722	443.9347	163.9857	-0.0959
972	2021-07-08	1:41:15 PM	1.34861	443.8125	163.7481	-0.1222
973	2021-07-08	1:41:20 PM	1.35000	443.5957	163.4913	-0.2168
974	2021-07-08	1:41:25 PM	1.35139	443.6397	163.2281	0.0440
975	2021-07-08	1:41:30 PM	1.35278	443.5646	162.9746	-0.0751
976	2021-07-08	1:41:35 PM	1.35417	443.7512	162.7661	0.1867
977	2021-07-08	1:41:40 PM	1.35556	443.6097	162.6185	-0.1415
978	2021-07-08	1:41:45 PM	1.35694	443.4998	162.5094	-0.1099
979	2021-07-08	1:41:50 PM	1.35833	443.6235	162.4164	0.1237
980	2021-07-08	1:41:55 PM	1.35972	443.5435	162.3411	-0.0800
981	2021-07-08	1:42:00 PM	1.36111	443.4839	162.2737	-0.0596
982	2021-07-08	1:42:05 PM	1.36250	443.5492	162.2128	0.0653
983	2021-07-08	1:42:10 PM	1.36389	443.7033	162.1551	0.1540

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
984	2021-07-08	1:42:15 PM	1.36528	443.5784	162.1006	-0.1249
985	2021-07-08	1:42:20 PM	1.36667	443.4925	162.0573	-0.0858
986	2021-07-08	1:42:25 PM	1.36806	443.5801	162.0092	0.0875
987	2021-07-08	1:42:30 PM	1.36944	443.5958	161.9563	0.0157
988	2021-07-08	1:42:35 PM	1.37083	443.5275	161.9130	-0.0683
989	2021-07-08	1:42:40 PM	1.37222	443.4044	161.8633	-0.1231
990	2021-07-08	1:42:45 PM	1.37361	443.5117	161.8216	0.1073
991	2021-07-08	1:42:50 PM	1.37500	443.6692	161.7736	0.1575
992	2021-07-08	1:42:55 PM	1.37639	443.5333	161.7367	-0.1359
993	2021-07-08	1:43:00 PM	1.37778	443.5367	161.6982	0.0035
994	2021-07-08	1:43:05 PM	1.37917	443.5735	161.6549	0.0367
995	2021-07-08	1:43:10 PM	1.38056	443.5239	161.6149	-0.0496
996	2021-07-08	1:43:15 PM	1.38194	443.6312	161.5732	0.1073
997	2021-07-08	1:43:20 PM	1.38333	443.4936	161.5315	-0.1377
998	2021-07-08	1:43:25 PM	1.38472	443.4475	161.5011	-0.0461
999	2021-07-08	1:43:30 PM	1.38611	443.4673	161.4594	0.0198
1000	2021-07-08	1:43:35 PM	1.38750	443.5915	161.4162	0.1242
1001	2021-07-08	1:43:40 PM	1.38889	443.5822	161.3905	-0.0093
1002	2021-07-08	1:43:45 PM	1.39028	443.6551	161.3505	0.0729
1003	2021-07-08	1:43:50 PM	1.39167	443.5548	161.3152	-0.1003
1004	2021-07-08	1:43:55 PM	1.39306	443.6282	161.2768	0.0735
1005	2021-07-08	1:44:00 PM	1.39444	443.5105	161.2415	-0.1178
1006	2021-07-08	1:44:05 PM	1.39583	443.5005	161.2143	-0.0099
1007	2021-07-08	1:44:10 PM	1.39722	443.5554	161.1726	0.0548
1008	2021-07-08	1:44:15 PM	1.39861	443.5443	161.1422	-0.0111
1009	2021-07-08	1:44:20 PM	1.40000	443.5151	161.1101	-0.0291
1010	2021-07-08	1:44:25 PM	1.40139	443.5915	161.0797	0.0764
1011	2021-07-08	1:44:30 PM	1.40278	443.6667	161.0461	0.0752
1012	2021-07-08	1:44:35 PM	1.40417	443.6894	161.0124	0.0227
1013	2021-07-08	1:44:40 PM	1.40556	443.6434	160.9820	-0.0460
1014	2021-07-08	1:44:45 PM	1.40694	443.6836	160.9484	0.0402
1015	2021-07-08	1:44:50 PM	1.40833	443.7116	160.9291	0.0280
1016	2021-07-08	1:44:55 PM	1.40972	443.5956	160.8987	-0.1160
1017	2021-07-08	1:45:00 PM	1.41111	443.5676	160.8699	-0.0280
1018	2021-07-08	1:45:05 PM	1.41250	443.5385	160.8378	-0.0291
1019	2021-07-08	1:45:10 PM	1.41389	443.5968	160.8058	0.0583
1020	2021-07-08	1:45:15 PM	1.41528	443.5368	160.7850	-0.0600
1021	2021-07-08	1:45:20 PM	1.41667	443.6125	160.7529	0.0758
1022	2021-07-08	1:45:25 PM	1.41806	443.6394	160.7305	0.0268
1023	2021-07-08	1:45:30 PM	1.41944	443.5957	160.7065	-0.0437
1024	2021-07-08	1:45:35 PM	1.42083	443.5158	160.6792	-0.0798
1025	2021-07-08	1:45:40 PM	1.42222	443.5234	160.6520	0.0076
1026	2021-07-08	1:45:45 PM	1.42361	443.5829	160.6232	0.0594
1027	2021-07-08	1:45:50 PM	1.42500	443.6435	160.5976	0.0606
1028	2021-07-08	1:45:55 PM	1.42639	443.6347	160.5736	-0.0087
1029	2021-07-08	1:46:00 PM	1.42778	443.6272	160.5527	-0.0076
1030	2021-07-08	1:46:05 PM	1.42917	443.6709	160.5287	0.0437
1031	2021-07-08	1:46:10 PM	1.43056	443.6254	160.4999	-0.0454
1032	2021-07-08	1:46:15 PM	1.43194	443.6884	160.4807	0.0629
1033	2021-07-08	1:46:20 PM	1.43333	443.6097	160.4567	-0.0786
1034	2021-07-08	1:46:25 PM	1.43472	443.6022	160.4358	-0.0076
1035	2021-07-08	1:46:30 PM	1.43611	443.0849	160.4070	-0.5172

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1036	2021-07-08	1:46:35 PM	1.43750	442.9580	160.3461	-0.1269
1037	2021-07-08	1:46:40 PM	1.43889	442.6688	160.2228	-0.2893
1038	2021-07-08	1:46:45 PM	1.44028	442.5468	160.0306	-0.1219
1039	2021-07-08	1:46:50 PM	1.44167	442.3058	159.7985	-0.2411
1040	2021-07-08	1:46:55 PM	1.44306	441.9422	159.5168	-0.3636
1041	2021-07-08	1:47:00 PM	1.44444	441.5814	159.1936	-0.3608
1042	2021-07-08	1:47:05 PM	1.44583	441.4728	158.8432	-0.1086
1043	2021-07-08	1:47:10 PM	1.44722	441.3540	158.4642	-0.1188
1044	2021-07-08	1:47:15 PM	1.44861	441.0206	158.0693	-0.3334
1045	2021-07-08	1:47:20 PM	1.45000	440.6150	157.6665	-0.4056
1046	2021-07-08	1:47:25 PM	1.45139	440.4445	157.2382	-0.1705
1047	2021-07-08	1:47:30 PM	1.45278	440.0997	156.8085	-0.3448
1048	2021-07-08	1:47:35 PM	1.45417	439.8725	156.3661	-0.2272
1049	2021-07-08	1:47:40 PM	1.45556	439.6759	155.9112	-0.1966
1050	2021-07-08	1:47:45 PM	1.45694	439.5109	155.4468	-0.1649
1051	2021-07-08	1:47:50 PM	1.45833	439.0869	154.9857	-0.4240
1052	2021-07-08	1:47:55 PM	1.45972	438.7514	154.5279	-0.3356
1053	2021-07-08	1:48:00 PM	1.46111	438.5125	154.0480	-0.2389
1054	2021-07-08	1:48:05 PM	1.46250	438.2924	153.5714	-0.2201
1055	2021-07-08	1:48:10 PM	1.46389	437.7892	153.0775	-0.5031
1056	2021-07-08	1:48:15 PM	1.46528	437.5968	152.5789	-0.1924
1057	2021-07-08	1:48:20 PM	1.46667	437.3506	152.0742	-0.2463
1058	2021-07-08	1:48:25 PM	1.46806	437.0902	151.5776	-0.2604
1059	2021-07-08	1:48:30 PM	1.46944	436.7254	151.0779	-0.3648
1060	2021-07-08	1:48:35 PM	1.47083	436.3934	150.5721	-0.3320
1061	2021-07-08	1:48:40 PM	1.47222	436.0457	150.0696	-0.3477
1062	2021-07-08	1:48:45 PM	1.47361	435.7503	149.5673	-0.2954
1063	2021-07-08	1:48:50 PM	1.47500	435.4859	149.0541	-0.2644
1064	2021-07-08	1:48:55 PM	1.47639	435.3114	148.5505	-0.1745
1065	2021-07-08	1:49:00 PM	1.47778	435.2450	148.0598	-0.0664
1066	2021-07-08	1:49:05 PM	1.47917	435.2796	147.6122	0.0346
1067	2021-07-08	1:49:10 PM	1.48056	435.0573	147.2678	-0.2223
1068	2021-07-08	1:49:15 PM	1.48194	435.0723	147.0123	0.0150
1069	2021-07-08	1:49:20 PM	1.48333	435.0448	146.8330	-0.0275
1070	2021-07-08	1:49:25 PM	1.48472	435.0799	146.6855	0.0351
1071	2021-07-08	1:49:30 PM	1.48611	434.8873	146.5760	-0.1926
1072	2021-07-08	1:49:35 PM	1.48750	434.9194	146.4698	0.0321
1073	2021-07-08	1:49:40 PM	1.48889	434.9742	146.3794	0.0548
1074	2021-07-08	1:49:45 PM	1.49028	435.0157	146.3001	0.0414
1075	2021-07-08	1:49:50 PM	1.49167	434.8347	146.2240	-0.1810
1076	2021-07-08	1:49:55 PM	1.49306	434.9620	146.1447	0.1274
1077	2021-07-08	1:50:00 PM	1.49444	435.0760	146.0765	0.1140
1078	2021-07-08	1:50:05 PM	1.49583	434.9139	146.0051	-0.1621
1079	2021-07-08	1:50:10 PM	1.49722	434.7873	145.9370	-0.1266
1080	2021-07-08	1:50:15 PM	1.49861	434.9024	145.8720	0.1151
1081	2021-07-08	1:50:20 PM	1.50000	434.8644	145.8117	-0.0380
1082	2021-07-08	1:50:25 PM	1.50139	434.9296	145.7515	0.0652
1083	2021-07-08	1:50:30 PM	1.50278	434.9808	145.7008	0.0512
1084	2021-07-08	1:50:35 PM	1.50417	434.9418	145.6373	-0.0390
1085	2021-07-08	1:50:40 PM	1.50556	434.9227	145.5819	-0.0191
1086	2021-07-08	1:50:45 PM	1.50694	435.0426	145.5312	0.1199
1087	2021-07-08	1:50:50 PM	1.50833	434.8517	145.4757	-0.1909

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1088	2021-07-08	1:50:55 PM	1.50972	434.9378	145.4265	0.0861
1089	2021-07-08	1:51:00 PM	1.51111	434.8528	145.3790	-0.0851
1090	2021-07-08	1:51:05 PM	1.51250	434.9329	145.3124	0.0801
1091	2021-07-08	1:51:10 PM	1.51389	434.7968	145.2664	-0.1360
1092	2021-07-08	1:51:15 PM	1.51528	434.8663	145.2189	0.0695
1093	2021-07-08	1:51:20 PM	1.51667	434.8854	145.1745	0.0191
1094	2021-07-08	1:51:25 PM	1.51806	434.9388	145.1302	0.0534
1095	2021-07-08	1:51:30 PM	1.51944	434.8338	145.0747	-0.1050
1096	2021-07-08	1:51:35 PM	1.52083	434.9731	145.0303	0.1392
1097	2021-07-08	1:51:40 PM	1.52222	434.8902	144.9891	-0.0829
1098	2021-07-08	1:51:45 PM	1.52361	434.8733	144.9400	-0.0169
1099	2021-07-08	1:51:50 PM	1.52500	435.0103	144.8893	0.1370
1100	2021-07-08	1:51:55 PM	1.52639	434.9623	144.8497	-0.0480
1101	2021-07-08	1:52:00 PM	1.52778	435.0157	144.8053	0.0534
1102	2021-07-08	1:52:05 PM	1.52917	434.8819	144.7657	-0.1338
1103	2021-07-08	1:52:10 PM	1.53056	434.9032	144.7277	0.0212
1104	2021-07-08	1:52:15 PM	1.53194	435.0053	144.6754	0.1021
1105	2021-07-08	1:52:20 PM	1.53333	434.8056	144.6437	-0.1997
1106	2021-07-08	1:52:25 PM	1.53472	434.7732	144.5994	-0.0324
1107	2021-07-08	1:52:30 PM	1.53611	434.9156	144.5645	0.1424
1108	2021-07-08	1:52:35 PM	1.53750	434.9883	144.5265	0.0727
1109	2021-07-08	1:52:40 PM	1.53889	434.9382	144.4806	-0.0501
1110	2021-07-08	1:52:45 PM	1.54028	434.9434	144.4457	0.0052
1111	2021-07-08	1:52:50 PM	1.54167	434.8949	144.4045	-0.0485
1112	2021-07-08	1:52:55 PM	1.54306	434.9520	144.3713	0.0572
1113	2021-07-08	1:53:00 PM	1.54444	434.8709	144.3348	-0.0812
1114	2021-07-08	1:53:05 PM	1.54583	434.9447	144.3000	0.0738
1115	2021-07-08	1:53:10 PM	1.54722	434.9670	144.2652	0.0223
1116	2021-07-08	1:53:15 PM	1.54861	434.9694	144.2224	0.0024
1117	2021-07-08	1:53:20 PM	1.55000	434.9087	144.1955	-0.0607
1118	2021-07-08	1:53:25 PM	1.55139	434.9487	144.1622	0.0400
1119	2021-07-08	1:53:30 PM	1.55278	435.0916	144.1290	0.1429
1120	2021-07-08	1:53:35 PM	1.55417	434.9783	144.0989	-0.1133
1121	2021-07-08	1:53:40 PM	1.55556	434.7783	144.0656	-0.2001
1122	2021-07-08	1:53:45 PM	1.55694	434.7652	144.0276	-0.0131
1123	2021-07-08	1:53:50 PM	1.55833	434.9108	144.0023	0.1456
1124	2021-07-08	1:53:55 PM	1.55972	434.9867	143.9738	0.0759
1125	2021-07-08	1:54:00 PM	1.56111	434.9249	143.9437	-0.0618
1126	2021-07-08	1:54:05 PM	1.56250	434.5877	143.9104	-0.3372
1127	2021-07-08	1:54:10 PM	1.56389	434.3597	143.8454	-0.2281
1128	2021-07-08	1:54:15 PM	1.56528	434.0275	143.7266	-0.3322
1129	2021-07-08	1:54:20 PM	1.56667	433.8633	143.5477	-0.1642
1130	2021-07-08	1:54:25 PM	1.56806	433.4210	143.3070	-0.4423
1131	2021-07-08	1:54:30 PM	1.56944	433.2716	143.0205	-0.1494
1132	2021-07-08	1:54:35 PM	1.57083	433.0056	142.6929	-0.2661
1133	2021-07-08	1:54:40 PM	1.57222	432.6743	142.3242	-0.3312
1134	2021-07-08	1:54:45 PM	1.57361	432.3802	141.9129	-0.2941
1135	2021-07-08	1:54:50 PM	1.57500	432.2385	141.4464	-0.1417
1136	2021-07-08	1:54:55 PM	1.57639	431.6382	140.9373	-0.6003
1137	2021-07-08	1:55:00 PM	1.57778	431.7291	140.4000	0.0909
1138	2021-07-08	1:55:05 PM	1.57917	431.4156	139.8281	-0.3135
1139	2021-07-08	1:55:10 PM	1.58056	431.2203	139.2516	-0.1953

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1140	2021-07-08	1:55:15 PM	1.58194	430.9129	138.6453	-0.3074
1141	2021-07-08	1:55:20 PM	1.58333	430.5644	138.0171	-0.3485
1142	2021-07-08	1:55:25 PM	1.58472	430.2860	137.3939	-0.2784
1143	2021-07-08	1:55:30 PM	1.58611	429.9655	136.7457	-0.3205
1144	2021-07-08	1:55:35 PM	1.58750	429.7644	136.0977	-0.2011
1145	2021-07-08	1:55:40 PM	1.58889	429.5095	135.4405	-0.2549
1146	2021-07-08	1:55:45 PM	1.59028	429.1298	134.7647	-0.3797
1147	2021-07-08	1:55:50 PM	1.59167	428.9832	134.0749	-0.1466
1148	2021-07-08	1:55:55 PM	1.59306	428.4986	133.3869	-0.4846
1149	2021-07-08	1:56:00 PM	1.59444	428.2315	132.6898	-0.2671
1150	2021-07-08	1:56:05 PM	1.59583	427.9273	131.9819	-0.3042
1151	2021-07-08	1:56:10 PM	1.59722	427.6636	131.2932	-0.2637
1152	2021-07-08	1:56:15 PM	1.59861	427.2958	130.5953	-0.3678
1153	2021-07-08	1:56:20 PM	1.60000	426.9074	129.8850	-0.3884
1154	2021-07-08	1:56:25 PM	1.60139	426.5849	129.1688	-0.3225
1155	2021-07-08	1:56:30 PM	1.60278	426.5099	128.3853	-0.0750
1156	2021-07-08	1:56:35 PM	1.60417	426.4889	127.4609	-0.0210
1157	2021-07-08	1:56:40 PM	1.60556	426.2966	126.4773	-0.1922
1158	2021-07-08	1:56:45 PM	1.60694	426.3770	125.6071	0.0804
1159	2021-07-08	1:56:50 PM	1.60833	426.2884	124.9363	-0.0886
1160	2021-07-08	1:56:55 PM	1.60972	426.1459	124.4568	-0.1425
1161	2021-07-08	1:57:00 PM	1.61111	426.1918	124.0902	0.0459
1162	2021-07-08	1:57:05 PM	1.61250	426.0417	123.7895	-0.1501
1163	2021-07-08	1:57:10 PM	1.61389	425.8716	123.5295	-0.1700
1164	2021-07-08	1:57:15 PM	1.61528	425.8785	123.2977	0.0068
1165	2021-07-08	1:57:20 PM	1.61667	425.9103	123.0910	0.0318
1166	2021-07-08	1:57:25 PM	1.61806	425.8930	122.8875	-0.0173
1167	2021-07-08	1:57:30 PM	1.61944	425.8630	122.6965	-0.0299
1168	2021-07-08	1:57:35 PM	1.62083	425.8018	122.5118	-0.0613
1169	2021-07-08	1:57:40 PM	1.62222	425.8460	122.3427	0.0442
1170	2021-07-08	1:57:45 PM	1.62361	425.8907	122.1753	0.0447
1171	2021-07-08	1:57:50 PM	1.62500	425.8733	122.0219	-0.0175
1172	2021-07-08	1:57:55 PM	1.62639	425.7727	121.8701	-0.1005
1173	2021-07-08	1:58:00 PM	1.62778	425.7401	121.7214	-0.0326
1174	2021-07-08	1:58:05 PM	1.62917	425.6934	121.5806	-0.0467
1175	2021-07-08	1:58:10 PM	1.63056	425.7292	121.4366	0.0358
1176	2021-07-08	1:58:15 PM	1.63194	425.7347	121.3021	0.0055
1177	2021-07-08	1:58:20 PM	1.63333	425.9071	121.1676	0.1725
1178	2021-07-08	1:58:25 PM	1.63472	425.7466	121.0361	-0.1605
1179	2021-07-08	1:58:30 PM	1.63611	425.7557	120.9126	0.0091
1180	2021-07-08	1:58:35 PM	1.63750	425.7637	120.7859	0.0080
1181	2021-07-08	1:58:40 PM	1.63889	425.7232	120.6639	-0.0405
1182	2021-07-08	1:58:45 PM	1.64028	425.7005	120.5450	-0.0228
1183	2021-07-08	1:58:50 PM	1.64167	425.6787	120.4293	-0.0217
1184	2021-07-08	1:58:55 PM	1.64306	425.8739	120.3136	0.1952
1185	2021-07-08	1:59:00 PM	1.64444	425.8694	120.1994	-0.0045
1186	2021-07-08	1:59:05 PM	1.64583	425.6949	120.0759	-0.1744
1187	2021-07-08	1:59:10 PM	1.64722	425.7748	119.9649	0.0799
1188	2021-07-08	1:59:15 PM	1.64861	425.6390	119.8570	-0.1359
1189	2021-07-08	1:59:20 PM	1.65000	425.7704	119.7507	0.1314
1190	2021-07-08	1:59:25 PM	1.65139	425.9013	119.6428	0.1309
1191	2021-07-08	1:59:30 PM	1.65278	425.8509	119.5412	-0.0504

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1192	2021-07-08	1:59:35 PM	1.65417	425.8156	119.4349	-0.0353
1193	2021-07-08	1:59:40 PM	1.65556	425.6324	119.3348	-0.1832
1194	2021-07-08	1:59:45 PM	1.65694	425.8001	119.2379	0.1678
1195	2021-07-08	1:59:50 PM	1.65833	425.8159	119.1348	0.0157
1196	2021-07-08	1:59:55 PM	1.65972	425.8029	119.0457	-0.0129
1197	2021-07-08	2:00:00 PM	1.66111	425.8530	118.9457	0.0501
1198	2021-07-08	2:00:05 PM	1.66250	425.7709	118.8488	-0.0821
1199	2021-07-08	2:00:10 PM	1.66389	425.8761	118.7644	0.1052
1200	2021-07-08	2:00:15 PM	1.66528	425.8080	118.6597	-0.0681
1201	2021-07-08	2:00:20 PM	1.66667	425.6317	118.5800	-0.1763
1202	2021-07-08	2:00:25 PM	1.66806	425.8352	118.4909	0.2035
1203	2021-07-08	2:00:30 PM	1.66944	425.8409	118.4081	0.0058
1204	2021-07-08	2:00:35 PM	1.67083	425.8764	118.3144	0.0354
1205	2021-07-08	2:00:40 PM	1.67222	425.7313	118.2284	-0.1450
1206	2021-07-08	2:00:45 PM	1.67361	425.8869	118.1456	0.1555
1207	2021-07-08	2:00:50 PM	1.67500	425.6758	118.0612	-0.2111
1208	2021-07-08	2:00:55 PM	1.67639	425.7497	117.9831	0.0739
1209	2021-07-08	2:01:00 PM	1.67778	425.8059	117.9019	0.0562
1210	2021-07-08	2:01:05 PM	1.67917	425.8610	117.8176	0.0551
1211	2021-07-08	2:01:10 PM	1.68056	425.7712	117.7473	-0.0899
1212	2021-07-08	2:01:15 PM	1.68194	425.7790	117.6707	0.0078
1213	2021-07-08	2:01:20 PM	1.68333	425.8528	117.5926	0.0738
1214	2021-07-08	2:01:25 PM	1.68472	425.8274	117.5161	-0.0254
1215	2021-07-08	2:01:30 PM	1.68611	425.8373	117.4458	0.0099
1216	2021-07-08	2:01:35 PM	1.68750	425.8285	117.3693	-0.0088
1217	2021-07-08	2:01:40 PM	1.68889	425.7044	117.2959	-0.1241
1218	2021-07-08	2:01:45 PM	1.69028	425.4436	117.2115	-0.2607
1219	2021-07-08	2:01:50 PM	1.69167	425.0880	117.0412	-0.3556
1220	2021-07-08	2:01:55 PM	1.69306	424.7888	116.7398	-0.2992
1221	2021-07-08	2:02:00 PM	1.69444	424.4873	116.3307	-0.3015
1222	2021-07-08	2:02:05 PM	1.69583	424.2910	115.8374	-0.1963
1223	2021-07-08	2:02:10 PM	1.69722	424.0007	115.2600	-0.2904
1224	2021-07-08	2:02:15 PM	1.69861	423.8858	114.6109	-0.1149
1225	2021-07-08	2:02:20 PM	1.70000	423.4999	113.8933	-0.3859
1226	2021-07-08	2:02:25 PM	1.70139	423.1761	113.1619	-0.3238
1227	2021-07-08	2:02:30 PM	1.70278	422.8563	112.3918	-0.3197
1228	2021-07-08	2:02:35 PM	1.70417	422.5979	111.6062	-0.2584
1229	2021-07-08	2:02:40 PM	1.70556	422.2217	110.8132	-0.3762
1230	2021-07-08	2:02:45 PM	1.70694	421.9054	110.0001	-0.3163
1231	2021-07-08	2:02:50 PM	1.70833	421.6095	109.1981	-0.2959
1232	2021-07-08	2:02:55 PM	1.70972	421.3289	108.3917	-0.2806
1233	2021-07-08	2:03:00 PM	1.71111	420.9168	107.5840	-0.4122
1234	2021-07-08	2:03:05 PM	1.71250	420.4601	106.7889	-0.4567
1235	2021-07-08	2:03:10 PM	1.71389	419.9703	105.9909	-0.4898
1236	2021-07-08	2:03:15 PM	1.71528	419.7777	105.1978	-0.1925
1237	2021-07-08	2:03:20 PM	1.71667	419.5031	104.4034	-0.2746
1238	2021-07-08	2:03:25 PM	1.71806	419.0797	103.6029	-0.4234
1239	2021-07-08	2:03:30 PM	1.71944	418.5952	102.8135	-0.4845
1240	2021-07-08	2:03:35 PM	1.72083	418.1339	102.0429	-0.4613
1241	2021-07-08	2:03:40 PM	1.72222	417.8722	101.2818	-0.2618
1242	2021-07-08	2:03:45 PM	1.72361	417.2885	100.5318	-0.5837
1243	2021-07-08	2:03:50 PM	1.72500	417.1218	99.8099	-0.1667

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1244	2021-07-08	2:03:55 PM	1.72639	416.7336	99.1067	-0.3881
1245	2021-07-08	2:04:00 PM	1.72778	416.4591	98.4517	-0.2746
1246	2021-07-08	2:04:05 PM	1.72917	416.2972	97.8435	-0.1618
1247	2021-07-08	2:04:10 PM	1.73056	416.1767	97.3129	-0.1206
1248	2021-07-08	2:04:15 PM	1.73194	416.0624	96.9034	-0.1143
1249	2021-07-08	2:04:20 PM	1.73333	416.1376	96.6304	0.0752
1250	2021-07-08	2:04:25 PM	1.73472	415.9221	96.4117	-0.2155
1251	2021-07-08	2:04:30 PM	1.73611	415.9342	96.2457	0.0121
1252	2021-07-08	2:04:35 PM	1.73750	415.9723	96.1108	0.0381
1253	2021-07-08	2:04:40 PM	1.73889	415.7738	95.9960	-0.1985
1254	2021-07-08	2:04:45 PM	1.74028	415.7874	95.8859	0.0136
1255	2021-07-08	2:04:50 PM	1.74167	415.8217	95.7898	0.0343
1256	2021-07-08	2:04:55 PM	1.74306	415.8746	95.7014	0.0529
1257	2021-07-08	2:05:00 PM	1.74444	415.7670	95.6177	-0.1076
1258	2021-07-08	2:05:05 PM	1.74583	415.8057	95.5355	0.0387
1259	2021-07-08	2:05:10 PM	1.74722	415.7820	95.4610	-0.0236
1260	2021-07-08	2:05:15 PM	1.74861	415.7246	95.3820	-0.0575
1261	2021-07-08	2:05:20 PM	1.75000	415.8001	95.3137	0.0755
1262	2021-07-08	2:05:25 PM	1.75139	415.7784	95.2455	-0.0217
1263	2021-07-08	2:05:30 PM	1.75278	415.6587	95.1742	-0.1198
1264	2021-07-08	2:05:35 PM	1.75417	415.8494	95.1122	0.1907
1265	2021-07-08	2:05:40 PM	1.75556	415.7655	95.0517	-0.0839
1266	2021-07-08	2:05:45 PM	1.75694	415.8243	94.9820	0.0588
1267	2021-07-08	2:05:50 PM	1.75833	415.8066	94.9261	-0.0177
1268	2021-07-08	2:05:55 PM	1.75972	415.6898	94.8641	-0.1168
1269	2021-07-08	2:06:00 PM	1.76111	415.6873	94.8052	-0.0025
1270	2021-07-08	2:06:05 PM	1.76250	415.6378	94.7509	-0.0496
1271	2021-07-08	2:06:10 PM	1.76389	415.6666	94.6889	0.0289
1272	2021-07-08	2:06:15 PM	1.76528	415.7637	94.6378	0.0970
1273	2021-07-08	2:06:20 PM	1.76667	415.7440	94.5758	-0.0197
1274	2021-07-08	2:06:25 PM	1.76806	415.6621	94.5215	-0.0819
1275	2021-07-08	2:06:30 PM	1.76944	415.7572	94.4641	0.0950
1276	2021-07-08	2:06:35 PM	1.77083	415.8061	94.4145	0.0490
1277	2021-07-08	2:06:40 PM	1.77222	415.7081	94.3603	-0.0980
1278	2021-07-08	2:06:45 PM	1.77361	415.8717	94.3153	0.1636
1279	2021-07-08	2:06:50 PM	1.77500	415.7110	94.2673	-0.1607
1280	2021-07-08	2:06:55 PM	1.77639	415.7893	94.2084	0.0784
1281	2021-07-08	2:07:00 PM	1.77778	415.6120	94.1587	-0.1774
1282	2021-07-08	2:07:05 PM	1.77917	415.8064	94.1092	0.1945
1283	2021-07-08	2:07:10 PM	1.78056	415.7094	94.0580	-0.0970
1284	2021-07-08	2:07:15 PM	1.78194	415.6638	94.0161	-0.0456
1285	2021-07-08	2:07:20 PM	1.78333	415.7774	93.9666	0.1136
1286	2021-07-08	2:07:25 PM	1.78472	415.6177	93.9216	-0.1597
1287	2021-07-08	2:07:30 PM	1.78611	415.8283	93.8720	0.2106
1288	2021-07-08	2:07:35 PM	1.78750	415.7504	93.8302	-0.0779
1289	2021-07-08	2:07:40 PM	1.78889	415.7195	93.7836	-0.0309
1290	2021-07-08	2:07:45 PM	1.79028	415.7695	93.7372	0.0499
1291	2021-07-08	2:07:50 PM	1.79167	415.6451	93.7015	-0.1244
1292	2021-07-08	2:07:55 PM	1.79306	415.7254	93.6488	0.0803
1293	2021-07-08	2:08:00 PM	1.79444	415.8242	93.6039	0.0989
1294	2021-07-08	2:08:05 PM	1.79583	415.8614	93.5682	0.0372
1295	2021-07-08	2:08:10 PM	1.79722	415.7498	93.5217	-0.1116

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1296	2021-07-08	2:08:15 PM	1.79861	415.8496	93.4799	0.0998
1297	2021-07-08	2:08:20 PM	1.80000	415.7243	93.4411	-0.1253
1298	2021-07-08	2:08:25 PM	1.80139	415.8094	93.4039	0.0851
1299	2021-07-08	2:08:30 PM	1.80278	415.8290	93.3636	0.0196
1300	2021-07-08	2:08:35 PM	1.80417	415.7854	93.3280	-0.0436
1301	2021-07-08	2:08:40 PM	1.80556	415.7884	93.2861	0.0029
1302	2021-07-08	2:08:45 PM	1.80694	415.8407	93.2474	0.0523
1303	2021-07-08	2:08:50 PM	1.80833	415.8284	93.2087	-0.0122
1304	2021-07-08	2:08:55 PM	1.80972	415.8480	93.1684	0.0196
1305	2021-07-08	2:09:00 PM	1.81111	415.6919	93.1343	-0.1561
1306	2021-07-08	2:09:05 PM	1.81250	415.8436	93.1033	0.1517
1307	2021-07-08	2:09:10 PM	1.81389	415.4434	93.0629	-0.4002
1308	2021-07-08	2:09:15 PM	1.81528	415.0833	92.9963	-0.3600
1309	2021-07-08	2:09:20 PM	1.81667	414.7592	92.8381	-0.3242
1310	2021-07-08	2:09:25 PM	1.81806	414.3179	92.6149	-0.4413
1311	2021-07-08	2:09:30 PM	1.81944	414.1014	92.3360	-0.2165
1312	2021-07-08	2:09:35 PM	1.82083	413.7078	92.0059	-0.3936
1313	2021-07-08	2:09:40 PM	1.82222	413.3699	91.6464	-0.3379
1314	2021-07-08	2:09:45 PM	1.82361	413.0393	91.2576	-0.3306
1315	2021-07-08	2:09:50 PM	1.82500	412.7326	90.8408	-0.3067
1316	2021-07-08	2:09:55 PM	1.82639	412.2573	90.3978	-0.4753
1317	2021-07-08	2:10:00 PM	1.82778	412.0337	89.9346	-0.2236
1318	2021-07-08	2:10:05 PM	1.82917	411.5510	89.4638	-0.4827
1319	2021-07-08	2:10:10 PM	1.83056	411.2896	88.9791	-0.2614
1320	2021-07-08	2:10:15 PM	1.83194	410.8086	88.5099	-0.4809
1321	2021-07-08	2:10:20 PM	1.83333	410.4341	88.0190	-0.3745
1322	2021-07-08	2:10:25 PM	1.83472	409.9924	87.5158	-0.4418
1323	2021-07-08	2:10:30 PM	1.83611	409.6470	87.0111	-0.3453
1324	2021-07-08	2:10:35 PM	1.83750	409.3137	86.4910	-0.3333
1325	2021-07-08	2:10:40 PM	1.83889	408.9101	85.9477	-0.4036
1326	2021-07-08	2:10:45 PM	1.84028	408.5040	85.3937	-0.4060
1327	2021-07-08	2:10:50 PM	1.84167	408.0788	84.8257	-0.4253
1328	2021-07-08	2:10:55 PM	1.84306	407.7183	84.2578	-0.3605
1329	2021-07-08	2:11:00 PM	1.84444	407.4717	83.6946	-0.2465
1330	2021-07-08	2:11:05 PM	1.84583	406.9668	83.1175	-0.5050
1331	2021-07-08	2:11:10 PM	1.84722	406.5740	82.5389	-0.3928
1332	2021-07-08	2:11:15 PM	1.84861	406.2082	81.9402	-0.3658
1333	2021-07-08	2:11:20 PM	1.85000	405.8925	81.3462	-0.3157
1334	2021-07-08	2:11:25 PM	1.85139	405.7726	80.7663	-0.1200
1335	2021-07-08	2:11:30 PM	1.85278	405.8453	80.2467	0.0727
1336	2021-07-08	2:11:35 PM	1.85417	405.7012	79.8554	-0.1441
1337	2021-07-08	2:11:40 PM	1.85556	405.6052	79.5755	-0.0960
1338	2021-07-08	2:11:45 PM	1.85694	405.5495	79.3807	-0.0557
1339	2021-07-08	2:11:50 PM	1.85833	405.5860	79.2307	0.0365
1340	2021-07-08	2:11:55 PM	1.85972	405.5494	79.1023	-0.0366
1341	2021-07-08	2:12:00 PM	1.86111	405.5340	78.9925	-0.0154
1342	2021-07-08	2:12:05 PM	1.86250	405.5542	78.8967	0.0203
1343	2021-07-08	2:12:10 PM	1.86389	405.6564	78.8101	0.1022
1344	2021-07-08	2:12:15 PM	1.86528	405.4900	78.7266	-0.1664
1345	2021-07-08	2:12:20 PM	1.86667	405.4377	78.6539	-0.0523
1346	2021-07-08	2:12:25 PM	1.86806	405.4954	78.5782	0.0577
1347	2021-07-08	2:12:30 PM	1.86944	405.3964	78.5086	-0.0990

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1348	2021-07-08	2:12:35 PM	1.87083	405.3767	78.4390	-0.0197
1349	2021-07-08	2:12:40 PM	1.87222	405.4683	78.3710	0.0916
1350	2021-07-08	2:12:45 PM	1.87361	405.3729	78.3138	-0.0954
1351	2021-07-08	2:12:50 PM	1.87500	405.4025	78.2504	0.0296
1352	2021-07-08	2:12:55 PM	1.87639	405.4180	78.1932	0.0155
1353	2021-07-08	2:13:00 PM	1.87778	405.4480	78.1313	0.0300
1354	2021-07-08	2:13:05 PM	1.87917	405.4951	78.0741	0.0472
1355	2021-07-08	2:13:10 PM	1.88056	405.5445	78.0247	0.0494
1356	2021-07-08	2:13:15 PM	1.88194	405.4645	77.9659	-0.0800
1357	2021-07-08	2:13:20 PM	1.88333	405.3877	77.9180	-0.0769
1358	2021-07-08	2:13:25 PM	1.88472	405.3240	77.8607	-0.0636
1359	2021-07-08	2:13:30 PM	1.88611	405.3417	77.8113	0.0177
1360	2021-07-08	2:13:35 PM	1.88750	405.4219	77.7587	0.0802
1361	2021-07-08	2:13:40 PM	1.88889	405.3921	77.7092	-0.0298
1362	2021-07-08	2:13:45 PM	1.89028	405.4757	77.6691	0.0836
1363	2021-07-08	2:13:50 PM	1.89167	405.4926	77.6165	0.0168
1364	2021-07-08	2:13:55 PM	1.89306	405.4149	77.5655	-0.0777
1365	2021-07-08	2:14:00 PM	1.89444	405.4168	77.5160	0.0019
1366	2021-07-08	2:14:05 PM	1.89583	405.4683	77.4743	0.0515
1367	2021-07-08	2:14:10 PM	1.89722	405.4856	77.4232	0.0173
1368	2021-07-08	2:14:15 PM	1.89861	405.3789	77.3815	-0.1067
1369	2021-07-08	2:14:20 PM	1.90000	405.5549	77.3320	0.1759
1370	2021-07-08	2:14:25 PM	1.90139	405.4495	77.2949	-0.1054
1371	2021-07-08	2:14:30 PM	1.90278	405.4194	77.2439	-0.0302
1372	2021-07-08	2:14:35 PM	1.90417	405.5350	77.2053	0.1157
1373	2021-07-08	2:14:40 PM	1.90556	405.4596	77.1620	-0.0754
1374	2021-07-08	2:14:45 PM	1.90694	405.4624	77.1156	0.0028
1375	2021-07-08	2:14:50 PM	1.90833	405.4999	77.0800	0.0375
1376	2021-07-08	2:14:55 PM	1.90972	405.4403	77.0367	-0.0596
1377	2021-07-08	2:15:00 PM	1.91111	405.4751	76.9919	0.0349
1378	2021-07-08	2:15:05 PM	1.91250	405.4639	76.9517	-0.0113
1379	2021-07-08	2:15:10 PM	1.91389	405.4218	76.9146	-0.0420
1380	2021-07-08	2:15:15 PM	1.91528	405.3781	76.8713	-0.0438
1381	2021-07-08	2:15:20 PM	1.91667	405.5087	76.8296	0.1306
1382	2021-07-08	2:15:25 PM	1.91806	405.4987	76.7940	-0.0100
1383	2021-07-08	2:15:30 PM	1.91944	405.5042	76.7569	0.0054
1384	2021-07-08	2:15:35 PM	1.92083	405.4292	76.7152	-0.0749
1385	2021-07-08	2:15:40 PM	1.92222	405.4821	76.6781	0.0528
1386	2021-07-08	2:15:45 PM	1.92361	405.4563	76.6425	-0.0258
1387	2021-07-08	2:15:50 PM	1.92500	405.3840	76.6101	-0.0723
1388	2021-07-08	2:15:55 PM	1.92639	405.3745	76.5761	-0.0095
1389	2021-07-08	2:16:00 PM	1.92778	405.4428	76.5374	0.0682
1390	2021-07-08	2:16:05 PM	1.92917	405.4311	76.4957	-0.0117
1391	2021-07-08	2:16:10 PM	1.93056	405.4071	76.4663	-0.0240
1392	2021-07-08	2:16:15 PM	1.93194	405.4454	76.4338	0.0383
1393	2021-07-08	2:16:20 PM	1.93333	405.4662	76.3952	0.0208
1394	2021-07-08	2:16:25 PM	1.93472	405.3291	76.3565	-0.1372
1395	2021-07-08	2:16:30 PM	1.93611	405.1616	76.3225	-0.1675
1396	2021-07-08	2:16:35 PM	1.93750	404.6319	76.2359	-0.5296
1397	2021-07-08	2:16:40 PM	1.93889	404.2983	76.0580	-0.3336
1398	2021-07-08	2:16:45 PM	1.94028	404.0213	75.7983	-0.2770
1399	2021-07-08	2:16:50 PM	1.94167	403.7020	75.4984	-0.3193

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1400	2021-07-08	2:16:55 PM	1.94306	403.2729	75.1413	-0.4291
1401	2021-07-08	2:17:00 PM	1.94444	402.9825	74.7703	-0.2903
1402	2021-07-08	2:17:05 PM	1.94583	402.6960	74.3529	-0.2865
1403	2021-07-08	2:17:10 PM	1.94722	402.3584	73.9185	-0.3376
1404	2021-07-08	2:17:15 PM	1.94861	402.0170	73.4672	-0.3413
1405	2021-07-08	2:17:20 PM	1.95000	401.7549	73.0143	-0.2622
1406	2021-07-08	2:17:25 PM	1.95139	401.2053	72.5413	-0.5496
1407	2021-07-08	2:17:30 PM	1.95278	400.9695	72.0622	-0.2358
1408	2021-07-08	2:17:35 PM	1.95417	400.5458	71.5815	-0.4236
1409	2021-07-08	2:17:40 PM	1.95556	400.1536	71.0962	-0.3923
1410	2021-07-08	2:17:45 PM	1.95694	399.7311	70.6109	-0.4225
1411	2021-07-08	2:17:50 PM	1.95833	399.2605	70.1163	-0.4706
1412	2021-07-08	2:17:55 PM	1.95972	398.9482	69.6233	-0.3123
1413	2021-07-08	2:18:00 PM	1.96111	398.6523	69.1287	-0.2959
1414	2021-07-08	2:18:05 PM	1.96250	398.1551	68.6372	-0.4972
1415	2021-07-08	2:18:10 PM	1.96389	397.7851	68.1489	-0.3700
1416	2021-07-08	2:18:15 PM	1.96528	397.3703	67.6636	-0.4148
1417	2021-07-08	2:18:20 PM	1.96667	397.0880	67.2046	-0.2823
1418	2021-07-08	2:18:25 PM	1.96806	396.6838	66.7533	-0.4042
1419	2021-07-08	2:18:30 PM	1.96944	396.3248	66.3561	-0.3590
1420	2021-07-08	2:18:35 PM	1.97083	396.1681	65.9543	-0.1567
1421	2021-07-08	2:18:40 PM	1.97222	396.0074	65.5989	-0.1607
1422	2021-07-08	2:18:45 PM	1.97361	395.9383	65.4351	-0.0691
1423	2021-07-08	2:18:50 PM	1.97500	395.7331	65.5571	-0.2052
1424	2021-07-08	2:18:55 PM	1.97639	395.5930	65.8924	-0.1401
1425	2021-07-08	2:19:00 PM	1.97778	395.4333	66.3421	-0.1597
1426	2021-07-08	2:19:05 PM	1.97917	395.4805	66.8737	0.0472
1427	2021-07-08	2:19:10 PM	1.98056	395.3605	67.4192	-0.1201
1428	2021-07-08	2:19:15 PM	1.98194	395.2795	67.9940	-0.0809
1429	2021-07-08	2:19:20 PM	1.98333	395.2155	68.5704	-0.0640
1430	2021-07-08	2:19:25 PM	1.98472	395.1700	69.1545	-0.0455
1431	2021-07-08	2:19:30 PM	1.98611	395.0957	69.7448	-0.0743
1432	2021-07-08	2:19:35 PM	1.98750	395.0812	70.3197	-0.0145
1433	2021-07-08	2:19:40 PM	1.98889	395.0687	70.8992	-0.0124
1434	2021-07-08	2:19:45 PM	1.99028	394.9921	71.4695	-0.0766
1435	2021-07-08	2:19:50 PM	1.99167	395.0215	72.0212	0.0294
1436	2021-07-08	2:19:55 PM	1.99306	394.9401	72.5667	-0.0814
1437	2021-07-08	2:20:00 PM	1.99444	394.9671	73.1030	0.0270
1438	2021-07-08	2:20:05 PM	1.99583	394.9304	73.6332	-0.0368
1439	2021-07-08	2:20:10 PM	1.99722	394.8280	74.1509	-0.1024
1440	2021-07-08	2:20:15 PM	1.99861	394.9456	74.6641	0.1176
1441	2021-07-08	2:20:20 PM	2.00000	394.9018	75.1603	-0.0438
1442	2021-07-08	2:20:25 PM	2.00139	394.7447	75.6441	-0.1571
1443	2021-07-08	2:20:30 PM	2.00278	394.9046	76.1310	0.1599
1444	2021-07-08	2:20:35 PM	2.00417	394.8694	76.5948	-0.0352
1445	2021-07-08	2:20:40 PM	2.00556	394.9291	77.0570	0.0597
1446	2021-07-08	2:20:45 PM	2.00694	394.8115	77.5053	-0.1176
1447	2021-07-08	2:20:50 PM	2.00833	394.7216	77.9382	-0.0898
1448	2021-07-08	2:20:55 PM	2.00972	394.7909	78.3727	0.0692
1449	2021-07-08	2:21:00 PM	2.01111	394.8430	78.8010	0.0521
1450	2021-07-08	2:21:05 PM	2.01250	394.8091	79.2030	-0.0339
1451	2021-07-08	2:21:10 PM	2.01389	394.7934	79.6127	-0.0157

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1452	2021-07-08	2:21:15 PM	2.01528	394.8198	80.0009	0.0263
1453	2021-07-08	2:21:20 PM	2.01667	394.9090	80.3859	0.0893
1454	2021-07-08	2:21:25 PM	2.01806	394.8066	80.7664	-0.1024
1455	2021-07-08	2:21:30 PM	2.01944	394.7800	81.1329	-0.0266
1456	2021-07-08	2:21:35 PM	2.02083	394.7695	81.4995	-0.0105
1457	2021-07-08	2:21:40 PM	2.02222	394.8655	81.8475	0.0960
1458	2021-07-08	2:21:45 PM	2.02361	394.8486	82.1893	-0.0169
1459	2021-07-08	2:21:50 PM	2.02500	394.7689	82.5342	-0.0797
1460	2021-07-08	2:21:55 PM	2.02639	394.8272	82.8591	0.0583
1461	2021-07-08	2:22:00 PM	2.02778	394.7891	83.1809	-0.0381
1462	2021-07-08	2:22:05 PM	2.02917	394.8296	83.4980	0.0405
1463	2021-07-08	2:22:10 PM	2.03056	394.9000	83.8074	0.0704
1464	2021-07-08	2:22:15 PM	2.03194	394.9059	84.1138	0.0059
1465	2021-07-08	2:22:20 PM	2.03333	394.8610	84.4093	-0.0450
1466	2021-07-08	2:22:25 PM	2.03472	394.8333	84.7095	-0.0276
1467	2021-07-08	2:22:30 PM	2.03611	394.8615	84.9803	0.0281
1468	2021-07-08	2:22:35 PM	2.03750	394.8444	85.2603	-0.0171
1469	2021-07-08	2:22:40 PM	2.03889	394.9202	85.5296	0.0759
1470	2021-07-08	2:22:45 PM	2.04028	394.9638	85.7973	0.0436
1471	2021-07-08	2:22:50 PM	2.04167	394.9266	86.0620	-0.0372
1472	2021-07-08	2:22:55 PM	2.04306	394.7431	86.3189	-0.1834
1473	2021-07-08	2:23:00 PM	2.04444	394.9102	86.5696	0.1670
1474	2021-07-08	2:23:05 PM	2.04583	394.8505	86.8111	-0.0597
1475	2021-07-08	2:23:10 PM	2.04722	394.8242	87.0572	-0.0263
1476	2021-07-08	2:23:15 PM	2.04861	394.8901	87.2894	0.0660
1477	2021-07-08	2:23:20 PM	2.05000	394.9410	87.5247	0.0509
1478	2021-07-08	2:23:25 PM	2.05139	394.7973	87.7523	-0.1437
1479	2021-07-08	2:23:30 PM	2.05278	394.8929	87.9752	0.0956
1480	2021-07-08	2:23:35 PM	2.05417	394.8442	88.1981	-0.0487
1481	2021-07-08	2:23:40 PM	2.05556	394.9377	88.4134	0.0935
1482	2021-07-08	2:23:45 PM	2.05694	394.8043	88.6208	-0.1334
1483	2021-07-08	2:23:50 PM	2.05833	394.8216	88.8500	0.0173
1484	2021-07-08	2:23:55 PM	2.05972	394.6493	89.0900	-0.1723
1485	2021-07-08	2:24:00 PM	2.06111	394.5980	89.3036	-0.0513
1486	2021-07-08	2:24:05 PM	2.06250	23.1114	89.2800	-371.4865
1487	2021-07-08	2:24:10 PM	2.06389	13.0431	89.0602	-10.0683
1488	2021-07-08	2:24:15 PM	2.06528	13.1654	88.5229	0.1223
1489	2021-07-08	2:24:20 PM	2.06667	13.2455	88.1203	0.0801
1490	2021-07-08	2:24:25 PM	2.06806	13.1648	87.8819	-0.0807
1491	2021-07-08	2:24:30 PM	2.06944	13.0450	87.7596	-0.1199
1492	2021-07-08	2:24:35 PM	2.07083	12.9775	87.6961	-0.0674
1493	2021-07-08	2:24:40 PM	2.07222	12.8856	87.6744	-0.0919
1494	2021-07-08	2:24:45 PM	2.07361	13.0121	87.6837	0.1265
1495	2021-07-08	2:24:50 PM	2.07500	12.9605	87.7007	-0.0516
1496	2021-07-08	2:24:55 PM	2.07639	12.9901	87.7131	0.0296
1497	2021-07-08	2:25:00 PM	2.07778	12.9831	87.6682	-0.0070
1498	2021-07-08	2:25:05 PM	2.07917	13.1548	87.6125	0.1716
1499	2021-07-08	2:25:10 PM	2.08056	12.8843	87.6016	-0.2705
1500	2021-07-08	2:25:15 PM	2.08194	13.0230	87.6295	0.1388
1501	2021-07-08	2:25:20 PM	2.08333	12.8730	87.6573	-0.1500
1502	2021-07-08	2:25:25 PM	2.08472	12.8973	87.6961	0.0243
1503	2021-07-08	2:25:30 PM	2.08611	12.8308	87.7874	-0.0665

Line No.	Date M/d/yyyy	Real Time h:mm:ss tt	Time hr	Pressure psi	Temperature degF	dPressure psi
1504	2021-07-08	2:25:35 PM	2.08750	12.8201	87.9205	-0.0107
1505	2021-07-08	2:25:40 PM	2.08889	12.7931	88.0552	-0.0270
1506	2021-07-08	2:25:45 PM	2.09028	13.0060	88.1946	0.2129
1507	2021-07-08	2:25:50 PM	2.09167	13.1430	88.3123	0.1371
1508	2021-07-08	2:25:55 PM	2.09306	13.0705	88.4346	-0.0725
1509	2021-07-08	2:26:00 PM	2.09444	13.0972	88.5430	0.0266
1510	2021-07-08	2:26:05 PM	2.09583	13.1897	88.6437	0.0925
1511	2021-07-08	2:26:10 PM	2.09722	13.1991	88.7583	0.0095
1512	2021-07-08	2:26:15 PM	2.09861	13.2729	88.8729	0.0738
1513	2021-07-08	2:26:20 PM	2.10000	13.1508	89.0029	-0.1220
1514	2021-07-08	2:26:25 PM	2.10139	13.2238	89.1222	0.0730
1515	2021-07-08	2:26:30 PM	2.10278	13.9283	88.8900	0.7045

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 35810

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 35810
	Action Type: [C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	ACCEPTED FOR RECORD	9/28/2023