Received by OCD: 9/27/2023 2:31:16 PM

eceived by OCD. 7/2//2	4045 4.	51.101 14				1 uge 1 0j
Form 3160-5 (June 2019)		UNITED STATE PARTMENT OF THE I EAU OF LAND MAN	NTERIOR		0	DRM APPROVED MB No. 1004-0137 res: October 31, 2021
Do not use	e this f		DRTS ON WELLS to drill or to re-enter an PD) for such proposals		6. If Indian, Allottee or	Tribe Name
SUE	BMIT IN	TRIPLICATE - Other instru	uctions on page 2		7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of Well Oil Well	Gas V	Vell Other			8. Well Name and No.	
2. Name of Operator					9. API Well No.	
3a. Address			3b. Phone No. (include area code	e)	10. Field and Pool or E	xploratory Area
4. Location of Well (Footage,	Sec., T.,F	R.,M., or Survey Description))		11. Country or Parish,	State
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURI	E OF NOT	ICE, REPORT OR OTH	ER DATA
TYPE OF SUBMISSIO	ON		TY	PE OF AC	CTION	
Notice of Intent		Acidize	Deepen Hydraulic Fracturing		duction (Start/Resume) lamation	Water Shut-Off Well Integrity
Subsequent Report		Casing Repair Change Plans	New Construction Plug and Abandon	\equiv	omplete porarily Abandon	Other
Final Abandonment No	otice	Convert to Injection			ter Disposal	
the proposal is to deepen of the Bond under which the completion of the involve	directiona work will d operation	Illy or recomplete horizontal be perfonned or provide thors. If the operation results in	ly, give subsurface locations and r e Bond No. on file with BLM/BIA n a multiple completion or recomp	neasured a . Required aletion in a	and true vertical depths o d subsequent reports mus a new interval, a Form 31	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been he operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Title		
Signature	Date		
THE SPACE FOR FEDE	RAL OR STATE C	FICE USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lea which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		illfully to make to any department	or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NWSE / 1980 FSL / 1980 FEL / TWSP: 8S / RANGE: 35E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) BHL: NWSE / 1980 FSL / 1980 FEL / TWSP: 8S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) Well Name:Milnesand San Andres Unit #24Well API No:30-041-10147Operator:EOR Operating Co.OGRID#:257420U-S-T-R:J-19-8S-35ECounty:Roosevelt

Proposed P&A Procedure:

- 1) TAG EXISTING 4-1/2" CIBP @ 4,450'; CIRC. WELL W/ M.L.F.; PRES. TEST 4-1/2" CSG.TO 750# X HOLD; PUMP (10) SXS. CLASS "C" CMT. @ 4,450'-4,350'.
- 2) PUMP (25) SXS. CLASS "C" CMT. @ 3,961'-3,831' (T/S.A.); WOC X TAG TOC.
- 3) PUMP (25) SXS. CLASS "C" CMT. @ 2,735'-2,553' (T/YATES, B/SALT); WOC X TAG TOC.
- 4) PERF. X ATTEMPT TO SQZ. (65) SXS. CLASS "C" CMT. @ 2,300'-2,141' (T/SALT, T/ANHY.); WOC X TAG TOC.
- 5) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, (130) SXS. CLASS "C" CMT. @ 428'-3'.
- 6) DIG OUT X CUT OFF WELL WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Milnesand SA 24 30-041-10147 EOR Operating Company March 7, 2023 Conditions of Approval

- 1. Operator shall tag existing CIBP at 4,450'. If tag is shallower contact BLM. If casing test fails, contact BLM. Operator may pump cement as proposed. <u>WOC and TAG.</u>
- 2. Operator shall place a balanced class C cement plug from 3,961' to 3,831' as proposed. <u>WOC and TAG.</u>
- 3. Operator shall place a balanced class C cement plug from 2,735' to 2,490' to seal the top of the Yates formation and bottom of the Salt. <u>WOC and TAG.</u>
- 4. Operator shall perf at 2,350' and squeeze class C cement to 2,141' to seal the top of the Salt formation. <u>WOC and TAG.</u>
- 5. Operator shall perf at 428' and squeeze class c cement to surface to seal the 8-5/8'' casing shoe.
- 6. Dry hole marker must be below ground.
- 7. Surface reclamation will need to be completed once the well bore has been plugged. Please contact <u>rflores@blm.gov</u> for additional information.
- 8. This approval will be good for 12 months ending 03/07/2024 instead of the 90 days stated in the general plugging stipulations. If operator needs an extension past 03/07/2024 they will need to submit a sundry notice requesting the extension with reasoning for needing it.
- 9. See Attached for general plugging stipulations.

JAM 03072023

Received by OCD: 9/27/2023 2:31:16 PM

	•	County, State:	MSU 24 30-041-10147 Roosevelt Co NM 6/20/2008
llation	Surface Casing		
	OD: 8-5/8"		
	Weight: 24		
	Grade:		
	Top: 0		
	Bottom: 378		
	Intermediate Csg.	1	
	OD: 4.5		
	Weight: 10.5		
	Grade:		
	Top: 0		
	Bottom: 4758		
	Production Casing		
	OD: 2-7/8"		
	Weight: 6.5		
	Grade: J55/N80		
	Top: 0		
	Bottom: 4463		
	TOC surface (250 sx)		
	surface (250 sx)		
	DV Tool		
10 10			
	CIBP set @ 4,450'		
100	Top Perf		
	4653		
	Bottom Perf		
	4725		
	TD		
A STATE	4758		
	PBTD		
	4724		
	TVD		
	4758		
		L	

Received by OCD: 9/27/2023 2:31:16 PM

	County, State:	MSU 24 30-041-10147 Roosevelt Co NM 6/20/2008
Surface Casing	1997 (A. 1997) (A. 1997)	
OD: 8-5/8"		
Weight: 24		
Grade:		
Top: 0		
Bottom: 378		
Intermediate Csg.		
OD: 4.5		
Weight: 10.5		
Grade:		
Top: 0		
Bottom: 4758		
Production Casing		
OD: 2-7/8"		
Weight: 6.5		
Grade: J55/N80		
Тор: 0		
Bottom: 4463		
TOC		
surface (250 sx)		
DV Tool		
		· · · · · · · · · · · · · · · · · · ·
	1	
	·	
CIBP set @ 4,450'		
Top Perf		
4653		
Bottom Perf		
4725		
TD		
4758		
PBTD		
4724		
TVD		
4758		
	1	

.

Released to Imaging: 10/12/2023 8:12:24 AM

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Operator:	OGRID:
EOR OPERATING COMPANY	257420
575 N Dairy Ashford Suite 210	Action Number:
Houston, TX 77079	269760
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)
COMMENTS	

CONNICENTS					
Created By	Comment	Comment Date			
plmartinez	DATA ENTRY PM.	10/12/2023			

COMMENTS

Page 8 of 9

.

Action 269760

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator: 0	OGRID:
EOR OPERATING COMPANY	257420
575 N Dairy Ashford Suite 210	Action Number:
Houston, TX 77079	269760
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)
CONDITIONS	

Created By	Condition	Condition Date		
gcordero	None	10/12/2023		

Page 9 of 9

CONDITIONS

Action 269760