

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural  
Resources

Form C-104  
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division  
1220 South St. Francis Dr.

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

|                                                                                                    |                                                              |                                                                      |                                  |
|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------|
| <sup>1</sup> Operator name and Address<br>EOG RESOURCES INC<br>PO BOX 2267<br>MIDLAND, TEXAS 79702 |                                                              | <sup>2</sup> OGRID Number<br>7377                                    |                                  |
|                                                                                                    |                                                              | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW 10/31/2021 |                                  |
| <sup>4</sup> API Number<br>30 - 025-48873                                                          | <sup>5</sup> Pool Name<br>WC025 G08 S253216D; UPPER WOLFCAMP |                                                                      | <sup>6</sup> Pool Code<br>98270  |
| <sup>7</sup> Property Code<br>330825                                                               | <sup>8</sup> Property Name<br>ALMOST EDDY 30 FEDERAL COM     |                                                                      | <sup>9</sup> Well Number<br>721H |

II. <sup>10</sup> Surface Location

| Ul or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South Line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| L             | 30      | 25S      | 32E   |         | 2029          | SOUTH            | 328           | WEST           | LEA    |

<sup>11</sup> Bottom Hole Location

| UL or lot no.          | Section                                        | Township                          | Range                             | Lot Idn | Feet from the                      | North/South line | Feet from the                       | East/West line | County |
|------------------------|------------------------------------------------|-----------------------------------|-----------------------------------|---------|------------------------------------|------------------|-------------------------------------|----------------|--------|
| M                      | 31                                             | 25S                               | 32E                               |         | 109                                | SOUTH            | 650                                 | WEST           | LEA    |
| <sup>12</sup> Lse Code | <sup>13</sup> Producing Method Code<br>FLOWING | <sup>14</sup> Gas Connection Date | <sup>15</sup> C-129 Permit Number |         | <sup>16</sup> C-129 Effective Date |                  | <sup>17</sup> C-129 Expiration Date |                |        |

III. Oil and Gas Transporters

|                                 |                                            |                     |
|---------------------------------|--------------------------------------------|---------------------|
| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address | <sup>20</sup> O/G/W |
| 372812                          | EOGRM                                      | OIL                 |
|                                 |                                            |                     |
| 151618                          | ENTERPRISE FIELD SERVICES                  | GAS                 |
|                                 |                                            |                     |
| 298751                          | REGENCY FIELD SERVICES                     | GAS                 |
|                                 |                                            |                     |
| 36785                           | DCP MIDSTREAM                              | GAS                 |
|                                 |                                            |                     |

IV. Well Completion Data

|                                       |                                        |                                    |                               |                                                |                                                        |
|---------------------------------------|----------------------------------------|------------------------------------|-------------------------------|------------------------------------------------|--------------------------------------------------------|
| <sup>21</sup> Spud Date<br>06/21/2021 | <sup>22</sup> Ready Date<br>10/31/2021 | <sup>23</sup> TD<br>19,820'        | <sup>24</sup> PBTD<br>19,798' | <sup>25</sup> Perforations<br>12,394 - 19,798' | <sup>26</sup> DHC, MC                                  |
| <sup>27</sup> Hole Size               |                                        | <sup>28</sup> Casing & Tubing Size | <sup>29</sup> Depth Set       |                                                | <sup>30</sup> Sacks Cement                             |
| 12 1/4"                               |                                        | 9 5/8"                             | 1195'                         |                                                | 525 SXS CL C/CIRC                                      |
| 8 3/4"                                |                                        | 7 5/8"                             | 11,214'                       |                                                | 1745 SXS CL C & H/79' ECHO                             |
| 6 3/4"                                |                                        | 5 1/2"                             | 19,805'                       |                                                | 775 SXS CL H TOC 11,900' CBL<br>PRESSURE TEST ATTACHED |
|                                       |                                        |                                    |                               |                                                |                                                        |

V. Well Test Data

|                                          |                                               |                                       |                                     |                             |                                     |
|------------------------------------------|-----------------------------------------------|---------------------------------------|-------------------------------------|-----------------------------|-------------------------------------|
| <sup>31</sup> Date New Oil<br>10/31/2021 | <sup>32</sup> Gas Delivery Date<br>10/31/2021 | <sup>33</sup> Test Date<br>11/13/2021 | <sup>34</sup> Test Length<br>24 HRS | <sup>35</sup> Tbg. Pressure | <sup>36</sup> Csg. Pressure<br>1251 |
| <sup>37</sup> Choke Size<br>76           | <sup>38</sup> Oil<br>2450                     | <sup>39</sup> Water<br>4818           | <sup>40</sup> Gas<br>10920          |                             | <sup>41</sup> Test Method           |

|                                                                                                                                                                                                                                                                                                                                                                                        |                                       |                           |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------|--|
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:<br>Kay Maddox<br>Printed name:<br>Kay Maddox<br>Title:<br>SENIOR REGULATORY SPECIALIST<br>E-mail Address:<br>kay_maddox@eogresources.com<br>Date:<br>11/18/2021 | Phone:<br>432-638-8475                | OIL CONSERVATION DIVISION |  |
|                                                                                                                                                                                                                                                                                                                                                                                        | Approved by: <i>PATRICIA MARTINEZ</i> |                           |  |
|                                                                                                                                                                                                                                                                                                                                                                                        | Title: <i>PETROLEUM SPECIALIST</i>    |                           |  |
|                                                                                                                                                                                                                                                                                                                                                                                        | Approval Date: <i>10/17/2023</i>      |                           |  |
|                                                                                                                                                                                                                                                                                                                                                                                        |                                       |                           |  |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

AS-COMPLETED

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                                |                                                             |                                                                     |
|------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------|
| <sup>1</sup> API Number<br><b>30-025-48873</b> | <sup>2</sup> Pool Code<br><b>98270</b>                      | <sup>3</sup> Pool Name<br><b>WC025 G08 S253216D; UPPER WOLFCAMP</b> |
| <sup>4</sup> Property Code<br><b>330825</b>    | <sup>5</sup> Property Name<br><b>ALMOST EDDY 30 FED COM</b> | <sup>6</sup> Well Number<br><b>721H</b>                             |
| <sup>7</sup> OGRID No.<br><b>7377</b>          | <sup>8</sup> Operator Name<br><b>EOG RESOURCES, INC.</b>    | <sup>9</sup> Elevation<br><b>3341'</b>                              |

<sup>10</sup>Surface Location


| UL or lot no. | Section   | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|-----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>K L</b>    | <b>30</b> | <b>25-S</b> | <b>32-E</b> | <b>-</b> | <b>2029'</b>  | <b>SOUTH</b>     | <b>328'</b>   | <b>WEST</b>    | <b>LEA</b> |


<sup>11</sup>Bottom Hole Location If Different From Surface

| UL or lot no. | Section   | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|-----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>4</b>      | <b>31</b> | <b>25-S</b> | <b>32-E</b> | <b>-</b> | <b>109'</b>   | <b>SOUTH</b>     | <b>650'</b>   | <b>WEST</b>    | <b>LEA</b> |

|                                                |                               |                                  |                         |
|------------------------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br><b>480.22</b> | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|------------------------------------------------|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





**eoog resources, inc.**



**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508  
NOVEMBER 8, 2021

| ALMOST EDDY<br>30 FED COM 721H<br>AS-COMplete | REVISION: | NOTES:                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DATE: 11/05/2021                              |           | 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"                                                                                                                                                                                                                                                                                                                                                |
| FILE: AD_ALMOST_EDDY_30_FED_COM_721H          |           | 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.                                                                                                                                                                                                                        |
| DRAWN BY: A.V.F.                              |           | 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY EOG RESOURCES, INC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY. |
| SHEET: 1 OF 1                                 |           | 4. ADJOINER INFORMATION SHOWN FOR INFORMATIONAL PURPOSES ONLY.                                                                                                                                                                                                                                                                                                                       |



## Midland

Lea County, NM (NAD 83 NME)  
Almost Eddy 30 Fed Com  
#721H  
OH

Design: OH

## Midland PVA

29 September, 2021



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

|                    |                             |                      |                |
|--------------------|-----------------------------|----------------------|----------------|
| <b>Project</b>     | Lea County, NM (NAD 83 NME) |                      |                |
| <b>Map System:</b> | US State Plane 1983         | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983   |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone     |                      |                |

|                              |                        |                          |                   |
|------------------------------|------------------------|--------------------------|-------------------|
| <b>Site</b>                  | Almost Eddy 30 Fed Com |                          |                   |
| <b>Site Position:</b>        |                        | <b>Northing:</b>         | 400,427.00 usft   |
| <b>From:</b>                 | Map                    | <b>Easting:</b>          | 730,701.00 usft   |
| <b>Position Uncertainty:</b> | 0.0 usft               | <b>Slot Radius:</b>      | 13-3/16 "         |
|                              |                        | <b>Latitude:</b>         | 32° 5' 57.757 N   |
|                              |                        | <b>Longitude:</b>        | 103° 43' 18.496 W |
|                              |                        | <b>Grid Convergence:</b> | 0.32 °            |

| Well                 |       | #721H    |                     |                 |               |                   |
|----------------------|-------|----------|---------------------|-----------------|---------------|-------------------|
| Well Position        | +N/-S | 0.0 usft | Northing:           | 400,520.00 usft | Latitude:     | 32° 5' 58.681 N   |
|                      | +E/-W | 0.0 usft | Easting:            | 730,641.00 usft | Longitude:    | 103° 43' 19.187 W |
| Position Uncertainty |       | 0.0 usft | Wellhead Elevation: | usft            | Ground Level: | 3,341.0 usft      |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | IGRF2020          | 8/10/2021          | 6.59                   | 59.76                | 47,389.72866796            |

|                          |                                |                     |                     |                      |     |
|--------------------------|--------------------------------|---------------------|---------------------|----------------------|-----|
| <b>Design</b>            | OH                             |                     |                     |                      |     |
| <b>Audit Notes:</b>      |                                |                     |                     |                      |     |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>       | ACTUAL              | <b>Tie On Depth:</b> | 0.0 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Direction (°)</b> |     |
|                          | 0.0                            | 0.0                 | 0.0                 | 177.06               |     |

|                       |                  |                          |                  |                    |  |
|-----------------------|------------------|--------------------------|------------------|--------------------|--|
| <b>Survey Program</b> | <b>Date</b>      | 9/29/2021                |                  |                    |  |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b> |  |
| 183.0                 | 19,820.0         | Driltech MWD (OH)        | EOG MWD+IFR1     | MWD + IFR1         |  |



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 0.0          | 0.00       | 0.00                 | 0.0           | 0.0           | 0.0           | 0.00                | 0.00                 | 0.00                | 0.0                    | 0.0                     |  |
| 183.0        | 0.44       | 129.29               | 183.0         | -0.4          | 0.5           | 0.24                | 0.24                 | 0.00                | -0.7                   | 0.0                     |  |
| 309.0        | 0.26       | 109.25               | 309.0         | -0.8          | 1.2           | 0.17                | -0.14                | -15.90              | -1.4                   | -0.4                    |  |
| 490.0        | 0.26       | 189.14               | 490.0         | -1.4          | 1.5           | 0.18                | 0.00                 | 44.14               | -1.1                   | 1.7                     |  |
| 579.0        | 0.18       | 61.26                | 579.0         | -1.5          | 1.6           | 0.45                | -0.09                | -143.69             | -0.7                   | -2.1                    |  |
| 678.0        | 0.35       | 16.61                | 678.0         | -1.2          | 1.8           | 0.26                | 0.17                 | -45.10              | 0.6                    | -2.1                    |  |
| 773.0        | 0.26       | 33.84                | 773.0         | -0.7          | 2.0           | 0.13                | -0.09                | 18.14               | -0.5                   | -2.1                    |  |
| 869.0        | 0.26       | 268.68               | 869.0         | -0.5          | 1.9           | 0.48                | 0.00                 | -130.37             | 1.9                    | 0.6                     |  |
| 964.0        | 0.62       | 237.30               | 964.0         | -0.8          | 1.3           | 0.44                | 0.38                 | -33.03              | 0.6                    | 1.4                     |  |
| 1,143.0      | 0.97       | 231.33               | 1,143.0       | -2.3          | -0.7          | 0.20                | 0.20                 | -3.34               | -2.0                   | 1.3                     |  |
| 1,248.0      | 1.58       | 206.54               | 1,247.9       | -4.1          | -2.1          | 0.77                | 0.58                 | -23.61              | -5.0                   | 0.0                     |  |
| 1,344.0      | 1.58       | 70.75                | 1,343.9       | -4.9          | -1.4          | 3.05                | 0.00                 | -141.45             | 5.7                    | -6.5                    |  |
| 1,439.0      | 4.75       | 39.29                | 1,438.8       | -1.4          | 2.3           | 3.68                | 3.34                 | -33.12              | 9.4                    | -4.2                    |  |
| 1,535.0      | 7.91       | 31.29                | 1,534.2       | 7.3           | 8.3           | 3.41                | 3.29                 | -8.33               | 8.9                    | -3.6                    |  |
| 1,630.0      | 8.79       | 29.18                | 1,628.2       | 19.3          | 15.2          | 0.98                | 0.93                 | -2.22               | 7.0                    | -3.2                    |  |
| 1,726.0      | 8.44       | 29.88                | 1,723.1       | 31.8          | 22.3          | 0.38                | -0.36                | 0.73                | 4.7                    | -3.1                    |  |
| 1,822.0      | 8.35       | 32.61                | 1,818.1       | 43.7          | 29.6          | 0.43                | -0.09                | 2.84                | 2.5                    | -3.5                    |  |
| 1,917.0      | 8.18       | 32.96                | 1,912.1       | 55.2          | 37.0          | 0.19                | -0.18                | 0.37                | 0.8                    | -4.0                    |  |
| 2,013.0      | 7.83       | 34.54                | 2,007.1       | 66.3          | 44.4          | 0.43                | -0.36                | 1.65                | -0.7                   | -4.7                    |  |
| 2,109.0      | 7.65       | 35.77                | 2,102.3       | 76.9          | 51.8          | 0.25                | -0.19                | 1.28                | -1.7                   | -5.7                    |  |
| 2,205.0      | 7.39       | 35.24                | 2,197.4       | 87.1          | 59.1          | 0.28                | -0.27                | -0.55               | -2.2                   | -6.8                    |  |
| 2,300.0      | 7.12       | 35.33                | 2,291.7       | 96.9          | 66.1          | 0.28                | -0.28                | 0.09                | -2.4                   | -7.8                    |  |
| 2,396.0      | 6.95       | 34.89                | 2,387.0       | 106.6         | 72.8          | 0.19                | -0.18                | -0.46               | -2.0                   | -8.8                    |  |
| 2,491.0      | 8.53       | 27.86                | 2,481.1       | 117.5         | 79.4          | 1.94                | 1.66                 | -7.40               | -1.8                   | -9.1                    |  |
| 2,587.0      | 8.79       | 26.10                | 2,576.0       | 130.4         | 86.0          | 0.39                | 0.27                 | -1.83               | -4.0                   | -8.5                    |  |
| 2,683.0      | 8.79       | 25.66                | 2,670.9       | 143.6         | 92.4          | 0.07                | 0.00                 | -0.46               | -6.6                   | -7.6                    |  |
| 2,778.0      | 8.62       | 24.52                | 2,764.8       | 156.6         | 98.5          | 0.25                | -0.18                | -1.20               | -9.0                   | -6.7                    |  |



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 2,873.0      | 8.27       | 22.68                | 2,858.7       | 169.4         | 104.0         | 0.47                | -0.37                | -1.94               | -10.9                  | -5.6                    |
| 2,969.0      | 8.71       | 24.70                | 2,953.7       | 182.4         | 109.7         | 0.55                | 0.46                 | 2.10                | -13.3                  | -3.7                    |
| 3,063.0      | 8.53       | 24.35                | 3,046.6       | 195.2         | 115.6         | 0.20                | -0.19                | -0.37               | -15.6                  | -2.6                    |
| 3,159.0      | 8.09       | 24.87                | 3,141.6       | 207.8         | 121.4         | 0.46                | -0.46                | 0.54                | -17.5                  | -1.3                    |
| 3,254.0      | 8.18       | 28.74                | 3,235.7       | 219.8         | 127.4         | 0.58                | 0.09                 | 4.07                | -19.1                  | 0.7                     |
| 3,350.0      | 7.56       | 29.71                | 3,330.8       | 231.2         | 133.8         | 0.66                | -0.65                | 1.01                | -20.2                  | 1.3                     |
| 3,445.0      | 9.76       | 28.39                | 3,424.7       | 243.8         | 140.8         | 2.33                | 2.32                 | -1.39               | -22.6                  | 1.1                     |
| 3,541.0      | 10.55      | 27.77                | 3,519.2       | 258.7         | 148.7         | 0.83                | 0.82                 | -0.65               | -27.6                  | 1.3                     |
| 3,636.0      | 10.02      | 32.70                | 3,612.6       | 273.3         | 157.2         | 1.08                | -0.56                | 5.19                | -32.4                  | 3.9                     |
| 3,731.0      | 9.50       | 38.14                | 3,706.3       | 286.5         | 166.6         | 1.11                | -0.55                | 5.73                | -36.2                  | 6.1                     |
| 3,827.0      | 8.79       | 37.79                | 3,801.1       | 298.5         | 175.9         | 0.74                | -0.74                | -0.36               | -39.6                  | 4.3                     |
| 3,923.0      | 8.97       | 43.95                | 3,895.9       | 309.7         | 185.6         | 1.01                | 0.19                 | 6.42                | -42.0                  | 6.5                     |
| 4,018.0      | 8.71       | 50.80                | 3,989.8       | 319.6         | 196.3         | 1.14                | -0.27                | 7.21                | -44.3                  | 8.1                     |
| 4,113.0      | 8.44       | 53.09                | 4,083.7       | 328.3         | 207.5         | 0.46                | -0.28                | 2.41                | -47.1                  | 5.6                     |
| 4,209.0      | 9.94       | 27.42                | 4,178.5       | 339.9         | 216.9         | 4.50                | 1.56                 | -26.74              | -47.5                  | -17.7                   |
| 4,305.0      | 8.44       | 25.93                | 4,273.3       | 353.6         | 223.8         | 1.58                | -1.56                | -1.55               | -50.4                  | -18.2                   |
| 4,400.0      | 7.39       | 22.41                | 4,367.4       | 365.5         | 229.2         | 1.22                | -1.11                | -3.71               | -50.5                  | -20.0                   |
| 4,496.0      | 7.56       | 26.28                | 4,462.6       | 376.9         | 234.4         | 0.55                | 0.18                 | 4.03                | -52.2                  | -15.3                   |
| 4,591.0      | 10.90      | 22.06                | 4,556.3       | 390.8         | 240.5         | 3.58                | 3.52                 | -4.44               | -54.3                  | -17.8                   |
| 4,687.0      | 10.82      | 21.97                | 4,650.6       | 407.6         | 247.3         | 0.09                | -0.08                | -0.09               | -60.5                  | -16.1                   |
| 4,783.0      | 10.73      | 20.83                | 4,744.9       | 424.3         | 253.8         | 0.24                | -0.09                | -1.19               | -66.3                  | -15.5                   |
| 4,879.0      | 10.82      | 20.13                | 4,839.2       | 441.1         | 260.1         | 0.17                | 0.09                 | -0.73               | -72.3                  | -14.3                   |
| 4,974.0      | 10.20      | 19.34                | 4,932.6       | 457.4         | 266.0         | 0.67                | -0.65                | -0.83               | -77.8                  | -13.1                   |
| 5,070.0      | 9.85       | 20.48                | 5,027.2       | 473.1         | 271.7         | 0.42                | -0.36                | 1.19                | -82.9                  | -9.3                    |
| 5,165.0      | 8.35       | 27.25                | 5,121.0       | 486.9         | 277.7         | 1.94                | -1.58                | 7.13                | -86.5                  | 2.1                     |
| 5,261.0      | 8.53       | 25.93                | 5,215.9       | 499.5         | 284.0         | 0.28                | 0.19                 | -1.37               | -88.6                  | 0.9                     |
| 5,355.0      | 7.91       | 24.26                | 5,309.0       | 511.6         | 289.7         | 0.71                | -0.66                | -1.78               | -90.3                  | -0.6                    |



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 5,451.0      | 7.65       | 23.38                | 5,404.1       | 523.5         | 294.9         | 0.30                | -0.27                | -0.92               | -91.3                  | -0.6                    |
| 5,547.0      | 8.44       | 21.18                | 5,499.1       | 535.9         | 300.0         | 0.88                | 0.82                 | -2.29               | -92.8                  | -2.4                    |
| 5,642.0      | 8.27       | 19.69                | 5,593.1       | 548.9         | 304.8         | 0.29                | -0.18                | -1.57               | -94.8                  | -2.8                    |
| 5,737.0      | 7.74       | 21.36                | 5,687.2       | 561.3         | 309.5         | 0.61                | -0.56                | 1.76                | -96.3                  | 2.0                     |
| 5,833.0      | 5.89       | 31.81                | 5,782.5       | 571.5         | 314.4         | 2.31                | -1.93                | 10.89               | -93.6                  | 20.2                    |
| 5,928.0      | 4.13       | 44.56                | 5,877.1       | 578.1         | 319.4         | 2.18                | -1.85                | 13.42               | -83.5                  | 38.4                    |
| 6,023.0      | 2.02       | 62.58                | 5,972.0       | 581.3         | 323.3         | 2.42                | -2.22                | 18.97               | -62.3                  | 57.0                    |
| 6,119.0      | 1.76       | 59.06                | 6,068.0       | 582.8         | 326.0         | 0.30                | -0.27                | -3.67               | -58.2                  | 47.3                    |
| 6,215.0      | 1.76       | 72.24                | 6,163.9       | 584.0         | 328.7         | 0.42                | 0.00                 | 13.73               | -39.9                  | 51.5                    |
| 6,310.0      | 1.58       | 80.42                | 6,258.9       | 584.7         | 331.4         | 0.31                | -0.19                | 8.61                | -27.2                  | 47.8                    |
| 6,406.0      | 1.67       | 83.67                | 6,354.8       | 585.0         | 334.1         | 0.13                | 0.09                 | 3.39                | -20.0                  | 39.7                    |
| 6,501.0      | 1.58       | 87.10                | 6,449.8       | 585.3         | 336.8         | 0.14                | -0.09                | 3.61                | -14.9                  | 32.8                    |
| 6,692.0      | 1.58       | 97.47                | 6,640.7       | 585.1         | 342.0         | 0.15                | 0.00                 | 5.43                | -10.0                  | 26.1                    |
| 6,787.0      | 1.23       | 87.36                | 6,735.7       | 584.9         | 344.3         | 0.45                | -0.37                | -10.64              | -16.4                  | 23.2                    |
| 6,882.0      | 1.23       | 83.23                | 6,830.7       | 585.1         | 346.4         | 0.09                | 0.00                 | -4.35               | -20.1                  | 21.9                    |
| 6,978.0      | 1.06       | 80.07                | 6,926.7       | 585.4         | 348.3         | 0.19                | -0.18                | -3.29               | -23.2                  | 20.7                    |
| 7,073.0      | 0.79       | 75.41                | 7,021.6       | 585.7         | 349.8         | 0.29                | -0.28                | -4.91               | -26.3                  | 18.7                    |
| 7,168.0      | 0.53       | 115.66               | 7,116.6       | 585.7         | 350.8         | 0.54                | -0.27                | 42.37               | -9.0                   | 31.7                    |
| 7,263.0      | 0.44       | 109.86               | 7,211.6       | 585.4         | 351.5         | 0.11                | -0.09                | -6.11               | -12.9                  | 30.6                    |
| 7,358.0      | 0.70       | 96.06                | 7,306.6       | 585.2         | 352.4         | 0.31                | 0.27                 | -14.53              | -20.8                  | 26.5                    |
| 7,453.0      | 0.79       | 103.36               | 7,401.6       | 585.0         | 353.7         | 0.14                | 0.09                 | 7.68                | -18.5                  | 29.0                    |
| 7,549.0      | 0.70       | 96.77                | 7,497.6       | 584.7         | 354.9         | 0.13                | -0.09                | -6.86               | -22.9                  | 26.6                    |
| 7,643.0      | 0.62       | 74.09                | 7,591.6       | 584.8         | 355.9         | 0.29                | -0.09                | -24.13              | -32.4                  | 15.5                    |
| 7,738.0      | 0.62       | 44.91                | 7,686.6       | 585.3         | 356.8         | 0.33                | 0.00                 | -30.72              | -36.8                  | -2.5                    |
| 7,833.0      | 0.79       | 48.51                | 7,781.6       | 586.1         | 357.7         | 0.18                | 0.18                 | 3.79                | -38.1                  | -0.2                    |
| 7,929.0      | 0.97       | 79.10                | 7,877.6       | 586.7         | 358.9         | 0.52                | 0.19                 | 31.86               | -34.3                  | 19.6                    |
| 8,024.0      | 0.88       | 82.18                | 7,972.6       | 587.0         | 360.5         | 0.11                | -0.09                | 3.24                | -34.7                  | 21.4                    |



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 8,119.0      | 0.62       | 73.12                | 8,067.6       | 587.2         | 361.7         | 0.30                | -0.27                | -9.54               | -38.9                  | 15.6                    |  |
| 8,214.0      | 0.35       | 69.87                | 8,162.6       | 587.4         | 362.4         | 0.29                | -0.28                | -3.42               | -40.5                  | 13.3                    |  |
| 8,310.0      | 0.18       | 83.32                | 8,258.6       | 587.6         | 362.9         | 0.19                | -0.18                | 14.01               | -36.7                  | 22.4                    |  |
| 8,408.0      | 0.18       | 213.40               | 8,356.6       | 587.5         | 362.9         | 0.33                | 0.00                 | 132.73              | 40.8                   | 13.8                    |  |
| 8,503.0      | 0.26       | 292.32               | 8,451.6       | 587.4         | 362.6         | 0.30                | 0.08                 | 83.07               | 21.1                   | -37.2                   |  |
| 8,598.0      | 0.44       | 244.07               | 8,546.6       | 587.3         | 362.1         | 0.35                | 0.19                 | -50.79              | 41.3                   | -9.2                    |  |
| 8,693.0      | 0.35       | 252.51               | 8,641.6       | 587.1         | 361.5         | 0.11                | -0.09                | 8.88                | 38.9                   | -15.1                   |  |
| 8,788.0      | 0.70       | 226.32               | 8,736.5       | 586.6         | 360.8         | 0.44                | 0.37                 | -27.57              | 40.7                   | 3.5                     |  |
| 8,884.0      | 0.79       | 211.64               | 8,832.5       | 585.6         | 360.0         | 0.22                | 0.09                 | -15.29              | 37.3                   | 13.5                    |  |
| 8,979.0      | 0.26       | 265.96               | 8,927.5       | 585.1         | 359.5         | 0.71                | -0.56                | 57.18               | 32.1                   | -21.9                   |  |
| 9,074.0      | 0.35       | 286.44               | 9,022.5       | 585.1         | 359.0         | 0.15                | 0.09                 | 21.56               | 21.9                   | -31.6                   |  |
| 9,168.0      | 0.44       | 198.81               | 9,116.5       | 584.9         | 358.6         | 0.59                | 0.10                 | -93.22              | 32.1                   | 20.3                    |  |
| 9,264.0      | 1.14       | 242.93               | 9,212.5       | 584.1         | 357.6         | 0.92                | 0.73                 | 45.96               | 36.0                   | -7.5                    |  |
| 9,359.0      | 0.97       | 227.20               | 9,307.5       | 583.1         | 356.2         | 0.35                | -0.18                | -16.56              | 35.0                   | 2.3                     |  |
| 9,455.0      | 0.88       | 244.51               | 9,403.5       | 582.2         | 354.9         | 0.30                | -0.09                | 18.03               | 32.6                   | -8.0                    |  |
| 9,551.0      | 0.97       | 226.85               | 9,499.5       | 581.4         | 353.7         | 0.31                | 0.09                 | -18.40              | 31.9                   | 2.0                     |  |
| 9,647.0      | 1.23       | 229.22               | 9,595.5       | 580.1         | 352.3         | 0.27                | 0.27                 | 2.47                | 30.2                   | 0.7                     |  |
| 9,742.0      | 0.62       | 281.34               | 9,690.5       | 579.6         | 351.0         | 1.03                | -0.64                | 54.86               | 18.0                   | -22.5                   |  |
| 9,838.0      | 0.18       | 125.16               | 9,786.5       | 579.6         | 350.6         | 0.82                | -0.46                | -162.69             | -7.0                   | 27.7                    |  |
| 9,934.0      | 0.62       | 168.57               | 9,882.4       | 579.0         | 350.9         | 0.53                | 0.46                 | 45.22               | 13.3                   | 25.0                    |  |
| 10,029.0     | 0.97       | 153.63               | 9,977.4       | 577.8         | 351.3         | 0.43                | 0.37                 | -15.73              | 5.1                    | 27.5                    |  |
| 10,124.0     | 1.32       | 181.41               | 10,072.4      | 576.0         | 351.7         | 0.68                | 0.37                 | 29.24               | 15.5                   | 22.3                    |  |
| 10,220.0     | 1.23       | 240.20               | 10,168.4      | 574.3         | 350.7         | 1.31                | -0.09                | 61.24               | 25.5                   | -0.8                    |  |
| 10,316.0     | 0.97       | 237.92               | 10,264.4      | 573.4         | 349.2         | 0.27                | -0.27                | -2.37               | 23.7                   | 0.2                     |  |
| 10,412.0     | 1.06       | 161.19               | 10,360.4      | 572.1         | 348.8         | 1.31                | 0.09                 | -79.93              | 4.2                    | 22.3                    |  |
| 10,507.0     | 0.70       | 138.52               | 10,455.4      | 570.9         | 349.4         | 0.52                | -0.38                | -23.86              | -6.1                   | 21.8                    |  |
| 10,603.0     | 1.32       | 122.96               | 10,551.3      | 569.8         | 350.7         | 0.70                | 0.65                 | -16.21              | -13.4                  | 19.2                    |  |



## EOG Resources

Midland PVA

Company: Midland  
Project: Lea County, NM (NAD 83 NME)  
Site: Almost Eddy 30 Fed Com  
Well: #721H  
Wellbore: OH  
Design: OH

Local Co-ordinate Reference: Well #721H  
TVD Reference: KB = 26' @ 3367.0usft  
MD Reference: KB = 26' @ 3367.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature  
Database: PEDM

| Survey                                                                    |            |                      |               |               |               |                     |                      |                     |                        |                         |
|---------------------------------------------------------------------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft)                                                              | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 10,697.0                                                                  | 1.76       | 125.68               | 10,645.3      | 568.4         | 352.8         | 0.47                | 0.47                 | 2.89                | -15.0                  | 19.9                    |
| 10,792.0                                                                  | 3.17       | 145.20               | 10,740.2      | 565.4         | 355.5         | 1.71                | 1.48                 | 20.55               | -11.5                  | 24.3                    |
| 10,888.0                                                                  | 3.34       | 151.87               | 10,836.1      | 560.7         | 358.3         | 0.43                | 0.18                 | 6.95                | -14.1                  | 25.8                    |
| 10,983.0                                                                  | 2.90       | 177.71               | 10,930.9      | 555.9         | 359.7         | 1.54                | -0.46                | 27.20               | -6.3                   | 30.5                    |
| 11,078.0                                                                  | 3.69       | 199.60               | 11,025.8      | 550.6         | 358.8         | 1.55                | 0.83                 | 23.04               | 0.2                    | 31.6                    |
| 11,174.0                                                                  | 1.93       | 216.30               | 11,121.7      | 546.4         | 356.8         | 2.00                | -1.83                | 17.40               | 4.7                    | 31.1                    |
| 11,294.0                                                                  | 1.49       | 260.32               | 11,241.6      | 544.5         | 354.1         | 1.12                | -0.37                | 36.68               | 21.9                   | 20.5                    |
| 11,389.0                                                                  | 1.58       | 264.98               | 11,336.6      | 544.2         | 351.6         | 0.16                | 0.09                 | 4.91                | 21.0                   | 18.7                    |
| 11,485.0                                                                  | 1.85       | 275.18               | 11,432.5      | 544.2         | 348.7         | 0.42                | 0.28                 | 10.62               | 21.1                   | 15.0                    |
| 11,580.0                                                                  | 1.93       | 272.19               | 11,527.5      | 544.4         | 345.6         | 0.13                | 0.08                 | -3.15               | 17.2                   | 16.0                    |
| 11,675.0                                                                  | 1.93       | 263.57               | 11,622.4      | 544.3         | 342.4         | 0.31                | 0.00                 | -9.07               | 11.4                   | 18.1                    |
| 11,771.0                                                                  | 1.67       | 244.33               | 11,718.4      | 543.5         | 339.5         | 0.68                | -0.27                | -20.04              | 4.4                    | 15.1                    |
| 11,780.0                                                                  | 2.15       | 221.80               | 11,727.4      | 543.3         | 339.3         | 9.79                | 5.32                 | -250.38             | -0.9                   | 14.6                    |
| KOP, MD:11780.0', TVD:11727.4',N/S:543.3', E/W:339.3', INC:2.15           |            |                      |               |               |               |                     |                      |                     |                        |                         |
| 11,866.0                                                                  | 10.02      | 184.12               | 11,812.8      | 534.6         | 337.7         | 9.79                | 9.15                 | -43.81              | 4.2                    | 8.3                     |
| 11,952.9                                                                  | 22.67      | 193.12               | 11,896.1      | 510.7         | 333.3         | 14.81               | 14.56                | 10.35               | 18.2                   | 0.4                     |
| FTP Crossing, MD:11952.9', TVD:11896.1',N/S:510.7', E/W:333.3', INC:22.67 |            |                      |               |               |               |                     |                      |                     |                        |                         |
| 11,962.0                                                                  | 24.01      | 193.52               | 11,904.4      | 507.2         | 332.5         | 14.81               | 14.70                | 4.45                | 19.3                   | -0.8                    |
| 12,057.0                                                                  | 30.95      | 185.97               | 11,988.7      | 464.0         | 325.4         | 8.16                | 7.31                 | -7.95               | 34.5                   | -7.0                    |
| 12,152.0                                                                  | 32.62      | 185.70               | 12,069.4      | 414.2         | 320.3         | 1.76                | 1.76                 | -0.28               | 59.3                   | -14.1                   |
| 12,248.0                                                                  | 46.34      | 181.66               | 12,143.4      | 353.5         | 316.7         | 14.53               | 14.29                | -4.21               | 88.6                   | -15.3                   |
| 12,343.0                                                                  | 68.41      | 179.73               | 12,194.3      | 274.0         | 315.9         | 23.29               | 23.23                | -2.03               | 103.4                  | -14.6                   |
| 12,447.0                                                                  | 83.98      | 180.60               | 12,219.0      | 173.3         | 315.6         | 14.99               | 14.97                | 0.84                | 103.0                  | -15.6                   |
| 12,542.0                                                                  | 90.22      | 176.91               | 12,223.8      | 78.5          | 317.7         | 7.63                | 6.57                 | -3.88               | 100.9                  | -13.8                   |
| 12,638.0                                                                  | 90.04      | 177.53               | 12,223.6      | -17.4         | 322.3         | 0.67                | -0.19                | 0.65                | 101.3                  | -9.7                    |
| 12,734.0                                                                  | 90.13      | 178.14               | 12,223.5      | -113.3        | 326.0         | 0.64                | 0.09                 | 0.64                | 101.7                  | -6.5                    |
| 12,830.0                                                                  | 92.42      | 179.20               | 12,221.3      | -209.3        | 328.2         | 2.63                | 2.39                 | 1.10                | 100.2                  | -4.8                    |



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 12,926.0     | 94.09      | 179.73               | 12,215.9      | -305.1        | 329.1         | 1.82                | 1.74                 | 0.55                | 95.4                   | -4.4                    |  |
| 13,021.0     | 92.07      | 179.81               | 12,210.8      | -400.0        | 329.5         | 2.13                | -2.13                | 0.08                | 90.9                   | -4.5                    |  |
| 13,117.0     | 91.36      | 179.02               | 12,207.9      | -495.9        | 330.5         | 1.11                | -0.74                | -0.82               | 88.6                   | -4.0                    |  |
| 13,212.0     | 87.05      | 179.73               | 12,209.2      | -590.9        | 331.5         | 4.60                | -4.54                | 0.75                | 90.5                   | -3.5                    |  |
| 13,307.0     | 89.16      | 180.60               | 12,212.4      | -685.8        | 331.2         | 2.40                | 2.22                 | 0.92                | 94.3                   | -4.2                    |  |
| 13,402.0     | 89.87      | 180.25               | 12,213.2      | -780.8        | 330.5         | 0.83                | 0.75                 | -0.37               | 95.7                   | -5.4                    |  |
| 13,497.0     | 90.40      | 179.81               | 12,212.9      | -875.8        | 330.5         | 0.73                | 0.56                 | -0.46               | 96.1                   | -5.9                    |  |
| 13,592.0     | 89.34      | 178.41               | 12,213.2      | -970.8        | 331.9         | 1.85                | -1.12                | -1.47               | 96.9                   | -5.0                    |  |
| 13,687.0     | 88.11      | 178.14               | 12,215.3      | -1,065.7      | 334.8         | 1.33                | -1.29                | -0.28               | 99.6                   | -2.6                    |  |
| 13,782.0     | 91.01      | 179.73               | 12,216.0      | -1,160.7      | 336.6         | 3.48                | 3.05                 | 1.67                | 100.9                  | -1.3                    |  |
| 13,877.0     | 91.10      | 180.25               | 12,214.2      | -1,255.7      | 336.6         | 0.56                | 0.09                 | 0.55                | 99.8                   | -1.8                    |  |
| 13,972.0     | 90.75      | 178.85               | 12,212.7      | -1,350.7      | 337.3         | 1.52                | -0.37                | -1.47               | 98.9                   | -1.5                    |  |
| 14,067.0     | 90.31      | 180.43               | 12,211.8      | -1,445.6      | 337.9         | 1.73                | -0.46                | 1.66                | 98.6                   | -1.4                    |  |
| 14,163.0     | 91.36      | 181.57               | 12,210.4      | -1,541.6      | 336.2         | 1.61                | 1.09                 | 1.19                | 97.8                   | -3.6                    |  |
| 14,259.0     | 91.45      | 180.87               | 12,208.1      | -1,637.6      | 334.2         | 0.73                | 0.09                 | -0.73               | 96.1                   | -6.1                    |  |
| 14,355.0     | 91.89      | 179.99               | 12,205.3      | -1,733.5      | 333.5         | 1.02                | 0.46                 | -0.92               | 93.9                   | -7.3                    |  |
| 14,450.0     | 94.00      | 179.64               | 12,200.4      | -1,828.4      | 333.8         | 2.25                | 2.22                 | -0.37               | 89.5                   | -7.5                    |  |
| 14,546.0     | 91.63      | 180.78               | 12,195.7      | -1,924.3      | 333.4         | 2.74                | -2.47                | 1.19                | 85.1                   | -8.4                    |  |
| 14,641.0     | 91.54      | 179.90               | 12,193.1      | -2,019.2      | 332.9         | 0.93                | -0.09                | -0.93               | 82.8                   | -9.4                    |  |
| 14,735.0     | 89.52      | 179.64               | 12,192.2      | -2,113.2      | 333.3         | 2.17                | -2.15                | -0.28               | 82.3                   | -9.5                    |  |
| 14,831.0     | 90.40      | 181.40               | 12,192.3      | -2,209.2      | 332.4         | 2.05                | 0.92                 | 1.83                | 82.7                   | -10.9                   |  |
| 14,926.0     | 89.43      | 180.43               | 12,192.4      | -2,304.2      | 330.9         | 1.44                | -1.02                | -1.02               | 83.1                   | -12.9                   |  |
| 15,021.0     | 90.57      | 180.25               | 12,192.4      | -2,399.2      | 330.3         | 1.21                | 1.20                 | -0.19               | 83.4                   | -14.0                   |  |
| 15,116.0     | 91.01      | 180.87               | 12,191.1      | -2,494.2      | 329.4         | 0.80                | 0.46                 | 0.65                | 82.5                   | -15.4                   |  |
| 15,211.0     | 91.10      | 180.43               | 12,189.3      | -2,589.2      | 328.3         | 0.47                | 0.09                 | -0.46               | 81.0                   | -16.9                   |  |
| 15,306.0     | 91.10      | 178.76               | 12,187.5      | -2,684.1      | 329.0         | 1.76                | 0.00                 | -1.76               | 79.5                   | -16.8                   |  |
| 15,401.0     | 88.29      | 179.37               | 12,188.0      | -2,779.1      | 330.5         | 3.03                | -2.96                | 0.64                | 80.4                   | -15.7                   |  |



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 15,497.0     | 88.64      | 178.50               | 12,190.6      | -2,875.1      | 332.3         | 0.98                | 0.36                 | -0.91               | 83.2                   | -14.4                   |
| 15,592.0     | 88.29      | 180.52               | 12,193.1      | -2,970.0      | 333.1         | 2.16                | -0.37                | 2.13                | 86.1                   | -14.1                   |
| 15,687.0     | 87.32      | 179.99               | 12,196.8      | -3,064.9      | 332.7         | 1.16                | -1.02                | -0.56               | 90.1                   | -15.0                   |
| 15,783.0     | 89.43      | 180.87               | 12,199.5      | -3,160.9      | 332.0         | 2.38                | 2.20                 | 0.92                | 93.1                   | -16.2                   |
| 15,878.0     | 88.02      | 176.74               | 12,201.6      | -3,255.8      | 333.9         | 4.59                | -1.48                | -4.35               | 95.6                   | -14.7                   |
| 15,973.0     | 92.77      | 180.43               | 12,201.0      | -3,350.7      | 336.3         | 6.33                | 5.00                 | 3.88                | 95.2                   | -12.9                   |
| 16,068.0     | 93.65      | 181.31               | 12,195.6      | -3,445.6      | 334.9         | 1.31                | 0.93                 | 0.93                | 90.2                   | -14.8                   |
| 16,163.0     | 94.35      | 180.43               | 12,189.0      | -3,540.3      | 333.4         | 1.18                | 0.74                 | -0.93               | 83.9                   | -16.8                   |
| 16,258.0     | 93.12      | 181.75               | 12,182.8      | -3,635.1      | 331.6         | 1.90                | -1.29                | 1.39                | 78.1                   | -19.0                   |
| 16,353.0     | 90.57      | 181.13               | 12,179.8      | -3,730.0      | 329.2         | 2.76                | -2.68                | -0.65               | 75.3                   | -21.9                   |
| 16,448.0     | 87.85      | 181.22               | 12,181.1      | -3,825.0      | 327.3         | 2.86                | -2.86                | 0.09                | 76.9                   | -24.4                   |
| 16,543.0     | 87.49      | 180.34               | 12,184.9      | -3,919.9      | 326.0         | 1.00                | -0.38                | -0.93               | 81.1                   | -26.2                   |
| 16,638.0     | 88.37      | 179.20               | 12,188.4      | -4,014.8      | 326.4         | 1.52                | 0.93                 | -1.20               | 84.9                   | -26.2                   |
| 16,734.0     | 88.72      | 176.91               | 12,190.8      | -4,110.7      | 329.6         | 2.41                | 0.36                 | -2.39               | 87.6                   | -23.5                   |
| 16,828.0     | 91.10      | 176.74               | 12,191.0      | -4,204.6      | 334.8         | 2.54                | 2.53                 | -0.18               | 88.1                   | -18.7                   |
| 16,924.0     | 90.13      | 176.12               | 12,189.9      | -4,300.4      | 340.8         | 1.20                | -1.01                | -0.65               | 87.4                   | -13.3                   |
| 17,019.0     | 89.08      | 175.24               | 12,190.6      | -4,395.1      | 348.0         | 1.44                | -1.11                | -0.93               | 88.4                   | -6.6                    |
| 17,114.0     | 87.67      | 177.09               | 12,193.3      | -4,489.9      | 354.3         | 2.45                | -1.48                | 1.95                | 91.4                   | -0.8                    |
| 17,210.0     | 91.01      | 178.67               | 12,194.4      | -4,585.8      | 357.9         | 3.85                | 3.48                 | 1.65                | 92.8                   | 2.3                     |
| 17,306.0     | 91.45      | 177.88               | 12,192.3      | -4,681.7      | 360.8         | 0.94                | 0.46                 | -0.82               | 91.1                   | 4.7                     |
| 17,401.0     | 91.54      | 176.83               | 12,189.8      | -4,776.6      | 365.1         | 1.11                | 0.09                 | -1.11               | 88.9                   | 8.6                     |
| 17,496.0     | 89.43      | 178.85               | 12,189.0      | -4,871.5      | 368.7         | 3.07                | -2.22                | 2.13                | 88.1                   | 11.7                    |
| 17,591.0     | 91.54      | 179.37               | 12,188.2      | -4,966.5      | 370.2         | 2.29                | 2.22                 | 0.55                | 87.2                   | 12.7                    |
| 17,687.0     | 91.54      | 178.94               | 12,185.7      | -5,062.4      | 371.6         | 0.45                | 0.00                 | -0.45               | 84.7                   | 13.6                    |
| 17,782.0     | 91.19      | 178.50               | 12,183.4      | -5,157.4      | 373.7         | 0.59                | -0.37                | -0.46               | 82.4                   | 15.2                    |
| 17,877.0     | 93.12      | 179.37               | 12,179.8      | -5,252.3      | 375.5         | 2.23                | 2.03                 | 0.92                | 78.8                   | 16.5                    |
| 17,972.0     | 90.66      | 179.02               | 12,176.7      | -5,347.2      | 376.8         | 2.62                | -2.59                | -0.37               | 75.7                   | 17.4                    |



# EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey                          |            |                      |               |               |               |                     |                      |                     |                        |                         |
|---------------------------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft)                    | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 18,067.0                        | 88.81      | 180.08               | 12,177.1      | -5,442.2      | 377.6         | 2.24                | -1.95                | 1.12                | 76.1                   | 17.6                    |
| 18,163.0                        | 89.52      | 179.90               | 12,178.5      | -5,538.2      | 377.6         | 0.76                | 0.74                 | -0.19               | 77.5                   | 17.1                    |
| 18,258.0                        | 90.48      | 179.29               | 12,178.5      | -5,633.2      | 378.3         | 1.20                | 1.01                 | -0.64               | 77.5                   | 17.3                    |
| 18,353.0                        | 88.11      | 179.64               | 12,179.7      | -5,728.2      | 379.1         | 2.52                | -2.49                | 0.37                | 78.7                   | 17.7                    |
| 18,448.0                        | 86.79      | 179.20               | 12,183.9      | -5,823.1      | 380.1         | 1.46                | -1.39                | -0.46               | 82.9                   | 18.2                    |
| 18,542.0                        | 87.76      | 179.29               | 12,188.4      | -5,917.0      | 381.3         | 1.04                | 1.03                 | 0.10                | 87.4                   | 18.9                    |
| 18,637.0                        | 87.76      | 179.64               | 12,192.1      | -6,011.9      | 382.2         | 0.37                | 0.00                 | 0.37                | 91.1                   | 19.3                    |
| 18,733.0                        | 89.52      | 178.85               | 12,194.4      | -6,107.9      | 383.5         | 2.01                | 1.83                 | -0.82               | 93.4                   | 20.1                    |
| 18,829.0                        | 90.48      | 180.52               | 12,194.4      | -6,203.8      | 384.0         | 2.01                | 1.00                 | 1.74                | 93.4                   | 20.1                    |
| 18,924.0                        | 91.19      | 181.31               | 12,193.0      | -6,298.8      | 382.5         | 1.12                | 0.75                 | 0.83                | 92.0                   | 18.1                    |
| 19,020.0                        | 91.80      | 182.63               | 12,190.5      | -6,394.7      | 379.2         | 1.51                | 0.64                 | 1.37                | 89.5                   | 14.3                    |
| 19,116.0                        | 92.33      | 182.71               | 12,187.0      | -6,490.6      | 374.7         | 0.56                | 0.55                 | 0.08                | 86.0                   | 9.4                     |
| 19,212.0                        | 91.80      | 181.22               | 12,183.6      | -6,586.4      | 371.4         | 1.65                | -0.55                | -1.55               | 82.6                   | 5.6                     |
| 19,307.0                        | 91.89      | 182.36               | 12,180.5      | -6,681.3      | 368.5         | 1.20                | 0.09                 | 1.20                | 79.5                   | 2.1                     |
| 19,402.0                        | 91.45      | 180.34               | 12,177.7      | -6,776.3      | 366.2         | 2.18                | -0.46                | -2.13               | 76.7                   | -0.6                    |
| 19,498.0                        | 89.60      | 180.25               | 12,176.9      | -6,872.3      | 365.8         | 1.93                | -1.93                | -0.09               | 75.9                   | -1.6                    |
| 19,594.0                        | 89.34      | 180.25               | 12,177.7      | -6,968.3      | 365.3         | 0.27                | -0.27                | 0.00                | 76.8                   | -2.5                    |
| 19,689.0                        | 89.96      | 181.04               | 12,178.3      | -7,063.2      | 364.3         | 1.06                | 0.65                 | 0.83                | 77.3                   | -4.1                    |
| 19,764.0                        | 90.22      | 182.71               | 12,178.2      | -7,138.2      | 361.8         | 2.25                | 0.35                 | 2.23                | 77.2                   | -6.9                    |
| Last MWD Survey (MD=19764.0')   |            |                      |               |               |               |                     |                      |                     |                        |                         |
| 19,820.0                        | 90.22      | 182.71               | 12,178.0      | -7,194.1      | 359.2         | 0.00                | 0.00                 | 0.00                | 77.0                   | -9.8                    |
| Projection to Bit (MD=19820.0') |            |                      |               |               |               |                     |                      |                     |                        |                         |



## EOG Resources

Midland PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #721H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #721H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Design Annotations    |                       |                   |              |                                                                           |
|-----------------------|-----------------------|-------------------|--------------|---------------------------------------------------------------------------|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              | Comment                                                                   |
|                       |                       | +N/-S (usft)      | +E/-W (usft) |                                                                           |
| 11,780.0              | 11,727.4              | 543.3             | 339.3        | KOP, MD:11780.0', TVD:11727.4',N/S:543.3', E/W:339.3', INC:2.15           |
| 11,952.9              | 11,896.1              | 510.7             | 333.3        | FTP Crossing, MD:11952.9', TVD:11896.1',N/S:510.7', E/W:333.3', INC:22.67 |
| 19,764.0              | 12,178.2              | -7,138.2          | 361.8        | Last MWD Survey (MD=19764.0')                                             |
| 19,820.0              | 12,178.0              | -7,194.1          | 359.2        | Projection to Bit (MD=19820.0')                                           |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE  
KAY MADDOX 11/17/2021



Lea County, NM (NAD 83 NME)

Almost Eddy 30 Fed Com #721H

Plan #1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)


Geodetic System: US State Plane 1983  
Datum: North American Datum 1983  
Ellipsoid: GRS 1980  
Zone: New Mexico Eastern Zone  
System Datum: Mean Sea Level

WELL DETAILS: #721H

KB = 26' @ 3367.0usft 3341.0  
Northing 400520.00 Easting 730641.00 Latitude 32° 5' 58.681 N Longitude 103° 43' 19.187 W

Azimuths to Grid North  
True North: -0.32°  
Magnetic North: 6.26°

Magnetic Field  
Strength: 47389.7nT  
Dip Angle: 59.76°  
Date: 8/10/2021  
Model: IGRF2020










To convert a Magnetic Direction to a Grid Direction, Add 6.26°  
To convert a Magnetic Direction to a True Direction, Add 6.59° East  
To convert a True Direction to a Grid Direction, Subtract 0.32°

SECTION DETAILS

| MD      | Inc   | Azi    | TVD     | +N/-S   | +E/-W | Dleg  | TFace   | VSect  | Target                                   |
|---------|-------|--------|---------|---------|-------|-------|---------|--------|------------------------------------------|
| 0.0     | 0.00  | 0.00   | 0.0     | 0.0     | 0.0   | 0.00  | 0.00    | 0.0    |                                          |
| 1200.0  | 0.00  | 0.00   | 1200.0  | 0.0     | 0.0   | 0.00  | 0.00    | 0.0    |                                          |
| 1560.7  | 7.21  | 30.39  | 1559.8  | 19.6    | 11.5  | 2.00  | 30.39   | -18.9  |                                          |
| 6378.3  | 7.21  | 30.39  | 6339.2  | 541.4   | 317.5 | 0.00  | 0.00    | -524.5 |                                          |
| 6739.0  | 0.00  | 0.00   | 6699.0  | 561.0   | 329.0 | 2.00  | 180.00  | -543.4 | Brushy Top(Almost Eddy 30 Fed Com #721H) |
| 11685.5 | 0.00  | 0.00   | 11645.5 | 561.0   | 329.0 | 0.00  | 0.00    | -543.4 |                                          |
| 12438.6 | 90.36 | 179.70 | 12123.0 | 80.5    | 331.5 | 12.00 | 179.70  | -63.4  |                                          |
| 14317.0 | 90.36 | 179.70 | 12111.0 | -1797.9 | 341.2 | 0.00  | 0.00    | 1813.0 | TGT#1(Almost Eddy 30 Fed Com #721H)      |
| 14325.6 | 90.19 | 179.70 | 12111.0 | -1806.4 | 341.2 | 2.00  | 180.00  | 1821.5 | TGT#2(Almost Eddy 30 Fed Com #721H)      |
| 17269.2 | 90.19 | 179.70 | 12101.0 | -4750.0 | 356.4 | 0.00  | 0.00    | 4762.0 |                                          |
| 17278.9 | 90.00 | 179.70 | 12101.0 | -4759.7 | 356.4 | 2.00  | -180.00 | 4771.7 |                                          |
| 19714.2 | 90.00 | 179.70 | 12101.0 | -7195.0 | 369.0 | 0.00  | 0.00    | 7204.5 | PBHL(Almost Eddy 30 Fed Com #721H)       |

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

| Name                                     | TVD     | +N/-S   | +E/-W | Northing  | Easting   |
|------------------------------------------|---------|---------|-------|-----------|-----------|
| Brushy Top(Almost Eddy 30 Fed Com #721H) | 6699.0  | 561.0   | 329.0 | 401081.00 | 730970.00 |
| PBHL(Almost Eddy 30 Fed Com #721H)       | 12101.0 | -7195.0 | 369.0 | 393325.00 | 731010.00 |
| TGT#2(Almost Eddy 30 Fed Com #721H)      | 12101.0 | -4750.0 | 356.4 | 395770.00 | 730997.39 |
| TGT#1(Almost Eddy 30 Fed Com #721H)      | 12111.0 | -1797.9 | 341.2 | 398722.10 | 730982.17 |
| FTP(Almost Eddy 30 Fed Com #721H)        | 12123.0 | 511.0   | 329.0 | 401031.00 | 730970.00 |



Intent ☐ As Drilled ☐

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

## Kick Off Point (KOP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## First Take Point (FTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## Last Take Point (LTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018

Submit a Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

|                                                                                                                                                                                                                       |  |                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)                |  | WELL API NO.<br><b>30-025 - 48873</b>                                                    |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                                        |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input type="checkbox"/> |
| 2. Name of Operator<br><b>EOG RESOURCES INC</b>                                                                                                                                                                       |  | 6. State Oil & Gas Lease No.                                                             |
| 3. Address of Operator<br><b>PO BOX 2267 MIDLAND, TX 79702</b>                                                                                                                                                        |  | 7. Lease Name or Unit Agreement Name<br><b>ALMOST EDDY 30 FEDERAL COM</b>                |
| 4. Well Location<br>Unit Letter <b>L</b> : <b>2029</b> feet from the <b>SOUTH</b> line and <b>328</b> feet from the <b>WEST</b> line<br>Section <b>30</b> Township <b>25S</b> Range <b>32E</b> NMPM County <b>LEA</b> |  | 8. Well Number <b>721H</b>                                                               |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br><b>3341' GR</b>                                                                                                                                                 |  | 9. OGRID Number<br><b>7377</b>                                                           |
|                                                                                                                                                                                                                       |  | 10. Pool name or Wildcat<br>WC025 G09 S253216D; UPPER WOLFCAMP                           |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                        |                                           | SUBSEQUENT REPORT OF:                              |                                          |
|------------------------------------------------|-------------------------------------------|----------------------------------------------------|------------------------------------------|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>             | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/>   | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/>   | P AND A <input type="checkbox"/>         |
| PULL OR ALTER CASING <input type="checkbox"/>  | MULTIPLE COMPL <input type="checkbox"/>   | CASING/CEMENT JOB <input type="checkbox"/>         |                                          |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    |                                           |                                                    |                                          |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>    |                                           |                                                    |                                          |
| OTHER: <input type="checkbox"/>                |                                           | OTHER: <b>CASING TEST</b> <input type="checkbox"/> |                                          |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TOC IS BELOW THE CASING SHOE, ON 05/14/2023 A SUBSEQUENT PRESSURE TEST HELD.  
 EOG IS REQUESTING NO REMEDIAL CEMENT AT THIS TIME

Spud Date:

06/21/2021

Rig Release Date:

09/27/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE KAY MADDOX TITLE SENIOR REGULATORY SPECIALIST DATE 05/23/2023

Type or print name Kay Maddox E-mail address: kay\_maddox@eogresources.com PHONE: 432-638-8475

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

# Well Completion Print

06/02/2022

|                                                                                 |                                             |                                       |                                   |
|---------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------|-----------------------------------|
| <b>Operator Name</b> EOG RESOURCES INCORPORATED<br>SHL NSW Lot 3 Sec 30 25S 32E | <b>Well Name</b> ALMOST EDDY 30 FED COM     | <b>Well Number</b> 721H               | <b>US Well Number</b> 3002548873  |
| <b>Well Type</b> OIL WELL                                                       | <b>County</b> LEA                           | <b>State</b> NM                       | <b>Lease Number(s)</b> NMNM112935 |
| <b>Well Status</b> Drilling Well                                                | <b>Agreement Name</b>                       | <b>Agreement Number(s)</b>            |                                   |
| <b>Allottee/Tribe Name</b>                                                      | <b>Well Pad Name</b> ALMOST EDDY 30 FED COM | <b>Well Pad Number</b> 701H/702H/721H | <b>ID</b> 10400062222             |

## Section 1 - General

**Well Completion Report Id:** 82158**Submission Date:** N/A until DB**BLM Office:** Carlsbad Field Office**User:** KAY MADDOX**Title:** Regulatory Specialist**Federal/Indian:** FEDERAL**Lease Number:** NMNM112935**Lease Acres:****Agreement in place?:** NO**Federal or Indian Agreement:****Agreement Number:****Agreement Name:****Keep this Well Completion Report confidential?:** NO**APD Operator:** EOG RESOURCES INCORPORATED

## Section 2 - Well

**Field/Pool or Exploratory:****Pool Name:** WC025 G08 S253216D;**Field Name:** WC025 G08 S253216D;**Well Type:** OIL WELL**Spud Date:** 06-21-2021**Date Total Measured Depth Reached:** 09-26-2021**Drill & Abandon or Ready To Produce:** READY TO**Well Class:** DIRECTIONAL

## Section 3 - Geologic

| Formation Name | Lithology | Describe Lithology | Elevation | TVD  | MD   | Mineral Resources | Describe Mineral |
|----------------|-----------|--------------------|-----------|------|------|-------------------|------------------|
| PERMIAN        | ANHYDRITE |                    | 3341      | 0    | 0    | NONE              |                  |
| RUSTLER        | ANHYDRITE |                    | 2366      | 1015 | 1015 | NONE              |                  |

|                                                                                           |                                                |                                          |                                      |
|-------------------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------|--------------------------------------|
| <b>Operator Name</b> EOG<br>RESOURCES<br>INCORPORATED<br>SHL NWSW Lot 3 Sec 30<br>25S 32E | <b>Well Name</b> ALMOST<br>EDDY 30 FED COM     | <b>Well Number</b> 721H                  | <b>US Well Number</b> 3002548873     |
|                                                                                           | <b>County</b> LEA                              | <b>State</b> NM                          | <b>Lease Number(s)</b><br>NMNM112935 |
| <b>Well Type</b> OIL WELL                                                                 | <b>Well Status</b> Drilling Well               | <b>Agreement Name</b>                    | <b>Agreement Number(s)</b>           |
| <b>Allottee/Tribe Name</b>                                                                | <b>Well Pad Name</b> ALMOST<br>EDDY 30 FED COM | <b>Well Pad Number</b><br>701H/702H/721H | <b>ID</b> 10400062222                |

### Section 3 - Geologic

| Formation Name   | Lithology | Describe Lithology | Elevation | TVD   | MD    | Mineral Resources | Describe Mineral |
|------------------|-----------|--------------------|-----------|-------|-------|-------------------|------------------|
| TOP SALT         | SALT      |                    | 2041      | 1333  | 1333  | NONE              |                  |
| BASE OF SALT     | SALT      |                    | -839      | 4213  | 4213  | NONE              |                  |
| LAMAR            | LIMESTONE |                    | -1044     | 4419  | 4419  | NONE              |                  |
| BELL CANYON      | SANDSTONE |                    | -1069     | 4444  | 4444  | NATURAL GAS, OIL  |                  |
| CHERRY CANYON    | SANDSTONE |                    | -2019     | 5349  | 5349  | NATURAL GAS, OIL  |                  |
| BRUSHY CANYON    | SANDSTONE |                    | -3524     | 6784  | 6784  | NATURAL GAS, OIL  |                  |
| BONE SPRING LIME | LIMESTONE |                    | -5084     | 8414  | 8414  | NONE              |                  |
| BONE SPRING 1ST  | SANDSTONE |                    | -6014     | 9342  | 9342  | NATURAL GAS, OIL  |                  |
| BONE SPRING 2ND  | SANDSTONE |                    | -6709     | 9982  | 9982  | NATURAL GAS, OIL  |                  |
| BONE SPRING 3RD  | SANDSTONE |                    | -7874     | 11265 | 11265 | NATURAL GAS, OIL  |                  |
| WOLFCAMP         | SANDSTONE |                    | -8334     | 11702 | 11702 | NATURAL GAS, OIL  |                  |

### Completion and Completed

|                                                                                    |                                                |                                          |                                      |
|------------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------|--------------------------------------|
| <b>Operator Name</b> EOG RESOURCES INCORPORATED<br>SHL NSW Lot 3 Sec 30<br>25S 32E | <b>Well Name</b> ALMOST<br>EDDY 30 FED COM     | <b>Well Number</b> 721H                  | <b>US Well Number</b> 3002548873     |
|                                                                                    | <b>County</b> LEA                              | <b>State</b> NM                          | <b>Lease Number(s)</b><br>NMNM112935 |
| <b>Well Type</b> OIL WELL                                                          | <b>Well Status</b> Drilling Well               | <b>Agreement Name</b>                    | <b>Agreement Number(s)</b>           |
| <b>Allottee/Tribe Name</b>                                                         | <b>Well Pad Name</b> ALMOST<br>EDDY 30 FED COM | <b>Well Pad Number</b><br>701H/702H/721H | <b>ID</b> 10400062222                |

Completion Data

| Wellbore Code | Completion Code | Interval Number | Case Number | Lease Number | Well Completion Type | Describe Well Completion Type | Completion Status | Date Completed | Date First Produced | Formation | Interval Top (MD) | Interval Bottom (MD) | Interval Perforated? | Perforation Size | Number of Holes | Status of Interval |
|---------------|-----------------|-----------------|-------------|--------------|----------------------|-------------------------------|-------------------|----------------|---------------------|-----------|-------------------|----------------------|----------------------|------------------|-----------------|--------------------|
| 00            | S1              | 1               | NMNM112935  | NMNM112935   | NEW                  |                               | POW               | 10-31-2021     | 10-31-2021          | WOLFCA MP | 12394             | 19798                | Y                    | 3.124            | 1950            | OPEN               |

Treatment Data

| Wellbore Code | Completion Code | Interval Number | Interval Treated? | Treatment Type | Tottle Fluid (bbbls) | Total Proppant (lbs) | Treatment Remarks |
|---------------|-----------------|-----------------|-------------------|----------------|----------------------|----------------------|-------------------|
| 00            | S1              | 1               | Y                 | ACID FRAC      | 343468               | 1858375              | 18593752          |

Production Data

| Wellbore Code | Completion Code | Interval Number | API Oil Gravity | Gas Gravity | Production Method | Describe Production | Disposition of Gas | Describe Disposition |
|---------------|-----------------|-----------------|-----------------|-------------|-------------------|---------------------|--------------------|----------------------|
| 00            | S1              | 1               | 49              |             | FLOWS FROM WELL   |                     | SOLD               |                      |

Test Data

| Wellbore Code | Completion Code | Interval Number | Test Date | Hours Tested | 24-Hour Rate Oil (bbbls) | 24-Hour Rate Gas (MCF) | 24-Hour Rate Water(BWPD) | Gas-Oil Ratio (SCF/Bbl) | Choke Size | Tubing Pressure | Tubing Pressure Shut-In (psi) | Casing Pressure (psi) |
|---------------|-----------------|-----------------|-----------|--------------|--------------------------|------------------------|--------------------------|-------------------------|------------|-----------------|-------------------------------|-----------------------|
|               |                 |                 |           |              |                          |                        |                          |                         |            |                 |                               |                       |

|                                                                                     |                                                |                                          |                                      |
|-------------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------|--------------------------------------|
| <b>Operator Name</b> EOG RESOURCES INCORPORATED<br>SHL NWSW Lot 3 Sec 30<br>25S 32E | <b>Well Name</b> ALMOST<br>EDDY 30 FED COM     | <b>Well Number</b> 721H                  | <b>US Well Number</b> 3002548873     |
|                                                                                     | <b>County</b> LEA                              | <b>State</b> NM                          | <b>Lease Number(s)</b><br>NMNM112935 |
| <b>Well Type</b> OIL WELL                                                           | <b>Well Status</b> Drilling Well               | <b>Agreement Name</b>                    | <b>Agreement Number(s)</b>           |
| <b>Allottee/Tribe Name</b>                                                          | <b>Well Pad Name</b> ALMOST<br>EDDY 30 FED COM | <b>Well Pad Number</b><br>701H/702H/721H | <b>ID</b> 10400062222                |

### Test Data

| Wellbore Code | Completion Code | Interval Number | Test Date  | Hours Tested | 24-Hour Rate Oil (bbls) | 24-Hour Rate Gas (MCF) | 24-Hour Rate Water(BWPD) | Gas-Oil Ratio (SCF/Bbl) | Choke Size | Tubing Pressure | Tubing Pressure Shut-In (psi) | Casing Pressure (psi) |
|---------------|-----------------|-----------------|------------|--------------|-------------------------|------------------------|--------------------------|-------------------------|------------|-----------------|-------------------------------|-----------------------|
| 00            | S1              | 1               | 11/12/2021 | 24           | 2450                    | 10920                  | 4818                     | 4457                    |            |                 |                               | 1251                  |

### Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: KB

|                   | State      | Meridian             | County | Latitude   | Longitude    | Elevation (MSL) | Lease Type | Lease Number | Plug TVD (ft) | Plug MD (ft) | Plug Type | NS-Foot | NS-Indicator | EW-Foot | EW-Indicator | Township | Range | Section | Aliquot/Lot/Tract |
|-------------------|------------|----------------------|--------|------------|--------------|-----------------|------------|--------------|---------------|--------------|-----------|---------|--------------|---------|--------------|----------|-------|---------|-------------------|
| SHL               | NEW MEXICO | NEW MEXICO PRINCIPAL | LEA    | 32.0996327 | -103.7219973 | 3341            | FEDERAL    | NMNM112935   |               |              |           | 2029    | FSL          | 328     | FWL          | 25S      | 32E   | 30      | NWSW Lot 3        |
| KOP Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | LEA    | 32.1011208 | -103.7208917 | -8386           | FEDERAL    | NMNM112935   |               |              |           | 2569    | FSL          | 670     | FWL          | 25S      | 32E   | 30      | NWSW Lot 3        |
| PPP Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | LEA    | 32.1002412 | -103.7209735 | -8853           | FEDERAL    | NMNM112935   |               |              |           | 2250    | FSL          | 645     | FWL          | 25S      | 32E   | 30      | NWSW Lot 3        |
| EXIT Well bore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | LEA    | 32.0799065 | -103.720966  | -8837           | FEDERAL    | NMNM120909   |               |              |           | 131     | FSL          | 651     | FWL          | 25S      | 32E   | 30      | SWSW Lot 4        |
| BHL Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | LEA    | 32.0798461 | -103.7209698 | -8837           | FEDERAL    | NMNM120909   |               |              |           | 109     | FSL          | 650     | FWL          | 25S      | 32E   | 30      | SESE Lot 4        |

|                                                                                           |                                                |                                          |                                      |
|-------------------------------------------------------------------------------------------|------------------------------------------------|------------------------------------------|--------------------------------------|
| <b>Operator Name</b> EOG<br>RESOURCES<br>INCORPORATED<br>SHL NWSW Lot 3 Sec 30<br>25S 32E | <b>Well Name</b> ALMOST<br>EDDY 30 FED COM     | <b>Well Number</b> 721H                  | <b>US Well Number</b> 3002548873     |
|                                                                                           | <b>County</b> LEA                              | <b>State</b> NM                          | <b>Lease Number(s)</b><br>NMNM112935 |
| <b>Well Type</b> OIL WELL                                                                 | <b>Well Status</b> Drilling Well               | <b>Agreement Name</b>                    | <b>Agreement Number(s)</b>           |
| <b>Allottee/Tribe Name</b>                                                                | <b>Well Pad Name</b> ALMOST<br>EDDY 30 FED COM | <b>Well Pad Number</b><br>701H/702H/721H | <b>ID</b> 10400062222                |

### Casing, Liner and Tubing

#### Casing and Liner

| Wellbore Code | Casing String Type | Hole Size | Top Setting Depth (MD) | Bottom Setting Depth (MD) | Casing Size | Wt(lbs/ft) | Casing Grade | Describe Other Casing Grade | Joint | Other Joint | Amount Pulled (ft) |
|---------------|--------------------|-----------|------------------------|---------------------------|-------------|------------|--------------|-----------------------------|-------|-------------|--------------------|
| 00            | SURFACE            | 12.25     | 0                      | 1195                      | 9.625       | 40         | J-55         |                             | LT&C  |             |                    |
| 00            | INTERMEDIATE       | 8.75      | 0                      | 11214                     | 7.625       | 29.7       | HCP-110      |                             | OTHER | FXL         |                    |
| 00            | PRODUCT ION        | 6.75      | 0                      | 19805                     | 5.5         | 20         | OTHER        | P-110EC                     | OTHER | DWC/C-IS MS |                    |

#### Cementing

| Wellbore Code | Casing String Type | Stage Tool Depth | Cement Lead Type | Cement Lead Qty (sks) | Cement Lead Yield (cu.ft/sks) | Cement Lead Top (MD) | Cement Tail Type | Cement Tail Qty (sks) | Cement Tail Yield(cu.ft/sks) | Cement Tail Top (MD) | Total (Lead + Tail) Cement Slurry Volume |
|---------------|--------------------|------------------|------------------|-----------------------|-------------------------------|----------------------|------------------|-----------------------|------------------------------|----------------------|------------------------------------------|
| 00            | SURFACE            |                  | Class C          | 420                   | 1.78                          | 0                    | Class C          | 105                   | 1.35                         | 0                    | 158.4                                    |
| 00            | INTERMEDIATE       |                  | Class C          | 380                   | 1.21                          | 7000                 | Class C          | 1365                  | 1.41                         | 79                   | 424.7                                    |
| 00            | PRODUCT ION        |                  | CL H             | 775                   | 1.23                          | 10716                |                  |                       |                              |                      | 169.8                                    |

|                                                                                  |                                             |                                       |                                   |
|----------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------|-----------------------------------|
| <b>Operator Name</b> EOG RESOURCES INCORPORATED<br>SHL NWSW Lot 3 Sec 30 25S 32E | <b>Well Name</b> ALMOST EDDY 30 FED COM     | <b>Well Number</b> 721H               | <b>US Well Number</b> 3002548873  |
|                                                                                  | <b>County</b> LEA                           | <b>State</b> NM                       | <b>Lease Number(s)</b> NMNM112935 |
| <b>Well Type</b> OIL WELL                                                        | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>                 | <b>Agreement Number(s)</b>        |
| <b>Allottee/Tribe Name</b>                                                       | <b>Well Pad Name</b> ALMOST EDDY 30 FED COM | <b>Well Pad Number</b> 701H/702H/721H | <b>ID</b> 10400062222             |

Tubing

| Wellbore Code | Tubing Size | Describe Other | Tubing Setting Depth (MD/ft) | Packer Depth (MD/ft) | Tubing Weight | Tubing Grade | Describe Other | Tubing Coupling | Describe Other |
|---------------|-------------|----------------|------------------------------|----------------------|---------------|--------------|----------------|-----------------|----------------|
| 00            |             |                |                              |                      |               |              |                |                 |                |

Logs

| Wellbore Code | Log Upload | Was Well Cored? | Was DST Run? | Directional Survey? | Geologic Report | Wellbore Diagram |
|---------------|------------|-----------------|--------------|---------------------|-----------------|------------------|
| 00            | YES        | NO              | NO           | YES                 | NO              | NO               |

|                                                                                  |                                             |                                       |                                   |
|----------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------|-----------------------------------|
| <b>Operator Name</b> EOG RESOURCES INCORPORATED<br>SHL NWSW Lot 3 Sec 30 25S 32E | <b>Well Name</b> ALMOST EDDY 30 FED COM     | <b>Well Number</b> 721H               | <b>US Well Number</b> 3002548873  |
|                                                                                  | <b>County</b> LEA                           | <b>State</b> NM                       | <b>Lease Number(s)</b> NMNM112935 |
| <b>Well Type</b> OIL WELL                                                        | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>                 | <b>Agreement Number(s)</b>        |
| <b>Allottee/Tribe Name</b>                                                       | <b>Well Pad Name</b> ALMOST EDDY 30 FED COM | <b>Well Pad Number</b> 701H/702H/721H | <b>ID</b> 10400062222             |

### Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

**Name:** EOG RESOURCES INCORPORATED

**Signed By:** KAY MADDOX

**Title:** Regulatory Specialist

**Signed on:** 12/07/2021

**Street Address:** 5509 CHAMPIONS DR.

**City:** MIDLAND

**State:** TX

**Zip:** 79706

**Phone:** (432)638-8475

**Email address:** KAY\_MADDOX@EOGRESOURCES.COM

### Field

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Extension:**

**Email address:**

### Attachments

Almost\_Eddy\_30\_Fed\_Com\_721H\_5\_INCH\_MD\_FINAL\_20211201121732.pdf

Almost\_Eddy\_30\_Fed\_Com\_721H\_Final\_OH\_Surveys\_20211201121748.pdf

Almost\_Eddy\_30\_Fed\_Com\_721H\_Final\_PVA\_20211201121815.pdf

ALMOST\_EDDY\_30\_FED\_COM\_721H\_PLAT\_20211201122215.pdf



## Detailed Job Breakdown



## JOB REPORT

## COMPANY DETAILS

Company: EOG  
Contact: MARK POPE  
PHONE:


Email: Mark\_pope@eogresources.com

## JOB DETAILS

DATE 5/14/2023 9:34:24AM  
START TIME 5/14/2023 9:34:24AM  
END TIME 5/14/2023 10:10:59AM  
Ticket#:  
Other:  
Other:

Operator:  
WELL: ALMOST EDDY 30 FED  
Licence #: COM 721  
Contractor:  
AFE:

Comments:



9:34:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 9:34                    | 20.876 | 846   |  |  |  |  |  |  |
| 9:34                    | 25.876 | 853   |  |  |  |  |  |  |
| 9:34                    | 30.876 | 859   |  |  |  |  |  |  |
| 9:34                    | 35.876 | 865   |  |  |  |  |  |  |
| 9:34                    | 40.876 | 870   |  |  |  |  |  |  |
| 9:34                    | 45.876 | 914   |  |  |  |  |  |  |
| 9:34                    | 50.876 | 1,080 |  |  |  |  |  |  |
| 9:34                    | 55.876 | 1,182 |  |  |  |  |  |  |
| 9:35                    | 0.876  | 1,236 |  |  |  |  |  |  |
| 9:35                    | 5.876  | 1,287 |  |  |  |  |  |  |
| 9:35                    | 10.876 | 1,335 |  |  |  |  |  |  |
| 9:35                    | 15.876 | 1,367 |  |  |  |  |  |  |
| 9:35                    | 20.876 | 1,397 |  |  |  |  |  |  |
| 9:35                    | 25.876 | 1,328 |  |  |  |  |  |  |
| 9:35                    | 30.876 | 1,333 |  |  |  |  |  |  |
| 9:35                    | 35.876 | 1,354 |  |  |  |  |  |  |
| 9:35                    | 40.876 | 1,336 |  |  |  |  |  |  |
| 9:35                    | 45.876 | 1,342 |  |  |  |  |  |  |
| 9:35                    | 50.876 | 1,378 |  |  |  |  |  |  |
| 9:35                    | 55.876 | 1,354 |  |  |  |  |  |  |
| 9:36                    | 0.876  | 1,325 |  |  |  |  |  |  |
| 9:36                    | 5.876  | 1,327 |  |  |  |  |  |  |
| 9:36                    | 10.876 | 1,344 |  |  |  |  |  |  |
| 9:36                    | 15.876 | 1,352 |  |  |  |  |  |  |
| 9:36                    | 20.876 | 1,334 |  |  |  |  |  |  |
| 9:36                    | 25.876 | 1,348 |  |  |  |  |  |  |
| 9:36                    | 30.876 | 1,418 |  |  |  |  |  |  |
| 9:36                    | 35.876 | 1,357 |  |  |  |  |  |  |
| 9:36                    | 40.876 | 1,436 |  |  |  |  |  |  |
| 9:36                    | 45.876 | 1,357 |  |  |  |  |  |  |
| 9:36                    | 50.876 | 1,366 |  |  |  |  |  |  |
| 9:36                    | 55.876 | 1,405 |  |  |  |  |  |  |
| 9:37                    | 0.876  | 1,363 |  |  |  |  |  |  |
| 9:37                    | 5.876  | 1,351 |  |  |  |  |  |  |
| 9:37                    | 10.876 | 1,385 |  |  |  |  |  |  |
| 9:37                    | 15.876 | 1,360 |  |  |  |  |  |  |
| 9:37                    | 20.876 | 1,379 |  |  |  |  |  |  |
| 9:37                    | 25.876 | 1,370 |  |  |  |  |  |  |
| 9:37                    | 30.876 | 1,377 |  |  |  |  |  |  |
| 9:37                    | 35.876 | 1,384 |  |  |  |  |  |  |
| 9:37                    | 40.876 | 1,369 |  |  |  |  |  |  |
| 9:37                    | 45.876 | 1,389 |  |  |  |  |  |  |
| 9:37                    | 50.876 | 1,411 |  |  |  |  |  |  |
| 9:37                    | 55.876 | 1,383 |  |  |  |  |  |  |
| 9:38                    | 0.876  | 1,375 |  |  |  |  |  |  |
| 9:38                    | 5.876  | 1,370 |  |  |  |  |  |  |
| 9:38                    | 10.876 | 1,366 |  |  |  |  |  |  |
| 9:38                    | 15.876 | 1,362 |  |  |  |  |  |  |

9:38:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 9:38                    | 20.876 | 1,360 |  |  |  |  |  |  |
| 9:38                    | 25.876 | 1,358 |  |  |  |  |  |  |
| 9:38                    | 30.876 | 1,357 |  |  |  |  |  |  |
| 9:38                    | 35.876 | 1,355 |  |  |  |  |  |  |
| 9:38                    | 40.876 | 1,353 |  |  |  |  |  |  |
| 9:38                    | 45.876 | 1,353 |  |  |  |  |  |  |
| 9:38                    | 50.876 | 1,351 |  |  |  |  |  |  |
| 9:38                    | 55.876 | 1,350 |  |  |  |  |  |  |
| 9:39                    | 0.876  | 1,348 |  |  |  |  |  |  |
| 9:39                    | 5.876  | 1,349 |  |  |  |  |  |  |
| 9:39                    | 10.876 | 1,347 |  |  |  |  |  |  |
| 9:39                    | 15.876 | 1,348 |  |  |  |  |  |  |
| 9:39                    | 20.876 | 1,346 |  |  |  |  |  |  |
| 9:39                    | 25.876 | 1,345 |  |  |  |  |  |  |
| 9:39                    | 30.876 | 1,345 |  |  |  |  |  |  |
| 9:39                    | 35.876 | 1,344 |  |  |  |  |  |  |
| 9:39                    | 40.876 | 1,344 |  |  |  |  |  |  |
| 9:39                    | 45.876 | 1,344 |  |  |  |  |  |  |
| 9:39                    | 50.876 | 1,343 |  |  |  |  |  |  |
| 9:39                    | 55.876 | 1,343 |  |  |  |  |  |  |
| 9:40                    | 0.876  | 1,343 |  |  |  |  |  |  |
| 9:40                    | 5.876  | 1,342 |  |  |  |  |  |  |
| 9:40                    | 10.876 | 1,341 |  |  |  |  |  |  |
| 9:40                    | 15.876 | 1,342 |  |  |  |  |  |  |
| 9:40                    | 20.876 | 1,340 |  |  |  |  |  |  |
| 9:40                    | 25.876 | 1,340 |  |  |  |  |  |  |
| 9:40                    | 30.876 | 1,338 |  |  |  |  |  |  |
| 9:40                    | 35.876 | 1,338 |  |  |  |  |  |  |
| 9:40                    | 40.876 | 1,338 |  |  |  |  |  |  |
| 9:40                    | 45.876 | 1,338 |  |  |  |  |  |  |
| 9:40                    | 50.876 | 1,338 |  |  |  |  |  |  |
| 9:40                    | 55.876 | 1,337 |  |  |  |  |  |  |
| 9:41                    | 0.876  | 1,338 |  |  |  |  |  |  |
| 9:41                    | 5.876  | 1,336 |  |  |  |  |  |  |
| 9:41                    | 10.876 | 1,336 |  |  |  |  |  |  |
| 9:41                    | 15.876 | 1,336 |  |  |  |  |  |  |
| 9:41                    | 20.876 | 1,337 |  |  |  |  |  |  |
| 9:41                    | 25.876 | 1,338 |  |  |  |  |  |  |
| 9:41                    | 30.876 | 1,337 |  |  |  |  |  |  |
| 9:41                    | 35.876 | 1,337 |  |  |  |  |  |  |
| 9:41                    | 40.876 | 1,337 |  |  |  |  |  |  |
| 9:41                    | 45.876 | 1,336 |  |  |  |  |  |  |
| 9:41                    | 50.876 | 1,337 |  |  |  |  |  |  |
| 9:41                    | 55.876 | 1,336 |  |  |  |  |  |  |
| 9:42                    | 0.876  | 1,337 |  |  |  |  |  |  |
| 9:42                    | 5.876  | 1,335 |  |  |  |  |  |  |
| 9:42                    | 10.876 | 1,336 |  |  |  |  |  |  |
| 9:42                    | 15.876 | 1,335 |  |  |  |  |  |  |

9:42:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 9:42                    | 20.876 | 1,336 |  |  |  |  |  |  |
| 9:42                    | 25.876 | 1,335 |  |  |  |  |  |  |
| 9:42                    | 30.876 | 1,335 |  |  |  |  |  |  |
| 9:42                    | 35.876 | 1,334 |  |  |  |  |  |  |
| 9:42                    | 40.876 | 1,335 |  |  |  |  |  |  |
| 9:42                    | 45.876 | 1,333 |  |  |  |  |  |  |
| 9:42                    | 50.876 | 1,335 |  |  |  |  |  |  |
| 9:42                    | 55.876 | 1,334 |  |  |  |  |  |  |
| 9:43                    | 0.876  | 1,335 |  |  |  |  |  |  |
| 9:43                    | 5.876  | 1,334 |  |  |  |  |  |  |
| 9:43                    | 10.876 | 1,333 |  |  |  |  |  |  |
| 9:43                    | 15.876 | 1,332 |  |  |  |  |  |  |
| 9:43                    | 20.876 | 1,334 |  |  |  |  |  |  |
| 9:43                    | 25.876 | 1,334 |  |  |  |  |  |  |
| 9:43                    | 30.876 | 1,333 |  |  |  |  |  |  |
| 9:43                    | 35.876 | 1,334 |  |  |  |  |  |  |
| 9:43                    | 40.876 | 1,331 |  |  |  |  |  |  |
| 9:43                    | 45.876 | 1,332 |  |  |  |  |  |  |
| 9:43                    | 50.876 | 1,331 |  |  |  |  |  |  |
| 9:43                    | 55.876 | 1,331 |  |  |  |  |  |  |
| 9:44                    | 0.876  | 1,330 |  |  |  |  |  |  |
| 9:44                    | 5.876  | 1,331 |  |  |  |  |  |  |
| 9:44                    | 10.876 | 1,331 |  |  |  |  |  |  |
| 9:44                    | 15.876 | 1,330 |  |  |  |  |  |  |
| 9:44                    | 20.876 | 1,330 |  |  |  |  |  |  |
| 9:44                    | 25.876 | 1,330 |  |  |  |  |  |  |
| 9:44                    | 30.876 | 1,330 |  |  |  |  |  |  |
| 9:44                    | 35.876 | 1,330 |  |  |  |  |  |  |
| 9:44                    | 40.876 | 1,331 |  |  |  |  |  |  |
| 9:44                    | 45.876 | 1,330 |  |  |  |  |  |  |
| 9:44                    | 50.876 | 1,330 |  |  |  |  |  |  |
| 9:44                    | 55.876 | 1,330 |  |  |  |  |  |  |
| 9:45                    | 0.876  | 1,331 |  |  |  |  |  |  |
| 9:45                    | 5.876  | 1,331 |  |  |  |  |  |  |
| 9:45                    | 10.876 | 1,331 |  |  |  |  |  |  |
| 9:45                    | 15.876 | 1,330 |  |  |  |  |  |  |
| 9:45                    | 20.876 | 1,329 |  |  |  |  |  |  |
| 9:45                    | 25.876 | 1,328 |  |  |  |  |  |  |
| 9:45                    | 30.876 | 1,328 |  |  |  |  |  |  |
| 9:45                    | 35.876 | 1,330 |  |  |  |  |  |  |
| 9:45                    | 40.876 | 1,330 |  |  |  |  |  |  |
| 9:45                    | 45.876 | 1,329 |  |  |  |  |  |  |
| 9:45                    | 50.876 | 1,329 |  |  |  |  |  |  |
| 9:45                    | 55.876 | 1,329 |  |  |  |  |  |  |
| 9:46                    | 0.876  | 1,329 |  |  |  |  |  |  |
| 9:46                    | 5.876  | 1,329 |  |  |  |  |  |  |
| 9:46                    | 10.876 | 1,328 |  |  |  |  |  |  |
| 9:46                    | 15.876 | 1,329 |  |  |  |  |  |  |

9:46:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 9:46                    | 20.876 | 1,329 |  |  |  |  |  |  |
| 9:46                    | 25.876 | 1,327 |  |  |  |  |  |  |
| 9:46                    | 30.876 | 1,328 |  |  |  |  |  |  |
| 9:46                    | 35.876 | 1,328 |  |  |  |  |  |  |
| 9:46                    | 40.876 | 1,329 |  |  |  |  |  |  |
| 9:46                    | 45.876 | 1,328 |  |  |  |  |  |  |
| 9:46                    | 50.876 | 1,328 |  |  |  |  |  |  |
| 9:46                    | 55.876 | 1,328 |  |  |  |  |  |  |
| 9:47                    | 0.876  | 1,328 |  |  |  |  |  |  |
| 9:47                    | 5.876  | 1,327 |  |  |  |  |  |  |
| 9:47                    | 10.876 | 1,327 |  |  |  |  |  |  |
| 9:47                    | 15.876 | 1,328 |  |  |  |  |  |  |
| 9:47                    | 20.876 | 1,328 |  |  |  |  |  |  |
| 9:47                    | 25.876 | 1,327 |  |  |  |  |  |  |
| 9:47                    | 30.876 | 1,327 |  |  |  |  |  |  |
| 9:47                    | 35.876 | 1,327 |  |  |  |  |  |  |
| 9:47                    | 40.876 | 1,328 |  |  |  |  |  |  |
| 9:47                    | 45.876 | 1,327 |  |  |  |  |  |  |
| 9:47                    | 50.876 | 1,326 |  |  |  |  |  |  |
| 9:47                    | 55.876 | 1,328 |  |  |  |  |  |  |
| 9:48                    | 0.876  | 1,327 |  |  |  |  |  |  |
| 9:48                    | 5.876  | 1,326 |  |  |  |  |  |  |
| 9:48                    | 10.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 15.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 20.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 25.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 30.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 35.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 40.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 45.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 50.876 | 1,326 |  |  |  |  |  |  |
| 9:48                    | 55.876 | 1,326 |  |  |  |  |  |  |
| 9:49                    | 0.876  | 1,325 |  |  |  |  |  |  |
| 9:49                    | 5.876  | 1,326 |  |  |  |  |  |  |
| 9:49                    | 10.876 | 1,326 |  |  |  |  |  |  |
| 9:49                    | 15.876 | 1,325 |  |  |  |  |  |  |
| 9:49                    | 20.876 | 1,326 |  |  |  |  |  |  |
| 9:49                    | 25.876 | 1,326 |  |  |  |  |  |  |
| 9:49                    | 30.876 | 1,325 |  |  |  |  |  |  |
| 9:49                    | 35.876 | 1,326 |  |  |  |  |  |  |
| 9:49                    | 40.876 | 1,324 |  |  |  |  |  |  |
| 9:49                    | 45.876 | 1,326 |  |  |  |  |  |  |
| 9:49                    | 50.876 | 1,326 |  |  |  |  |  |  |
| 9:49                    | 55.876 | 1,326 |  |  |  |  |  |  |
| 9:50                    | 0.876  | 1,326 |  |  |  |  |  |  |
| 9:50                    | 5.876  | 1,326 |  |  |  |  |  |  |
| 9:50                    | 10.876 | 1,327 |  |  |  |  |  |  |
| 9:50                    | 15.876 | 1,326 |  |  |  |  |  |  |

9:50:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 9:50                    | 20.876 | 1,326 |  |  |  |  |  |  |
| 9:50                    | 25.876 | 1,326 |  |  |  |  |  |  |
| 9:50                    | 30.876 | 1,324 |  |  |  |  |  |  |
| 9:50                    | 35.876 | 1,326 |  |  |  |  |  |  |
| 9:50                    | 40.876 | 1,326 |  |  |  |  |  |  |
| 9:50                    | 45.876 | 1,325 |  |  |  |  |  |  |
| 9:50                    | 50.876 | 1,326 |  |  |  |  |  |  |
| 9:50                    | 55.876 | 1,327 |  |  |  |  |  |  |
| 9:51                    | 0.876  | 1,326 |  |  |  |  |  |  |
| 9:51                    | 5.876  | 1,326 |  |  |  |  |  |  |
| 9:51                    | 10.876 | 1,325 |  |  |  |  |  |  |
| 9:51                    | 15.876 | 1,326 |  |  |  |  |  |  |
| 9:51                    | 20.876 | 1,326 |  |  |  |  |  |  |
| 9:51                    | 25.876 | 1,326 |  |  |  |  |  |  |
| 9:51                    | 30.876 | 1,325 |  |  |  |  |  |  |
| 9:51                    | 35.876 | 1,327 |  |  |  |  |  |  |
| 9:51                    | 40.876 | 1,327 |  |  |  |  |  |  |
| 9:51                    | 45.876 | 1,327 |  |  |  |  |  |  |
| 9:51                    | 50.876 | 1,326 |  |  |  |  |  |  |
| 9:51                    | 55.876 | 1,326 |  |  |  |  |  |  |
| 9:52                    | 0.876  | 1,326 |  |  |  |  |  |  |
| 9:52                    | 5.876  | 1,326 |  |  |  |  |  |  |
| 9:52                    | 10.876 | 1,326 |  |  |  |  |  |  |
| 9:52                    | 15.876 | 1,325 |  |  |  |  |  |  |
| 9:52                    | 20.876 | 1,327 |  |  |  |  |  |  |
| 9:52                    | 25.876 | 1,326 |  |  |  |  |  |  |
| 9:52                    | 30.876 | 1,326 |  |  |  |  |  |  |
| 9:52                    | 35.876 | 1,326 |  |  |  |  |  |  |
| 9:52                    | 40.876 | 1,326 |  |  |  |  |  |  |
| 9:52                    | 45.876 | 1,327 |  |  |  |  |  |  |
| 9:52                    | 50.876 | 1,326 |  |  |  |  |  |  |
| 9:52                    | 55.876 | 1,326 |  |  |  |  |  |  |
| 9:53                    | 0.876  | 1,327 |  |  |  |  |  |  |
| 9:53                    | 5.876  | 1,327 |  |  |  |  |  |  |
| 9:53                    | 10.876 | 1,327 |  |  |  |  |  |  |
| 9:53                    | 15.876 | 1,326 |  |  |  |  |  |  |
| 9:53                    | 20.876 | 1,327 |  |  |  |  |  |  |
| 9:53                    | 25.876 | 1,327 |  |  |  |  |  |  |
| 9:53                    | 30.876 | 1,328 |  |  |  |  |  |  |
| 9:53                    | 35.876 | 1,327 |  |  |  |  |  |  |
| 9:53                    | 40.876 | 1,327 |  |  |  |  |  |  |
| 9:53                    | 45.876 | 1,328 |  |  |  |  |  |  |
| 9:53                    | 50.876 | 1,327 |  |  |  |  |  |  |
| 9:53                    | 55.876 | 1,328 |  |  |  |  |  |  |
| 9:54                    | 0.876  | 1,328 |  |  |  |  |  |  |
| 9:54                    | 5.876  | 1,328 |  |  |  |  |  |  |
| 9:54                    | 10.876 | 1,328 |  |  |  |  |  |  |
| 9:54                    | 15.876 | 1,327 |  |  |  |  |  |  |

9:54:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 9:54                    | 20.876 | 1,327 |  |  |  |  |  |  |
| 9:54                    | 25.876 | 1,327 |  |  |  |  |  |  |
| 9:54                    | 30.876 | 1,327 |  |  |  |  |  |  |
| 9:54                    | 35.876 | 1,327 |  |  |  |  |  |  |
| 9:54                    | 40.876 | 1,327 |  |  |  |  |  |  |
| 9:54                    | 45.876 | 1,328 |  |  |  |  |  |  |
| 9:54                    | 50.876 | 1,327 |  |  |  |  |  |  |
| 9:54                    | 55.876 | 1,327 |  |  |  |  |  |  |
| 9:55                    | 0.876  | 1,327 |  |  |  |  |  |  |
| 9:55                    | 5.876  | 1,327 |  |  |  |  |  |  |
| 9:55                    | 10.876 | 1,326 |  |  |  |  |  |  |
| 9:55                    | 15.876 | 1,327 |  |  |  |  |  |  |
| 9:55                    | 20.876 | 1,328 |  |  |  |  |  |  |
| 9:55                    | 25.876 | 1,326 |  |  |  |  |  |  |
| 9:55                    | 30.876 | 1,327 |  |  |  |  |  |  |
| 9:55                    | 35.876 | 1,327 |  |  |  |  |  |  |
| 9:55                    | 40.876 | 1,326 |  |  |  |  |  |  |
| 9:55                    | 45.876 | 1,326 |  |  |  |  |  |  |
| 9:55                    | 50.876 | 1,326 |  |  |  |  |  |  |
| 9:55                    | 55.876 | 1,327 |  |  |  |  |  |  |
| 9:56                    | 0.876  | 1,326 |  |  |  |  |  |  |
| 9:56                    | 5.876  | 1,326 |  |  |  |  |  |  |
| 9:56                    | 10.876 | 1,327 |  |  |  |  |  |  |
| 9:56                    | 15.876 | 1,325 |  |  |  |  |  |  |
| 9:56                    | 20.876 | 1,326 |  |  |  |  |  |  |
| 9:56                    | 25.876 | 1,327 |  |  |  |  |  |  |
| 9:56                    | 30.876 | 1,326 |  |  |  |  |  |  |
| 9:56                    | 35.876 | 1,327 |  |  |  |  |  |  |
| 9:56                    | 40.876 | 1,326 |  |  |  |  |  |  |
| 9:56                    | 45.876 | 1,327 |  |  |  |  |  |  |
| 9:56                    | 50.876 | 1,328 |  |  |  |  |  |  |
| 9:56                    | 55.876 | 1,326 |  |  |  |  |  |  |
| 9:57                    | 0.876  | 1,327 |  |  |  |  |  |  |
| 9:57                    | 5.876  | 1,327 |  |  |  |  |  |  |
| 9:57                    | 10.876 | 1,327 |  |  |  |  |  |  |
| 9:57                    | 15.876 | 1,327 |  |  |  |  |  |  |
| 9:57                    | 20.876 | 1,327 |  |  |  |  |  |  |
| 9:57                    | 25.876 | 1,326 |  |  |  |  |  |  |
| 9:57                    | 30.876 | 1,327 |  |  |  |  |  |  |
| 9:57                    | 35.876 | 1,328 |  |  |  |  |  |  |
| 9:57                    | 40.876 | 1,326 |  |  |  |  |  |  |
| 9:57                    | 45.876 | 1,327 |  |  |  |  |  |  |
| 9:57                    | 50.876 | 1,327 |  |  |  |  |  |  |
| 9:57                    | 55.876 | 1,328 |  |  |  |  |  |  |
| 9:58                    | 0.876  | 1,328 |  |  |  |  |  |  |
| 9:58                    | 5.876  | 1,326 |  |  |  |  |  |  |
| 9:58                    | 10.876 | 1,327 |  |  |  |  |  |  |
| 9:58                    | 15.876 | 1,328 |  |  |  |  |  |  |

9:58:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |  |
| 9:58                    | 20.876 | 1,327 |  |  |  |  |  |  |  |
| 9:58                    | 25.876 | 1,328 |  |  |  |  |  |  |  |
| 9:58                    | 30.876 | 1,328 |  |  |  |  |  |  |  |
| 9:58                    | 35.876 | 1,328 |  |  |  |  |  |  |  |
| 9:58                    | 40.876 | 1,327 |  |  |  |  |  |  |  |
| 9:58                    | 45.876 | 1,327 |  |  |  |  |  |  |  |
| 9:58                    | 50.876 | 1,327 |  |  |  |  |  |  |  |
| 9:58                    | 55.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 0.876  | 1,327 |  |  |  |  |  |  |  |
| 9:59                    | 5.876  | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 10.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 15.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 20.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 25.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 30.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 35.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 40.876 | 1,330 |  |  |  |  |  |  |  |
| 9:59                    | 45.876 | 1,329 |  |  |  |  |  |  |  |
| 9:59                    | 50.876 | 1,328 |  |  |  |  |  |  |  |
| 9:59                    | 55.876 | 1,329 |  |  |  |  |  |  |  |
| 10:00                   | 0.876  | 1,328 |  |  |  |  |  |  |  |
| 10:00                   | 5.876  | 1,328 |  |  |  |  |  |  |  |
| 10:00                   | 10.876 | 1,328 |  |  |  |  |  |  |  |
| 10:00                   | 15.876 | 1,329 |  |  |  |  |  |  |  |
| 10:00                   | 20.876 | 1,329 |  |  |  |  |  |  |  |
| 10:00                   | 25.876 | 1,330 |  |  |  |  |  |  |  |
| 10:00                   | 30.876 | 1,330 |  |  |  |  |  |  |  |
| 10:00                   | 35.876 | 1,330 |  |  |  |  |  |  |  |
| 10:00                   | 40.876 | 1,330 |  |  |  |  |  |  |  |
| 10:00                   | 45.876 | 1,330 |  |  |  |  |  |  |  |
| 10:00                   | 50.876 | 1,330 |  |  |  |  |  |  |  |
| 10:00                   | 55.876 | 1,329 |  |  |  |  |  |  |  |
| 10:01                   | 0.876  | 1,330 |  |  |  |  |  |  |  |
| 10:01                   | 5.876  | 1,331 |  |  |  |  |  |  |  |
| 10:01                   | 10.876 | 1,329 |  |  |  |  |  |  |  |
| 10:01                   | 15.876 | 1,329 |  |  |  |  |  |  |  |
| 10:01                   | 20.876 | 1,330 |  |  |  |  |  |  |  |
| 10:01                   | 25.876 | 1,330 |  |  |  |  |  |  |  |
| 10:01                   | 30.876 | 1,328 |  |  |  |  |  |  |  |
| 10:01                   | 35.876 | 1,330 |  |  |  |  |  |  |  |
| 10:01                   | 40.876 | 1,329 |  |  |  |  |  |  |  |
| 10:01                   | 45.876 | 1,331 |  |  |  |  |  |  |  |
| 10:01                   | 50.876 | 1,330 |  |  |  |  |  |  |  |
| 10:01                   | 55.876 | 1,331 |  |  |  |  |  |  |  |
| 10:02                   | 0.876  | 1,330 |  |  |  |  |  |  |  |
| 10:02                   | 5.876  | 1,329 |  |  |  |  |  |  |  |
| 10:02                   | 10.876 | 1,331 |  |  |  |  |  |  |  |
| 10:02                   | 15.876 | 1,331 |  |  |  |  |  |  |  |

10:02:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 10:02                   | 20.876 | 1,332 |  |  |  |  |  |  |
| 10:02                   | 25.876 | 1,331 |  |  |  |  |  |  |
| 10:02                   | 30.876 | 1,331 |  |  |  |  |  |  |
| 10:02                   | 35.876 | 1,331 |  |  |  |  |  |  |
| 10:02                   | 40.876 | 1,332 |  |  |  |  |  |  |
| 10:02                   | 45.876 | 1,330 |  |  |  |  |  |  |
| 10:02                   | 50.876 | 1,332 |  |  |  |  |  |  |
| 10:02                   | 55.876 | 1,331 |  |  |  |  |  |  |
| 10:03                   | 0.876  | 1,332 |  |  |  |  |  |  |
| 10:03                   | 5.876  | 1,332 |  |  |  |  |  |  |
| 10:03                   | 10.876 | 1,332 |  |  |  |  |  |  |
| 10:03                   | 15.876 | 1,332 |  |  |  |  |  |  |
| 10:03                   | 20.876 | 1,332 |  |  |  |  |  |  |
| 10:03                   | 25.876 | 1,332 |  |  |  |  |  |  |
| 10:03                   | 30.876 | 1,332 |  |  |  |  |  |  |
| 10:03                   | 35.876 | 1,333 |  |  |  |  |  |  |
| 10:03                   | 40.876 | 1,332 |  |  |  |  |  |  |
| 10:03                   | 45.876 | 1,330 |  |  |  |  |  |  |
| 10:03                   | 50.876 | 1,332 |  |  |  |  |  |  |
| 10:03                   | 55.876 | 1,332 |  |  |  |  |  |  |
| 10:04                   | 0.876  | 1,332 |  |  |  |  |  |  |
| 10:04                   | 5.876  | 1,333 |  |  |  |  |  |  |
| 10:04                   | 10.876 | 1,333 |  |  |  |  |  |  |
| 10:04                   | 15.876 | 1,334 |  |  |  |  |  |  |
| 10:04                   | 20.876 | 1,334 |  |  |  |  |  |  |
| 10:04                   | 25.876 | 1,334 |  |  |  |  |  |  |
| 10:04                   | 30.876 | 1,334 |  |  |  |  |  |  |
| 10:04                   | 35.876 | 1,333 |  |  |  |  |  |  |
| 10:04                   | 40.876 | 1,334 |  |  |  |  |  |  |
| 10:04                   | 45.876 | 1,332 |  |  |  |  |  |  |
| 10:04                   | 50.876 | 1,332 |  |  |  |  |  |  |
| 10:04                   | 55.876 | 1,334 |  |  |  |  |  |  |
| 10:05                   | 0.876  | 1,334 |  |  |  |  |  |  |
| 10:05                   | 5.876  | 1,334 |  |  |  |  |  |  |
| 10:05                   | 10.876 | 1,335 |  |  |  |  |  |  |
| 10:05                   | 15.876 | 1,333 |  |  |  |  |  |  |
| 10:05                   | 20.876 | 1,334 |  |  |  |  |  |  |
| 10:05                   | 25.876 | 1,334 |  |  |  |  |  |  |
| 10:05                   | 30.876 | 1,334 |  |  |  |  |  |  |
| 10:05                   | 35.876 | 1,332 |  |  |  |  |  |  |
| 10:05                   | 40.876 | 1,334 |  |  |  |  |  |  |
| 10:05                   | 45.876 | 1,333 |  |  |  |  |  |  |
| 10:05                   | 50.876 | 1,333 |  |  |  |  |  |  |
| 10:05                   | 55.876 | 1,333 |  |  |  |  |  |  |
| 10:06                   | 0.876  | 1,333 |  |  |  |  |  |  |
| 10:06                   | 5.876  | 1,333 |  |  |  |  |  |  |
| 10:06                   | 10.876 | 1,332 |  |  |  |  |  |  |
| 10:06                   | 15.876 | 1,332 |  |  |  |  |  |  |

10:06:20

Detailed Job Breakdown

May/14/2023

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 10:06                   | 20.876 | 1,332 |  |  |  |  |  |  |
| 10:06                   | 25.876 | 1,333 |  |  |  |  |  |  |
| 10:06                   | 30.876 | 1,332 |  |  |  |  |  |  |
| 10:06                   | 35.876 | 1,331 |  |  |  |  |  |  |
| 10:06                   | 40.876 | 1,333 |  |  |  |  |  |  |
| 10:06                   | 45.876 | 1,331 |  |  |  |  |  |  |
| 10:06                   | 50.876 | 1,331 |  |  |  |  |  |  |
| 10:06                   | 55.876 | 1,331 |  |  |  |  |  |  |
| 10:07                   | 0.876  | 1,331 |  |  |  |  |  |  |
| 10:07                   | 5.876  | 1,330 |  |  |  |  |  |  |
| 10:07                   | 10.876 | 1,330 |  |  |  |  |  |  |
| 10:07                   | 15.876 | 1,332 |  |  |  |  |  |  |
| 10:07                   | 20.877 | 1,331 |  |  |  |  |  |  |
| 10:07                   | 25.876 | 1,330 |  |  |  |  |  |  |
| 10:07                   | 30.876 | 1,331 |  |  |  |  |  |  |
| 10:07                   | 35.876 | 1,331 |  |  |  |  |  |  |
| 10:07                   | 40.876 | 1,330 |  |  |  |  |  |  |
| 10:07                   | 45.876 | 1,330 |  |  |  |  |  |  |
| 10:07                   | 50.876 | 1,330 |  |  |  |  |  |  |
| 10:07                   | 55.876 | 1,329 |  |  |  |  |  |  |
| 10:08                   | 0.876  | 1,330 |  |  |  |  |  |  |
| 10:08                   | 5.876  | 1,327 |  |  |  |  |  |  |
| 10:08                   | 10.876 | 1,327 |  |  |  |  |  |  |
| 10:08                   | 15.876 | 1,328 |  |  |  |  |  |  |
| 10:08                   | 20.876 | 1,328 |  |  |  |  |  |  |
| 10:08                   | 25.876 | 1,329 |  |  |  |  |  |  |
| 10:08                   | 30.876 | 1,328 |  |  |  |  |  |  |
| 10:08                   | 35.876 | 1,328 |  |  |  |  |  |  |
| 10:08                   | 40.876 | 1,328 |  |  |  |  |  |  |
| 10:08                   | 45.876 | 1,310 |  |  |  |  |  |  |
| 10:08                   | 50.876 | 1,270 |  |  |  |  |  |  |
| 10:08                   | 55.876 | 1,231 |  |  |  |  |  |  |
| 10:09                   | 0.876  | 1,199 |  |  |  |  |  |  |
| 10:09                   | 5.876  | 1,190 |  |  |  |  |  |  |
| 10:09                   | 10.876 | 1,180 |  |  |  |  |  |  |
| 10:09                   | 15.876 | 1,168 |  |  |  |  |  |  |
| 10:09                   | 20.876 | 1,156 |  |  |  |  |  |  |
| 10:09                   | 25.876 | 1,133 |  |  |  |  |  |  |
| 10:09                   | 30.876 | 1,116 |  |  |  |  |  |  |
| 10:09                   | 35.876 | 1,102 |  |  |  |  |  |  |
| 10:09                   | 40.876 | 1,089 |  |  |  |  |  |  |
| 10:09                   | 45.876 | 1,079 |  |  |  |  |  |  |
| 10:09                   | 50.876 | 1,068 |  |  |  |  |  |  |
| 10:09                   | 55.876 | 1,057 |  |  |  |  |  |  |
| 10:10                   | 0.876  | 1,049 |  |  |  |  |  |  |
| 10:10                   | 5.876  | 1,039 |  |  |  |  |  |  |
| 10:10                   | 10.876 | 1,031 |  |  |  |  |  |  |
| 10:10                   | 15.876 | 1,022 |  |  |  |  |  |  |

| INTERMEDIATE TEST (PSI) |        |       |  |  |  |  |  |  |
|-------------------------|--------|-------|--|--|--|--|--|--|
| Time                    |        |       |  |  |  |  |  |  |
| 10:10                   | 20.876 | 1,014 |  |  |  |  |  |  |
| 10:10                   | 25.876 | 994   |  |  |  |  |  |  |
| 10:10                   | 30.876 | 980   |  |  |  |  |  |  |
| 10:10                   | 35.876 | 967   |  |  |  |  |  |  |
| 10:10                   | 40.876 | 955   |  |  |  |  |  |  |
| 10:10                   | 45.876 | 940   |  |  |  |  |  |  |
| 10:10                   | 50.876 | 908   |  |  |  |  |  |  |
| 10:10                   | 55.876 | 872   |  |  |  |  |  |  |

|                                       |                           |
|---------------------------------------|---------------------------|
| <b>Well Name:</b>                     | Almost Eddy Fed Com #721H |
| <b>Property Number:</b>               | 141651                    |
| <b>API Number:</b>                    | 300254887300              |
| <b>Opening Intermediate PSI:</b>      | 869 psi                   |
| <b>Bled Intermediate PSI down to:</b> | N/A                       |
| <b>Fluid back to surface:</b>         | Yes / OBM                 |
| <b>Bbls pumped to load casing:</b>    | N/A                       |
| <b>Bbls pumped to reach 500 psi:</b>  | 1.25 bbls                 |
| <b>Bbls bled back after test:</b>     | 1 bbls                    |
| <b>Start</b>                          | 1370 psi                  |
| <b>30 min</b>                         | 1328 psi                  |
| <b>Bleed down, SICP:</b>              | 850 psi                   |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS  
  
Action 219928

ACKNOWLEDGMENTS

|                                                                      |                                                    |
|----------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>P.O. Box 2267<br>Midland, TX 79702 | OGRID:<br>7377                                     |
|                                                                      | Action Number:<br>219928                           |
|                                                                      | Action Type:<br>[C-104] Completion Packet (C-104C) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 219928

CONDITIONS

|                                                                      |                                                    |
|----------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>P.O. Box 2267<br>Midland, TX 79702 | OGRID:<br>7377                                     |
|                                                                      | Action Number:<br>219928                           |
|                                                                      | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None      | 10/17/2023     |