

Submit 1 Copy To Appropriate District Office

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-60080
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Injection Well		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator State of New Mexico formerly Canyon E&P Company		6. State Oil & Gas Lease No. B-10418-78
3. Address of Operator 1625 N. French Drive, Hobbs, N 88240		7. Lease Name or Unit Agreement Name Double L Queen Unit
4. Well Location Unit Letter <u>G</u> : <u>1980</u> feet from the <u>N</u> line and <u>1980</u> feet from the <u>E</u> line Section <u>36</u> Township <u>14S</u> Range <u>29E</u> NMPM Chaves County		8. Well Number. 004G
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 269864
10. Pool name or Wildcat Double L Queen		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/17/23: MOL. Held JSA. Clean and prepare location and rig up equipment. Check well pressures; 0#

8/18/23: Held JSA. Open up well; no pressure ND wellhead, NU and test BOP. POOH and LD 59 jnts 2-3/8" tbg. Packer dragged up hole w/ tbg, stuck on wellhead connection. ND BOP and remove connection below flange to remove packer. NU BOP. Secure well and SDFD.

8/21/23: Held JSA. RU WL and RIH w/ 4.56" GR to 1900', POOH and LD GR. RU WL set CIBP and RIH and set and release 5.5" CIBP @ 1885', POOH and RD WL. RU pump and try to load casing with 120 bbls of water, no returns. RU WL and RIH and run CBL from 1885' to surface, unable to log, well went on a vacuum and drained fluid for log. RD WL. RIH w/ work string and tagged CIBP, tagged @ 1880'. Attempt to PT casing; no test. **Plug #1.** Spot 25 sxs Class C cmt from 1885' to 1650' @ 1.32 yield. POOH, LD 10 jnts, stand back 48 jnts. Secure well and SDFD.

8/22/23: Held JSA. TIH and tag Plug #1 @ 1770'. POOH w/ tbg/ RU WL, RIH to run CBL from 1770' to surface. Try to load casing with 120 bbls, no returns, well on vacuum and all fluid lost. RD WL. RIH w/ workstring to 1225', RU pump and establish injection rate. **Plug #2.** Spot 25 sxs Class C cmt from 1225' to 1124' @ 1.32 yield. WOC for 3 hrs. TIH and tag cement @ 1550'. PUH to 1224'. **Plug #2A.** Spot 25 sxs Class C cmt from 1224' to 1124' @ 1.32 yield. POOH and WOC overnight. Secure well and SDFD.

8/23/23: Held JSA. TIH and tag Plug #2A @ 1400'. Load hole and circulate well w/ 70 bbls w/ 18 sxs of Salt gel. **Plug #2B.** Spot 25 sxs Class C cmt from 1224' to 1150' @ 1.32 yield. TOOH, LD 10 jnts and stand back the rest. WOC for 3.5 hrs. TIH and tag Plug #2B @ 1050'. High wind caused 1 hr shut down. TOOH and stand back all tbg. Load hole and Secure well and SDFD.

8/24/23: Held JSA. RU WL and run CBL from 1000' to surface. TIH 27 jnts.

Plug #3. Spot 25 sxs Class C cmt from 850' to 750' @ 1.32 yield. PUH, LD 20 jnts to 226'. RU pump and circ casing.

Plug #4. Spot 25 sxs Class C cmt from 236' to 136' @ 1.32 yield. TOOH and WOC for 2 hrs. TIH and tag Plug #4 @ 140'.

PUH to 50'. Plug #5. Circulated 13 sxs Class C cmt from 50' to surface. TOOH and LD tbq. RD workfloor and plugging equipment. Secure well and SDFN.

9/18/23: Travel to location. Review JSA. Dig 4' deep around wellhead. Cut off wellhead. Cement at surface. Weld on P&A marker. Fill hole and compact dirt. P&A complete. GPS: 33.0614363 / -103.9794907

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE *Nelle L. Anderson* TITLE *P&A Engineering Tech* DATE *10/16/23*

Type or print name *Nelle L. Anderson* E-mail address: *nelleapluswell@com* PHONE: *5054866968*

For State Use Only

APPROVED BY: *John Garcia* TITLE *Petroleum Engineering Supervisor* DATE *10/24/23*

Conditions of Approval (if any):

Double L Queen Unit 004G**As Plugged on 9/18/23****Double L Queen****Unit G, 1980' FNL & 1980' FEL, Section 36, T14S, R29E****Chaves County, NM, API #30-005-60080**



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 276182

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 276182
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	10/24/2023