

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-20332
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Injection Well		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator State of New Mexico formerly Canyon E&P Company		6. State Oil & Gas Lease No.
3. Address of Operator 1625 N. French Drive, Hobbs, N 88240		7. Lease Name or Unit Agreement Name Double L Queen Unit
4. Well Location Unit Letter <u>B</u> : <u>330</u> feet from the <u>N</u> line and <u>2310</u> feet from the <u>E</u> line Section <u>6</u> Township <u>15S</u> Range <u>30E</u> NMPM Chaves County		8. Well Number. 001P
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 269864
10. Pool name or Wildcat Double L Queen		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well was plugged and abandoned by A-Plus P&A LLC on 10/18/23 per the following as plugged report.

9/15/23: MOL. Held JSA. Prep road to location. Spot equipment. Check well pressures, no pressure on well. Secure well and SDFD.

9/18/23: Held JSA. RU equipment. Unseat Rod pump, RU rod stripper and work floor. TOO and LD 73 rods, rods dragged and were hanging up. Change over to 2-3/8" tbg equipment. ND wellhead, had to cutoff flange bolts. Secure well and SDFD.

9/19/23: Held JSA. Secure well and SDFD.

9/20/23: Held JSA. RU pump and circ 14 sxs 10# salt gel in 35 bbls water.

Plug #1. Spot 6 sxs Class C cmt from 1930' to 1830' 1.32 yield. TOO and WOC for 3 hrs. TIH and tag Plug #1 @ 1860'; good tag. TOO. RU A Plus WL, RIH and perf @ 1295', TOO and RD WL. TIH w/ 4-1/2" packer, RU pump and est. ROJ @ 2 BPM @ 400#. TOO and await orders. Secure well and SDFD.

9/21/23: Held JSA. TIH to 1350', RU pump and est. circ. Approved to spot inside plug.

Plug # 2. Spot 25 sxs Class C cmt from 1350' to 986' 1.32 yield. TOO and WOC for 3 hrs. TIH and tag Plug #2 @ 1155', TOO. RU A Plus WL, RIH and perf @ 950', TOO and RD WL. TIH w/ 4-1/2" packer, RU pump and est. circ.

Plug #3. Spot 25 sxs Class C cmt from 900' to 800' 1.32 yield. Tag @ 735'. TOH. Perforated 413'.

Plug #4. Spot 25 sxs Class C cmt from 413' – 314' 1.32 yield. Pressured up while pumping, shut in tbg valve, wash equipment. Secure well and SDFD.

9/22/23: Held JSA. TOO w/ tbg and LD packer. TIH and tag Plug #4 @ 300'. TOO. Call to get packer fixed, await on repairs. Clean location and equipment. Secure well and SDFD.

9/25/23: Field JSA: RU A Plus WL, RIH and perf @ 100', TOO H and RD WL. TIH w/ 4-1/2" packer, RU pump and est. circ.

Plug #5. Spot 30 sxs Class C cmt from 100' to 1.32 yield; 20 sxs outside and 10 sxs inside casing. RD work floor and well service unit. ND BOP and RD plugging equipment. MOL Secure well and SDFN.

10/18/23: Travel to location. Dig out WH. Cutoff WH. Find TOC @ surface. Weld on and install P&A marker.

GPS: 33.02454 N / -103.57562 W


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Neil Lindstrom* TITLE QA Engineer Tech DATE 10/24/23

Type or print name Neil Lindstrom E-mail address: neil@apluswell.com PHONE: 505 4866958

For State Use Only
APPROVED BY: John Garcia TITLE Supervisor DATE 10/24/23

Conditions of Approval (if any):

Double L Queen Unit 001P**As Plugged on 10/18/23****GPS: 33.02454N / -103.57562 W****Double L Queen****Unit B, 330' FNL & 2310' FEL, Section 6, T15S, R30E****Chaves County, NM, API #30-005-20332**



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 278844

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 278844
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	Plugging of the wellbore is completed and approved, future work may be required on the marker.	10/25/2023