

Submit a Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-021-20509
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <b>WEST BRAVO DOME UNIT</b>
8. Well Number <b>162</b>
9. OGRID Number <b>16696</b>
10. Pool name or Wildcat <b>WEST BRAVO DOME CO2 GAS</b>

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other CO2	
2. Name of Operator OXY USA INC. (16696)	
3. Address of Operator <b>PO BOX 4294, HOUSTON, TX 77210</b>	
4. Well Location Unit Letter <b>G</b> : <b>1650</b> feet from the <b>NORTH</b> line and <b>1650</b> feet from the <b>EAST</b> line Section <b>16</b> Township <b>18N</b> Range <b>30E</b> NMPM County <b>HARDING</b>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THE FINAL WELLBORE, PA JOB SUMMARY, AND CORRESPONDENCE ARE ATTACHED.

THE MARKER WAS SET ON 8/21/2023 AND TOPPED OFF WITH 5 SX OF CEMENT.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephen Janacek TITLE REGULATORY ENGINEER DATE 8/18/2023

Type or print name STEPHEN JANACEK E-mail address: STEPHEN\_JANACEK@OXY.COM PHONE: 713-493-1986

**For State Use Only**

APPROVED BY: Monica Kuehling TITLE Deputy Oil and Gas Inspector DATE 10/27/2023  
Conditions of Approval (if any):

Stephen Janacek  
8/18/23

Final Wellbore  
**West Bravo Dome 1830 162G**  
30-021-20509-0000  
Harding County

String 1  
OD 8.625 in  
TD 775 ft  
TOC 0 ft


San Andres 1160'

Glorieta 1400'

Tub 1940'

Prod Zone  
1964 ft  
1989 ft

String 2  
OD 4.5 in  
TD 2235 ft  
TOC 0 ft  
PBD 2235 ft



PERF AT 825'. NO INJ RATE.  
SPOT 125 SX CMT 1740' TO  
SURFACE.

TAG CIBP AT 1940'. SPOT 15 SX  
CMT 1940'-1740' (TAG).

CIBP at 1940' w/ 5 sxs cmt  
Pressure tested to 500 psi - good

**WEST BRAVO DOME 1830 #162G**

**30-021-20509**

**PA JOB SUMMARY**

8/14/2023-8/16/2023

**FINAL SUMMARY W/ CMT REPORT**

MISU & RU. 0 PSI on CSG. R/U WL. Tag CIBP @ 1940'. ND WH & NU BOPE. PSI Test CSG to 500 PSI & held P/U WS TBG. Tag CIBP @ 1940'. Spot 15 sxs of Class C CMT 1740'. WOC & Tag CMT Plug @ 1735'. Perf CSG @ 825'. No Injection Rate. RIH w/ TBG to 1740'. Spot 125 sxs inside 4-1/2" CSG. L/D WS TBG. ND BOPE. Top fill CSG. RDSU

**Archived:** Friday, August 18, 2023 1:00:36 PM

**From:** [Franco, Jesus M \(L&C Safety Inc\)](#)

**Sent:** Tuesday, August 15, 2023 10:27:06 AM

**To:** [Bell, Colton A Janacek](#), [Stephen C Fletcher](#), [Jackie Crowley](#), [Robert D Reid](#), [Nicolas Bock](#), [Justin A Perez](#), [Yolanda Bitner](#), [Casey J monica.kuehling@emnrd.nm.gov](#), [Samanthaj.mcfall@emnrd.nm.gov](#), [Muniz, Matthew \(L&C Safety Inc\)](#)

**Subject:** Bravo Dome 1830-162

**Importance:** Normal

**Sensitivity:** None

---

Bravo Dom 1830-162

API – 300-212-0509

CIBP @ 1940' Will Spot 15 sxs of Class CMT to 1714'. WOC 4 Hours & Tag.

Perf CSG @ 825'. If NO Injection Will Spot CMT from 1714' inside 4-1/2 CSG to surface  
Will Combine Plugs 1,2,3 & 4

Plug #1: Spot 15 sxs cmt 1450' – 1350'

Plug #2: Spot 15 sxs cmt 1210' – 1110'

Plug #3: Spot 15 sxs cmt 825' – 725'

Plug #4: Spot 15 sxs cmt 100' to surface

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 272833

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 272833
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 8/21/2023 c103Q required prior to 8/21/2024	10/27/2023