

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2		5. Lease Serial No.
1. Type of Well ☐ Oil Well ☐ Gas Well ☐ Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator		7. If Unit of CA/Agreement, Name and/or No.
3a. Address	3b. Phone No. (include area code)	8. Well Name and No.
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)		9. API Well No.
		10. Field and Pool or Exploratory Area
		11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
☐ Final Abandonment Notice	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)		
	Title	
Signature	Date	

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by		
	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: LOT H / 1980 FNL / 750 FEL / TWSP: 23S / RANGE: 30E / SECTION: 23 / LAT: 32.2922858 / LONG: -103.8454072 (TVD: 0 feet, MD: 0 feet)
PPP: LOT A / 1980 FNL / 750 FEL / TWSP: 23S / RANGE: 30E / SECTION: 11 / LAT: 32.2922858 / LONG: -103.8454072 (TVD: 7513 feet, MD: 17200 feet)
PPP: LOT H / 1980 FNL / 750 FEL / TWSP: 23S / RANGE: 30E / SECTION: 11 / LAT: 32.31593 / LONG: -103.8455 (TVD: 7521 feet, MD: 15900 feet)
PPP: LOT I / 1980 FNL / 750 FEL / TWSP: 23S / RANGE: 30E / SECTION: 11 / LAT: 32.29231 / LONG: -103.84541 (TVD: 7529 feet, MD: 14600 feet)
PPP: LOT P / 1980 FNL / 750 FEL / TWSP: 23S / RANGE: 30E / SECTION: 14 / LAT: 32.29233 / LONG: -103.84543 (TVD: 7562 feet, MD: 9300 feet)
PPP: LOT P / 1980 FNL / 750 FEL / TWSP: 23S / RANGE: 30E / SECTION: 23 / LAT: 32.29233 / LONG: -103.84541 (TVD: 7570 feet, MD: 8000 feet)
BHL: LOT A / 100 FNL / 750 FEL / TWSP: 23S / RANGE: 30E / SECTION: 11 / LAT: 32.3265049 / LONG: -103.8453735 (TVD: 7498 feet, MD: 19774 feet)

CONFIDENTIAL

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-42114		² Pool Code 24750		³ Pool Name FORTY NINER RIDGE UNIT					
⁴ Property Code 325945		⁵ Property Name ROADRUNNER FEDERAL 23 / 11 HAL						⁶ Well Number 3H	
⁷ OGRID NO. 21712		⁸ Operator Name STRATA PRODUCTION COMPANY						⁹ Elevation 3248'	
¹⁰ Surface Location									
UL or lot no. H	Section 23	Township 23S	Range 30E	Lot Idn	Feet from the 1980	North/South line NORTH	Feet From the 825	East/West line EAST	County EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. A	Section 11	Township 23S	Range 30E	Lot Idn	Feet from the 100	North/South line NORTH	Feet from the 990	East/West line EAST	County EDDY
¹² Dedicated Acres 400		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

¹⁶ GEODETIC DATA NAD 83 GRID - NM EAST SURFACE LOCATION N: 470409.0 - E: 692032.8 LAT: 32.2922861° N LONG: 103.8456498° W BOTTOM HOLE N: 482858.1 - E: 691821.6 LAT: 32.3265084° N LONG: 103.8461503° W CORNER DATA NAD 83 GRID - NM EAST A: FOUND BRASS CAP "1942" N: 467084.8 - E: 687530.3 B: FOUND BRASS CAP "1942" N: 469732.1 - E: 687504.4 C: FOUND BRASS CAP "1942" N: 472376.5 - E: 687479.5 D: FOUND BRASS CAP "1942" N: 475023.4 - E: 687478.1 E: FOUND BRASS CAP "1942" N: 477668.6 - E: 687475.8 F: FOUND BRASS CAP "1942" N: 480316.7 - E: 687466.4 G: FOUND BRASS CAP "1942" N: 482961.4 - E: 687452.8 H: FOUND BRASS CAP "1942" N: 482959.5 - E: 690132.2 I: FOUND BRASS CAP "1942" N: 482957.2 - E: 692811.0 J: FOUND BRASS CAP "1942" N: 480315.3 - E: 692820.2 K: FOUND BRASS CAP "1942" N: 477674.0 - E: 692829.2 L: FOUND BRASS CAP "1942" N: 475033.1 - E: 692835.7 M: FOUND BRASS CAP "1942" N: 472390.8 - E: 692844.2 N: FOUND BRASS CAP "1942" N: 469750.0 - E: 692862.1 O: CALCULATED CORNER N: 467108.3 - E: 692881.7 P: FOUND BRASS CAP "1942" N: 467097.4 - E: 690206.2 Q: FOUND BRASS CAP "1942" N: 472383.4 - E: 690160.9 R: FOUND BRASS CAP "1942" N: 477671.2 - E: 690152.2			¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Jerry Elgin</i> Date: 05/02/2023 Printed Name: Jerry Elgin, VP of Operations E-mail Address: jelgin@stratanm.com ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: 09/18/2019 Signature and Seal of Professional Surveyor: <i>DALE E. BELL</i> Certificate Number: 14400 SL MOVE - 03/29/2023
---	--	--	--

LS18101225R

Directional plan Roadrunner fed 23 11 Hal 003

#	MD (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	DX (ft)	DY (ft)	X (ft)	Y (ft)	Subsea (ft)	Segment Length
	0	0	0.26	0	0	0	692032.8	470409	3253	0
100		0	0.26	100	0	0	692032.8	470409	3153	100
200		0	0.26	200	0	0	692032.8	470409	3053	100
300		0	0.26	300	0	0	692032.8	470409	2953	100
400		0	0.26	400	0	0	692032.8	470409	2853	100
500		0	0.26	500	0	0	692032.8	470409	2753	100
600		0	0.26	600	0	0	692032.8	470409	2653	100
700		0	0.26	700	0	0	692032.8	470409	2553	100
800		0	0.26	800	0	0	692032.8	470409	2453	100
900		0	0.26	900	0	0	692032.8	470409	2353	100
1000		0	0.26	1000	0	0	692032.8	470409	2253	100
1100		0	0.26	1100	0	0	692032.8	470409	2153	100
1200		0	0.26	1200	0	0	692032.8	470409	2053	100
1300		0	0.26	1300	0	0	692032.8	470409	1953	100
1400		0	0.26	1400	0	0	692032.8	470409	1853	100
1500		0	0.26	1500	0	0	692032.8	470409	1753	100
1600		0	0.26	1600	0	0	692032.8	470409	1653	100
1700		0	0.26	1700	0	0	692032.8	470409	1553	100
1800		0	0.26	1800	0	0	692032.8	470409	1453	100
1900		0	0.26	1900	0	0	692032.8	470409	1353	100
2000		0	0.26	2000	0	0	692032.8	470409	1253	100
2100		0	0.26	2100	0	0	692032.8	470409	1153	100
2200		0	0.26	2200	0	0	692032.8	470409	1053	100
2300		0	0.26	2300	0	0	692032.8	470409	953	100
2400		0	0.26	2400	0	0	692032.8	470409	853	100
2500		0	0.26	2500	0	0	692032.8	470409	753	100
2600		0	0.26	2600	0	0	692032.8	470409	653	100
2700		0	0.26	2700	0	0	692032.8	470409	553	100
2800		0	0.26	2800	0	0	692032.8	470409	453	100
2900		0	0.26	2900	0	0	692032.8	470409	353	100
3000		0	0.26	3000	0	0	692032.8	470409	253	100
3100		0	0.26	3100	0	0	692032.8	470409	153	100
3200		0	0.26	3200	0	0	692032.8	470409	53	100
3300		0	0.26	3300	0	0	692032.8	470409	-47	100
3400		0	0.26	3400	0	0	692032.8	470409	-147	100
3500		0	0.26	3500	0	0	692032.8	470409	-247	100
3600		0	0.26	3600	0	0	692032.8	470409	-347	100
3700		0	0.26	3700	0	0	692032.8	470409	-447	100
3800		0	0.26	3800	0	0	692032.8	470409	-547	100
3900		0	0.26	3900	0	0	692032.8	470409	-647	100
4000		0	0.26	4000	0	0	692032.8	470409	-747	100
4100		0	0.26	4100	0	0	692032.8	470409	-847	100
4200		0	0.26	4200	0	0	692032.8	470409	-947	100
4300		0	0.26	4300	0	0	692032.8	470409	-1047	100
4400		0	0.26	4400	0	0	692032.8	470409	-1147	100
4500		0	0.26	4500	0	0	692032.8	470409	-1247	100
4600		0	0.26	4600	0	0	692032.8	470409	-1347	100
4700		0	0.26	4700	0	0	692032.8	470409	-1447	100
4800		0	0.26	4800	0	0	692032.8	470409	-1547	100

4900	0	0.26	4900	0	0	692032.8	470409	-1647	100
5000	0	0.26	5000	0	0	692032.8	470409	-1747	100
5100	0	0.26	5100	0	0	692032.8	470409	-1847	100
5200	0	0.26	5200	0	0	692032.8	470409	-1947	100
5300	0	0.26	5300	0	0	692032.8	470409	-2047	100
5400	0	0.26	5400	0	0	692032.8	470409	-2147	100
5500	0	0.26	5500	0	0	692032.8	470409	-2247	100
5600	0	0.26	5600	0	0	692032.8	470409	-2347	100
5700	0	0.26	5700	0	0	692032.8	470409	-2447	100
5800	0	0.26	5800	0	0	692032.8	470409	-2547	100
5900	0	0.26	5900	0	0	692032.8	470409	-2647	100
6000	0	0.26	6000	0	0	692032.8	470409	-2747	100
6100	0	0.26	6100	0	0	692032.8	470409	-2847	100
6200	0	0.26	6200	0	0	692032.8	470409	-2947	100
6300	0	0.26	6300	0	0	692032.8	470409	-3047	100
6400	0	0.26	6400	0	0	692032.8	470409	-3147	100
6500	0	0.26	6500	0	0	692032.8	470409	-3247	100
6600	0	0.26	6600	0	0	692032.8	470409	-3347	100
6700	0	0.26	6700	0	0	692032.8	470409	-3447	100
6800	0	0.26	6800	0	0	692032.8	470409	-3547	100
6900	0	0.26	6900	0	0	692032.8	470409	-3647	100
6998	0	0.26	6998	0	0	692032.8	470409	-3745	98
7000	0.2	0.05	7000	0	0	692032.8	470409	-3747	2
7100	10.2	0.05	7099.46	-0.03	9.06	692032.8	470418	-3846.46	100
7200	20.2	0.05	7195.84	-0.13	35.24	692032.7	470444.2	-3942.84	100
7300	30.2	0.05	7286.21	-0.29	77.76	692032.5	470486.7	-4033.21	100
7400	40.2	0.05	7367.82	-0.5	135.33	692032.3	470544.3	-4114.82	100
7500	50.2	0.05	7438.19	-0.76	206.2	692032.1	470615.2	-4185.19	100
7600	60.2	0.05	7495.19	-1.06	288.21	692031.8	470697.2	-4242.19	100
7700	70.2	0.05	7537.09	-1.39	378.87	692031.4	470787.8	-4284.09	100
7800	80.2	0.05	7562.6	-1.75	475.43	692031.1	470884.4	-4309.6	100
7900	90.2	0.05	7570.95	-2.11	574.95	692030.7	470983.9	-4317.95	100
7901.5	90.35	0.05	7570.95	-2.12	576.45	692030.7	470985.4	-4317.95	1.5
8000	90.35	0.05	7570.35	-2.48	674.95	692030.3	471083.9	-4317.35	98.5
8100	90.35	0.05	7569.73	-2.85	774.95	692030	471183.9	-4316.73	100
8200	90.35	0.05	7569.12	-3.22	874.95	692029.6	471283.9	-4316.12	100
8300	90.35	0.05	7568.51	-3.58	974.94	692029.2	471383.9	-4315.51	100
8400	90.35	0.05	7567.9	-3.95	1074.94	692028.9	471483.9	-4314.9	100
8500	90.35	0.05	7567.29	-4.32	1174.94	692028.5	471583.9	-4314.29	100
8600	90.35	0.05	7566.68	-4.69	1274.94	692028.1	471683.9	-4313.68	100
8700	90.35	0.05	7566.07	-5.05	1374.93	692027.8	471783.9	-4313.07	100
8800	90.35	0.05	7565.46	-5.42	1474.93	692027.4	471883.9	-4312.46	100
8900	90.35	0.05	7564.85	-5.79	1574.93	692027	471983.9	-4311.85	100
9000	90.35	0.05	7564.24	-6.16	1674.93	692026.7	472083.9	-4311.24	100
9100	90.35	0.05	7563.63	-6.52	1774.92	692026.3	472183.9	-4310.63	100
9200	90.35	0.05	7563.02	-6.89	1874.92	692025.9	472283.9	-4310.02	100
9300	90.35	0.05	7562.4	-7.26	1974.92	692025.6	472383.9	-4309.4	100
9400	90.35	0.05	7561.79	-7.63	2074.92	692025.2	472483.9	-4308.79	100
9500	90.35	0.05	7561.18	-7.99	2174.91	692024.8	472583.9	-4308.18	100
9600	90.35	0.05	7560.57	-8.36	2274.91	692024.5	472683.9	-4307.57	100
9700	90.35	0.05	7559.96	-8.73	2374.91	692024.1	472783.9	-4306.96	100
9800	90.35	0.05	7559.35	-9.1	2474.91	692023.7	472883.9	-4306.35	100

9900	90.35	0.05	7558.74	-9.46	2574.9	692023.4	472983.9	-4305.74	100
10000	90.35	0.05	7558.13	-9.83	2674.9	692023	473083.9	-4305.13	100
10100	90.35	0.05	7557.52	-10.2	2774.9	692022.6	473183.9	-4304.52	100
10200	90.35	0.05	7556.91	-10.57	2874.9	692022.3	473283.9	-4303.91	100
10300	90.35	0.05	7556.3	-10.93	2974.89	692021.9	473383.9	-4303.3	100
10400	90.35	0.05	7555.69	-11.3	3074.89	692021.5	473483.9	-4302.69	100
10500	90.35	0.05	7555.07	-11.67	3174.89	692021.2	473583.9	-4302.07	100
10600	90.35	0.05	7554.46	-12.04	3274.89	692020.8	473683.9	-4301.46	100
10700	90.35	0.05	7553.85	-12.4	3374.88	692020.4	473783.9	-4300.85	100
10800	90.35	0.05	7553.24	-12.77	3474.88	692020.1	473883.9	-4300.24	100
10900	90.35	0.05	7552.63	-13.14	3574.88	692019.7	473983.9	-4299.63	100
11000	90.35	0.05	7552.02	-13.51	3674.88	692019.3	474083.8	-4299.02	100
11100	90.35	0.05	7551.41	-13.88	3774.87	692018.9	474183.8	-4298.41	100
11200	90.35	0.05	7550.8	-14.24	3874.87	692018.6	474283.8	-4297.8	100
11300	90.35	0.05	7550.19	-14.61	3974.87	692018.2	474383.8	-4297.19	100
11400	90.35	0.05	7549.58	-14.98	4074.86	692017.8	474483.8	-4296.58	100
11500	90.35	0.05	7548.97	-15.35	4174.86	692017.5	474583.8	-4295.97	100
11600	90.35	0.05	7548.35	-15.71	4274.86	692017.1	474683.8	-4295.35	100
11700	90.35	0.05	7547.74	-16.08	4374.86	692016.7	474783.8	-4294.74	100
11800	90.35	0.05	7547.13	-16.45	4474.85	692016.4	474883.8	-4294.13	100
11900	90.35	0.05	7546.52	-16.82	4574.85	692016	474983.8	-4293.52	100
12000	90.35	0.05	7545.91	-17.18	4674.85	692015.6	475083.8	-4292.91	100
12100	90.35	0.05	7545.3	-17.55	4774.85	692015.3	475183.8	-4292.3	100
12200	90.35	0.05	7544.69	-17.92	4874.84	692014.9	475283.8	-4291.69	100
12300	90.35	0.05	7544.08	-18.29	4974.84	692014.5	475383.8	-4291.08	100
12400	90.35	0.05	7543.47	-18.66	5074.84	692014.2	475483.8	-4290.47	100
12500	90.35	0.05	7542.86	-19.02	5174.84	692013.8	475583.8	-4289.86	100
12600	90.35	0.05	7542.25	-19.39	5274.83	692013.4	475683.8	-4289.25	100
12700	90.35	0.05	7541.64	-19.76	5374.83	692013.1	475783.8	-4288.64	100
12800	90.35	0.05	7541.02	-20.13	5474.83	692012.7	475883.8	-4288.02	100
12900	90.35	0.05	7540.41	-20.49	5574.83	692012.3	475983.8	-4287.41	100
13000	90.35	0.05	7539.8	-20.86	5674.82	692012	476083.8	-4286.8	100
13100	90.35	0.05	7539.19	-21.23	5774.82	692011.6	476183.8	-4286.19	100
13200	90.35	0.05	7538.58	-21.6	5874.82	692011.2	476283.8	-4285.58	100
13300	90.35	0.05	7537.97	-21.96	5974.82	692010.9	476383.8	-4284.97	100
13400	90.35	0.05	7537.36	-22.33	6074.81	692010.5	476483.8	-4284.36	100
13500	90.35	0.05	7536.75	-22.7	6174.81	692010.1	476583.8	-4283.75	100
13600	90.35	0.05	7536.14	-23.07	6274.81	692009.8	476683.8	-4283.14	100
13700	90.35	0.05	7535.53	-23.44	6374.81	692009.4	476783.8	-4282.53	100
13800	90.35	0.05	7534.92	-23.8	6474.8	692009	476883.8	-4281.92	100
13900	90.35	0.05	7534.31	-24.17	6574.8	692008.7	476983.8	-4281.31	100
14000	90.35	0.05	7533.69	-24.54	6674.8	692008.3	477083.8	-4280.69	100
14100	90.35	0.05	7533.08	-24.91	6774.8	692007.9	477183.8	-4280.08	100
14200	90.35	0.05	7532.47	-25.27	6874.79	692007.6	477283.8	-4279.47	100
14300	90.35	0.05	7531.86	-25.64	6974.79	692007.2	477383.8	-4278.86	100
14400	90.35	0.05	7531.25	-26.01	7074.79	692006.8	477483.8	-4278.25	100
14500	90.35	0.05	7530.64	-26.38	7174.79	692006.4	477583.8	-4277.64	100
14600	90.35	0.05	7530.03	-26.74	7274.78	692006.1	477683.8	-4277.03	100
14700	90.35	0.05	7529.42	-27.11	7374.78	692005.7	477783.8	-4276.42	100
14800	90.35	0.05	7528.81	-27.48	7474.78	692005.3	477883.8	-4275.81	100
14900	90.35	0.05	7528.2	-27.85	7574.78	692005	477983.7	-4275.2	100
15000	90.35	0.05	7527.59	-28.22	7674.77	692004.6	478083.7	-4274.59	100

15100	90.35	0.05	7526.98	-28.58	7774.77	692004.2	478183.7	-4273.98	100
15200	90.35	0.05	7526.36	-28.95	7874.77	692003.9	478283.7	-4273.36	100
15300	90.35	0.05	7525.75	-29.32	7974.77	692003.5	478383.7	-4272.75	100
15400	90.35	0.05	7525.14	-29.69	8074.76	692003.1	478483.7	-4272.14	100
15500	90.35	0.05	7524.53	-30.05	8174.76	692002.8	478583.7	-4271.53	100
15600	90.35	0.05	7523.92	-30.42	8274.76	692002.4	478683.7	-4270.92	100
15700	90.35	0.05	7523.31	-30.79	8374.76	692002	478783.7	-4270.31	100
15800	90.35	0.05	7522.7	-31.16	8474.75	692001.7	478883.7	-4269.7	100
15900	90.35	0.05	7522.09	-31.53	8574.75	692001.3	478983.7	-4269.09	100
16000	90.35	0.05	7521.48	-31.89	8674.75	692000.9	479083.7	-4268.48	100
16100	90.35	0.05	7520.87	-32.26	8774.75	692000.6	479183.7	-4267.87	100
16200	90.35	0.05	7520.26	-32.63	8874.74	692000.2	479283.7	-4267.26	100
16300	90.35	0.05	7519.64	-33	8974.74	691999.8	479383.7	-4266.64	100
16400	90.35	0.05	7519.03	-33.37	9074.74	691999.5	479483.7	-4266.03	100
16500	90.35	0.05	7518.42	-33.73	9174.74	691999.1	479583.7	-4265.42	100
16600	90.35	0.05	7517.81	-34.1	9274.73	691998.7	479683.7	-4264.81	100
16700	90.35	0.05	7517.2	-34.47	9374.73	691998.4	479783.7	-4264.2	100
16800	90.35	0.05	7516.59	-34.84	9474.73	691998	479883.7	-4263.59	100
16900	90.35	0.05	7515.98	-35.2	9574.73	691997.6	479983.7	-4262.98	100
17000	90.35	0.05	7515.37	-35.57	9674.72	691997.3	480083.7	-4262.37	100
17100	90.35	0.05	7514.76	-35.94	9774.72	691996.9	480183.7	-4261.76	100
17200	90.35	0.05	7514.15	-36.31	9874.72	691996.5	480283.7	-4261.15	100
17300	90.35	0.05	7513.54	-36.68	9974.71	691996.1	480383.7	-4260.54	100
17400	90.35	0.05	7512.93	-37.04	10074.71	691995.8	480483.7	-4259.93	100
17500	90.35	0.05	7512.31	-37.41	10174.71	691995.4	480583.7	-4259.31	100
17600	90.35	0.05	7511.7	-37.78	10274.71	691995	480683.7	-4258.7	100
17700	90.35	0.05	7511.09	-38.15	10374.7	691994.7	480783.7	-4258.09	100
17800	90.35	0.05	7510.48	-38.52	10474.7	691994.3	480883.7	-4257.48	100
17900	90.35	0.05	7509.87	-38.88	10574.7	691993.9	480983.7	-4256.87	100
18000	90.35	0.05	7509.26	-39.25	10674.7	691993.6	481083.7	-4256.26	100
18100	90.35	0.05	7508.65	-39.62	10774.69	691993.2	481183.7	-4255.65	100
18200	90.35	0.05	7508.04	-39.99	10874.69	691992.8	481283.7	-4255.04	100
18300	90.35	0.05	7507.43	-40.35	10974.69	691992.5	481383.7	-4254.43	100
18400	90.35	0.05	7506.82	-40.72	11074.69	691992.1	481483.7	-4253.82	100
18500	90.35	0.05	7506.21	-41.09	11174.68	691991.7	481583.7	-4253.21	100
18600	90.35	0.05	7505.59	-41.46	11274.68	691991.4	481683.7	-4252.59	100
18700	90.35	0.05	7504.98	-41.83	11374.68	691991	481783.7	-4251.98	100
18800	90.35	0.05	7504.37	-42.19	11474.68	691990.6	481883.7	-4251.37	100
18900	90.35	0.05	7503.76	-42.56	11574.67	691990.3	481983.6	-4250.76	100
19000	90.35	0.05	7503.15	-42.93	11674.67	691989.9	482083.6	-4250.15	100
19100	90.35	0.05	7502.54	-43.3	11774.67	691989.5	482183.6	-4249.54	100
19200	90.35	0.05	7501.93	-43.67	11874.67	691989.2	482283.6	-4248.93	100
19300	90.35	0.05	7501.32	-44.03	11974.66	691988.8	482383.6	-4248.32	100
19400	90.35	0.05	7500.71	-44.4	12074.66	691988.4	482483.6	-4247.71	100
19500	90.35	0.05	7500.1	-44.77	12174.66	691988.1	482583.6	-4247.1	100
19600	90.35	0.05	7499.49	-45.14	12274.66	691987.7	482683.6	-4246.49	100
19700	90.35	0.05	7498.88	-45.51	12374.65	691987.3	482783.6	-4245.88	100
19774.1	90.35	0.05	7498.42	-45.78	12448.75	691987	482857.7	-4245.42	74.1

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 248759

CONDITIONS

Operator: STRATA PRODUCTION CO P.O. Box 1030 Roswell, NM 882021030	OGRID: 21712
	Action Number: 248759
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Original COA's still apply.	10/30/2023