
## WELLBORE SCHEMATIC ELEVATION 3094' GR



9-5/8" 36 # CASING SET @ 284' IN 12-1/2" HOLE. CEMENT CIRCULATED TO SURFACE W/140 Sks.

-CIRC. (207) SXS.CMT.

SET 7" CIBPO1,180

7" 23# CASING SET @ 1231' IN 8-3/4 HOLE.

CEMENT CIRCULATED TO SURFACE W/ 475 SKS

OPEN HOLE:

6" to 1271'

TOTAL DEPTH 1271'

WELL PXX 09/26/2023

TOP OF SALT

@ 1060'

PERMIAN WATER SOLUTIONS, LLC

DUNAWAY #002, BRINE WELL

Latitude 32.3814621 Longitude -104.163559

1443' FNL & 1698' FWL OF SEC 23 T22S R27E, EDDY COUNTY, NEW MEXICO

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 278800

## **CONDITIONS**

Operator:	OGRID:
Permian Water Solutions, LLC	373626
PO Box 2106	Action Number:
Midland, TX 79702	278800
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/31/2023