

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-46876	⁵ Pool Name WC 015 G06 S242630A BONE SPRING	⁶ Pool Code 98319
⁷ Property Code 327308	⁸ Property Name NAILED IT FED COM	⁹ Well Number 154H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
2	36	26S	30E	-	736	SOUTH	1945	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	25	26S	30E	-	2631	SOUTH	335	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
2/16/2022	7/3/2022	14821'	14757'	10315 ft to 14673 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1260'	1080 sks		
12.25"	9.625"	3736'	921 sks		
8.75"/7.875"	5.5"	14805'	1160 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
7/15/2022	7/15/2022	7/30/2022	24 hrs.	0	1400
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	182	1796	2572		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/7/2023		
Date: 8/3/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46876	² Pool Code 98319	³ Pool Name WC 015 G06 S242630A BONE SPRING
⁴ Property Code 327308	⁵ Property Name NAILED IT FED COM	⁶ Well Number 154H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3031'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
2	36	26-S	30-E	-	736'	SOUTH	1945'	EAST	EDDY


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	25	26-S	30-E	-	2631'	SOUTH	335'	EAST	EDDY

¹² Dedicated Acres 280	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.







Final MWD Survey Certification

Eddy County, New Mexico

Client: Tap Rock Resources

Well Name: Nailed It Fed Com 154H

Total Job No: SW220220

API No: 30-015-46876

Start Date: 02/16/2022

End Date: 4/1/2022

Measured Start Depth: 0 feet

Measured End Depth: 14821 feet

Vertical Section from well center at TD: 10224.11 feet

I, Jamie Stephenson, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 4/1/2022

Signed: *Jamie Stephenson* *Jose Perozo Casanova*

SVY	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
Tiein	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00
1	153.00	0.22	213.74	153.00	-0.24	-0.16	-0.24	0.14	153.00	0.00	0.00
2	242.00	0.22	175.07	242.00	-0.56	-0.24	-0.56	0.16	89.00	0.00	0.00
3	332.00	0.22	127.25	332.00	-0.83	-0.09	-0.83	0.20	90.00	0.00	0.00
4	422.00	0.22	119.70	422.00	-1.02	0.20	-1.02	0.03	90.00	0.00	0.00
5	511.00	0.18	182.01	511.00	-1.25	0.34	-1.25	0.24	89.00	0.00	0.00
6	600.00	0.35	182.54	600.00	-1.66	0.32	-1.66	0.19	89.00	0.00	0.00
7	688.00	0.18	223.67	688.00	-2.03	0.22	-2.03	0.28	88.00	1B	0.00
8	777.00	0.31	233.69	776.99	-2.27	-0.07	-2.27	0.15	89.00	2B	0.00
9	866.00	0.66	277.64	865.99	-2.35	-0.78	-2.34	0.55	89.00	2B	0.00
10	956.00	0.84	278.69	955.98	-2.18	-1.94	-2.17	0.20	90.00	2B	0.00
11	1045.00	0.88	297.76	1044.97	-1.76	-3.19	-1.74	0.32	89.00	2B	2L
12	1135.00	0.88	304.09	1134.96	-1.05	-4.38	-1.03	0.11	90.00	2B	3L
13	1215.00	1.01	311.65	1214.95	-0.24	-5.41	-0.21	0.22	80.00	2B	5L
14	1325.00	0.97	302.86	1324.94	0.91	-6.92	0.95	0.14	110.00	1A	7L
15	1420.00	0.22	197.74	1419.93	1.17	-7.65	1.22	1.10	95.00	8B	2R
16	1514.00	1.49	121.37	1513.92	0.37	-6.66	0.40	1.55	94.00	8B	2R
17	1608.00	3.03	107.48	1607.85	-1.02	-3.25	-1.00	1.73	94.00	8B	2R
18	1702.00	4.84	105.02	1701.62	-2.79	2.95	-2.81	1.93	94.00	8B	2R
19	1797.00	7.03	102.91	1796.10	-5.13	12.49	-5.20	2.32	95.00	7B	0.00
20	1891.00	8.35	104.76	1889.26	-8.15	24.70	-8.29	1.43	94.00	5B	1L
21	1985.00	9.71	107.04	1982.09	-12.21	38.88	-12.43	1.50	94.00	4B	2L
22	2079.00	11.56	109.59	2074.47	-17.70	55.33	-18.00	2.03	94.00	2B	2L
23	2173.00	13.41	109.68	2166.25	-24.53	74.47	-24.94	1.97	94.00	1A	2L
24	2268.00	14.15	108.97	2258.51	-32.01	95.83	-32.54	0.80	95.00	3A	3L
25	2362.00	13.98	107.83	2349.69	-39.22	117.50	-39.88	0.35	94.00	4A	3L
26	2456.00	13.63	105.28	2440.98	-45.62	138.99	-46.39	0.75	94.00	3A	4L
27	2550.00	13.27	102.91	2532.40	-50.95	160.19	-51.84	0.70	94.00	2A	6L
28	2644.00	13.27	107.22	2623.89	-56.55	181.01	-57.56	1.05	94.00	1A	8L
29	2738.00	13.23	112.40	2715.39	-63.84	201.26	-64.97	1.26	94.00	0.00	8L
30	2832.00	12.35	114.25	2807.06	-72.07	220.38	-73.30	1.03	94.00	2B	7L
31	2926.00	12.53	117.24	2898.86	-80.87	238.61	-82.20	0.71	94.00	4B	5L
32	3020.00	13.27	118.03	2990.48	-90.61	257.20	-92.04	0.81	94.00	6B	2L
33	3115.00	14.24	119.78	3082.76	-101.53	276.96	-103.08	1.11	95.00	12A	2R
34	3209.00	14.55	119.70	3173.81	-113.12	297.25	-114.78	0.33	94.00	12A	6R
35	3303.00	14.64	117.59	3264.77	-124.48	318.04	-126.25	0.57	94.00	13A	10R
36	3397.00	15.34	117.15	3355.57	-135.65	339.63	-137.55	0.75	94.00	14A	13R
37	3491.00	14.64	116.18	3446.37	-146.57	361.35	-148.58	0.79	94.00	15A	15R
38	3585.00	13.14	112.75	3537.62	-155.94	381.87	-158.07	1.82	94.00	14A	17R

39	3687.00	12.13	110.38	3637.15	-164.16	402.61	-166.40	1.11	102.00	11A	18R
40	3791.00	12.00	105.46	3738.86	-170.84	423.27	-173.20	1.00	104.00	7A	17R
41	3853.00	11.82	106.42	3799.53	-174.36	435.57	-176.79	0.43	62.00	5A	16R
42	3947.00	13.49	108.53	3891.24	-180.56	455.21	-183.10	1.84	94.00	2A	15R
43	4042.00	13.14	109.68	3983.68	-187.72	475.88	-190.38	0.46	95.00	0.00	15R
44	4135.00	14.42	107.22	4074.01	-194.71	496.90	-197.48	1.51	93.00	0.00	15R
45	4229.00	15.03	106.69	4164.92	-201.67	519.75	-204.57	0.66	94.00	1A	13R
46	4324.00	15.16	105.28	4256.64	-208.49	543.53	-211.52	0.41	95.00	2A	12R
47	4418.00	15.60	105.28	4347.28	-215.06	567.58	-218.22	0.47	94.00	4A	9R
48	4512.00	15.43	105.19	4437.85	-221.66	591.84	-224.97	0.18	94.00	6A	7R
49	4606.00	15.21	103.35	4528.51	-227.79	615.91	-231.22	0.57	94.00	7A	5R
50	4700.00	14.07	105.28	4619.46	-233.65	638.93	-237.21	1.32	94.00	8A	2R
51	4795.00	14.20	105.11	4711.58	-239.73	661.32	-243.42	0.14	95.00	8A	0.00
52	4889.00	14.24	103.96	4802.70	-245.52	683.67	-249.34	0.30	94.00	8A	2L
53	4983.00	13.85	107.48	4893.89	-251.69	705.62	-255.63	1.00	94.00	7A	4L
54	5077.00	13.85	110.29	4985.16	-258.97	726.90	-263.03	0.72	94.00	7A	4L
55	5171.00	13.80	110.38	5076.44	-266.78	747.97	-270.95	0.06	94.00	6A	4L
56	5265.00	13.32	110.03	5167.82	-274.39	768.65	-278.68	0.52	94.00	5A	4L
57	5360.00	13.05	110.38	5260.31	-281.87	788.98	-286.27	0.30	95.00	3A	4L
58	5454.00	11.96	112.23	5352.08	-289.25	807.95	-293.76	1.24	94.00	0.00	4L
59	5548.00	12.40	111.08	5443.97	-296.57	826.38	-301.18	0.53	94.00	3B	3L
60	5642.00	13.05	110.56	5535.66	-303.93	845.74	-308.64	0.70	94.00	6B	3L
61	5736.00	14.24	110.82	5627.00	-311.76	866.48	-316.60	1.27	94.00	7B	2L
62	5830.00	13.76	111.26	5718.21	-319.93	887.70	-324.88	0.52	94.00	7B	2L
63	5924.00	14.55	109.68	5809.35	-327.96	909.24	-333.03	0.94	94.00	7B	2L
64	6018.00	14.95	110.38	5900.26	-336.15	931.72	-341.35	0.47	94.00	6B	2L
65	6112.00	14.33	111.08	5991.20	-344.56	953.95	-349.88	0.69	94.00	6B	2L
66	6206.00	13.63	110.91	6082.42	-352.70	975.15	-358.14	0.75	94.00	6B	1L
67	6300.00	13.98	111.00	6173.70	-360.72	996.09	-366.28	0.37	94.00	7B	1L
68	6394.00	14.73	110.20	6264.77	-368.92	1017.91	-374.59	0.83	94.00	7B	1L
69	6488.00	14.51	110.20	6355.73	-377.11	1040.18	-382.91	0.23	94.00	6B	1L
70	6582.00	13.01	113.11	6447.03	-385.33	1060.96	-391.25	1.76	94.00	7B	0.00
71	6676.00	13.93	111.35	6538.44	-393.60	1081.23	-399.63	1.07	94.00	8B	0.00
72	6770.00	13.89	111.52	6629.68	-401.86	1102.26	-408.01	0.06	94.00	9B	1R
73	6864.00	13.45	111.96	6721.02	-410.08	1122.90	-416.35	0.48	94.00	9B	1R
74	6958.00	14.20	113.37	6812.30	-418.75	1143.62	-425.13	0.87	94.00	10B	2R
75	7053.00	14.64	112.93	6904.30	-428.05	1165.38	-434.55	0.48	95.00	10B	4R
76	7147.00	13.67	115.04	6995.45	-437.38	1186.38	-443.99	1.17	94.00	10B	5R
77	7241.00	13.67	110.73	7086.79	-446.01	1206.83	-452.74	1.08	94.00	11B	6R
78	7335.00	13.54	110.47	7178.15	-453.79	1227.53	-460.64	0.15	94.00	12B	6R

79	7429.00	14.42	110.20	7269.37	-461.68	1248.82	-468.65	0.94	94.00	13B	7R
80	7523.00	13.19	110.64	7360.65	-469.50	1269.85	-476.59	1.31	94.00	13B	7R
81	7618.00	12.75	109.59	7453.22	-476.84	1289.86	-484.03	0.53	95.00	15B	7R
82	7712.00	12.75	108.18	7544.91	-483.55	1309.49	-490.86	0.33	94.00	18B	6R
83	7806.00	11.00	107.30	7636.89	-489.45	1327.91	-496.86	1.87	94.00	22B	5R
84	7900.00	11.03	110.91	7729.16	-495.33	1344.87	-502.83	0.73	94.00	24B	5R
85	7995.00	9.36	114.25	7822.66	-501.75	1360.41	-509.34	1.86	95.00	26B	6R
86	8088.00	9.27	116.18	7914.43	-508.16	1374.03	-515.82	0.35	93.00	28B	7R
87	8183.00	9.01	110.82	8008.23	-514.18	1387.85	-521.92	0.94	95.00	27B	9R
88	8277.00	6.77	107.57	8101.33	-518.47	1400.01	-526.28	2.43	94.00	26B	8R
89	8371.00	5.93	104.76	8194.76	-521.38	1409.99	-529.24	0.95	94.00	25B	8R
90	8465.00	3.87	97.46	8288.41	-523.03	1417.83	-530.94	2.29	94.00	24B	7R
91	8559.00	2.20	121.37	8382.28	-524.38	1422.51	-532.31	2.19	94.00	24B	6R
92	8653.00	1.19	134.37	8476.23	-526.00	1424.75	-533.95	1.14	94.00	23B	7R
93	8747.00	1.80	160.74	8570.20	-528.08	1425.94	-536.03	0.96	94.00	0.00	23L
94	8841.00	0.57	125.23	8664.18	-529.74	1426.81	-537.70	1.46	94.00	2B	22L
95	8935.00	0.35	80.76	8758.18	-529.96	1427.47	-537.93	0.43	94.00	2B	22L
96	9030.00	0.48	358.58	8853.18	-529.52	1427.75	-537.48	0.58	95.00	2B	22L
97	9124.00	0.70	338.81	8947.17	-528.59	1427.53	-536.55	0.32	94.00	1B	20L
98	9218.00	1.14	318.68	9041.16	-527.35	1426.71	-535.31	0.57	94.00	0.00	2L
99	9312.00	1.14	253.82	9135.15	-526.91	1425.19	-534.86	1.30	94.00	1A	24L
100	9406.00	2.29	215.76	9229.10	-528.69	1423.19	-536.63	1.66	94.00	1B	26L
101	9500.00	1.27	168.56	9323.06	-531.24	1422.30	-539.17	1.81	94.00	3B	27L
102	9595.00	1.05	176.30	9418.04	-533.14	1422.57	-541.08	0.28	95.00	5B	26L
103	9689.00	1.54	147.29	9512.02	-535.06	1423.31	-543.00	0.85	94.00	7B	26L
104	9783.00	1.14	86.39	9606.00	-536.07	1424.92	-544.02	1.49	94.00	8B	14L
105	9834.00	1.23	94.12	9656.99	-536.07	1425.98	-544.03	0.36	51.00	8B	23L
106	9929.00	5.49	31.37	9751.82	-532.26	1429.36	-540.24	5.31	95.00	12B	18L
107	10023.00	13.41	35.59	9844.47	-519.54	1438.06	-527.56	8.45	94.00	14B	12L
108	10090.00	17.98	36.11	9908.96	-504.86	1448.68	-512.94	6.82	67.00	19B	6L
109	10117.00	20.18	36.73	9934.47	-497.76	1453.92	-505.87	8.18	27.00	22B	3L
110	10211.00	32.48	36.73	10018.56	-464.41	1478.81	-472.66	13.09	94.00	30B	12R
111	10305.00	44.13	32.60	10092.21	-416.44	1511.65	-424.87	12.68	94.00	35B	32R
112	10399.00	56.04	25.48	10152.46	-353.40	1546.20	-362.03	13.92	94.00	35B	49R
113	10494.00	68.35	21.26	10196.70	-276.37	1579.30	-285.18	13.54	95.00	29B	61R
114	10588.00	81.32	13.52	10221.28	-189.99	1606.16	-198.96	15.91	94.00	20B	65R
115	10653.00	87.47	7.02	10227.63	-126.40	1617.66	-135.43	13.73	65.00	12B	62R
116	10709.00	88.48	0.34	10229.61	-70.58	1621.25	-79.64	12.06	56.00	7B	54R
117	10804.00	89.76	0.08	10231.07	24.40	1621.60	15.35	1.37	95.00	7B	35R
118	10898.00	90.95	0.17	10230.48	118.40	1621.80	109.34	1.27	94.00	6B	20R

119	10992.00	91.16	359.81	10228.75	212.38	1621.78	203.32	0.44	94.00	5B	10R
120	11086.00	91.78	359.37	10226.34	306.35	1621.11	297.29	0.81	94.00	2B	3R
121	11180.00	90.51	359.20	10224.46	400.32	1619.94	391.27	1.36	94.00	0.00	1R
122	11274.00	90.77	359.20	10223.41	494.31	1618.63	485.26	0.28	94.00	1A	0.00
123	11369.00	91.16	359.55	10221.81	589.29	1617.59	580.24	0.55	95.00	2A	0.00
124	11463.00	91.12	359.37	10219.94	683.26	1616.70	674.22	0.20	94.00	4A	0.00
125	11557.00	91.74	359.20	10217.60	777.23	1615.53	768.19	0.68	94.00	7A	1L
126	11651.00	92.53	359.11	10214.10	871.15	1614.15	862.12	0.85	94.00	10A	1L
127	11745.00	92.18	359.20	10210.23	965.06	1612.76	956.04	0.38	94.00	14A	2L
128	11839.00	90.51	359.29	10208.03	1059.02	1611.52	1050.01	1.78	94.00	16A	3L
129	11933.00	90.81	359.20	10206.94	1153.01	1610.28	1144.00	0.33	94.00	17A	3L
130	12027.00	89.76	359.55	10206.48	1247.00	1609.26	1237.99	1.18	94.00	18A	4L
131	12121.00	87.87	359.99	10208.42	1340.97	1608.88	1331.97	2.06	94.00	16A	3L
132	12215.00	86.37	0.08	10213.14	1434.85	1608.94	1425.84	1.60	94.00	11A	2L
133	12309.00	86.29	359.81	10219.16	1528.66	1608.85	1519.65	0.30	94.00	5A	2L
134	12403.00	87.16	359.64	10224.53	1622.50	1608.40	1613.50	0.94	94.00	0.00	1L
135	12497.00	86.68	359.38	10229.58	1716.37	1607.60	1707.36	0.58	94.00	5B	1L
136	12591.00	88.35	358.67	10233.66	1810.26	1606.00	1801.26	1.93	94.00	9B	2L
137	12686.00	91.01	359.73	10234.19	1905.24	1604.67	1896.25	3.01	95.00	9B	3L
138	12780.00	90.51	359.55	10232.94	1999.23	1604.08	1990.24	0.57	94.00	8B	3L
139	12874.00	90.42	359.55	10232.18	2093.22	1603.34	2084.23	0.10	94.00	7B	3L
140	12968.00	91.12	0.08	10230.91	2187.21	1603.04	2178.23	0.93	94.00	6B	3L
141	13063.00	90.68	0.08	10229.42	2282.20	1603.17	2273.21	0.46	95.00	4B	2L
142	13157.00	90.73	0.96	10228.27	2376.19	1604.03	2367.19	0.94	94.00	2B	0.00
143	13251.00	90.42	0.52	10227.32	2470.18	1605.24	2461.17	0.57	94.00	2B	1R
144	13346.00	89.14	0.08	10227.69	2565.17	1605.74	2556.16	1.42	95.00	2B	2R
145	13440.00	89.27	359.81	10228.99	2659.16	1605.65	2650.15	0.32	94.00	3B	3R
146	13535.00	89.01	359.81	10230.42	2754.15	1605.33	2745.14	0.27	95.00	4B	3R
147	13629.00	90.02	359.73	10231.21	2848.15	1604.95	2839.14	1.08	94.00	4B	4R
148	13723.00	90.37	359.46	10230.89	2942.14	1604.29	2933.14	0.47	94.00	4B	4R
149	13818.00	89.71	359.11	10230.83	3037.13	1603.10	3028.13	0.79	95.00	3B	3R
150	13912.00	91.65	358.50	10229.71	3131.10	1601.14	3122.11	2.16	94.00	2B	2R
151	14005.00	90.68	358.58	10227.82	3224.05	1598.77	3215.07	1.05	93.00	0.00	0.00
152	14099.00	90.42	358.76	10226.92	3318.02	1596.59	3309.05	0.34	94.00	2A	1L
153	14193.00	90.99	359.11	10225.76	3412.00	1594.85	3403.04	0.71	94.00	3A	2L
154	14288.00	90.02	359.29	10224.92	3506.98	1593.52	3498.03	1.04	95.00	4A	3L
155	14382.00	90.99	359.81	10224.10	3600.98	1592.78	3592.02	1.17	94.00	5A	3L
156	14476.00	90.77	359.90	10222.65	3694.96	1592.54	3686.01	0.25	94.00	7A	2L
157	14570.00	89.32	359.29	10222.58	3788.96	1591.88	3780.01	1.67	94.00	8A	2L
158	14664.00	90.07	358.76	10223.08	3882.94	1590.28	3874.00	0.98	94.00	7A	3L

159	14766.00	89.41	358.94	10223.54	3984.92	1588.23	3975.99	0.67	102.00	7A	4L
PTB	14821.00	89.41	358.94	10224.11	4039.91	1587.22	4030.98	0.00	55.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-46876										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name NAILED IT FED COM		
								6. Well Number: 154H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC 015 G06 S242630A BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	2	36	26S	30E	-	736	SOUTH	1945	EAST	EDDY
BH:	I	25	26S	30E	-	2631	SOUTH	335	EAST	EDDY
13. Date Spudded 2/16/2022	14. Date T.D. Reached 4/1/2022		15. Date Rig Released 4/3/2022			16. Date Completed (Ready to Produce) 7/3/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3031 GR		
18. Total Measured Depth of Well 14821 ft			19. Plug Back Measured Depth 14757 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10315 ft to 14673 ft								BONE SPRING		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1260'		17.5"		1080 sks		0
9.625"		40		3736'		12.25"		921 sks		0
5.5"		20		14805'		8.75"/7.875"		1160 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number) Perforate from 10315 ft to 14673 ft, 1 SPF, .55 inch holes with 260 total shots										
						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10315 ft to 14673 ft 20 stage frac with 12,185,190 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 7/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/30/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 182	Gas - MCF 2572	Water - Bbl. 1796	Gas - Oil Ratio 14132			
Flow Tubing Press. 0	Casing Pressure 1400	Calculated 24-Hour Rate	Oil - Bbl. 182	Gas - MCF 2572	Water - Bbl. 1796	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude Longitude NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 8/3/2022	
E-mail Address jtrlica@taprllc										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	

OIL OR GAS
SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1101		Quaternary					
1101	1390		Rustler					
1390	3435		Top of Salt					
3435	3625		Base of Salt					
3625	3658		Lamar					
3658	4845		Bell Canyon					
4845	5785		Cherry Canyon					
5785	7565		Brushy Canyon					
7565	8040		Bone Spring					
8040	8488		Avalon					
8488	9134		1st Bone Spring Sand					
9134			2nd Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 131844

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131844
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 131844

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131844
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	11/7/2023