

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural  
Resources

Form C-104  
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division  
1220 South St. Francis Dr.

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

|                                                                                                    |                                                              |                                                                      |                                  |
|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------|
| <sup>1</sup> Operator name and Address<br>EOG RESOURCES INC<br>PO BOX 2267<br>MIDLAND, TEXAS 79702 |                                                              | <sup>2</sup> OGRID Number<br>7377                                    |                                  |
|                                                                                                    |                                                              | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW 04/07/2022 |                                  |
| <sup>4</sup> API Number<br>30 - 025-49547                                                          | <sup>5</sup> Pool Name<br>WC025 G08 S253216D; UPPER WOLFCAMP |                                                                      | <sup>6</sup> Pool Code<br>98270  |
| <sup>7</sup> Property Code<br>333279                                                               | <sup>8</sup> Property Name<br>ALMOST EDDY 30 FEDERAL COM     |                                                                      | <sup>9</sup> Well Number<br>707H |

II. <sup>10</sup> Surface Location

|                    |               |                 |              |         |                       |                           |                      |                        |               |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|----------------------|------------------------|---------------|
| UI or lot no.<br>I | Section<br>30 | Township<br>25S | Range<br>32E | Lot Idn | Feet from the<br>2241 | North/South Line<br>SOUTH | Feet from the<br>632 | East/West line<br>EAST | County<br>LEA |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|----------------------|------------------------|---------------|

<sup>11</sup> Bottom Hole Location

|                        |                                                |                                   |                                   |         |                                    |                           |                                     |                        |               |
|------------------------|------------------------------------------------|-----------------------------------|-----------------------------------|---------|------------------------------------|---------------------------|-------------------------------------|------------------------|---------------|
| UL or lot no.<br>P     | Section<br>31                                  | Township<br>25S                   | Range<br>32E                      | Lot Idn | Feet from the<br>107               | North/South line<br>SOUTH | Feet from the<br>996                | East/West line<br>EAST | County<br>LEA |
| <sup>12</sup> Lse Code | <sup>13</sup> Producing Method Code<br>FLOWING | <sup>14</sup> Gas Connection Date | <sup>15</sup> C-129 Permit Number |         | <sup>16</sup> C-129 Effective Date |                           | <sup>17</sup> C-129 Expiration Date |                        |               |

III. Oil and Gas Transporters

|                                 |                                            |                     |
|---------------------------------|--------------------------------------------|---------------------|
| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address | <sup>20</sup> O/G/W |
| 372812                          | EOGRM                                      | OIL                 |
|                                 |                                            |                     |
| 151618                          | ENTERPRISE FIELD SERVICES                  | GAS                 |
|                                 |                                            |                     |
| 298751                          | REGENCY FIELD SERVICES                     | GAS                 |
|                                 |                                            |                     |
| 36785                           | DCP MIDSTREAM                              | GAS                 |
|                                 |                                            |                     |

IV. Well Completion Data

|                                       |                                        |                                    |                              |                                                        |                       |
|---------------------------------------|----------------------------------------|------------------------------------|------------------------------|--------------------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br>11/22/2021 | <sup>22</sup> Ready Date<br>04/07/2022 | <sup>23</sup> TD<br>19,452         | <sup>24</sup> PBTB<br>19,429 | <sup>25</sup> Perforations<br>11,988 - 19,429          | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size               |                                        | <sup>28</sup> Casing & Tubing Size |                              | <sup>29</sup> Depth Set                                |                       |
| 12 1/4"                               |                                        | 9 5/8"                             |                              | 1212                                                   |                       |
| 8 3/4"                                |                                        | 7 5/8"                             |                              | 11,339'                                                |                       |
| 6 3/4"                                |                                        | 5 1/2"                             |                              | 19,437'                                                |                       |
|                                       |                                        |                                    |                              | 750 SXS CL H TOC 11,435' CBL<br>PRESSURE TEST ATTACHED |                       |
|                                       |                                        |                                    |                              |                                                        |                       |

V. Well Test Data

|                                                                                                                                                                                                                                      |                                               |                                       |                                     |                             |                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------|-------------------------------------|-----------------------------|-------------------------------------|
| <sup>31</sup> Date New Oil<br>04/07/2022                                                                                                                                                                                             | <sup>32</sup> Gas Delivery Date<br>04/07/2022 | <sup>33</sup> Test Date<br>04/23/2022 | <sup>34</sup> Test Length<br>24 HRS | <sup>35</sup> Tbg. Pressure | <sup>36</sup> Csg. Pressure<br>1622 |
| <sup>37</sup> Choke Size<br>36                                                                                                                                                                                                       | <sup>38</sup> Oil<br>1943                     | <sup>39</sup> Water<br>6025           | <sup>40</sup> Gas<br>6469           |                             | <sup>41</sup> Test Method           |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:<br>Kay Maddox |                                               |                                       | OIL CONSERVATION DIVISION           |                             |                                     |
| Printed name:<br>Kay Maddox                                                                                                                                                                                                          |                                               |                                       | Approved by: PATRICIA MARTINEZ      |                             |                                     |
| Title:<br>SENIOR REGULATORY SPECIALIST                                                                                                                                                                                               |                                               |                                       | Title:<br>PETROLEUM SPECIALIST      |                             |                                     |
| E-mail Address:<br>kay_maddox@eogresources.com                                                                                                                                                                                       |                                               |                                       | Approval Date:<br>11/14/2023        |                             |                                     |
| Date:<br>04/27/2022                                                                                                                                                                                                                  |                                               | Phone:<br>432-638-8475                |                                     |                             |                                     |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT  
AS-COMPLETED

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                                 |                                                          |                                                                     |
|-------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------|
| <sup>1</sup> API Number<br><b>30-025- 49547</b> | <sup>2</sup> Pool Code<br><b>98270</b>                   | <sup>3</sup> Pool Name<br><b>WC025 G08 S253216D; UPPER WOLFCAMP</b> |
| <sup>4</sup> Property Code<br><b>333279</b>     | <sup>5</sup> Property Name<br><b>ALMOST EDDY 30 FED</b>  | <sup>6</sup> Well Number<br><b>707H</b>                             |
| <sup>7</sup> GRID No.<br><b>7377</b>            | <sup>8</sup> Operator Name<br><b>EOG RESOURCES, INC.</b> | <sup>9</sup> Elevation<br><b>3363'</b>                              |

<sup>10</sup>Surface Location


| UL or lot no. | Section   | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|-----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>I</b>      | <b>30</b> | <b>25-S</b> | <b>32-E</b> | <b>-</b> | <b>2241'</b>  | <b>SOUTH</b>     | <b>632'</b>   | <b>EAST</b>    | <b>LEA</b> |

<sup>11</sup>Bottom Hole Location If Different From Surface


| UL or lot no. | Section   | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|-----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>P</b>      | <b>31</b> | <b>25-S</b> | <b>32-E</b> | <b>-</b> | <b>107'</b>   | <b>SOUTH</b>     | <b>996'</b>   | <b>EAST</b>    | <b>LEA</b> |

|                               |                               |                                  |                         |
|-------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|                               |                               |                                  |                         |


No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



S:\SURVEY\EOG\_MIDLAND\ALMOST\_EDDY\_30\_FED\_COM\FINAL\_PRODUCTS\AD\_ALMOST\_EDDY\_30\_FED\_COM\_707H.DWG 3/15/2022 3:01:54 PM bzollinger



**eo resources, Inc.**



Ramon A. Dominguez, P.S. No. 24508  
March 12, 2022

| ALMOST EDDY 30<br>FED COM 707H<br>AS-DRILLED | REVISION: | NOTES:                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DATE: 03/11/2022                             |           | 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"                                                                                                                                                                                                                                                                                                                                                |
| FILE: AD_ALMOST_EDDY_30_FED_COM_707H         |           | 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.                                                                                                                                                                                                                        |
| DRAWN BY: A.V.F.                             |           | 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY EOG RESOURCES, INC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY. |
| SHEET: 2 OF 2                                |           | 4. ADJOINER INFORMATION SHOWN FOR INFORMATIONAL PURPOSES ONLY.                                                                                                                                                                                                                                                                                                                       |

S:\SURVEY\EOG\_MIDLAND\ALMOST\_EDDY\_30\_FED\_COM\FINAL\_PRODUCTS\AD\_ALMOST\_EDDY\_30\_FED\_COM\_707H.DWG 3/15/2022 3:01:55 PM bzollinger



## Midland

Lea County, NM (NAD 83 NME)

Almost Eddy 30 Fed Com

#707H

OH

Design: OH

## Final PVA

19 December, 2021



Final PVA

|                                                                                                                                                                                 |                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company:</b> Midland<br><b>Project:</b> Lea County, NM (NAD 83 NME)<br><b>Site:</b> Almost Eddy 30 Fed Com<br><b>Well:</b> #707H<br><b>Wellbore:</b> OH<br><b>Design:</b> OH | <b>Local Co-ordinate Reference:</b> Well #707H<br><b>TVD Reference:</b> KB = 26' @ 3389.0usft<br><b>MD Reference:</b> KB = 26' @ 3389.0usft<br><b>North Reference:</b> Grid<br><b>Survey Calculation Method:</b> Minimum Curvature<br><b>Database:</b> PEDM |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                    |                             |                      |                |
|--------------------|-----------------------------|----------------------|----------------|
| <b>Project</b>     | Lea County, NM (NAD 83 NME) |                      |                |
| <b>Map System:</b> | US State Plane 1983         | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983   |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone     |                      |                |

|                              |                        |                          |                   |
|------------------------------|------------------------|--------------------------|-------------------|
| <b>Site</b>                  | Almost Eddy 30 Fed Com |                          |                   |
| <b>Site Position:</b>        |                        | <b>Northing:</b>         | 400,427.00 usft   |
| <b>From:</b>                 | Map                    | <b>Easting:</b>          | 730,701.00 usft   |
| <b>Position Uncertainty:</b> | 0.0 usft               | <b>Slot Radius:</b>      | 13-3/16 "         |
|                              |                        | <b>Latitude:</b>         | 32° 5' 57.757 N   |
|                              |                        | <b>Longitude:</b>        | 103° 43' 18.496 W |
|                              |                        | <b>Grid Convergence:</b> | 0.32 °            |

|                             |              |          |                            |
|-----------------------------|--------------|----------|----------------------------|
| <b>Well</b>                 | #707H        |          |                            |
| <b>Well Position</b>        | <b>+N/-S</b> | 0.0 usft | <b>Northing:</b>           |
|                             | <b>+E/-W</b> | 0.0 usft | <b>Easting:</b>            |
| <b>Position Uncertainty</b> | 0.0 usft     |          | <b>Wellhead Elevation:</b> |
|                             |              |          | usft                       |
|                             |              |          | <b>Latitude:</b>           |
|                             |              |          | 32° 6' 0.838 N             |
|                             |              |          | <b>Longitude:</b>          |
|                             |              |          | 103° 42' 28.461 W          |
|                             |              |          | <b>Ground Level:</b>       |
|                             |              |          | 3,363.0 usft               |

|                  |                   |                    |                            |
|------------------|-------------------|--------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b>     |
|                  | IGRF2020          | 12/1/2021          | 6.54                       |
|                  |                   |                    | <b>Dip Angle (°)</b>       |
|                  |                   |                    | 59.75                      |
|                  |                   |                    | <b>Field Strength (nT)</b> |
|                  |                   |                    | 47,359.10650969            |

|                          |                                |                      |                      |
|--------------------------|--------------------------------|----------------------|----------------------|
| <b>Design</b>            | OH                             |                      |                      |
| <b>Audit Notes:</b>      |                                |                      |                      |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>        | ACTUAL               |
|                          |                                | <b>Tie On Depth:</b> | 0.0                  |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b>  | <b>+E/-W (usft)</b>  |
|                          | 0.0                            | 0.0                  | 0.0                  |
|                          |                                |                      | <b>Direction (°)</b> |
|                          |                                |                      | 182.47               |

|                       |                  |                          |                  |                    |
|-----------------------|------------------|--------------------------|------------------|--------------------|
| <b>Survey Program</b> | <b>Date</b>      | 12/19/2021               |                  |                    |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b> |
| 180.0                 | 19,452.0         | Gordon MWD (OH)          | EOG MWD+IFR1     | MWD + IFR1         |



## Final PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #707H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3389.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3389.0usft |
| <b>Well:</b>     | #707H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 0.0          | 0.00       | 0.00                 | 0.0           | 0.0           | 0.0           | 0.00                | 0.00                 | 0.00                | 0.0                    | 0.0                     |  |
| 180.0        | 0.72       | 8.77                 | 180.0         | 1.1           | 0.2           | 0.40                | 0.40                 | 0.00                | -1.1                   | 0.0                     |  |
| 297.0        | 0.77       | 289.71               | 297.0         | 2.1           | -0.5          | 0.81                | 0.04                 | -67.57              | -1.1                   | -1.8                    |  |
| 472.0        | 0.73       | 289.35               | 472.0         | 2.9           | -2.6          | 0.02                | -0.02                | -0.21               | -3.4                   | -1.8                    |  |
| 560.0        | 0.49       | 298.11               | 560.0         | 3.2           | -3.5          | 0.29                | -0.27                | 9.95                | -4.6                   | -1.2                    |  |
| 754.0        | 1.12       | 355.88               | 754.0         | 5.5           | -4.3          | 0.49                | 0.32                 | 29.78               | -5.8                   | 3.9                     |  |
| 944.0        | 1.24       | 7.99                 | 943.9         | 9.4           | -4.2          | 0.15                | 0.06                 | 6.37                | -8.7                   | 5.5                     |  |
| 1,135.0      | 1.42       | 19.68                | 1,134.9       | 13.7          | -3.1          | 0.17                | 0.09                 | 6.12                | -11.8                  | 7.5                     |  |
| 1,246.0      | 1.39       | 7.52                 | 1,245.8       | 16.3          | -2.5          | 0.27                | -0.03                | -10.95              | -15.8                  | 4.6                     |  |
| 1,341.0      | 3.82       | 324.64               | 1,340.7       | 20.0          | -4.1          | 3.11                | 2.56                 | -45.14              | -17.3                  | -8.5                    |  |
| 1,436.0      | 7.05       | 321.43               | 1,435.3       | 27.2          | -9.6          | 3.41                | 3.40                 | -3.38               | -21.2                  | -10.3                   |  |
| 1,628.0      | 7.48       | 324.48               | 1,625.7       | 46.6          | -24.2         | 0.30                | 0.22                 | 1.59                | -29.5                  | -11.6                   |  |
| 1,818.0      | 7.44       | 327.09               | 1,814.1       | 67.0          | -38.1         | 0.18                | -0.02                | 1.37                | -37.4                  | -13.9                   |  |
| 2,009.0      | 6.59       | 325.93               | 2,003.7       | 86.4          | -51.0         | 0.45                | -0.45                | -0.61               | -42.9                  | -18.6                   |  |
| 2,104.0      | 7.09       | 325.20               | 2,098.0       | 95.7          | -57.4         | 0.53                | 0.53                 | -0.77               | -45.3                  | -21.0                   |  |
| 2,294.0      | 8.05       | 314.11               | 2,286.4       | 114.6         | -73.6         | 0.92                | 0.51                 | -5.84               | -47.4                  | -31.7                   |  |
| 2,485.0      | 8.57       | 309.48               | 2,475.4       | 133.0         | -94.2         | 0.44                | 0.27                 | -2.42               | -54.5                  | -35.2                   |  |
| 2,580.0      | 8.60       | 317.76               | 2,569.3       | 142.8         | -104.4        | 1.30                | 0.03                 | 8.72                | -64.2                  | -26.6                   |  |
| 2,771.0      | 10.59      | 288.63               | 2,757.7       | 158.9         | -130.7        | 2.71                | 1.04                 | -15.25              | -57.2                  | -53.8                   |  |
| 2,866.0      | 9.61       | 303.28               | 2,851.3       | 166.1         | -145.6        | 2.88                | -1.03                | 15.42               | -76.5                  | -33.9                   |  |
| 2,961.0      | 8.02       | 291.84               | 2,945.2       | 172.9         | -158.4        | 2.48                | -1.67                | -12.04              | -74.5                  | -46.5                   |  |
| 3,152.0      | 7.85       | 303.40               | 3,134.4       | 185.0         | -181.6        | 0.84                | -0.09                | 6.05                | -90.8                  | -24.9                   |  |
| 3,343.0      | 5.94       | 319.51               | 3,324.0       | 199.7         | -198.9        | 1.41                | -1.00                | 8.43                | -98.8                  | 3.0                     |  |
| 3,534.0      | 4.56       | 343.64               | 3,514.2       | 214.5         | -207.5        | 1.35                | -0.72                | 12.63               | -90.1                  | 38.1                    |  |
| 3,725.0      | 4.12       | 338.75               | 3,704.7       | 228.2         | -212.1        | 0.30                | -0.23                | -2.56               | -91.1                  | 22.0                    |  |
| 3,917.0      | 2.27       | 26.46                | 3,896.4       | 238.1         | -212.9        | 1.61                | -0.96                | 24.85               | -48.2                  | 70.0                    |  |
| 4,107.0      | 3.29       | 316.72               | 4,086.2       | 245.4         | -215.0        | 1.73                | 0.54                 | -36.71              | -71.4                  | -25.2                   |  |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #707H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3389.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3389.0usft |
| <b>Well:</b>     | #707H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 4,298.0      | 1.22       | 247.74               | 4,277.1       | 248.6         | -220.6        | 1.61                | -1.08                | -36.12              | 1.2                    | -64.4                   |
| 4,489.0      | 8.14       | 300.18               | 4,467.3       | 254.7         | -234.2        | 3.91                | 3.62                 | 27.46               | -47.8                  | -34.4                   |
| 4,679.0      | 9.58       | 296.38               | 4,655.1       | 268.4         | -260.0        | 0.82                | 0.76                 | -2.00               | -57.7                  | -33.1                   |
| 4,774.0      | 10.43      | 295.82               | 4,748.6       | 275.7         | -274.8        | 0.90                | 0.89                 | -0.59               | -65.4                  | -31.0                   |
| 4,965.0      | 12.57      | 303.57               | 4,935.8       | 294.7         | -307.7        | 1.38                | 1.12                 | 4.06                | -89.4                  | -16.5                   |
| 5,156.0      | 8.91       | 328.75               | 5,123.5       | 318.9         | -332.7        | 3.07                | -1.92                | 13.18               | -104.5                 | 27.3                    |
| 5,347.0      | 4.51       | 359.10               | 5,313.2       | 339.1         | -340.5        | 2.88                | -2.30                | 15.89               | -84.3                  | 70.8                    |
| 5,537.0      | 4.23       | 30.62                | 5,502.7       | 352.6         | -337.1        | 1.26                | -0.15                | 16.59               | -44.3                  | 90.9                    |
| 5,728.0      | 4.57       | 48.89                | 5,693.1       | 363.6         | -327.7        | 0.75                | 0.18                 | 9.57                | -29.5                  | 84.4                    |
| 5,919.0      | 2.74       | 76.81                | 5,883.8       | 369.7         | -317.6        | 1.31                | -0.96                | 14.62               | -7.4                   | 76.9                    |
| 6,109.0      | 1.31       | 172.48               | 6,073.7       | 368.5         | -312.9        | 1.66                | -0.75                | 50.35               | 61.6                   | 15.1                    |
| 6,300.0      | 1.08       | 268.84               | 6,264.6       | 366.3         | -314.4        | 0.94                | -0.12                | 50.45               | 19.3                   | -48.1                   |
| 6,490.0      | 1.00       | 281.43               | 6,454.6       | 366.6         | -317.8        | 0.13                | -0.04                | 6.63                | 20.0                   | -41.2                   |
| 6,681.0      | 0.65       | 283.39               | 6,645.6       | 367.2         | -320.5        | 0.18                | -0.18                | 1.03                | 29.8                   | -33.6                   |
| 6,871.0      | 0.96       | 257.91               | 6,835.6       | 367.1         | -323.1        | 0.25                | 0.16                 | -13.41              | 41.7                   | -13.7                   |
| 7,062.0      | 1.87       | 252.71               | 7,026.5       | 365.9         | -327.6        | 0.48                | 0.48                 | -2.72               | 38.1                   | -10.0                   |
| 7,253.0      | 1.72       | 270.15               | 7,217.4       | 365.0         | -333.5        | 0.30                | -0.08                | 9.13                | 27.5                   | -20.0                   |
| 7,443.0      | 1.08       | 235.29               | 7,407.4       | 363.9         | -337.8        | 0.55                | -0.34                | -18.35              | 29.9                   | -2.4                    |
| 7,635.0      | 1.70       | 212.60               | 7,599.3       | 360.5         | -340.8        | 0.43                | 0.32                 | -11.82              | 23.9                   | 8.7                     |
| 7,826.0      | 2.25       | 188.39               | 7,790.2       | 354.4         | -342.9        | 0.52                | 0.29                 | -12.68              | 12.0                   | 16.6                    |
| 8,016.0      | 2.32       | 172.90               | 7,980.1       | 346.9         | -342.9        | 0.33                | 0.04                 | -8.15               | -0.3                   | 18.1                    |
| 8,111.0      | 2.57       | 182.62               | 8,075.0       | 342.9         | -342.8        | 0.51                | 0.26                 | 10.23               | -1.3                   | 18.3                    |
| 8,302.0      | 2.74       | 182.11               | 8,265.8       | 334.0         | -343.2        | 0.09                | 0.09                 | -0.27               | -10.3                  | 18.2                    |
| 8,493.0      | 2.29       | 184.05               | 8,456.6       | 325.7         | -343.6        | 0.24                | -0.24                | 1.02                | -18.0                  | 18.7                    |
| 8,683.0      | 1.70       | 174.87               | 8,646.5       | 319.1         | -343.6        | 0.35                | -0.31                | -4.83               | -27.4                  | 15.0                    |
| 8,874.0      | 0.47       | 232.06               | 8,837.4       | 315.8         | -344.0        | 0.78                | -0.64                | 29.94               | -4.6                   | 33.5                    |
| 8,969.0      | 0.36       | 264.29               | 8,932.4       | 315.5         | -344.6        | 0.27                | -0.12                | 33.93               | 13.4                   | 31.0                    |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #707H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3389.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3389.0usft |
| <b>Well:</b>     | #707H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey                                                                            |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|-----------------------------------------------------------------------------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft)                                                                      | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 9,160.0                                                                           | 0.55       | 310.93               | 9,123.4       | 316.0         | -345.9        | 0.21                | 0.10                 | 24.42               | 30.4                   | 12.0                    |  |
| 9,352.0                                                                           | 2.36       | 325.88               | 9,315.3       | 319.9         | -348.8        | 0.96                | 0.94                 | 7.79                | 27.6                   | 4.0                     |  |
| 9,542.0                                                                           | 1.37       | 272.16               | 9,505.3       | 323.2         | -353.3        | 1.00                | -0.52                | -28.27              | 8.5                    | 21.4                    |  |
| 9,733.0                                                                           | 1.23       | 233.10               | 9,696.2       | 322.1         | -357.2        | 0.46                | -0.07                | -20.45              | -10.7                  | 20.6                    |  |
| 9,924.0                                                                           | 0.47       | 126.93               | 9,887.2       | 320.4         | -358.2        | 0.75                | -0.40                | -55.59              | -17.0                  | -18.0                   |  |
| 10,019.0                                                                          | 0.77       | 208.16               | 9,982.2       | 319.6         | -358.2        | 0.88                | 0.32                 | 85.51               | -21.1                  | 14.5                    |  |
| 10,208.0                                                                          | 2.73       | 214.30               | 10,171.1      | 314.8         | -361.3        | 1.04                | 1.04                 | 3.25                | -25.2                  | 16.8                    |  |
| 10,399.0                                                                          | 1.24       | 252.26               | 10,362.0      | 310.4         | -365.9        | 1.00                | -0.78                | 19.87               | -15.2                  | 31.5                    |  |
| 10,589.0                                                                          | 3.71       | 255.35               | 10,551.8      | 308.2         | -373.8        | 1.30                | 1.30                 | 1.63                | -21.6                  | 32.4                    |  |
| 10,780.0                                                                          | 1.09       | 345.94               | 10,742.6      | 308.4         | -380.2        | 2.03                | -1.37                | 47.43               | 30.8                   | 27.5                    |  |
| 10,970.0                                                                          | 0.88       | 183.85               | 10,932.6      | 308.7         | -380.7        | 1.02                | -0.11                | -85.31              | -37.6                  | -17.2                   |  |
| 11,163.0                                                                          | 0.76       | 239.28               | 11,125.6      | 306.6         | -381.9        | 0.40                | -0.06                | 28.72               | -37.6                  | 22.4                    |  |
| 11,295.0                                                                          | 2.63       | 221.47               | 11,257.6      | 303.8         | -384.7        | 1.45                | 1.42                 | -13.49              | -46.5                  | 9.5                     |  |
| 11,413.0                                                                          | 4.14       | 218.44               | 11,375.3      | 298.5         | -389.1        | 1.29                | 1.28                 | -2.57               | -53.9                  | 6.9                     |  |
| 11,477.9                                                                          | 4.10       | 224.99               | 11,440.1      | 295.0         | -392.2        | 0.73                | -0.06                | 10.09               | -57.4                  | 13.3                    |  |
| <b>FTP Crossing, MD:11477.9', TVD:11440.1', N/S:295.0', E/W:-392.2', INC:4.10</b> |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
| 11,508.0                                                                          | 4.10       | 228.05               | 11,470.1      | 293.5         | -393.8        | 0.73                | 0.00                 | 10.17               | -58.8                  | 16.4                    |  |
| 11,535.0                                                                          | 6.21       | 198.05               | 11,497.0      | 291.5         | -394.9        | 12.43               | 7.81                 | -111.12             | -61.0                  | -15.9                   |  |
| <b>KOP, MD:11535.0', TVD:11497.0', N/S:291.5', E/W:-394.9', INC:6.21</b>          |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
| 11,604.0                                                                          | 14.01      | 175.95               | 11,564.9      | 279.6         | -395.5        | 12.43               | 11.30                | -32.03              | -54.1                  | -38.4                   |  |
| 11,698.0                                                                          | 35.39      | 173.48               | 11,649.8      | 240.7         | -391.6        | 22.77               | 22.74                | -2.63               | -63.5                  | -37.9                   |  |
| 11,793.0                                                                          | 42.42      | 169.51               | 11,723.7      | 181.8         | -382.6        | 7.85                | 7.40                 | -4.18               | -75.5                  | -33.2                   |  |
| 11,889.0                                                                          | 44.75      | 173.12               | 11,793.2      | 116.4         | -372.7        | 3.55                | 2.43                 | 3.76                | -75.8                  | -18.4                   |  |
| 11,984.0                                                                          | 59.56      | 174.90               | 11,851.4      | 42.0          | -365.0        | 15.66               | 15.59                | 1.87                | -66.5                  | -8.0                    |  |
| 12,080.0                                                                          | 69.21      | 177.06               | 11,892.8      | -44.2         | -359.0        | 10.25               | 10.05                | 2.25                | -54.8                  | -0.6                    |  |
| 12,175.0                                                                          | 83.42      | 181.26               | 11,915.2      | -136.3        | -357.7        | 15.56               | 14.96                | 4.42                | -41.7                  | 0.7                     |  |
| 12,271.0                                                                          | 87.83      | 180.39               | 11,922.6      | -232.0        | -359.1        | 4.68                | 4.59                 | -0.91               | -33.7                  | -1.1                    |  |



## Final PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #707H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3389.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3389.0usft |
| <b>Well:</b>     | #707H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 12,366.0     | 89.99      | 181.10               | 11,924.4      | -326.9        | -360.3        | 2.39                | 2.27                 | 0.75                | -31.1                  | -2.9                    |
| 12,461.0     | 90.15      | 179.71               | 11,924.3      | -421.9        | -361.0        | 1.47                | 0.17                 | -1.46               | -30.5                  | -4.0                    |
| 12,557.0     | 90.27      | 177.98               | 11,923.9      | -517.9        | -359.1        | 1.81                | 0.12                 | -1.80               | -30.2                  | -2.6                    |
| 12,652.0     | 88.86      | 176.71               | 11,924.6      | -612.8        | -354.7        | 2.00                | -1.48                | -1.34               | -28.7                  | 1.3                     |
| 12,748.0     | 89.00      | 175.25               | 11,926.4      | -708.5        | -347.9        | 1.53                | 0.15                 | -1.52               | -26.2                  | 7.5                     |
| 12,843.0     | 93.24      | 182.20               | 11,924.6      | -803.4        | -345.8        | 8.57                | 4.46                 | 7.32                | -27.4                  | 9.1                     |
| 12,939.0     | 91.41      | 179.69               | 11,920.7      | -899.3        | -347.4        | 3.23                | -1.91                | -2.61               | -30.6                  | 7.0                     |
| 13,034.0     | 93.02      | 179.04               | 11,917.0      | -994.2        | -346.4        | 1.83                | 1.69                 | -0.68               | -33.5                  | 7.6                     |
| 13,129.0     | 88.45      | 179.41               | 11,915.8      | -1,089.2      | -345.1        | 4.83                | -4.81                | 0.39                | -34.0                  | 8.4                     |
| 13,224.0     | 91.69      | 180.12               | 11,915.7      | -1,184.2      | -344.7        | 3.49                | 3.41                 | 0.75                | -33.4                  | 8.3                     |
| 13,320.0     | 88.87      | 179.50               | 11,915.2      | -1,280.2      | -344.4        | 3.01                | -2.94                | -0.65               | -33.2                  | 8.1                     |
| 13,416.0     | 91.50      | 180.64               | 11,914.9      | -1,376.2      | -344.5        | 2.99                | 2.74                 | 1.19                | -32.8                  | 7.5                     |
| 13,511.0     | 90.35      | 180.30               | 11,913.4      | -1,471.1      | -345.3        | 1.26                | -1.21                | -0.36               | -33.6                  | 6.2                     |
| 13,607.0     | 90.91      | 180.93               | 11,912.3      | -1,567.1      | -346.3        | 0.88                | 0.58                 | 0.66                | -33.9                  | 4.6                     |
| 13,703.0     | 84.65      | 176.52               | 11,916.0      | -1,663.0      | -344.2        | 7.97                | -6.52                | -4.59               | -29.5                  | 6.3                     |
| 13,798.0     | 91.22      | 177.66               | 11,919.4      | -1,757.7      | -339.4        | 7.02                | 6.92                 | 1.20                | -25.3                  | 10.6                    |
| 13,894.0     | 92.34      | 178.31               | 11,916.5      | -1,853.6      | -336.0        | 1.35                | 1.17                 | 0.68                | -27.6                  | 13.5                    |
| 13,992.0     | 87.89      | 181.73               | 11,916.3      | -1,951.6      | -336.0        | 5.73                | -4.54                | 3.49                | -27.1                  | 12.9                    |
| 14,087.0     | 90.52      | 181.89               | 11,917.6      | -2,046.5      | -339.0        | 2.77                | 2.77                 | 0.17                | -25.0                  | 9.4                     |
| 14,182.0     | 91.41      | 180.22               | 11,916.0      | -2,141.5      | -340.8        | 1.99                | 0.94                 | -1.76               | -25.9                  | 7.2                     |
| 14,278.0     | 92.03      | 180.68               | 11,913.1      | -2,237.4      | -341.5        | 0.80                | 0.65                 | 0.48                | -28.1                  | 5.9                     |
| 14,374.0     | 89.76      | 181.42               | 11,911.6      | -2,333.4      | -343.3        | 2.49                | -2.36                | 0.77                | -28.9                  | 3.6                     |
| 14,469.0     | 89.12      | 181.47               | 11,912.5      | -2,428.4      | -345.7        | 0.68                | -0.67                | 0.05                | -27.2                  | 0.7                     |
| 14,565.0     | 87.35      | 181.43               | 11,915.5      | -2,524.3      | -348.1        | 1.84                | -1.84                | -0.04               | -23.5                  | -2.2                    |
| 14,661.0     | 91.05      | 183.72               | 11,916.8      | -2,620.2      | -352.4        | 4.53                | 3.85                 | 2.39                | -21.5                  | -7.0                    |
| 14,756.0     | 91.70      | 183.88               | 11,914.5      | -2,714.9      | -358.7        | 0.70                | 0.68                 | 0.17                | -23.1                  | -13.8                   |
| 14,852.0     | 88.25      | 181.06               | 11,914.6      | -2,810.8      | -362.8        | 4.64                | -3.59                | -2.94               | -22.3                  | -18.4                   |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #707H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3389.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3389.0usft |
| <b>Well:</b>     | #707H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 14,939.0     | 86.37      | 180.79               | 11,918.7      | -2,897.7      | -364.2        | 2.18                | -2.16                | -0.31               | -17.6                  | -20.3                   |
| 15,035.0     | 89.71      | 177.73               | 11,921.9      | -2,993.6      | -363.0        | 4.72                | 3.48                 | -3.19               | -13.6                  | -19.6                   |
| 15,130.0     | 89.85      | 176.96               | 11,922.3      | -3,088.5      | -358.6        | 0.82                | 0.15                 | -0.81               | -12.5                  | -15.6                   |
| 15,226.0     | 90.83      | 175.54               | 11,921.7      | -3,184.3      | -352.3        | 1.80                | 1.02                 | -1.48               | -12.4                  | -9.9                    |
| 15,322.0     | 91.27      | 177.88               | 11,920.0      | -3,280.1      | -346.8        | 2.48                | 0.46                 | 2.44                | -13.4                  | -4.9                    |
| 15,418.0     | 92.20      | 178.57               | 11,917.1      | -3,376.0      | -343.8        | 1.21                | 0.97                 | 0.72                | -15.6                  | -2.4                    |
| 15,512.0     | 88.78      | 179.51               | 11,916.3      | -3,470.0      | -342.3        | 3.77                | -3.64                | 1.00                | -15.7                  | -1.3                    |
| 15,607.0     | 88.08      | 178.68               | 11,918.9      | -3,564.9      | -340.8        | 1.14                | -0.74                | -0.87               | -12.3                  | -0.3                    |
| 15,703.0     | 87.55      | 177.63               | 11,922.5      | -3,660.8      | -337.7        | 1.22                | -0.55                | -1.09               | -8.0                   | 2.3                     |
| 15,798.0     | 92.34      | 179.92               | 11,922.6      | -3,755.8      | -335.7        | 5.59                | 5.04                 | 2.41                | -7.2                   | 3.8                     |
| 15,893.0     | 90.43      | 179.28               | 11,920.3      | -3,850.7      | -335.0        | 2.12                | -2.01                | -0.67               | -8.7                   | 4.0                     |
| 15,988.0     | 90.18      | 179.01               | 11,919.8      | -3,945.7      | -333.6        | 0.39                | -0.26                | -0.28               | -8.5                   | 4.9                     |
| 16,084.0     | 88.87      | 178.89               | 11,920.6      | -4,041.7      | -331.8        | 1.37                | -1.36                | -0.12               | -7.3                   | 6.1                     |
| 16,179.0     | 90.35      | 178.70               | 11,921.3      | -4,136.7      | -329.8        | 1.57                | 1.56                 | -0.20               | -6.7                   | 7.6                     |
| 16,274.0     | 90.32      | 179.45               | 11,920.7      | -4,231.6      | -328.3        | 0.79                | -0.03                | 0.79                | -7.2                   | 8.6                     |
| 16,370.0     | 89.79      | 180.81               | 11,920.6      | -4,327.6      | -328.5        | 1.52                | -0.55                | 1.42                | -7.3                   | 7.9                     |
| 16,465.0     | 87.07      | 179.78               | 11,923.2      | -4,422.6      | -329.0        | 3.06                | -2.86                | -1.08               | -4.7                   | 6.9                     |
| 16,560.0     | 91.78      | 180.21               | 11,924.2      | -4,517.6      | -329.0        | 4.98                | 4.96                 | 0.45                | -3.8                   | 6.4                     |
| 16,654.0     | 92.59      | 179.90               | 11,920.6      | -4,611.5      | -329.1        | 0.92                | 0.86                 | -0.33               | -7.4                   | 5.8                     |
| 16,749.0     | 94.00      | 180.04               | 11,915.1      | -4,706.3      | -329.0        | 1.49                | 1.48                 | 0.15                | -12.8                  | 5.4                     |
| 16,844.0     | 88.64      | 180.44               | 11,912.9      | -4,801.3      | -329.4        | 5.66                | -5.64                | 0.42                | -15.0                  | 4.5                     |
| 16,939.0     | 90.46      | 179.96               | 11,913.7      | -4,896.3      | -329.8        | 1.98                | 1.92                 | -0.51               | -14.3                  | 3.6                     |
| 17,034.0     | 88.05      | 178.67               | 11,914.9      | -4,991.2      | -328.6        | 2.88                | -2.54                | -1.36               | -13.0                  | 4.3                     |
| 17,129.0     | 90.24      | 178.98               | 11,916.3      | -5,086.2      | -326.7        | 2.33                | 2.31                 | 0.33                | -11.6                  | 5.7                     |
| 17,224.0     | 90.07      | 178.10               | 11,916.1      | -5,181.2      | -324.2        | 0.94                | -0.18                | -0.93               | -11.9                  | 7.6                     |
| 17,318.0     | 90.85      | 178.68               | 11,915.3      | -5,275.1      | -321.6        | 1.03                | 0.83                 | 0.62                | -12.6                  | 9.8                     |
| 17,414.0     | 88.25      | 178.43               | 11,916.1      | -5,371.1      | -319.2        | 2.72                | -2.71                | -0.26               | -11.9                  | 11.7                    |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #707H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3389.0usft |
| <b>Site:</b>     | Almost Eddy 30 Fed Com      | <b>MD Reference:</b>                | KB = 26' @ 3389.0usft |
| <b>Well:</b>     | #707H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey                          |            |                      |               |               |               |                     |                      |                     |                        |                         |
|---------------------------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft)                    | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 17,509.0                        | 92.34      | 179.68               | 11,915.6      | -5,466.1      | -317.6        | 4.50                | 4.31                 | 1.32                | -12.4                  | 12.7                    |
| 17,604.0                        | 90.99      | 180.06               | 11,912.8      | -5,561.0      | -317.4        | 1.48                | -1.42                | 0.40                | -15.1                  | 12.4                    |
| 17,699.0                        | 87.10      | 177.84               | 11,914.4      | -5,656.0      | -315.7        | 4.71                | -4.09                | -2.34               | -13.6                  | 13.7                    |
| 17,795.0                        | 88.28      | 179.56               | 11,918.3      | -5,751.9      | -313.5        | 2.17                | 1.23                 | 1.79                | -9.7                   | 15.3                    |
| 17,889.0                        | 89.76      | 180.59               | 11,919.9      | -5,845.8      | -313.6        | 1.92                | 1.57                 | 1.10                | -8.1                   | 14.7                    |
| 17,984.0                        | 92.14      | 181.50               | 11,918.3      | -5,940.8      | -315.3        | 2.68                | 2.51                 | 0.96                | -9.7                   | 12.5                    |
| 18,079.0                        | 89.68      | 181.81               | 11,916.8      | -6,035.7      | -318.1        | 2.61                | -2.59                | 0.33                | -11.2                  | 9.2                     |
| 18,174.0                        | 90.07      | 181.15               | 11,917.0      | -6,130.7      | -320.5        | 0.81                | 0.41                 | -0.69               | -11.0                  | 6.3                     |
| 18,270.0                        | 88.75      | 180.38               | 11,918.0      | -6,226.7      | -321.8        | 1.59                | -1.37                | -0.80               | -10.0                  | 4.5                     |
| 18,365.0                        | 88.86      | 179.94               | 11,920.0      | -6,321.7      | -322.1        | 0.48                | 0.12                 | -0.46               | -8.0                   | 3.7                     |
| 18,459.0                        | 88.95      | 180.60               | 11,921.8      | -6,415.7      | -322.5        | 0.71                | 0.10                 | 0.70                | -6.2                   | 2.8                     |
| 18,553.0                        | 90.24      | 180.34               | 11,922.5      | -6,509.6      | -323.3        | 1.40                | 1.37                 | -0.28               | -5.5                   | 1.5                     |
| 18,648.0                        | 90.13      | 180.70               | 11,922.1      | -6,604.6      | -324.2        | 0.40                | -0.12                | 0.38                | -5.8                   | 0.1                     |
| 18,743.0                        | 87.16      | 179.75               | 11,924.4      | -6,699.6      | -324.5        | 3.28                | -3.13                | -1.00               | -3.6                   | -0.8                    |
| 18,838.0                        | 88.31      | 180.63               | 11,928.1      | -6,794.5      | -324.9        | 1.52                | 1.21                 | 0.93                | 0.2                    | -1.6                    |
| 18,933.0                        | 88.87      | 180.33               | 11,930.5      | -6,889.5      | -325.6        | 0.67                | 0.59                 | -0.32               | 2.5                    | -2.9                    |
| 19,028.0                        | 91.28      | 178.94               | 11,930.4      | -6,984.5      | -325.0        | 2.93                | 2.54                 | -1.46               | 2.4                    | -2.8                    |
| 19,123.0                        | 93.09      | 179.48               | 11,926.7      | -7,079.4      | -323.7        | 1.99                | 1.91                 | 0.57                | -1.3                   | -2.0                    |
| 19,218.0                        | 89.99      | 180.55               | 11,924.2      | -7,174.3      | -323.8        | 3.45                | -3.26                | 1.13                | -3.8                   | -2.5                    |
| 19,313.0                        | 91.84      | 180.15               | 11,922.7      | -7,269.3      | -324.3        | 1.99                | 1.95                 | -0.42               | -5.3                   | -3.6                    |
| Last MWD Survey (MD=19313.0')   |            |                      |               |               |               |                     |                      |                     |                        |                         |
| 19,452.0                        | 91.84      | 180.15               | 11,918.2      | -7,408.3      | -324.7        | 0.00                | 0.00                 | 0.00                | -9.8                   | -4.7                    |
| Projection to Bit (MD=19452.0') |            |                      |               |               |               |                     |                      |                     |                        |                         |



## Final PVA

**Company:** Midland  
**Project:** Lea County, NM (NAD 83 NME)  
**Site:** Almost Eddy 30 Fed Com  
**Well:** #707H  
**Wellbore:** OH  
**Design:** OH

**Local Co-ordinate Reference:** Well #707H  
**TVD Reference:** KB = 26' @ 3389.0usft  
**MD Reference:** KB = 26' @ 3389.0usft  
**North Reference:** Grid  
**Survey Calculation Method:** Minimum Curvature  
**Database:** PEDM

## Design Annotations

| Measured<br>Depth<br>(usft) | Vertical<br>Depth<br>(usft) | Local Coordinates |                 | Comment                                                                    |
|-----------------------------|-----------------------------|-------------------|-----------------|----------------------------------------------------------------------------|
|                             |                             | +N/-S<br>(usft)   | +E/-W<br>(usft) |                                                                            |
| 11,477.9                    | 11,440.1                    | 295.0             | -392.2          | FTP Crossing, MD:11477.9', TVD:11440.1', N/S:295.0', E/W:-392.2', INC:4.10 |
| 11,535.0                    | 11,497.0                    | 291.5             | -394.9          | KOP, MD:11535.0', TVD:11497.0', N/S:291.5', E/W:-394.9', INC:6.21          |
| 19,313.0                    | 11,922.7                    | -7,269.3          | -324.3          | Last MWD Survey (MD=19313.0')                                              |
| 19,452.0                    | 11,918.2                    | -7,408.3          | -324.7          | Projection to Bit (MD=19452.0')                                            |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE  
 KAY MADDOX 04/22/2022



Lea County, NM (NAD 83 NME)

Almost Eddy 30 Fed Com #707H

Plan #1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)


Geodetic System: US State Plane 1983  
Datum: North American Datum 1983  
Ellipsoid: GRS 1980  
Zone: New Mexico Eastern Zone  
System Datum: Mean Sea Level

WELL DETAILS: #707H

KB = 26' @ 3389.0usft 3363.0  
Northing 400763.00 Easting 735003.00 Latitude 32° 6' 0.838 N Longitude 103° 42' 28.461 W

Azimuths to Grid North  
True North: -0.33°  
Magnetic North: 6.21°

Magnetic Field  
Strength: 47359.1nT  
Dip Angle: 59.75°  
Date: 12/1/2021  
Model: IGRF2020










To convert a Magnetic Direction to a Grid Direction, Add 6.21°  
To convert a Magnetic Direction to a True Direction, Add 6.54° East  
To convert a True Direction to a Grid Direction, Subtract 0.33°

SECTION DETAILS

| MD      | Inc   | Azi    | TVD     | +N/-S   | +E/-W  | Dleg  | TFace   | VSect  | Target                                   |
|---------|-------|--------|---------|---------|--------|-------|---------|--------|------------------------------------------|
| 0.0     | 0.00  | 0.00   | 0.0     | 0.0     | 0.0    | 0.00  | 0.00    | 0.0    |                                          |
| 1250.0  | 0.00  | 0.00   | 1250.0  | 0.0     | 0.0    | 0.00  | 0.00    | 0.0    |                                          |
| 1519.2  | 5.38  | 313.70 | 1518.8  | 8.7     | -9.1   | 2.00  | 313.70  | -8.3   |                                          |
| 6570.8  | 5.38  | 313.70 | 6548.2  | 336.3   | -351.9 | 0.00  | 0.00    | -320.8 |                                          |
| 6840.1  | 0.00  | 0.00   | 6817.0  | 345.0   | -361.0 | 2.00  | 180.00  | -329.1 | Brushy Top(Almost Eddy 30 Fed Com #707H) |
| 11502.6 | 0.00  | 0.00   | 11479.5 | 345.0   | -361.0 | 0.00  | 0.00    | -329.1 |                                          |
| 12256.2 | 90.43 | 179.70 | 11957.0 | -136.0  | -358.5 | 12.00 | 179.70  | 151.4  |                                          |
| 16111.7 | 90.43 | 179.70 | 11928.0 | -3991.4 | -338.2 | 0.00  | 0.00    | 4002.3 | TGT #1(Almost Eddy 30 Fed Com #707H)     |
| 16133.2 | 90.00 | 179.69 | 11927.9 | -4013.0 | -338.1 | 2.00  | -179.48 | 4023.8 |                                          |
| 19529.3 | 90.00 | 179.69 | 11928.0 | -7409.0 | -320.0 | 0.00  | 0.00    | 7415.9 | PBHL(Almost Eddy 30 Fed Com #707H)       |

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

| Name                                     | TVD     | +N/-S   | +E/-W  | Northing  | Easting   |
|------------------------------------------|---------|---------|--------|-----------|-----------|
| Brushy Top(Almost Eddy 30 Fed Com #707H) | 6817.0  | 345.0   | -361.0 | 401108.00 | 734642.00 |
| PBHL(Almost Eddy 30 Fed Com #707H)       | 11928.0 | -7409.0 | -320.0 | 393354.00 | 734683.00 |
| TGT #1(Almost Eddy 30 Fed Com #707H)     | 11928.0 | -3991.4 | -338.2 | 396771.60 | 734664.80 |
| FTP(Almost Eddy 30 Fed Com #707H)        | 11957.0 | 295.0   | -361.0 | 401058.00 | 734642.00 |



Intent ☐ As Drilled ☐

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

## Kick Off Point (KOP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## First Take Point (FTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## Last Take Point (LTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

|                                                                                                                                                                                                                       |  |                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)                |  | WELL API NO.<br><b>30-025 - 49547</b>                                                    |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                                        |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input type="checkbox"/> |
| 2. Name of Operator<br><b>EOG RESOURCES INC</b>                                                                                                                                                                       |  | 6. State Oil & Gas Lease No.                                                             |
| 3. Address of Operator<br><b>PO BOX 2267 MIDLAND, TX 79702</b>                                                                                                                                                        |  | 7. Lease Name or Unit Agreement Name<br><b>ALMOST EDDY 30 FEDERAL</b>                    |
| 4. Well Location<br>Unit Letter <b>I</b> : <b>2241</b> feet from the <b>SOUTH</b> line and <b>632</b> feet from the <b>EAST</b> line<br>Section <b>30</b> Township <b>25S</b> Range <b>32E</b> NMPM County <b>LEA</b> |  | 8. Well Number <b>707H</b>                                                               |
|                                                                                                                                                                                                                       |  | 9. OGRID Number <b>7377</b>                                                              |
|                                                                                                                                                                                                                       |  | 10. Pool name or Wildcat<br>WC025 G09 S253216D; UPPER WOLFCAMP                           |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br><b>3363' GR</b>                                                                                                                                                 |  |                                                                                          |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                        |                                           | SUBSEQUENT REPORT OF:                              |                                          |
|------------------------------------------------|-------------------------------------------|----------------------------------------------------|------------------------------------------|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>             | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/>   | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/>   | P AND A <input type="checkbox"/>         |
| PULL OR ALTER CASING <input type="checkbox"/>  | MULTIPLE COMPL <input type="checkbox"/>   | CASING/CEMENT JOB <input type="checkbox"/>         |                                          |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    |                                           |                                                    |                                          |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>    |                                           |                                                    |                                          |
| OTHER: <input type="checkbox"/>                |                                           | OTHER: <b>CASING TEST</b> <input type="checkbox"/> |                                          |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TOC IS BELOW THE CASING SHOE, ON 05/13/2023 A SUBSEQUENT PRESSURE TEST HELD.  
 EOG IS REQUESTING NO REMEDIAL CEMENT AT THIS TIME

Spud Date:

11/22/2021

Rig Release Date:

12/16/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE KAY MADDOX TITLE SENIOR REGULATORY SPECIALIST DATE 05/23/2023

Type or print name Kay Maddox E-mail address: kay\_maddox@eogresources.com PHONE: 432-638-8475

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------|---------------------------------------------|-------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------|------------------------|------------------------|
| Submit To Appropriate District Office<br>Two Copies<br><u>District I</u><br>1625 N. French Dr., Hobbs, NM 88240<br><u>District II</u><br>811 S. First St., Artesia, NM 88210<br><u>District III</u><br>1000 Rio Brazos Rd., Aztec, NM 87410<br><u>District IV</u><br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                          |                                            | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                                                               |                          | <b>Form C-105</b><br>Revised August 1, 2011 |                                                                               |                                |                                                                           |                        |                        |
| WELL COMPLETION OR RECOMPLETION REPORT AND LOG                                                                                                                                                                                                                                                                                                                                            |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| 4. Reason for filing:<br><br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                | 5. Lease Name or Unit Agreement Name<br><b>ALMOST EDDY 30 FEDERAL COM</b> |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                | 6. Well Number:<br><br><b>707H</b>                                        |                        |                        |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER _____                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| 8. Name of Operator<br><b>EOG RESOURCES INC</b>                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 9. OGRID<br><b>7377</b>                                                       |                                |                                                                           |                        |                        |
| 10. Address of Operator<br><b>PO BOX 2267 MIDLAND, TEXAS 79702</b>                                                                                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 11. Pool name or Wildcat<br><b>WC025 G08 S253216D; UPPER WOLFCAMP (98270)</b> |                                |                                                                           |                        |                        |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                              | Unit Ltr                                   | Section                                                                                                                                                                               | Township                                                      | Range                    | Lot                                         | Feet from the                                                                 | N/S Line                       | Feet from the                                                             | E/W Line               | County                 |
| <b>Surface:</b>                                                                                                                                                                                                                                                                                                                                                                           | I                                          | 30                                                                                                                                                                                    | 25S                                                           | 32E                      |                                             | 2241                                                                          | SOUTH                          | 632                                                                       | EAST                   | LEA                    |
| <b>BH:</b>                                                                                                                                                                                                                                                                                                                                                                                | P                                          | 31                                                                                                                                                                                    | 25S                                                           | 32E                      |                                             | 107                                                                           | SOUTH                          | 996                                                                       | EAST                   | LEA                    |
| 13. Date Spudded<br><b>11/22/2021</b>                                                                                                                                                                                                                                                                                                                                                     | 14. Date T.D. Reached<br><b>12/15/2021</b> |                                                                                                                                                                                       | 15. Date Rig Released<br><b>12/16/2021</b>                    |                          |                                             | 16. Date Completed (Ready to Produce)<br><b>04/07/2022</b>                    |                                | 17. Elevations (DF and RKB, RT, GR, etc.) <b>3363' GR</b>                 |                        |                        |
| 18. Total Measured Depth of Well<br><b>MD 19,452' TVD 11,918'</b>                                                                                                                                                                                                                                                                                                                         |                                            |                                                                                                                                                                                       | 19. Plug Back Measured Depth<br><b>MD 19,429' TVD 11,918'</b> |                          |                                             | 20. Was Directional Survey Made?<br><b>YES</b>                                |                                | 21. Type Electric and Other Logs Run<br><b>None</b>                       |                        |                        |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br><b>WOLFCAMP 11,988 - 19,429'</b>                                                                                                                                                                                                                                                                                     |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                                 |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                               |                                            | WEIGHT LB./FT.                                                                                                                                                                        |                                                               | DEPTH SET                |                                             | HOLE SIZE                                                                     |                                | CEMENTING RECORD                                                          |                        | AMOUNT PULLED          |
| 9 5/8"                                                                                                                                                                                                                                                                                                                                                                                    |                                            | 40# J-55                                                                                                                                                                              |                                                               | 1,212'                   |                                             | 12 1/4"                                                                       |                                | 620 CL C/CIRC                                                             |                        |                        |
| 7 5/8"                                                                                                                                                                                                                                                                                                                                                                                    |                                            | 29.7# HCP 110                                                                                                                                                                         |                                                               | 11,339'                  |                                             | 8 3/4"                                                                        |                                | 1404 CL C&H/CIRC                                                          |                        |                        |
| 5 1/2"                                                                                                                                                                                                                                                                                                                                                                                    |                                            | 20# ICYP 110                                                                                                                                                                          |                                                               | 19,437'                  |                                             | 6 3/4"                                                                        |                                | 750 CL H TOC 11,435' CBL                                                  |                        | PRESSURE TEST ATTACHED |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| 24. LINER RECORD                                                                                                                                                                                                                                                                                                                                                                          |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 25. TUBING RECORD                                                             |                                |                                                                           |                        |                        |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                      | TOP                                        | BOTTOM                                                                                                                                                                                | SACKS CEMENT                                                  | SCREEN                   | SIZE                                        | DEPTH SET                                                                     | PACKER SET                     |                                                                           |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| 26. Perforation record (interval, size, and number)<br><br><b>11,988 - 19,429' 3 1/8", 1596 holes</b>                                                                                                                                                                                                                                                                                     |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.                               |                                |                                                                           |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | DEPTH INTERVAL                                                                |                                | AMOUNT AND KIND MATERIAL USED                                             |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 11,988 - 19,429'                                                              |                                | FRAC W/16,724,340 lbs proppant, 230,324 bbls load fld                     |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                     |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| Date First Production<br><b>04/07/2022</b>                                                                                                                                                                                                                                                                                                                                                |                                            | Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> )<br><b>Flowing</b>                                                                                        |                                                               |                          |                                             | Well Status ( <i>Prod. or Shut-in</i> )<br><b>Producing</b>                   |                                |                                                                           |                        |                        |
| Date of Test<br><b>04/23/2022</b>                                                                                                                                                                                                                                                                                                                                                         | Hours Tested<br><b>24</b>                  | Choke Size<br><b>36</b>                                                                                                                                                               | Prod'n For Test Period                                        | Oil - Bbl<br><b>1943</b> | Gas - MCF<br><b>6469</b>                    | Water - Bbl.<br><b>6025</b>                                                   | Gas - Oil Ratio<br><b>3329</b> |                                                                           |                        |                        |
| Flow Tubing Press.                                                                                                                                                                                                                                                                                                                                                                        | Casing Pressure<br><b>1622</b>             | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.                                                    | Gas - MCF                | Water - Bbl.                                | Oil Gravity - API - ( <i>Corr.</i> )<br><b>48</b>                             |                                |                                                                           |                        |                        |
| 29. Disposition of Gas ( <i>Sold, used for fuel, vented, etc.</i> )<br><b>SOLD</b>                                                                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                | 30. Test Witnessed By                                                     |                        |                        |
| 31. List Attachments<br><b>C-102, C-104, C-103, Directional Survey, H spacing</b>                                                                                                                                                                                                                                                                                                         |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| 33. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| Latitude _____ Longitude _____ NAD 1927 1983                                                                                                                                                                                                                                                                                                                                              |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |
| Signature <b>Kay Maddox</b>                                                                                                                                                                                                                                                                                                                                                               |                                            |                                                                                                                                                                                       | Name <b>Kay Maddox</b>                                        |                          |                                             | Title <b>Senior Regulatory Specialist</b>                                     |                                |                                                                           | Date <b>04/27/2022</b> |                        |
| E-mail Address <b>kay_maddox@eogresources.com</b>                                                                                                                                                                                                                                                                                                                                         |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                               |                                |                                                                           |                        |                        |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

| Southeastern New Mexico |         |         | Northwestern New Mexico |         |       |                    |                  |
|-------------------------|---------|---------|-------------------------|---------|-------|--------------------|------------------|
| T. Anhy                 | Rustler | 1080'   | T. Canyon               | Brushy  | 6884' | T. Ojo Alamo       | T. Penn A "      |
| T. Salt                 |         | 1416'   | T. Strawn               |         |       | T. Kirtland        | T. Penn. "B"     |
| B. Salt                 |         | 4280'   | T. Atoka                |         |       | T. Fruitland       | T. Penn. "C"     |
| T. Yates                |         |         | T. Miss                 |         |       | T. Pictured Cliffs | T. Penn. "D"     |
| T. 7 Rivers             |         |         | T. Devonian             |         |       | T. Cliff House     | T. Leadville     |
| T. Queen                |         |         | T. Silurian             |         |       | T. Menefee         | T. Madison       |
| T. Grayburg             |         |         | T. Montoya              |         |       | T. Point Lookout   | T. Elbert        |
| T. San Andres           |         |         | T. Simpson              |         |       | T. Mancos          | T. McCracken     |
| T. Glorieta             |         |         | T. McKee                |         |       | T. Gallup          | T. Ignacio Otzte |
| T. Paddock              |         |         | T. Ellenburger          |         |       | Base Greenhorn     | T. Granite       |
| T. Blinebry             |         |         | T. Gr. Wash             |         |       | T. Dakota          |                  |
| T. Tubb                 |         |         | T. Delaware Sand        |         |       | T. Morrison        |                  |
| T. Drinkard             |         |         | T. Bone Springs         |         |       | T. Todilto         |                  |
| T. Abo                  |         |         | T. 1st BS Sand          | 9497'   |       | T. Entrada         |                  |
| T. Wolfcamp             |         | 11,808' | T. 2nd BS Sand          | 10,150' |       | T. Wingate         |                  |
| T. Penn                 |         |         | T. 3rd BS Sand          | 11,381' |       | T. Chinle          |                  |
| T. Cisco (Bough C)      |         |         | T.                      |         |       | T. Permian         |                  |

No. 1, from.....to.....  
No. 2, from.....to.....  
No. 3, from.....to.....  
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

| From | To | Thickness<br>In Feet | Lithology |
|------|----|----------------------|-----------|
|      |    |                      |           |



## Detailed Job Breakdown



## JOB REPORT

## COMPANY DETAILS

Company: EOG  
Contact: MARK POPE  
PHONE:


Email: Mark\_pope@eogresour  
ces.com

## JOB DETAILS

DATE 5/13/2023 4:40:48PM  
START TIME 5/13/2023 4:40:48PM  
END TIME 5/13/2023 5:17:36PM  
Ticket#:  
Other:  
Other:

Operator:  
WELL: ALMOST EDDY FED COM  
Licence #: 707H  
Contractor:  
AFE:

Comments:



16:40:44

Detailed Job Breakdown

May/13/2023

| INTERMEDIATE TEST (PSI) |        |     |  |  |  |  |  |  |
|-------------------------|--------|-----|--|--|--|--|--|--|
| Time                    |        |     |  |  |  |  |  |  |
| 16:40                   | 44.486 | 0   |  |  |  |  |  |  |
| 16:40                   | 49.486 | 0   |  |  |  |  |  |  |
| 16:40                   | 54.486 | 0   |  |  |  |  |  |  |
| 16:40                   | 59.486 | 1   |  |  |  |  |  |  |
| 16:41                   | 4.486  | 0   |  |  |  |  |  |  |
| 16:41                   | 9.485  | 51  |  |  |  |  |  |  |
| 16:41                   | 14.486 | 214 |  |  |  |  |  |  |
| 16:41                   | 19.486 | 268 |  |  |  |  |  |  |
| 16:41                   | 24.486 | 301 |  |  |  |  |  |  |
| 16:41                   | 29.486 | 329 |  |  |  |  |  |  |
| 16:41                   | 34.486 | 360 |  |  |  |  |  |  |
| 16:41                   | 39.486 | 382 |  |  |  |  |  |  |
| 16:41                   | 44.485 | 407 |  |  |  |  |  |  |
| 16:41                   | 49.486 | 429 |  |  |  |  |  |  |
| 16:41                   | 54.486 | 461 |  |  |  |  |  |  |
| 16:41                   | 59.486 | 481 |  |  |  |  |  |  |
| 16:42                   | 4.486  | 512 |  |  |  |  |  |  |
| 16:42                   | 9.486  | 489 |  |  |  |  |  |  |
| 16:42                   | 14.486 | 546 |  |  |  |  |  |  |
| 16:42                   | 19.485 | 524 |  |  |  |  |  |  |
| 16:42                   | 24.486 | 587 |  |  |  |  |  |  |
| 16:42                   | 29.486 | 514 |  |  |  |  |  |  |
| 16:42                   | 34.486 | 567 |  |  |  |  |  |  |
| 16:42                   | 39.486 | 584 |  |  |  |  |  |  |
| 16:42                   | 44.486 | 531 |  |  |  |  |  |  |
| 16:42                   | 49.486 | 517 |  |  |  |  |  |  |
| 16:42                   | 54.485 | 510 |  |  |  |  |  |  |
| 16:42                   | 59.486 | 504 |  |  |  |  |  |  |
| 16:43                   | 4.486  | 569 |  |  |  |  |  |  |
| 16:43                   | 9.486  | 532 |  |  |  |  |  |  |
| 16:43                   | 14.486 | 522 |  |  |  |  |  |  |
| 16:43                   | 19.486 | 518 |  |  |  |  |  |  |
| 16:43                   | 24.486 | 514 |  |  |  |  |  |  |
| 16:43                   | 29.485 | 512 |  |  |  |  |  |  |
| 16:43                   | 34.486 | 511 |  |  |  |  |  |  |
| 16:43                   | 39.486 | 510 |  |  |  |  |  |  |
| 16:43                   | 44.486 | 508 |  |  |  |  |  |  |
| 16:43                   | 49.486 | 508 |  |  |  |  |  |  |
| 16:43                   | 54.486 | 507 |  |  |  |  |  |  |
| 16:43                   | 59.486 | 506 |  |  |  |  |  |  |
| 16:44                   | 4.485  | 506 |  |  |  |  |  |  |
| 16:44                   | 9.486  | 504 |  |  |  |  |  |  |
| 16:44                   | 14.486 | 503 |  |  |  |  |  |  |
| 16:44                   | 19.486 | 503 |  |  |  |  |  |  |
| 16:44                   | 24.486 | 503 |  |  |  |  |  |  |
| 16:44                   | 29.486 | 502 |  |  |  |  |  |  |
| 16:44                   | 34.486 | 502 |  |  |  |  |  |  |
| 16:44                   | 39.485 | 502 |  |  |  |  |  |  |

16:44:44

Detailed Job Breakdown

May/13/2023

| INTERMEDIATE TEST (PSI) |        |     |  |  |  |  |  |  |
|-------------------------|--------|-----|--|--|--|--|--|--|
| Time                    |        |     |  |  |  |  |  |  |
| 16:44                   | 44.486 | 501 |  |  |  |  |  |  |
| 16:44                   | 49.486 | 502 |  |  |  |  |  |  |
| 16:44                   | 54.486 | 500 |  |  |  |  |  |  |
| 16:44                   | 59.486 | 500 |  |  |  |  |  |  |
| 16:45                   | 4.486  | 499 |  |  |  |  |  |  |
| 16:45                   | 9.486  | 501 |  |  |  |  |  |  |
| 16:45                   | 14.485 | 498 |  |  |  |  |  |  |
| 16:45                   | 19.486 | 499 |  |  |  |  |  |  |
| 16:45                   | 24.486 | 498 |  |  |  |  |  |  |
| 16:45                   | 29.486 | 499 |  |  |  |  |  |  |
| 16:45                   | 34.486 | 500 |  |  |  |  |  |  |
| 16:45                   | 39.486 | 500 |  |  |  |  |  |  |
| 16:45                   | 44.486 | 498 |  |  |  |  |  |  |
| 16:45                   | 49.485 | 497 |  |  |  |  |  |  |
| 16:45                   | 54.486 | 498 |  |  |  |  |  |  |
| 16:45                   | 59.486 | 498 |  |  |  |  |  |  |
| 16:46                   | 4.486  | 497 |  |  |  |  |  |  |
| 16:46                   | 9.486  | 498 |  |  |  |  |  |  |
| 16:46                   | 14.486 | 498 |  |  |  |  |  |  |
| 16:46                   | 19.486 | 498 |  |  |  |  |  |  |
| 16:46                   | 24.485 | 498 |  |  |  |  |  |  |
| 16:46                   | 29.486 | 498 |  |  |  |  |  |  |
| 16:46                   | 34.486 | 497 |  |  |  |  |  |  |
| 16:46                   | 39.486 | 497 |  |  |  |  |  |  |
| 16:46                   | 44.486 | 496 |  |  |  |  |  |  |
| 16:46                   | 49.486 | 497 |  |  |  |  |  |  |
| 16:46                   | 54.486 | 498 |  |  |  |  |  |  |
| 16:46                   | 59.485 | 498 |  |  |  |  |  |  |
| 16:47                   | 4.486  | 498 |  |  |  |  |  |  |
| 16:47                   | 9.486  | 498 |  |  |  |  |  |  |
| 16:47                   | 14.486 | 497 |  |  |  |  |  |  |
| 16:47                   | 19.486 | 496 |  |  |  |  |  |  |
| 16:47                   | 24.486 | 496 |  |  |  |  |  |  |
| 16:47                   | 29.486 | 497 |  |  |  |  |  |  |
| 16:47                   | 34.485 | 496 |  |  |  |  |  |  |
| 16:47                   | 39.486 | 497 |  |  |  |  |  |  |
| 16:47                   | 44.486 | 496 |  |  |  |  |  |  |
| 16:47                   | 49.486 | 494 |  |  |  |  |  |  |
| 16:47                   | 54.486 | 494 |  |  |  |  |  |  |
| 16:47                   | 59.486 | 495 |  |  |  |  |  |  |
| 16:48                   | 4.486  | 494 |  |  |  |  |  |  |
| 16:48                   | 9.485  | 495 |  |  |  |  |  |  |
| 16:48                   | 14.486 | 495 |  |  |  |  |  |  |
| 16:48                   | 19.486 | 496 |  |  |  |  |  |  |
| 16:48                   | 24.486 | 495 |  |  |  |  |  |  |
| 16:48                   | 29.486 | 496 |  |  |  |  |  |  |
| 16:48                   | 34.486 | 497 |  |  |  |  |  |  |
| 16:48                   | 39.486 | 495 |  |  |  |  |  |  |

16:48:44

Detailed Job Breakdown

May/13/2023

| INTERMEDIATE TEST (PSI) |        |     |  |  |  |  |  |  |
|-------------------------|--------|-----|--|--|--|--|--|--|
| Time                    |        |     |  |  |  |  |  |  |
| 16:48                   | 44.485 | 496 |  |  |  |  |  |  |
| 16:48                   | 49.486 | 496 |  |  |  |  |  |  |
| 16:48                   | 54.486 | 494 |  |  |  |  |  |  |
| 16:48                   | 59.486 | 496 |  |  |  |  |  |  |
| 16:49                   | 4.486  | 495 |  |  |  |  |  |  |
| 16:49                   | 9.486  | 495 |  |  |  |  |  |  |
| 16:49                   | 14.486 | 496 |  |  |  |  |  |  |
| 16:49                   | 19.485 | 495 |  |  |  |  |  |  |
| 16:49                   | 24.486 | 494 |  |  |  |  |  |  |
| 16:49                   | 29.486 | 496 |  |  |  |  |  |  |
| 16:49                   | 34.486 | 495 |  |  |  |  |  |  |
| 16:49                   | 39.486 | 494 |  |  |  |  |  |  |
| 16:49                   | 44.486 | 496 |  |  |  |  |  |  |
| 16:49                   | 49.486 | 496 |  |  |  |  |  |  |
| 16:49                   | 54.485 | 494 |  |  |  |  |  |  |
| 16:49                   | 59.486 | 494 |  |  |  |  |  |  |
| 16:50                   | 4.486  | 494 |  |  |  |  |  |  |
| 16:50                   | 9.486  | 492 |  |  |  |  |  |  |
| 16:50                   | 14.486 | 494 |  |  |  |  |  |  |
| 16:50                   | 19.486 | 492 |  |  |  |  |  |  |
| 16:50                   | 24.486 | 493 |  |  |  |  |  |  |
| 16:50                   | 29.485 | 493 |  |  |  |  |  |  |
| 16:50                   | 34.486 | 492 |  |  |  |  |  |  |
| 16:50                   | 39.486 | 493 |  |  |  |  |  |  |
| 16:50                   | 44.486 | 493 |  |  |  |  |  |  |
| 16:50                   | 49.486 | 494 |  |  |  |  |  |  |
| 16:50                   | 54.486 | 494 |  |  |  |  |  |  |
| 16:50                   | 59.486 | 495 |  |  |  |  |  |  |
| 16:51                   | 4.485  | 494 |  |  |  |  |  |  |
| 16:51                   | 9.486  | 494 |  |  |  |  |  |  |
| 16:51                   | 14.486 | 494 |  |  |  |  |  |  |
| 16:51                   | 19.486 | 494 |  |  |  |  |  |  |
| 16:51                   | 24.486 | 493 |  |  |  |  |  |  |
| 16:51                   | 29.486 | 493 |  |  |  |  |  |  |
| 16:51                   | 34.486 | 494 |  |  |  |  |  |  |
| 16:51                   | 39.485 | 493 |  |  |  |  |  |  |
| 16:51                   | 44.486 | 494 |  |  |  |  |  |  |
| 16:51                   | 49.486 | 494 |  |  |  |  |  |  |
| 16:51                   | 54.486 | 493 |  |  |  |  |  |  |
| 16:51                   | 59.486 | 493 |  |  |  |  |  |  |
| 16:52                   | 4.486  | 494 |  |  |  |  |  |  |
| 16:52                   | 9.486  | 492 |  |  |  |  |  |  |
| 16:52                   | 14.485 | 493 |  |  |  |  |  |  |
| 16:52                   | 19.486 | 493 |  |  |  |  |  |  |
| 16:52                   | 24.486 | 493 |  |  |  |  |  |  |
| 16:52                   | 29.486 | 492 |  |  |  |  |  |  |
| 16:52                   | 34.486 | 493 |  |  |  |  |  |  |
| 16:52                   | 39.486 | 493 |  |  |  |  |  |  |

16:52:44

Detailed Job Breakdown

May/13/2023

| INTERMEDIATE TEST (PSI) |        |     |  |  |  |  |  |  |
|-------------------------|--------|-----|--|--|--|--|--|--|
| Time                    |        |     |  |  |  |  |  |  |
| 16:52                   | 44.486 | 492 |  |  |  |  |  |  |
| 16:52                   | 49.485 | 493 |  |  |  |  |  |  |
| 16:52                   | 54.486 | 493 |  |  |  |  |  |  |
| 16:52                   | 59.486 | 493 |  |  |  |  |  |  |
| 16:53                   | 4.486  | 492 |  |  |  |  |  |  |
| 16:53                   | 9.486  | 492 |  |  |  |  |  |  |
| 16:53                   | 14.486 | 492 |  |  |  |  |  |  |
| 16:53                   | 19.486 | 492 |  |  |  |  |  |  |
| 16:53                   | 24.485 | 492 |  |  |  |  |  |  |
| 16:53                   | 29.486 | 493 |  |  |  |  |  |  |
| 16:53                   | 34.486 | 491 |  |  |  |  |  |  |
| 16:53                   | 39.486 | 491 |  |  |  |  |  |  |
| 16:53                   | 44.486 | 492 |  |  |  |  |  |  |
| 16:53                   | 49.486 | 491 |  |  |  |  |  |  |
| 16:53                   | 54.486 | 492 |  |  |  |  |  |  |
| 16:53                   | 59.486 | 491 |  |  |  |  |  |  |
| 16:54                   | 4.486  | 491 |  |  |  |  |  |  |
| 16:54                   | 9.486  | 491 |  |  |  |  |  |  |
| 16:54                   | 14.486 | 490 |  |  |  |  |  |  |
| 16:54                   | 19.486 | 491 |  |  |  |  |  |  |
| 16:54                   | 24.486 | 492 |  |  |  |  |  |  |
| 16:54                   | 29.486 | 491 |  |  |  |  |  |  |
| 16:54                   | 34.486 | 492 |  |  |  |  |  |  |
| 16:54                   | 39.486 | 492 |  |  |  |  |  |  |
| 16:54                   | 44.486 | 491 |  |  |  |  |  |  |
| 16:54                   | 49.486 | 491 |  |  |  |  |  |  |
| 16:54                   | 54.486 | 491 |  |  |  |  |  |  |
| 16:54                   | 59.486 | 491 |  |  |  |  |  |  |
| 16:55                   | 4.486  | 491 |  |  |  |  |  |  |
| 16:55                   | 9.486  | 490 |  |  |  |  |  |  |
| 16:55                   | 14.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 19.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 24.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 29.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 34.486 | 491 |  |  |  |  |  |  |
| 16:55                   | 39.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 44.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 49.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 54.486 | 490 |  |  |  |  |  |  |
| 16:55                   | 59.486 | 489 |  |  |  |  |  |  |
| 16:56                   | 4.486  | 489 |  |  |  |  |  |  |
| 16:56                   | 9.486  | 489 |  |  |  |  |  |  |
| 16:56                   | 14.486 | 489 |  |  |  |  |  |  |
| 16:56                   | 19.486 | 489 |  |  |  |  |  |  |
| 16:56                   | 24.486 | 490 |  |  |  |  |  |  |
| 16:56                   | 29.486 | 490 |  |  |  |  |  |  |
| 16:56                   | 34.486 | 490 |  |  |  |  |  |  |
| 16:56                   | 39.486 | 490 |  |  |  |  |  |  |

16:56:44

Detailed Job Breakdown

May/13/2023

| INTERMEDIATE TEST (PSI) |        |     |  |  |  |  |  |  |
|-------------------------|--------|-----|--|--|--|--|--|--|
| Time                    |        |     |  |  |  |  |  |  |
| 16:56                   | 44.486 | 489 |  |  |  |  |  |  |
| 16:56                   | 49.486 | 490 |  |  |  |  |  |  |
| 16:56                   | 54.486 | 489 |  |  |  |  |  |  |
| 16:56                   | 59.486 | 488 |  |  |  |  |  |  |
| 16:57                   | 4.486  | 489 |  |  |  |  |  |  |
| 16:57                   | 9.486  | 490 |  |  |  |  |  |  |
| 16:57                   | 14.486 | 490 |  |  |  |  |  |  |
| 16:57                   | 19.486 | 490 |  |  |  |  |  |  |
| 16:57                   | 24.486 | 490 |  |  |  |  |  |  |
| 16:57                   | 29.486 | 489 |  |  |  |  |  |  |
| 16:57                   | 34.486 | 489 |  |  |  |  |  |  |
| 16:57                   | 39.486 | 488 |  |  |  |  |  |  |
| 16:57                   | 44.486 | 489 |  |  |  |  |  |  |
| 16:57                   | 49.486 | 488 |  |  |  |  |  |  |
| 16:57                   | 54.486 | 489 |  |  |  |  |  |  |
| 16:57                   | 59.486 | 490 |  |  |  |  |  |  |
| 16:58                   | 4.486  | 489 |  |  |  |  |  |  |
| 16:58                   | 9.486  | 489 |  |  |  |  |  |  |
| 16:58                   | 14.486 | 488 |  |  |  |  |  |  |
| 16:58                   | 19.486 | 489 |  |  |  |  |  |  |
| 16:58                   | 24.486 | 489 |  |  |  |  |  |  |
| 16:58                   | 29.486 | 489 |  |  |  |  |  |  |
| 16:58                   | 34.486 | 489 |  |  |  |  |  |  |
| 16:58                   | 39.486 | 489 |  |  |  |  |  |  |
| 16:58                   | 44.486 | 490 |  |  |  |  |  |  |
| 16:58                   | 49.486 | 489 |  |  |  |  |  |  |
| 16:58                   | 54.486 | 488 |  |  |  |  |  |  |
| 16:58                   | 59.486 | 488 |  |  |  |  |  |  |
| 16:59                   | 4.486  | 488 |  |  |  |  |  |  |
| 16:59                   | 9.486  | 488 |  |  |  |  |  |  |
| 16:59                   | 14.486 | 488 |  |  |  |  |  |  |
| 16:59                   | 19.486 | 488 |  |  |  |  |  |  |
| 16:59                   | 24.486 | 488 |  |  |  |  |  |  |
| 16:59                   | 29.486 | 488 |  |  |  |  |  |  |
| 16:59                   | 34.486 | 489 |  |  |  |  |  |  |
| 16:59                   | 39.486 | 489 |  |  |  |  |  |  |
| 16:59                   | 44.486 | 489 |  |  |  |  |  |  |
| 16:59                   | 49.486 | 489 |  |  |  |  |  |  |
| 16:59                   | 54.486 | 488 |  |  |  |  |  |  |
| 16:59                   | 59.486 | 489 |  |  |  |  |  |  |
| 17:00                   | 4.486  | 488 |  |  |  |  |  |  |
| 17:00                   | 9.486  | 489 |  |  |  |  |  |  |
| 17:00                   | 14.486 | 488 |  |  |  |  |  |  |
| 17:00                   | 19.486 | 488 |  |  |  |  |  |  |
| 17:00                   | 24.486 | 489 |  |  |  |  |  |  |
| 17:00                   | 29.486 | 487 |  |  |  |  |  |  |
| 17:00                   | 34.486 | 486 |  |  |  |  |  |  |
| 17:00                   | 39.486 | 489 |  |  |  |  |  |  |

17:00:44

Detailed Job Breakdown

May/13/2023

| INTERMIDAT<br>E TEST (PSI) |        |     |  |  |  |  |  |  |
|----------------------------|--------|-----|--|--|--|--|--|--|
| Time                       |        |     |  |  |  |  |  |  |
| 17:00                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:00                      | 49.486 | 487 |  |  |  |  |  |  |
| 17:00                      | 54.486 | 488 |  |  |  |  |  |  |
| 17:00                      | 59.486 | 488 |  |  |  |  |  |  |
| 17:01                      | 4.486  | 488 |  |  |  |  |  |  |
| 17:01                      | 9.486  | 488 |  |  |  |  |  |  |
| 17:01                      | 14.486 | 487 |  |  |  |  |  |  |
| 17:01                      | 19.486 | 488 |  |  |  |  |  |  |
| 17:01                      | 24.486 | 486 |  |  |  |  |  |  |
| 17:01                      | 29.486 | 488 |  |  |  |  |  |  |
| 17:01                      | 34.486 | 488 |  |  |  |  |  |  |
| 17:01                      | 39.486 | 488 |  |  |  |  |  |  |
| 17:01                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:01                      | 49.486 | 488 |  |  |  |  |  |  |
| 17:01                      | 54.486 | 487 |  |  |  |  |  |  |
| 17:01                      | 59.486 | 488 |  |  |  |  |  |  |
| 17:02                      | 4.486  | 488 |  |  |  |  |  |  |
| 17:02                      | 9.486  | 486 |  |  |  |  |  |  |
| 17:02                      | 14.486 | 488 |  |  |  |  |  |  |
| 17:02                      | 19.486 | 487 |  |  |  |  |  |  |
| 17:02                      | 24.486 | 488 |  |  |  |  |  |  |
| 17:02                      | 29.486 | 488 |  |  |  |  |  |  |
| 17:02                      | 34.486 | 488 |  |  |  |  |  |  |
| 17:02                      | 39.486 | 487 |  |  |  |  |  |  |
| 17:02                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:02                      | 49.486 | 487 |  |  |  |  |  |  |
| 17:02                      | 54.486 | 488 |  |  |  |  |  |  |
| 17:02                      | 59.486 | 486 |  |  |  |  |  |  |
| 17:03                      | 4.486  | 488 |  |  |  |  |  |  |
| 17:03                      | 9.486  | 488 |  |  |  |  |  |  |
| 17:03                      | 14.486 | 487 |  |  |  |  |  |  |
| 17:03                      | 19.486 | 487 |  |  |  |  |  |  |
| 17:03                      | 24.486 | 487 |  |  |  |  |  |  |
| 17:03                      | 29.486 | 487 |  |  |  |  |  |  |
| 17:03                      | 34.486 | 486 |  |  |  |  |  |  |
| 17:03                      | 39.486 | 486 |  |  |  |  |  |  |
| 17:03                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:03                      | 49.486 | 488 |  |  |  |  |  |  |
| 17:03                      | 54.486 | 488 |  |  |  |  |  |  |
| 17:03                      | 59.486 | 487 |  |  |  |  |  |  |
| 17:04                      | 4.486  | 487 |  |  |  |  |  |  |
| 17:04                      | 9.486  | 487 |  |  |  |  |  |  |
| 17:04                      | 14.486 | 488 |  |  |  |  |  |  |
| 17:04                      | 19.486 | 486 |  |  |  |  |  |  |
| 17:04                      | 24.486 | 486 |  |  |  |  |  |  |
| 17:04                      | 29.486 | 487 |  |  |  |  |  |  |
| 17:04                      | 34.486 | 487 |  |  |  |  |  |  |
| 17:04                      | 39.486 | 487 |  |  |  |  |  |  |

17:04:44

Detailed Job Breakdown

May/13/2023

| INTERMIDAT<br>E TEST (PSI) |        |     |  |  |  |  |  |  |
|----------------------------|--------|-----|--|--|--|--|--|--|
| Time                       |        |     |  |  |  |  |  |  |
| 17:04                      | 44.486 | 487 |  |  |  |  |  |  |
| 17:04                      | 49.486 | 486 |  |  |  |  |  |  |
| 17:04                      | 54.486 | 486 |  |  |  |  |  |  |
| 17:04                      | 59.486 | 487 |  |  |  |  |  |  |
| 17:05                      | 4.486  | 488 |  |  |  |  |  |  |
| 17:05                      | 9.486  | 487 |  |  |  |  |  |  |
| 17:05                      | 14.486 | 488 |  |  |  |  |  |  |
| 17:05                      | 19.486 | 487 |  |  |  |  |  |  |
| 17:05                      | 24.486 | 488 |  |  |  |  |  |  |
| 17:05                      | 29.486 | 486 |  |  |  |  |  |  |
| 17:05                      | 34.486 | 486 |  |  |  |  |  |  |
| 17:05                      | 39.486 | 487 |  |  |  |  |  |  |
| 17:05                      | 44.486 | 486 |  |  |  |  |  |  |
| 17:05                      | 49.486 | 486 |  |  |  |  |  |  |
| 17:05                      | 54.486 | 486 |  |  |  |  |  |  |
| 17:05                      | 59.486 | 487 |  |  |  |  |  |  |
| 17:06                      | 4.486  | 487 |  |  |  |  |  |  |
| 17:06                      | 9.486  | 487 |  |  |  |  |  |  |
| 17:06                      | 14.486 | 488 |  |  |  |  |  |  |
| 17:06                      | 19.486 | 487 |  |  |  |  |  |  |
| 17:06                      | 24.486 | 486 |  |  |  |  |  |  |
| 17:06                      | 29.486 | 487 |  |  |  |  |  |  |
| 17:06                      | 34.486 | 488 |  |  |  |  |  |  |
| 17:06                      | 39.486 | 486 |  |  |  |  |  |  |
| 17:06                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:06                      | 49.486 | 488 |  |  |  |  |  |  |
| 17:06                      | 54.486 | 487 |  |  |  |  |  |  |
| 17:06                      | 59.486 | 488 |  |  |  |  |  |  |
| 17:07                      | 4.486  | 487 |  |  |  |  |  |  |
| 17:07                      | 9.486  | 488 |  |  |  |  |  |  |
| 17:07                      | 14.486 | 486 |  |  |  |  |  |  |
| 17:07                      | 19.486 | 489 |  |  |  |  |  |  |
| 17:07                      | 24.486 | 488 |  |  |  |  |  |  |
| 17:07                      | 29.486 | 487 |  |  |  |  |  |  |
| 17:07                      | 34.486 | 488 |  |  |  |  |  |  |
| 17:07                      | 39.485 | 488 |  |  |  |  |  |  |
| 17:07                      | 44.486 | 486 |  |  |  |  |  |  |
| 17:07                      | 49.486 | 488 |  |  |  |  |  |  |
| 17:07                      | 54.486 | 487 |  |  |  |  |  |  |
| 17:07                      | 59.486 | 487 |  |  |  |  |  |  |
| 17:08                      | 4.486  | 486 |  |  |  |  |  |  |
| 17:08                      | 9.486  | 488 |  |  |  |  |  |  |
| 17:08                      | 14.485 | 488 |  |  |  |  |  |  |
| 17:08                      | 19.486 | 487 |  |  |  |  |  |  |
| 17:08                      | 24.486 | 488 |  |  |  |  |  |  |
| 17:08                      | 29.486 | 487 |  |  |  |  |  |  |
| 17:08                      | 34.486 | 488 |  |  |  |  |  |  |
| 17:08                      | 39.486 | 488 |  |  |  |  |  |  |

17:08:44

Detailed Job Breakdown

May/13/2023

| INTERMIDAT<br>E TEST (PSI) |        |     |  |  |  |  |  |  |
|----------------------------|--------|-----|--|--|--|--|--|--|
| Time                       |        |     |  |  |  |  |  |  |
| 17:08                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:08                      | 49.485 | 488 |  |  |  |  |  |  |
| 17:08                      | 54.486 | 487 |  |  |  |  |  |  |
| 17:08                      | 59.486 | 487 |  |  |  |  |  |  |
| 17:09                      | 4.486  | 487 |  |  |  |  |  |  |
| 17:09                      | 9.486  | 488 |  |  |  |  |  |  |
| 17:09                      | 14.486 | 486 |  |  |  |  |  |  |
| 17:09                      | 19.486 | 488 |  |  |  |  |  |  |
| 17:09                      | 24.485 | 487 |  |  |  |  |  |  |
| 17:09                      | 29.486 | 488 |  |  |  |  |  |  |
| 17:09                      | 34.486 | 487 |  |  |  |  |  |  |
| 17:09                      | 39.486 | 485 |  |  |  |  |  |  |
| 17:09                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:09                      | 49.486 | 488 |  |  |  |  |  |  |
| 17:09                      | 54.486 | 488 |  |  |  |  |  |  |
| 17:09                      | 59.485 | 488 |  |  |  |  |  |  |
| 17:10                      | 4.486  | 487 |  |  |  |  |  |  |
| 17:10                      | 9.486  | 488 |  |  |  |  |  |  |
| 17:10                      | 14.486 | 487 |  |  |  |  |  |  |
| 17:10                      | 19.486 | 488 |  |  |  |  |  |  |
| 17:10                      | 24.486 | 488 |  |  |  |  |  |  |
| 17:10                      | 29.486 | 487 |  |  |  |  |  |  |
| 17:10                      | 34.485 | 487 |  |  |  |  |  |  |
| 17:10                      | 39.486 | 488 |  |  |  |  |  |  |
| 17:10                      | 44.486 | 488 |  |  |  |  |  |  |
| 17:10                      | 49.486 | 488 |  |  |  |  |  |  |
| 17:10                      | 54.486 | 488 |  |  |  |  |  |  |
| 17:10                      | 59.486 | 487 |  |  |  |  |  |  |
| 17:11                      | 4.486  | 487 |  |  |  |  |  |  |
| 17:11                      | 9.485  | 487 |  |  |  |  |  |  |
| 17:11                      | 14.486 | 487 |  |  |  |  |  |  |
| 17:11                      | 19.486 | 487 |  |  |  |  |  |  |
| 17:11                      | 24.486 | 487 |  |  |  |  |  |  |
| 17:11                      | 29.486 | 488 |  |  |  |  |  |  |
| 17:11                      | 34.486 | 486 |  |  |  |  |  |  |
| 17:11                      | 39.486 | 487 |  |  |  |  |  |  |
| 17:11                      | 44.485 | 487 |  |  |  |  |  |  |
| 17:11                      | 49.486 | 488 |  |  |  |  |  |  |
| 17:11                      | 54.486 | 486 |  |  |  |  |  |  |
| 17:11                      | 59.486 | 486 |  |  |  |  |  |  |
| 17:12                      | 4.486  | 487 |  |  |  |  |  |  |
| 17:12                      | 9.486  | 487 |  |  |  |  |  |  |
| 17:12                      | 14.486 | 488 |  |  |  |  |  |  |
| 17:12                      | 19.485 | 486 |  |  |  |  |  |  |
| 17:12                      | 24.486 | 486 |  |  |  |  |  |  |
| 17:12                      | 29.486 | 487 |  |  |  |  |  |  |
| 17:12                      | 34.486 | 486 |  |  |  |  |  |  |
| 17:12                      | 39.486 | 486 |  |  |  |  |  |  |

17:12:44

Detailed Job Breakdown

May/13/2023

| INTERMEDIATE TEST (PSI) |        |     |  |  |  |  |  |  |
|-------------------------|--------|-----|--|--|--|--|--|--|
| Time                    |        |     |  |  |  |  |  |  |
| 17:12                   | 44.486 | 486 |  |  |  |  |  |  |
| 17:12                   | 49.486 | 487 |  |  |  |  |  |  |
| 17:12                   | 54.485 | 486 |  |  |  |  |  |  |
| 17:12                   | 59.486 | 486 |  |  |  |  |  |  |
| 17:13                   | 4.486  | 484 |  |  |  |  |  |  |
| 17:13                   | 9.486  | 486 |  |  |  |  |  |  |
| 17:13                   | 14.486 | 485 |  |  |  |  |  |  |
| 17:13                   | 19.486 | 486 |  |  |  |  |  |  |
| 17:13                   | 24.486 | 486 |  |  |  |  |  |  |
| 17:13                   | 29.485 | 485 |  |  |  |  |  |  |
| 17:13                   | 34.486 | 486 |  |  |  |  |  |  |
| 17:13                   | 39.486 | 486 |  |  |  |  |  |  |
| 17:13                   | 44.486 | 485 |  |  |  |  |  |  |
| 17:13                   | 49.486 | 485 |  |  |  |  |  |  |
| 17:13                   | 54.486 | 485 |  |  |  |  |  |  |
| 17:13                   | 59.486 | 486 |  |  |  |  |  |  |
| 17:14                   | 4.485  | 485 |  |  |  |  |  |  |
| 17:14                   | 9.486  | 486 |  |  |  |  |  |  |
| 17:14                   | 14.486 | 486 |  |  |  |  |  |  |
| 17:14                   | 19.486 | 486 |  |  |  |  |  |  |
| 17:14                   | 24.486 | 484 |  |  |  |  |  |  |
| 17:14                   | 29.486 | 486 |  |  |  |  |  |  |
| 17:14                   | 34.486 | 485 |  |  |  |  |  |  |
| 17:14                   | 39.485 | 486 |  |  |  |  |  |  |
| 17:14                   | 44.486 | 454 |  |  |  |  |  |  |
| 17:14                   | 49.486 | 412 |  |  |  |  |  |  |
| 17:14                   | 54.486 | 363 |  |  |  |  |  |  |
| 17:14                   | 59.486 | 319 |  |  |  |  |  |  |
| 17:15                   | 4.486  | 285 |  |  |  |  |  |  |
| 17:15                   | 9.486  | 264 |  |  |  |  |  |  |
| 17:15                   | 14.485 | 243 |  |  |  |  |  |  |
| 17:15                   | 19.486 | 226 |  |  |  |  |  |  |
| 17:15                   | 24.486 | 209 |  |  |  |  |  |  |
| 17:15                   | 29.486 | 194 |  |  |  |  |  |  |
| 17:15                   | 34.486 | 180 |  |  |  |  |  |  |
| 17:15                   | 39.486 | 166 |  |  |  |  |  |  |
| 17:15                   | 44.486 | 154 |  |  |  |  |  |  |
| 17:15                   | 49.485 | 142 |  |  |  |  |  |  |
| 17:15                   | 54.486 | 131 |  |  |  |  |  |  |
| 17:15                   | 59.486 | 121 |  |  |  |  |  |  |
| 17:16                   | 4.486  | 111 |  |  |  |  |  |  |
| 17:16                   | 9.486  | 101 |  |  |  |  |  |  |
| 17:16                   | 14.486 | 93  |  |  |  |  |  |  |
| 17:16                   | 19.486 | 83  |  |  |  |  |  |  |
| 17:16                   | 24.485 | 75  |  |  |  |  |  |  |
| 17:16                   | 29.486 | 68  |  |  |  |  |  |  |
| 17:16                   | 34.486 | 62  |  |  |  |  |  |  |
| 17:16                   | 39.486 | 54  |  |  |  |  |  |  |

17:16:44

Detailed Job Breakdown

May/13/2023

| INTERMEDIATE TEST (PSI) |        |    |  |  |  |  |  |  |
|-------------------------|--------|----|--|--|--|--|--|--|
| Time                    |        |    |  |  |  |  |  |  |
| 17:16                   | 44.486 | 47 |  |  |  |  |  |  |
| 17:16                   | 49.486 | 43 |  |  |  |  |  |  |
| 17:16                   | 54.486 | 37 |  |  |  |  |  |  |
| 17:16                   | 59.485 | 34 |  |  |  |  |  |  |
| 17:17                   | 4.486  | 31 |  |  |  |  |  |  |
| 17:17                   | 9.486  | 27 |  |  |  |  |  |  |
| 17:17                   | 14.486 | 24 |  |  |  |  |  |  |
| 17:17                   | 19.486 | 32 |  |  |  |  |  |  |
| 17:17                   | 24.486 | 27 |  |  |  |  |  |  |
| 17:17                   | 29.486 | 20 |  |  |  |  |  |  |
| 17:17                   | 34.485 | 16 |  |  |  |  |  |  |

|                                       |                         |
|---------------------------------------|-------------------------|
| <b>Well Name:</b>                     | Almost Eddy 30 FC #707H |
| <b>Property Number:</b>               | 141649                  |
| <b>API Number:</b>                    | 30025495470000          |
| <b>Opening Intermediate PSI:</b>      | 15 psi                  |
| <b>Bled Intermediate PSI down to:</b> | N/A                     |
| <b>Fluid back to surface:</b>         | No                      |
| <b>Bbls pumped to load casing:</b>    | N/A                     |
| <b>Bbls pumped to reach 500 psi:</b>  | 2 bbls                  |
| <b>Bbls bled back after test:</b>     | 1.75 bbls               |
| <b>Start</b>                          | 513 psi                 |
| <b>30 min</b>                         | 485 psi                 |
| <b>Bleed down, SICP:</b>              | 0 psi                   |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS  
  
Action 219927

ACKNOWLEDGMENTS

|                                                                      |                                                    |
|----------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>P.O. Box 2267<br>Midland, TX 79702 | OGRID:<br>7377                                     |
|                                                                      | Action Number:<br>219927                           |
|                                                                      | Action Type:<br>[C-104] Completion Packet (C-104C) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 219927

CONDITIONS

|                                                                      |                                                    |
|----------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>P.O. Box 2267<br>Midland, TX 79702 | OGRID:<br>7377                                     |
|                                                                      | Action Number:<br>219927                           |
|                                                                      | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition                                                                 | Condition Date |
|------------|---------------------------------------------------------------------------|----------------|
| plmartinez | File 3160-4 Completion Report within 10 days to NMOCD after BLM approval. | 11/14/2023     |