

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377
		³ Reason for Filing Code/ Effective Date NW 04/07/2022
⁴ API Number 30 - 025-48876	⁵ Pool Name WC025 G08 S253216D; UPPER WOLFCAMP	⁶ Pool Code 98270
⁷ Property Code 330825	⁸ Property Name ALMOST EDDY 30 FEDERAL COM	⁹ Well Number 724H

II. ¹⁰ Surface Location

UL or lot no. K	Section 30	Township 25S	Range 32E	Lot Idn	Feet from the 2110	North/South Line SOUTH	Feet from the 2438	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. N	Section 31	Township 25S	Range 32E	Lot Idn	Feet from the 110	North/South line SOUTH	Feet from the 2534	East/West line WEST	County LEA
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 11/21/2021	²² Ready Date 04/07/2022	²³ TD 19,608	²⁴ PBTD 19,582	²⁵ Perforations 12,436 - 19,582	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12 1/4"		9 5/8"		1261	610 SXS CL C/CIRC
8 3/4"		7 5/8"		11,323'	1501 SXS CL C&H/CIRC
6 3/4"		5 1/2"		19,590'	920 SXS CL H TOC 11,497' CBL PRESSURE TEST ATTACHED

V. Well Test Data

³¹ Date New Oil 04/07/2022	³² Gas Delivery Date 04/07/2022	³³ Test Date 04/12/2022	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2532
³⁷ Choke Size 36	³⁸ Oil 2056	³⁹ Water 5167	⁴⁰ Gas 8660		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Kay Maddox			OIL CONSERVATION DIVISION		
Printed name: Kay Maddox			Approved by: PATRICIA MARTINEZ		
Title: SENIOR REGULATORY SPECIALIST			Title: PETROLEUM SPECIALIST		
E-mail Address: kay_maddox@eogresources.com			Approval Date: 11/15/2023		
Date: 04/27/2022		Phone: 432-638-8475			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-COMPLETED

¹ API Number 30-025- 48876	² Pool Code 98270	³ Pool Name WC025 G08 S253216D; UPPER WOLFCAMP
⁴ Property Code 330825	⁵ Property Name ALMOST EDDY 30 FED COM	
⁷ OGRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁶ Well Number 724H
		⁹ Elevation 3352'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	30	25-S	32-E	-	2110'	SOUTH	2438'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	31	25-S	32-E	-	110'	SOUTH	2534'	WEST	LEA

¹² Dedicated Acres 484.21	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1853 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508
March 17, 2022

ALMOST EDDY 30 FED COM 724H AS-DRILLED	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY EOG RESOURCES, INC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY. 4. ADJOINER INFORMATION SHOWN FOR INFORMATIONAL PURPOSES ONLY.
DATE: 03/15/2022			
FILE:AD_ALMOST_EDDY_30_FED_COM_724H			
DRAWN BY: A.V.F.			
SHEET : 2 OF 2			



Lea County, NM (NAD 83 NME)

Almost Eddy 30 Fed Com #724H

OH

PROJECT DETAILS: Lea County, NM (NAD 83 NME)










Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #724H

kb = 25' @ 3379.0usft
Northing 400618.00 Easting 732751.00 Latitude 32° 5' 59.532 N Longitude 103° 42' 54.651 W



To convert a Magnetic Direction to a Grid Direction, Add 6.22°
To convert a Magnetic Direction to a True Direction, Add 6.55° East
To convert a True Direction to a Grid Direction, Subtract 0.33°





Midland

Lea County, NM (NAD 83 NME)

Almost Eddy 30 Fed Com

#724H

OH

Design: OH

Final PVA

22 December, 2021



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Almost Eddy 30 Fed Com		
Site Position:		Northing:	400,427.00 usft
From:	Map	Easting:	730,701.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 5' 57.757 N
		Longitude:	103° 43' 18.496 W
		Grid Convergence:	0.32 °

Well		#724H				
Well Position	+N/-S	0.0 usft	Northing:	400,618.00 usft	Latitude:	32° 5' 59.532 N
	+E/-W	0.0 usft	Easting:	732,751.00 usft	Longitude:	103° 42' 54.651 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,354.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	11/26/2021	6.55	59.75	47,359.64789759

Design	OH				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	178.63	

Survey Program	Date	12/22/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
200.0	19,608.0	SDI MWD #1 (OH)	EOG MWD+IFR1	MWD + IFR1	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	
200.0	0.34	123.13	200.0	-0.3	0.5	0.17	0.17	0.00	-0.6	0.0	
313.0	0.43	174.47	313.0	-0.9	0.8	0.30	0.08	45.43	-1.0	0.7	
495.0	0.31	141.39	495.0	-2.0	1.2	0.13	-0.07	-18.18	-2.3	-0.3	
585.0	0.15	188.38	585.0	-2.3	1.3	0.26	-0.18	52.21	-2.1	1.6	
677.0	0.31	115.60	677.0	-2.5	1.5	0.33	0.17	-79.11	-2.5	-1.6	
772.0	0.57	90.92	772.0	-2.6	2.2	0.33	0.27	-25.98	-2.3	-2.6	
868.0	0.79	86.38	868.0	-2.6	3.4	0.24	0.23	-4.73	-3.2	-2.8	
963.0	1.05	65.75	963.0	-2.2	4.8	0.44	0.27	-21.72	-3.5	-4.0	
1,058.0	1.05	57.90	1,058.0	-1.4	6.4	0.15	0.00	-8.26	-4.6	-4.6	
1,154.0	1.10	65.34	1,153.9	-0.5	7.9	0.15	0.05	7.75	-7.0	-3.8	
1,208.0	1.29	78.09	1,207.9	-0.2	9.0	0.60	0.35	23.61	-8.8	-2.1	
1,338.0	1.88	16.46	1,337.9	2.1	11.0	1.31	0.45	-47.41	-5.2	-10.0	
1,434.0	1.69	8.39	1,433.8	5.1	11.7	0.33	-0.20	-8.41	-6.7	-10.8	
1,529.0	1.45	12.63	1,528.8	7.6	12.2	0.28	-0.25	4.46	-10.1	-10.2	
1,624.0	1.65	8.50	1,623.8	10.1	12.6	0.24	0.21	-4.35	-11.9	-11.0	
1,720.0	1.14	9.11	1,719.7	12.5	13.0	0.53	-0.53	0.64	-14.3	-10.8	
1,816.0	1.22	358.63	1,815.7	14.4	13.1	0.24	0.08	-10.92	-14.1	-13.4	
1,912.0	0.82	348.02	1,911.7	16.1	12.9	0.46	-0.42	-11.05	-13.1	-16.0	
2,007.0	0.64	339.71	2,006.7	17.3	12.6	0.22	-0.19	-8.75	-11.8	-17.8	
2,103.0	0.51	314.14	2,102.7	18.1	12.1	0.30	-0.14	-26.64	-3.9	-21.4	
2,199.0	0.75	277.41	2,198.7	18.5	11.2	0.48	0.25	-38.26	8.7	-19.7	
2,295.0	0.96	270.14	2,294.7	18.5	9.8	0.25	0.22	-7.57	9.7	-18.5	
2,391.0	3.68	6.32	2,390.6	21.6	9.3	4.06	2.83	100.19	-20.3	-6.5	
2,486.0	5.93	11.72	2,485.3	29.4	10.6	2.41	2.37	5.68	-23.4	-3.9	
2,582.0	5.54	14.20	2,580.8	38.8	12.8	0.48	-0.41	2.58	-24.6	-2.5	
2,677.0	5.45	12.46	2,675.3	47.6	14.9	0.20	-0.09	-1.83	-22.5	-2.8	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
2,773.0	5.33	14.36	2,770.9	56.4	17.0	0.22	-0.12	1.98	-20.2	-1.6
2,868.0	8.15	10.26	2,865.3	67.3	19.3	3.01	2.97	-4.32	-19.9	-2.3
2,963.0	7.74	13.91	2,959.3	80.1	22.0	0.68	-0.43	3.84	-21.8	-0.3
3,059.0	7.40	13.94	3,054.5	92.4	25.0	0.35	-0.35	0.03	-23.1	0.0
3,154.0	6.26	12.74	3,148.8	103.4	27.7	1.21	-1.20	-1.26	-23.1	0.0
3,250.0	5.91	12.74	3,244.3	113.3	29.9	0.36	-0.36	0.00	-21.9	0.6
3,345.0	7.67	9.46	3,338.6	124.4	32.0	1.90	1.85	-3.45	-21.8	0.2
3,441.0	6.35	5.24	3,433.9	136.0	33.6	1.48	-1.37	-4.40	-22.3	0.2
3,536.0	5.71	356.87	3,528.4	145.9	33.8	1.14	-0.67	-8.81	-21.3	-0.1
3,631.0	7.13	9.65	3,622.8	156.5	34.5	2.11	1.49	13.45	-20.1	6.8
3,727.0	6.28	16.16	3,718.1	167.4	37.0	1.19	-0.89	6.78	-18.9	9.5
3,823.0	5.56	21.19	3,813.6	176.7	40.1	0.92	-0.75	5.24	-16.5	10.5
3,919.0	7.08	25.94	3,909.0	186.4	44.4	1.67	1.58	4.95	-14.9	10.1
4,014.0	6.47	35.72	4,003.4	196.0	50.1	1.37	-0.64	10.29	-13.5	9.6
4,110.0	6.00	46.90	4,098.8	203.8	56.9	1.35	-0.49	11.65	-12.0	7.2
4,206.0	7.36	32.63	4,194.2	212.4	63.9	2.23	1.42	-14.86	-13.5	-0.6
4,302.0	6.31	31.02	4,289.5	222.1	69.9	1.11	-1.09	-1.68	-13.8	-4.2
4,397.0	7.61	20.69	4,383.8	232.5	74.8	1.89	1.37	-10.87	-13.1	-8.5
4,493.0	6.75	17.96	4,479.0	243.8	78.8	0.96	-0.90	-2.84	-13.2	-9.9
4,588.0	6.83	15.06	4,573.4	254.6	82.0	0.37	0.08	-3.05	-12.7	-10.7
4,683.0	6.81	12.43	4,667.7	265.5	84.7	0.33	-0.02	-2.77	-12.2	-10.9
4,779.0	7.11	7.49	4,763.0	277.0	86.7	0.70	0.31	-5.15	-11.5	-10.8
4,875.0	6.92	5.26	4,858.3	288.6	88.0	0.35	-0.20	-2.32	-11.5	-9.4
4,970.0	7.23	2.07	4,952.5	300.3	88.7	0.53	0.33	-3.36	-11.7	-7.7
5,065.0	7.16	357.33	5,046.8	312.2	88.7	0.63	-0.07	-4.99	-12.2	-5.6
5,161.0	7.41	355.11	5,142.0	324.3	87.8	0.39	0.26	-2.31	-13.4	-2.3
5,256.0	7.79	353.22	5,236.2	336.8	86.6	0.48	0.40	-1.99	-15.5	1.3



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,351.0	7.56	349.79	5,330.3	349.4	84.7	0.54	-0.24	-3.61	-18.0	4.9
5,447.0	7.43	16.28	5,425.5	361.6	85.3	3.57	-0.14	27.59	-14.4	15.1
5,543.0	7.17	9.47	5,520.8	373.4	88.0	0.94	-0.27	-7.09	-16.9	13.8
5,639.0	7.18	11.37	5,616.0	385.2	90.2	0.25	0.01	1.98	-17.1	15.4
5,734.0	7.85	26.87	5,710.2	396.8	94.3	2.24	0.71	16.32	-13.5	18.7
5,830.0	7.72	25.95	5,805.3	408.5	100.1	0.19	-0.14	-0.96	-15.6	16.3
5,926.0	7.87	23.94	5,900.4	420.3	105.6	0.32	0.16	-2.09	-17.9	13.9
6,021.0	8.04	22.29	5,994.5	432.4	110.7	0.30	0.18	-1.74	-20.2	11.9
6,117.0	7.51	19.90	6,089.6	444.5	115.4	0.65	-0.55	-2.49	-22.3	9.9
6,212.0	8.53	32.64	6,183.7	456.3	121.3	2.15	1.07	13.41	-21.9	12.6
6,307.0	7.97	32.45	6,277.7	467.7	128.7	0.59	-0.59	-0.20	-24.8	9.2
6,403.0	5.15	37.28	6,373.1	476.8	134.9	2.99	-2.94	5.03	-24.3	7.6
6,498.0	3.63	65.71	6,467.8	481.4	140.2	2.75	-1.60	29.93	-17.6	12.0
6,594.0	3.96	122.75	6,563.6	480.9	145.7	3.78	0.34	59.42	-6.8	16.2
6,690.0	2.75	133.70	6,659.5	477.5	150.2	1.42	-1.26	11.41	-11.3	13.6
6,784.0	1.45	143.23	6,753.4	475.0	152.5	1.43	-1.38	10.14	-13.3	14.4
6,880.0	1.72	141.43	6,849.4	472.9	154.2	0.29	0.28	-1.87	-16.4	14.0
6,976.0	1.81	138.23	6,945.3	470.6	156.1	0.14	0.09	-3.33	-20.1	13.0
7,072.0	1.82	147.25	7,041.3	468.2	157.9	0.30	0.01	9.40	-20.9	16.2
7,167.0	1.74	153.21	7,136.2	465.7	159.4	0.21	-0.08	6.27	-22.0	18.4
7,263.0	1.76	157.15	7,232.2	463.0	160.6	0.13	0.02	4.10	-23.6	20.0
7,359.0	1.79	157.40	7,328.1	460.3	161.8	0.03	0.03	0.26	-26.5	20.1
7,453.0	1.91	161.26	7,422.1	457.4	162.8	0.18	0.13	4.11	-28.1	22.0
7,549.0	2.23	161.72	7,518.0	454.1	163.9	0.33	0.33	0.48	-31.4	22.2
7,644.0	2.06	166.25	7,613.0	450.7	164.9	0.25	-0.18	4.77	-33.1	24.8
7,740.0	1.89	159.32	7,708.9	447.6	165.9	0.31	-0.18	-7.22	-39.2	20.4
7,836.0	1.69	155.77	7,804.9	444.8	167.0	0.24	-0.21	-3.70	-43.3	17.8



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
7,931.0	1.80	154.84	7,899.8	442.2	168.2	0.12	0.12	-0.98	-46.5	17.1	
8,027.0	1.59	157.53	7,995.8	439.6	169.4	0.23	-0.22	2.80	-48.5	19.3	
8,122.0	1.29	157.51	8,090.7	437.4	170.3	0.32	-0.32	-0.02	-50.9	19.3	
8,217.0	0.98	178.78	8,185.7	435.6	170.7	0.55	-0.33	22.39	-42.2	36.8	
8,313.0	0.71	165.52	8,281.7	434.2	170.9	0.35	-0.28	-13.81	-51.0	26.0	
8,409.0	0.61	157.46	8,377.7	433.1	171.2	0.14	-0.10	-8.40	-55.2	18.5	
8,505.0	0.60	170.07	8,473.7	432.1	171.5	0.14	-0.01	13.14	-50.8	30.2	
8,601.0	0.65	186.77	8,569.7	431.1	171.5	0.20	0.05	17.40	-41.0	43.7	
8,696.0	1.05	206.91	8,664.7	429.8	171.1	0.52	0.42	21.20	-24.9	55.3	
8,792.0	1.08	200.46	8,760.7	428.2	170.4	0.13	0.03	-6.72	-32.7	52.1	
8,887.0	1.53	220.63	8,855.7	426.4	169.2	0.67	0.47	21.23	-14.8	60.5	
8,979.0	1.81	241.71	8,947.6	424.7	167.1	0.73	0.30	22.91	5.3	62.2	
9,075.0	1.43	240.17	9,043.6	423.4	164.8	0.40	-0.40	-1.60	0.9	62.3	
9,171.0	1.09	224.06	9,139.6	422.2	163.1	0.51	-0.35	-16.78	-18.5	59.8	
9,266.0	0.81	236.42	9,234.5	421.2	161.9	0.36	-0.29	13.01	-6.8	62.5	
9,361.0	1.14	210.74	9,329.5	420.0	160.9	0.57	0.35	-27.03	-34.8	53.1	
9,457.0	1.07	195.90	9,425.5	418.3	160.1	0.31	-0.07	-15.46	-49.0	42.2	
9,552.0	1.57	320.59	9,520.5	418.4	159.1	2.47	0.53	131.25	61.8	17.1	
9,648.0	2.52	325.82	9,616.4	421.2	157.0	1.01	0.99	5.45	59.7	11.5	
9,743.0	1.93	310.81	9,711.4	424.0	154.7	0.87	-0.62	-15.80	51.0	26.0	
9,839.0	1.36	317.40	9,807.3	425.9	152.7	0.62	-0.59	6.86	50.9	20.1	
9,935.0	1.28	316.65	9,903.3	427.5	151.2	0.09	-0.08	-0.78	48.5	20.8	
10,029.0	1.10	343.26	9,997.3	429.1	150.2	0.61	-0.19	28.31	50.8	-2.7	
10,125.0	0.88	5.37	10,093.3	430.7	150.0	0.45	-0.23	23.03	44.5	-21.2	
10,220.0	1.75	343.88	10,188.2	432.9	149.6	1.04	0.92	-22.62	47.0	-3.7	
10,316.0	1.42	326.66	10,284.2	435.3	148.6	0.60	-0.34	-17.94	43.4	9.9	
10,412.0	0.91	292.47	10,380.2	436.5	147.2	0.88	-0.53	-35.61	28.6	32.0	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
10,508.0	0.39	201.48	10,476.2	436.5	146.4	1.04	-0.54	-94.78	-32.8	27.3
10,602.0	1.23	191.14	10,570.2	435.2	146.1	0.90	0.89	-11.00	-38.4	20.9
10,698.0	1.90	198.67	10,666.1	432.7	145.4	0.73	0.70	7.84	-38.0	25.9
10,793.0	2.66	155.20	10,761.1	429.2	145.8	1.93	0.80	-45.76	-48.7	-8.4
10,838.5	2.79	151.21	10,806.5	427.3	146.8	0.50	0.28	-8.76	-50.2	-11.9
HL Crossing, MD:10838.5', TVD:10806.5', N/S:427.3', E/W:146.8', INC:2.79										
10,888.0	2.94	147.29	10,855.9	425.2	148.0	0.50	0.31	-7.93	-51.7	-15.4
11,080.0	3.29	187.14	11,047.7	415.6	150.0	1.12	0.18	20.76	-58.8	24.6
11,175.0	2.77	170.64	11,142.6	410.6	150.0	1.06	-0.55	-17.37	-68.3	6.0
11,277.0	2.54	147.80	11,244.4	406.2	151.7	1.05	-0.23	-22.39	-69.8	-21.9
11,413.0	2.36	137.40	11,380.3	401.6	155.2	0.35	-0.13	-7.65	-70.5	-34.7
11,508.0	2.76	147.12	11,475.2	398.3	157.7	0.62	0.42	10.23	-79.5	-22.0
11,604.0	2.64	151.22	11,571.1	394.4	160.0	0.24	-0.12	4.27	-85.4	-16.1
11,660.0	7.66	178.65	11,626.9	389.5	160.7	9.74	8.96	48.99	-88.0	25.9
KOP (MD=11660.0')										
11,700.0	11.49	183.02	11,666.3	382.9	160.6	9.74	9.57	10.92	-92.3	33.1
11,795.0	26.34	185.26	11,755.9	352.3	158.2	15.65	15.63	2.36	-120.7	40.3
11,890.0	40.64	192.59	11,835.0	300.8	149.4	15.62	15.05	7.72	-160.6	59.1
11,986.0	46.37	190.81	11,904.6	236.1	136.1	6.10	5.97	-1.85	-204.3	38.7
12,081.0	46.82	185.75	11,969.9	167.9	126.2	3.90	0.47	-5.33	-220.3	6.8
12,176.0	50.61	174.30	12,032.7	96.7	126.3	9.89	3.99	-12.05	-202.1	-16.2
12,272.0	57.86	181.92	12,088.8	19.0	128.7	9.92	7.55	7.94	-163.5	-7.1
12,367.0	57.81	186.80	12,139.4	-61.2	122.6	4.35	-0.05	5.14	-112.3	-15.7
12,463.0	60.87	183.77	12,188.4	-143.4	115.0	4.19	3.19	-3.16	-61.4	-23.8
12,558.0	78.31	181.54	12,221.4	-232.0	111.0	18.49	18.36	-2.35	-27.8	-25.9
12,654.0	87.35	179.77	12,233.3	-327.1	109.9	9.59	9.42	-1.84	-14.5	-27.2
12,749.0	88.26	178.34	12,237.0	-422.0	111.5	1.78	0.96	-1.51	-9.4	-26.2



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
12,844.0	90.30	180.15	12,238.2	-517.0	112.7	2.87	2.15	1.91	-6.7	-25.4
12,940.0	90.84	182.29	12,237.2	-613.0	110.7	2.30	0.56	2.23	-6.1	-27.9
13,036.0	91.48	179.80	12,235.3	-708.9	108.9	2.68	0.67	-2.59	-6.6	-30.2
13,132.0	90.44	177.78	12,233.7	-804.9	111.0	2.37	-1.08	-2.10	-6.7	-28.6
13,227.0	91.11	177.23	12,232.4	-899.8	115.1	0.91	0.71	-0.58	-6.5	-25.0
13,323.0	90.44	177.77	12,231.1	-995.7	119.3	0.90	-0.70	0.56	-6.2	-21.3
13,418.0	89.83	178.74	12,230.9	-1,090.6	122.2	1.21	-0.64	1.02	-5.0	-18.9
13,514.0	88.93	178.71	12,231.9	-1,186.6	124.3	0.94	-0.94	-0.03	-2.7	-17.3
13,610.0	90.13	178.87	12,232.7	-1,282.6	126.3	1.26	1.25	0.17	-0.8	-15.7
13,705.0	89.87	179.63	12,232.7	-1,377.6	127.6	0.85	-0.27	0.80	0.3	-15.0
13,801.0	92.69	181.79	12,230.5	-1,473.5	126.4	3.70	2.94	2.25	-0.6	-16.7
13,896.0	89.83	180.45	12,228.5	-1,568.5	124.5	3.32	-3.01	-1.41	-1.6	-19.1
13,992.0	89.83	181.28	12,228.7	-1,664.4	123.1	0.86	0.00	0.86	-0.2	-21.0
14,087.0	91.11	179.84	12,228.0	-1,759.4	122.2	2.03	1.35	-1.52	0.1	-22.5
14,190.0	92.99	180.64	12,224.3	-1,862.4	121.7	1.98	1.83	0.78	-2.3	-23.4
14,286.0	93.12	180.75	12,219.2	-1,958.2	120.6	0.18	0.14	0.11	-6.3	-25.1
14,382.0	89.83	180.30	12,216.7	-2,054.2	119.7	3.46	-3.43	-0.47	-7.6	-26.5
14,477.0	89.80	177.65	12,217.0	-2,149.1	121.4	2.79	-0.03	-2.79	-6.2	-25.3
14,572.0	90.27	177.94	12,216.9	-2,244.1	125.0	0.58	0.49	0.31	-5.1	-22.1
14,667.0	90.47	178.13	12,216.3	-2,339.0	128.3	0.29	0.21	0.20	-4.6	-19.4
14,763.0	91.27	178.79	12,214.9	-2,435.0	130.9	1.08	0.83	0.69	-4.9	-17.3
14,858.0	89.09	177.43	12,214.6	-2,529.9	134.0	2.70	-2.29	-1.43	-4.1	-14.7
14,953.0	89.80	177.88	12,215.5	-2,624.8	137.9	0.88	0.75	0.47	-2.0	-11.3
15,048.0	89.36	177.46	12,216.2	-2,719.7	141.8	0.64	-0.46	-0.44	-0.2	-8.0
15,143.0	89.56	177.91	12,217.1	-2,814.7	145.6	0.52	0.21	0.47	1.8	-4.6
15,239.0	90.60	179.04	12,216.9	-2,910.6	148.2	1.60	1.08	1.18	2.8	-2.6
15,334.0	91.34	179.31	12,215.3	-3,005.6	149.5	0.83	0.78	0.28	1.5	-1.7



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
15,429.0	91.78	180.02	12,212.8	-3,100.6	150.1	0.88	0.46	0.75	-0.9	-1.7
15,524.0	91.48	179.21	12,210.0	-3,195.5	150.7	0.91	-0.32	-0.85	-3.3	-1.5
15,620.0	91.24	180.78	12,207.8	-3,291.5	150.7	1.65	-0.25	1.64	-5.4	-2.0
15,716.0	89.13	180.25	12,207.5	-3,387.5	149.9	2.27	-2.20	-0.55	-5.5	-3.4
15,811.0	87.99	180.24	12,209.8	-3,482.4	149.5	1.20	-1.20	-0.01	-2.9	-4.3
15,907.0	88.59	180.13	12,212.7	-3,578.4	149.1	0.64	0.62	-0.11	0.2	-5.1
16,003.0	89.40	181.58	12,214.4	-3,674.4	147.7	1.73	0.84	1.51	2.1	-7.1
16,098.0	88.09	179.70	12,216.5	-3,769.3	146.7	2.41	-1.38	-1.98	4.4	-8.7
16,194.0	87.92	179.88	12,219.8	-3,865.3	147.0	0.26	-0.18	0.19	8.0	-8.8
16,289.0	88.26	179.72	12,223.0	-3,960.2	147.3	0.40	0.36	-0.17	11.4	-9.0
16,385.0	87.82	179.86	12,226.3	-4,056.2	147.7	0.48	-0.46	0.15	14.9	-9.2
16,481.0	88.42	179.50	12,229.4	-4,152.1	148.2	0.73	0.62	-0.37	18.3	-9.1
16,576.0	89.83	179.23	12,230.9	-4,247.1	149.3	1.51	1.48	-0.28	19.9	-8.6
16,672.0	89.56	179.84	12,231.4	-4,343.1	150.1	0.69	-0.28	0.64	20.7	-8.3
16,767.0	90.57	179.88	12,231.3	-4,438.1	150.3	1.06	1.06	0.04	20.8	-8.6
16,863.0	90.94	179.70	12,230.0	-4,534.1	150.6	0.43	0.39	-0.19	19.7	-8.7
16,959.0	90.23	179.17	12,229.0	-4,630.1	151.6	0.92	-0.74	-0.55	19.0	-8.3
17,054.0	90.97	179.60	12,228.0	-4,725.1	152.6	0.90	0.78	0.45	18.2	-7.8
17,150.0	90.97	179.54	12,226.4	-4,821.0	153.3	0.06	0.00	-0.06	16.8	-7.6
17,245.0	91.07	180.08	12,224.7	-4,916.0	153.6	0.58	0.11	0.57	15.2	-7.8
17,341.0	91.71	180.84	12,222.4	-5,012.0	152.9	1.03	0.67	0.79	12.9	-9.1
17,437.0	90.00	181.24	12,221.0	-5,108.0	151.1	1.83	-1.78	0.42	11.5	-11.3
17,532.0	89.83	181.38	12,221.1	-5,202.9	149.0	0.23	-0.18	0.15	11.7	-14.0
17,628.0	90.54	182.26	12,220.8	-5,298.9	145.9	1.18	0.74	0.92	11.5	-17.5
17,724.0	91.21	183.07	12,219.3	-5,394.8	141.4	1.09	0.70	0.84	10.1	-22.5
17,819.0	89.03	180.24	12,219.1	-5,489.7	138.7	3.76	-2.29	-2.98	9.9	-25.8
17,915.0	89.36	180.89	12,220.5	-5,585.7	137.8	0.76	0.34	0.68	11.4	-27.2



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
18,011.0	89.16	177.76	12,221.7	-5,681.7	138.9	3.27	-0.21	-3.26	12.7	-26.6
18,106.0	88.63	177.40	12,223.5	-5,776.6	142.9	0.67	-0.56	-0.38	14.6	-23.1
18,202.0	89.19	177.49	12,225.4	-5,872.5	147.2	0.59	0.58	0.09	16.5	-19.3
18,297.0	89.03	176.05	12,226.8	-5,967.3	152.5	1.52	-0.17	-1.52	18.0	-14.4
18,392.0	90.27	176.55	12,227.4	-6,062.1	158.7	1.41	1.31	0.53	18.6	-8.8
18,488.0	91.31	177.98	12,226.1	-6,158.0	163.2	1.84	1.08	1.49	17.4	-4.7
18,584.0	90.37	177.17	12,224.7	-6,253.9	167.3	1.29	-0.98	-0.84	16.0	-1.2
18,679.0	91.68	177.42	12,223.0	-6,348.7	171.8	1.40	1.38	0.26	14.4	2.8
18,774.0	91.58	180.50	12,220.3	-6,443.7	173.5	3.24	-0.11	3.24	11.7	4.0
18,870.0	90.37	182.02	12,218.7	-6,539.6	171.4	2.02	-1.26	1.58	10.2	1.4
18,965.0	90.70	182.63	12,217.8	-6,634.6	167.5	0.73	0.35	0.64	9.3	-3.0
19,061.0	88.16	181.94	12,218.7	-6,730.5	163.7	2.74	-2.65	-0.72	10.4	-7.3
19,157.0	89.09	182.59	12,221.0	-6,826.4	159.9	1.18	0.97	0.68	12.7	-11.6
19,253.0	89.23	182.49	12,222.4	-6,922.3	155.7	0.18	0.15	-0.10	14.2	-16.4
19,348.0	88.96	183.26	12,223.9	-7,017.1	150.9	0.86	-0.28	0.81	15.8	-21.6
19,443.0	89.40	183.53	12,225.3	-7,111.9	145.3	0.54	0.46	0.28	17.2	-27.7
19,547.0	90.97	184.22	12,225.0	-7,215.7	138.2	1.65	1.51	0.66	17.0	-35.3
Final MWD Survey (MD=19547.0')										
19,608.0	90.97	184.22	12,223.9	-7,276.5	133.8	0.00	0.00	0.00	16.0	-40.1
Final Projection to Bit (MD=19608.0')										



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #724H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	kb = 25' @ 3379.0usft
Site:	Almost Eddy 30 Fed Com	MD Reference:	kb = 25' @ 3379.0usft
Well:	#724H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
10,838.5	10,806.5	427.3	146.8	HL Crossing, MD:10838.5', TVD:10806.5', N/S:427.3', E/W:146.8', INC:2.79	
11,660.0	11,626.9	389.5	160.7	KOP (MD=11660.0')	
19,547.0	12,225.0	-7,215.7	138.2	Final MWD Survey (MD=19547.0')	
19,608.0	12,223.9	-7,276.5	133.8	Final Projection to Bit (MD=19608.0')	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE
 KAY MADDOX 04/22/2022

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025 - 48876
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator EOG RESOURCES INC		6. State Oil & Gas Lease No.
3. Address of Operator PO BOX 2267 MIDLAND, TX 79702		7. Lease Name or Unit Agreement Name ALMOST EDDY 30 FEDERAL COM
4. Well Location Unit Letter K : 2110 feet from the SOUTH line and 2438 feet from the WEST line Section 30 Township 25S Range 32E NMPM County LEA		8. Well Number 724H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3354' GR		9. OGRID Number 7377
		10. Pool name or Wildcat WC025 G09 S253216D; UPPER WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: CASING TEST ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TOC IS BELOW THE CASING SHOE, ON 05/14/2023 A SUBSEQUENT PRESSURE TEST HELD.
 EOG IS REQUESTING NO REMEDIAL CEMENT AT THIS TIME

Spud Date:

11/21/2021

Rig Release Date:

12/22/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE KAY MADDOX TITLE SENIOR REGULATORY SPECIALIST DATE 05/23/2023

Type or print name Kay Maddox E-mail address: kay_maddox@eogresources.com PHONE: 432-638-8475

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name ALMOST EDDY 30 FEDERAL COM		
								6. Well Number: 724H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator EOG RESOURCES INC						9. OGRID 7377				
10. Address of Operator PO BOX 2267 MIDLAND, TEXAS 79702						11. Pool name or Wildcat WC025 G08 S253216D; UPPER WOLFCAMP (98270)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	30	25S	32E		2110	SOUTH	2438	WEST	LEA
BH:	N	31	25S	32E		110	SOUTH	2534	WEST	LEA
13. Date Spudded 11/21/2021	14. Date T.D. Reached 12/21/2021		15. Date Rig Released 12/22/2021			16. Date Completed (Ready to Produce) 04/07/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3354' GR		
18. Total Measured Depth of Well MD 19,608' TVD 12,223'			19. Plug Back Measured Depth MD 19,582' TVD 12,223'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run None		
22. Producing Interval(s), of this completion - Top, Bottom, Name WOLFCAMP 12,436 - 19,582'										
CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9 5/8"		40# J-55		1,261'		12 1/4"		610 CL C/CIRC		
7 5/8"		29.7# HCP 110		11,323'		8 3/4"		1501 CL C&H/CIRC		
5 1/2"		20# ICYP 110		19,590'		6 3/4"		920 CL H TOC 11,497' CBL		PRESSURE TEST ATTACHED
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 12,436 - 19,582' 3 1/8", 1440 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,436 - 19,582'		FRAC W/17,126,930 lbs proppant, 286,611 bbls load fld		
PRODUCTION										
Date First Production 04/07/2022		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 04/12/2022	Hours Tested 24	Choke Size 36	Prod'n For Test Period	Oil - Bbl 2056	Gas - MCF 8660	Water - Bbl. 5167	Gas - Oil Ratio 4213			
Flow Tubing Press.	Casing Pressure 2532	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>) 48				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD								30. Test Witnessed By		
31. List Attachments C-102, C-104, C-103, Directional Survey, H spacing										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD 1927 1983 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature Kay Maddox Name Kay Maddox Title Senior Regulatory Specialist Date 04/27/2022 E-mail Address kay_maddox@eogresources.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico			Northwestern New Mexico				
T. Anhy	Rustler	1018'	T. Canyon	Brushy	6883'	T. Ojo Alamo	T. Penn A"
T. Salt		1368'	T. Strawn			T. Kirtland	T. Penn. "B"
B. Salt		4216'	T. Atoka			T. Fruitland	T. Penn. "C"
T. Yates			T. Miss			T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers			T. Devonian			T. Cliff House	T. Leadville
T. Queen			T. Silurian			T. Menefee	T. Madison
T. Grayburg			T. Montoya			T. Point Lookout	T. Elbert
T. San Andres			T. Simpson			T. Mancos	T. McCracken
T. Glorieta			T. McKee			T. Gallup	T. Ignacio Otzte
T. Paddock			T. Ellenburger			Base Greenhorn	T. Granite
T. Blinebry			T. Gr. Wash			T. Dakota	
T. Tubb			T. Delaware Sand			T. Morrison	
T. Drinkard			T. Bone Springs			T. Todilto	
T. Abo			T. 1st BS Sand	9460'		T. Entrada	
T. Wolfcamp		11,784'	T. 2nd BS Sand	10,068'		T. Wingate	
T. Penn			T. 3rd BS Sand	11,356'		T. Chinle	
T. Cisco (Bough C)			T.			T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology



Detailed Job Breakdown



JOB REPORT

COMPANY DETAILS

Company: EOG
Contact: MARK POPE
PHONE:


Email: Mark_pope@eogresources.com

JOB DETAILS

DATE 5/14/2023 7:43:42AM
START TIME 5/14/2023 7:43:42AM
END TIME 5/14/2023 8:17:58AM
Ticket#:
Other:
Other:

Operator:
WELL: ALMOST EDDY 30 FED
Licence #: COM 724H
Contractor:
AFE:

Comments:



7:43:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
7:43	39.379	244						
7:43	44.380	251						
7:43	49.379	251						
7:43	54.379	253						
7:43	59.380	340						
7:44	4.380	425						
7:44	9.379	473						
7:44	14.379	504						
7:44	19.380	560						
7:44	24.379	607						
7:44	29.379	669						
7:44	34.380	682						
7:44	39.380	760						
7:44	44.379	719						
7:44	49.379	780						
7:44	54.380	855						
7:44	59.379	784						
7:45	4.379	772						
7:45	9.380	766						
7:45	14.380	762						
7:45	19.379	757						
7:45	24.379	755						
7:45	29.380	750						
7:45	34.379	864						
7:45	39.379	807						
7:45	44.380	794						
7:45	49.380	788						
7:45	54.379	785						
7:45	59.379	781						
7:46	4.380	778						
7:46	9.379	775						
7:46	14.379	772						
7:46	19.380	770						
7:46	24.380	765						
7:46	29.379	764						
7:46	34.379	763						
7:46	39.380	760						
7:46	44.379	758						
7:46	49.379	756						
7:46	54.380	755						
7:46	59.380	753						
7:47	4.379	750						
7:47	9.379	749						
7:47	14.380	747						
7:47	19.379	746						
7:47	24.379	743						
7:47	29.380	742						
7:47	34.380	740						

7:47:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
7:47	39.379	739						
7:47	44.379	737						
7:47	49.380	736						
7:47	54.379	735						
7:47	59.379	734						
7:48	4.380	734						
7:48	9.380	730						
7:48	14.379	730						
7:48	19.379	728						
7:48	24.380	727						
7:48	29.379	728						
7:48	34.379	726						
7:48	39.380	725						
7:48	44.380	723						
7:48	49.379	722						
7:48	54.379	723						
7:48	59.380	722						
7:49	4.379	720						
7:49	9.379	719						
7:49	14.380	717						
7:49	19.380	717						
7:49	24.379	715						
7:49	29.379	715						
7:49	34.380	716						
7:49	39.379	714						
7:49	44.379	714						
7:49	49.380	714						
7:49	54.380	712						
7:49	59.379	712						
7:50	4.379	711						
7:50	9.380	710						
7:50	14.379	709						
7:50	19.379	709						
7:50	24.380	708						
7:50	29.380	708						
7:50	34.379	708						
7:50	39.379	705						
7:50	44.380	706						
7:50	49.379	705						
7:50	54.379	705						
7:50	59.380	704						
7:51	4.380	702						
7:51	9.379	702						
7:51	14.379	701						
7:51	19.380	700						
7:51	24.379	700						
7:51	29.379	699						
7:51	34.380	699						

7:51:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
7:51	39.380	698						
7:51	44.379	698						
7:51	49.379	697						
7:51	54.380	697						
7:51	59.379	697						
7:52	4.379	696						
7:52	9.380	696						
7:52	14.380	694						
7:52	19.379	694						
7:52	24.379	694						
7:52	29.380	695						
7:52	34.379	694						
7:52	39.379	692						
7:52	44.380	692						
7:52	49.380	692						
7:52	54.379	692						
7:52	59.379	692						
7:53	4.380	691						
7:53	9.379	691						
7:53	14.379	690						
7:53	19.380	691						
7:53	24.380	690						
7:53	29.379	689						
7:53	34.379	689						
7:53	39.380	689						
7:53	44.379	689						
7:53	49.379	688						
7:53	54.380	689						
7:53	59.380	688						
7:54	4.379	687						
7:54	9.379	688						
7:54	14.380	687						
7:54	19.379	688						
7:54	24.379	686						
7:54	29.380	686						
7:54	34.380	688						
7:54	39.379	686						
7:54	44.379	686						
7:54	49.380	686						
7:54	54.379	686						
7:54	59.379	685						
7:55	4.380	684						
7:55	9.380	685						
7:55	14.379	685						
7:55	19.379	684						
7:55	24.380	684						
7:55	29.379	683						
7:55	34.379	683						

7:55:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
7:55	39.380	684						
7:55	44.380	684						
7:55	49.379	684						
7:55	54.379	683						
7:55	59.380	682						
7:56	4.379	683						
7:56	9.379	684						
7:56	14.380	683						
7:56	19.380	683						
7:56	24.379	682						
7:56	29.379	682						
7:56	34.380	683						
7:56	39.379	682						
7:56	44.379	684						
7:56	49.380	681						
7:56	54.380	684						
7:56	59.379	684						
7:57	4.379	682						
7:57	9.380	682						
7:57	14.379	684						
7:57	19.379	683						
7:57	24.380	683						
7:57	29.380	683						
7:57	34.379	684						
7:57	39.379	684						
7:57	44.380	684						
7:57	49.379	685						
7:57	54.379	685						
7:57	59.380	685						
7:58	4.380	684						
7:58	9.379	686						
7:58	14.379	686						
7:58	19.380	687						
7:58	24.379	686						
7:58	29.379	687						
7:58	34.380	687						
7:58	39.380	688						
7:58	44.379	689						
7:58	49.379	689						
7:58	54.380	690						
7:58	59.379	690						
7:59	4.379	689						
7:59	9.380	690						
7:59	14.380	690						
7:59	19.379	691						
7:59	24.379	693						
7:59	29.380	692						
7:59	34.379	692						

7:59:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
7:59	39.379	691						
7:59	44.380	692						
7:59	49.380	692						
7:59	54.379	693						
7:59	59.379	693						
8:00	4.380	691						
8:00	9.379	694						
8:00	14.379	694						
8:00	19.380	693						
8:00	24.380	692						
8:00	29.379	692						
8:00	34.379	694						
8:00	39.380	695						
8:00	44.379	695						
8:00	49.379	694						
8:00	54.380	693						
8:00	59.380	692						
8:01	4.379	693						
8:01	9.379	693						
8:01	14.380	693						
8:01	19.379	693						
8:01	24.379	693						
8:01	29.380	692						
8:01	34.380	691						
8:01	39.379	692						
8:01	44.379	690						
8:01	49.380	691						
8:01	54.379	690						
8:01	59.379	689						
8:02	4.380	690						
8:02	9.380	692						
8:02	14.379	691						
8:02	19.379	691						
8:02	24.380	691						
8:02	29.379	690						
8:02	34.379	689						
8:02	39.380	689						
8:02	44.380	690						
8:02	49.379	690						
8:02	54.379	688						
8:02	59.380	690						
8:03	4.379	689						
8:03	9.379	689						
8:03	14.380	689						
8:03	19.380	689						
8:03	24.379	687						
8:03	29.379	689						
8:03	34.380	687						

8:03:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
8:03	39.379	688						
8:03	44.379	688						
8:03	49.380	688						
8:03	54.380	687						
8:03	59.379	688						
8:04	4.380	688						
8:04	9.380	687						
8:04	14.379	686						
8:04	19.379	686						
8:04	24.380	686						
8:04	29.380	687						
8:04	34.379	687						
8:04	39.380	687						
8:04	44.380	687						
8:04	49.379	686						
8:04	54.379	687						
8:04	59.380	689						
8:05	4.380	690						
8:05	9.379	690						
8:05	14.380	691						
8:05	19.380	690						
8:05	24.379	691						
8:05	29.379	691						
8:05	34.380	693						
8:05	39.380	693						
8:05	44.379	693						
8:05	49.380	692						
8:05	54.380	692						
8:05	59.379	694						
8:06	4.379	691						
8:06	9.380	692						
8:06	14.380	691						
8:06	19.379	692						
8:06	24.380	691						
8:06	29.380	691						
8:06	34.379	692						
8:06	39.379	691						
8:06	44.380	690						
8:06	49.380	689						
8:06	54.379	688						
8:06	59.380	689						
8:07	4.380	688						
8:07	9.379	688						
8:07	14.379	688						
8:07	19.380	688						
8:07	24.380	688						
8:07	29.379	690						
8:07	34.380	687						

8:07:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
8:07	39.380	687						
8:07	44.379	688						
8:07	49.379	688						
8:07	54.380	687						
8:07	59.380	687						
8:08	4.379	684						
8:08	9.380	686						
8:08	14.380	687						
8:08	19.379	685						
8:08	24.379	684						
8:08	29.380	686						
8:08	34.380	686						
8:08	39.379	686						
8:08	44.380	686						
8:08	49.380	684						
8:08	54.379	684						
8:08	59.379	684						
8:09	4.380	684						
8:09	9.380	683						
8:09	14.379	684						
8:09	19.380	683						
8:09	24.380	682						
8:09	29.379	682						
8:09	34.379	683						
8:09	39.380	683						
8:09	44.380	680						
8:09	49.379	681						
8:09	54.380	680						
8:09	59.380	680						
8:10	4.379	678						
8:10	9.379	679						
8:10	14.380	680						
8:10	19.380	679						
8:10	24.379	680						
8:10	29.380	678						
8:10	34.380	679						
8:10	39.379	678						
8:10	44.379	677						
8:10	49.380	677						
8:10	54.380	677						
8:10	59.379	678						
8:11	4.380	676						
8:11	9.380	675						
8:11	14.379	677						
8:11	19.379	675						
8:11	24.380	674						
8:11	29.380	674						
8:11	34.379	673						

8:11:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
8:11	39.380	674						
8:11	44.380	674						
8:11	49.379	675						
8:11	54.379	675						
8:11	59.380	675						
8:12	4.380	675						
8:12	9.379	673						
8:12	14.380	674						
8:12	19.380	672						
8:12	24.379	671						
8:12	29.379	671						
8:12	34.380	671						
8:12	39.380	671						
8:12	44.379	669						
8:12	49.380	671						
8:12	54.380	670						
8:12	59.379	670						
8:13	4.379	669						
8:13	9.380	670						
8:13	14.380	670						
8:13	19.379	669						
8:13	24.380	669						
8:13	29.380	668						
8:13	34.379	669						
8:13	39.379	669						
8:13	44.380	668						
8:13	49.380	669						
8:13	54.379	667						
8:13	59.380	668						
8:14	4.380	667						
8:14	9.379	667						
8:14	14.379	667						
8:14	19.380	667						
8:14	24.380	664						
8:14	29.379	667						
8:14	34.380	667						
8:14	39.380	666						
8:14	44.379	665						
8:14	49.379	664						
8:14	54.380	665						
8:14	59.380	665						
8:15	4.379	665						
8:15	9.380	664						
8:15	14.380	664						
8:15	19.379	664						
8:15	24.379	665						
8:15	29.380	665						
8:15	34.380	664						

8:15:39

Detailed Job Breakdown

May/14/2023

INTERMEDIATE TEST (PSI)								
Time								
8:15	39.379	663						
8:15	44.380	663						
8:15	49.380	663						
8:15	54.379	664						
8:15	59.379	664						
8:16	4.380	662						
8:16	9.380	663						
8:16	14.379	661						
8:16	19.380	662						
8:16	24.380	661						
8:16	29.379	662						
8:16	34.379	662						
8:16	39.380	660						
8:16	44.379	661						
8:16	49.379	661						
8:16	54.380	659						
8:16	59.380	660						
8:17	4.379	590						
8:17	9.379	539						
8:17	14.380	491						
8:17	19.379	461						
8:17	24.379	440						
8:17	29.380	411						
8:17	34.380	391						
8:17	39.379	360						
8:17	44.379	333						
8:17	49.380	305						
8:17	54.379	278						

Well Name:	Almost Eddy Fed Com #724H
Property Number:	141654
API Number:	30025488760000
Opening Intermediate PSI:	270 psi
Bled Intermediate PSI down to:	N/A
Fluid back to surface:	Yes / OBM
Bbls pumped to load casing:	N/A
Bbls pumped to reach 500 psi:	1 bbls
Bbls bled back after test:	1 bbls
Start	777 psi
30 min	661 psi
Bleed down, SICP:	275 psi

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 219931

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 219931
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 219931

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 219931
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	11/15/2023