

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-101
Revised July 18, 2013

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address Pride Energy Company, P.O. Box 701950, Tulsa, OK 74710		² OGRID Number 151323
		³ API Number 30-025-26351
⁴ Property Code	⁵ Property Name Hondo Fee	⁶ Well No. 1

⁷ Surface Location

UL - Lot L	Section 19	Township 16S	Range 36E	Lot Idn	Feet from 1980	N/S Line S	Feet From 660	E/W Line W	County Lea
----------------------	----------------------	------------------------	---------------------	---------	--------------------------	----------------------	-------------------------	----------------------	----------------------

⁸ Proposed Bottom Hole Location

UL - Lot L	Section 19	Township 16S	Range 36E	Lot Idn	Feet from 1980	N/S Line S	Feet From 660	E/W Line W	County Lea
----------------------	----------------------	------------------------	---------------------	---------	--------------------------	----------------------	-------------------------	----------------------	----------------------

⁹ Pool Information

¹⁰ Pool Name Lovington Upper Penn West	¹¹ Pool Code 40760
---	---

Additional Well Information

¹² Work Type PLUGBACK	¹³ Well Type vertical	¹⁴ Cable/Rotary	¹⁵ Lease Type	¹⁶ Ground Level Elevation 3,936'
¹⁷ Multiple	¹⁸ Proposed Depth 8,174'-8,698'	¹⁹ Formation Abo	²⁰ Contractor	²¹ Spud Date
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☐ We will be using a closed-loop system in lieu of lined pits

²² Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC

Casing/Cement Program: Additional Comments

No changes to existing CSG/Cement.

²³ Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer

²⁴ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> , if applicable. Signature: John W. Pride Printed name: John W. Pride Title: Pres. Pride Oil & Gas Co Inc as G.P. of Pride E-mail Address: johnp@pride-energy.com Date: 10/1/2023 Phone: 918-524-9200		OIL CONSERVATION DIVISION Approved By: _____ Title: _____ Approved Date: _____ Expiration Date: _____ Conditions of Approval Attached	
---	--	--	--

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised July 16, 2010
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ APT Number 30-025-26351		² Pool Code 40760		³ Pool Name Cisco (Bough C) <i>Louington; Upper Penn</i>	
⁴ Property Code		⁵ Property Name Hondo Fee			⁶ Well Number 1
⁷ OGRID No. 151323		⁸ Operator Name Pride Energy Company			⁹ Elevation 3,963.0

¹⁰ Surface Location

UL or lot no. L	Section 19	Township 16S	Range 36E	Lot Idn	Feet from the 1,980	North/South line South	Feet from the 660	East/West line West	County Lea
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. L	Section 19	Township 16S	Range 36E	Lot Idn	Feet from the 1,980	North/South line South	Feet from the 660	East/West line West	County Lea
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	----------------------	------------------------	---------------

¹² Dedicated Acres 305.60	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Matthew L. Pride</i> 9/30/10 Signature Date Matthew L. Pride Printed Name Matt@pride-energy.com E-mail Address		
	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor: Certificate Number		

mp11859.kh

Additional Casing Information

All casing to remain the same – no changes:

1. 13 $\frac{3}{8}$ " 48# @ 366'
w/ 375 sx in 17 $\frac{1}{2}$ " hole (In Place)
13 $\frac{3}{8}$ " TOC @ surface
2. 8 $\frac{5}{8}$ " 32# & 24# K-55 STC @ 4,250'
w/ 1,900 sx in 11" hole (In Place)
8 $\frac{5}{8}$ " TOC @ 500', per Temp. Survey
3. 5 1/2" Casing Detail:
5 1/2", 17#, N-80, 0 - 333'
5 1/2", 17#, P-110, 333-10,833'
5 1/2", 17#, N-80, 10,833-11,793'
+ 40' float shoe = 11,833'
(Used 25-5 1/2" Centralizers)
(In 7 7/8" hole)
Lead cmt'd with 815 SX 50/50/10
Class H cmt. +
Tail cmt. with 775 5X Starbond "C"
Total 1,590 SX
TOC @ 4,516' per CBL

Closed Loop or Pit Plan

No closed loop or pit plan necessary as the well has already been drilled. Only workover ops planned.

DATA FROM THIS LOG SHALL BE THE PROPERTY OF THE STATE OF NEW MEXICO AND SHALL BE KEPT IN THE STATE ARCHIVES FOR A PERIOD OF FIFTY YEARS. THE STATE OF NEW MEXICO SHALL BE RESPONSIBLE FOR THE PROTECTION OF THIS LOG AND SHALL BE RESPONSIBLE FOR THE PROTECTION OF THE LOG FROM ANY DAMAGE OR LOSS. THE STATE OF NEW MEXICO SHALL BE RESPONSIBLE FOR THE PROTECTION OF THE LOG FROM ANY DAMAGE OR LOSS. THE STATE OF NEW MEXICO SHALL BE RESPONSIBLE FOR THE PROTECTION OF THE LOG FROM ANY DAMAGE OR LOSS.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico		
T. Ancho	T. Canyon	T. Ojo Alamo	T. Penn. "B"		
T. Salt	T. Strawn 11,344'	T. Kirtland-Fruitland	T. Penn. "C"		
T. Salt	T. Atoka 11,659'	T. Pictured Cliffs	T. Penn. "D"		
T. Yates 3173'	T. Miss 11,908'	T. Cliff House	T. Leadville		
T. P. Rivers	T. Devonian	T. Menefee	T. Madison		
T. Chisum	T. Silurian	T. Point Lookout	T. Elbert		
T. Carboniferous	T. Montoya	T. Mancos	T. McCracken		
T. San Andres 4826'	T. Simpson	T. Gallup	T. Ignacio Quartz		
T. Glorieta 6305'	T. McKee	Base Greenhorn	T. Granite		
T. Paddock	T. Ellenburger	T. Dakota			
T. Bluebry 6905'	T. Gr. Wash	T. Morrison			
T. Tubb 7564'	T. Granite	T. Toddlite			
T. Drinkard	T. Delaware Sand	T. Entrada			
T. Abo 8282'	T. Bone Springs	T. Wingate			
T. Wolfcamp 9567'		T. Chinle			
T. Penn.		T. Permian			
T. Cisco (Daugh Cr) 10,904'		T. Penn. "A"			

OIL OR GAS SANDS OR ZONES

No. 1, from DST #1 10,520' to 10,703'	No. 4, from For details please refer to attachments.
No. 2, from DST #2 11,520' to 11,663'	No. 5, from to
No. 3, from to	No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.	
No. 1, from to feet	
No. 2, from to feet	
No. 3, from to feet	
No. 4, from to feet	

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
Copy- Womack Wellsite, Hydrocarbon Analysis Log (no final prints available)							

Blow Put Prevention

This is the planned BOP for the workover ops:

7 1/16" x 2 3/8" 3M Manual BOP

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 285392

COMMENTS

Operator: PRIDE ENERGY COMPANY P.O. Box 701950 Tulsa, OK 741701950	OGRID: 151323
	Action Number: 285392
	Action Type: [C-101] Drilling Non-Federal/Indian (APD)

COMMENTS

Created By	Comment	Comment Date
pkautz	HOLD FOR NEW C-102 SHOWING 80 ACRES DEDICATED TO WELL.	11/16/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 285392

CONDITIONS

Operator: PRIDE ENERGY COMPANY P.O. Box 701950 Tulsa, OK 741701950	OGRID: 151323
	Action Number: 285392
	Action Type: [C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	11/16/2023