

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-46846	⁵ Pool Name WC 015 G06 S242630A BONE SPRING	⁶ Pool Code 98319
⁷ Property Code 327308	⁸ Property Name NAILED IT FED COM	⁹ Well Number 124H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
2	36	26S	30E	-	711	SOUTH	2050	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	25	26S	30E	-	2413	SOUTH	683	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date 2/17/2022	²² Ready Date 7/6/2022	²³ TD 13790'	²⁴ PBTB 13723'	²⁵ Perforations 9440 ft to 13638 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1254'	1080 sks		
12.25"	9.625"	3669'	926 sks		
8.75"/7.875"	5.5"	13796'	1134 sks		

V. Well Test Data

³¹ Date New Oil 7/15/2022	³² Gas Delivery Date 7/15/2022	³³ Test Date 7/30/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1450
³⁷ Choke Size 40/64	³⁸ Oil 336	³⁹ Water 2891	⁴⁰ Gas 3129		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/28/2023		
Date: 8/3/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46846		² Pool Code 98319	³ Pool Name WC 015 G06 S242630A BONE SPRING
⁴ Property Code 327308	⁵ Property Name NAILED IT FED COM		⁶ Well Number 124H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.		⁹ Elevation 3031'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
2	36	26-S	30-E	-	711'	SOUTH	2050'	EAST	EDDY


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	25	26-S	30-E	-	2413'	SOUTH	683'	EAST	EDDY

¹² Dedicated Acres 280	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.







Final MWD Survey Certification

Eddy County, New Mexico

Client: Tap Rock Resources

Well Name: Nailed It Fed Com 124H

Total Job No: SW220224

API No: 30-015-46846

Start Date: 02/17/2022

End Date: 3/11/2022

Measured Start Depth: 0 feet

Measured End Depth: 13790 feet

Vertical Section from well center at TD: 9370.44 feet

I, Jamie Stephenson, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 3/11/2022

Signed: *Jamie Stephenson* *Jose Perozo Casanova*

Nailed It Fed Com 124H

Company:	Tap Rock Resources LLC	Start date:	February 17,2022
Well name:	Nailed It Fed Com 124H	End date:	March 11,2022
Field:	Delaware	Proposed direction:	359.68
Rig:	H&P 425	Declination:	6.23
API/UWI:	30-015-46846	North Reference:	Grid
State/Province:	New Mexico	Latitude/Longitude:	32.002112 / -103.832736
County/Parish:	Eddy County	KB:	3056
Location	32.002113 / -103.8322396	DF:	26
		GL:	3030

SVY	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
Tiein	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
1	153.00	0.53	138.94	153.00	-0.53	0.46	-0.54	0.35	153.00	0A	0.5R
2	242.00	0.48	123.39	241.99	-1.05	1.05	-1.05	0.16	89.00	0.5B	1R
3	332.00	0.44	134.55	331.99	-1.50	1.61	-1.51	0.11	90.00	1B	2R
4	422.00	0.57	131.12	421.99	-2.04	2.19	-2.05	0.15	90.00	1B	3R
5	511.00	0.31	141.23	510.99	-2.51	2.68	-2.53	0.30	89.00	1B	3R
6	600.00	0.26	191.33	599.98	-2.90	2.79	-2.92	0.28	89.00	2B	4R
7	688.00	0.40	238.44	687.98	-3.26	2.49	-3.27	0.33	88.00	2B	3R
8	777.00	0.79	270.96	776.98	-3.41	1.61	-3.42	0.56	89.00	3B	3R
9	866.00	1.14	291.52	865.97	-3.07	0.17	-3.08	0.55	89.00	3B	1R
10	956.00	1.36	186.58	955.95	-3.81	-0.79	-3.80	2.21	90.00	4B	0.5R
11	1045.00	1.45	309.80	1044.94	-4.14	-1.77	-4.13	2.78	89.00	4B	0.00
12	1135.00	1.71	309.37	1134.91	-2.55	-3.68	-2.53	0.29	90.00	4B	3L
13	1215.00	1.76	307.17	1214.87	-1.06	-5.59	-1.02	0.10	80.00	3B	5L
14	1327.00	2.59	318.94	1326.79	1.89	-8.62	1.94	0.84	112.00	1B	9L
15	1421.00	2.59	324.04	1420.69	5.21	-11.26	5.28	0.25	94.00	1A	12L
16	1515.00	2.37	328.88	1514.60	8.60	-13.51	8.67	0.32	94.00	4A	16L
17	1609.00	2.02	329.40	1608.54	11.69	-15.36	11.77	0.37	94.00	6A	18L
18	1703.00	1.10	307.34	1702.50	13.66	-16.92	13.75	1.15	94.00	7A	20L
19	1798.00	0.40	343.12	1797.49	14.53	-17.74	14.63	0.85	95.00	8A	22L
20	1892.00	0.92	75.75	1891.49	15.03	-17.11	15.12	1.08	94.00	8A	21L
21	1986.00	2.64	100.01	1985.44	14.84	-14.24	14.92	1.96	94.00	9A	18L
22	2080.00	4.44	104.23	2079.26	13.57	-8.58	13.62	1.93	94.00	14B	8L
23	2174.00	5.71	104.23	2172.89	11.52	-0.52	11.53	1.35	94.00	8B	10L
24	2269.00	6.20	107.39	2267.37	8.83	8.95	8.78	0.62	95.00	2B	12L
25	2363.00	6.42	106.78	2360.80	5.79	18.83	5.69	0.24	94.00	2A	14L
26	2457.00	6.99	115.74	2454.16	1.79	29.01	1.63	1.27	94.00	7A	15L

P.O Box 831, Windsor, CO 80550 | P:970.686.8893 | F:970.686.8894 | www.totaldirectional.com

27	2551.00	7.96	121.28	2547.36	-4.07	39.73	-4.29	1.28	94.00	11A	15L
28	2645.00	8.57	122.95	2640.39	-11.26	51.17	-11.55	0.70	94.00	14A	14L
29	2739.00	8.13	124.09	2733.39	-18.79	62.55	-19.14	0.50	94.00	17A	13L
30	2833.00	7.69	126.20	2826.50	-26.23	73.13	-26.64	0.56	94.00	17A	11L
31	2927.00	7.12	130.42	2919.71	-33.73	82.64	-34.19	0.84	94.00	14A	9L
32	3021.00	7.47	130.60	3012.95	-41.48	91.71	-41.99	0.37	94.00	10A	6L
33	3116.00	8.97	131.56	3106.97	-50.41	101.94	-50.98	1.59	95.00	5A	3L
34	3210.00	9.93	130.60	3199.70	-60.55	113.58	-61.18	1.03	94.00	1A	0.00
35	3304.00	10.51	129.28	3292.20	-71.25	126.37	-71.96	0.67	94.00	2.5B	3R
36	3398.00	11.65	131.03	3384.45	-82.91	140.17	-83.69	1.26	94.00	6B	7R
37	3496.00	11.47	130.16	3480.46	-95.69	155.08	-96.55	0.26	98.00	12B	12R
38	3591.00	9.71	128.22	3573.84	-106.74	168.59	-107.68	1.89	95.00	20B	15R
39	3651.00	8.88	127.87	3633.05	-112.71	176.22	-113.69	1.39	60.00	26A	16R
40	3760.00	10.95	123.21	3740.42	-123.55	191.53	-124.62	2.04	109.00	36B	19R
41	3854.00	13.27	116.88	3832.33	-133.32	208.62	-134.48	2.84	94.00	41B	20R
42	3948.00	15.30	113.81	3923.42	-143.20	229.60	-144.48	2.30	94.00	42B	19R
43	4043.00	16.48	116.36	4014.79	-154.25	253.14	-155.66	1.44	95.00	40B	17R
44	4137.00	16.88	114.95	4104.83	-165.92	277.46	-167.47	0.61	94.00	38B	16R
45	4231.00	16.13	115.21	4194.96	-177.24	301.65	-178.92	0.80	94.00	35B	15R
46	4325.00	16.13	115.39	4285.26	-188.40	325.26	-190.22	0.05	94.00	33B	14R
47	4419.00	17.80	113.72	4375.16	-199.78	350.21	-201.73	1.85	94.00	30B	12R
48	4513.00	17.36	112.23	4464.77	-210.87	376.34	-212.96	0.67	94.00	25B	9R
49	4607.00	16.84	111.52	4554.62	-221.17	401.99	-223.41	0.60	94.00	22B	6R
50	4702.00	15.82	110.47	4645.79	-230.74	426.93	-233.12	1.12	95.00	20B	3R
51	4796.00	15.87	109.68	4736.21	-239.55	451.03	-242.07	0.24	94.00	19B	0.00
52	4890.00	17.41	111.35	4826.28	-249.00	476.23	-251.66	1.72	94.00	17B	3L
53	4984.00	17.05	111.35	4916.06	-259.14	502.17	-261.94	0.38	94.00	13B	6L
54	5078.00	17.32	111.26	5005.86	-269.23	528.04	-272.17	0.29	94.00	10B	10L
55	5172.00	16.44	111.17	5095.81	-279.11	553.48	-282.19	0.94	94.00	7B	13L
56	5266.00	15.60	112.67	5186.16	-288.78	577.55	-292.00	1.00	94.00	5B	16L
57	5361.00	15.56	120.66	5277.68	-300.20	600.30	-303.55	2.26	95.00	5B	16L
58	5455.00	14.73	121.72	5368.41	-312.92	621.31	-316.38	0.93	94.00	4B	15L
59	5549.00	14.77	122.60	5459.32	-325.65	641.57	-329.23	0.24	94.00	5B	13L
60	5643.00	14.24	123.83	5550.32	-338.55	661.27	-342.23	0.65	94.00	6B	11L
61	5737.00	14.33	124.44	5641.41	-351.56	680.47	-355.36	0.19	94.00	7B	9L
62	5831.00	14.86	120.58	5732.38	-364.27	700.44	-368.18	1.18	94.00	8B	7L
63	5925.00	15.56	118.29	5823.09	-376.38	721.92	-380.41	0.98	94.00	7B	6L
64	6019.00	15.74	118.99	5913.60	-388.54	744.17	-392.69	0.28	94.00	6B	6L
65	6113.00	15.60	120.22	6004.11	-401.08	766.25	-405.35	0.38	94.00	5B	5L
66	6207.00	14.55	121.28	6094.87	-413.57	787.26	-417.96	1.15	94.00	5B	4L

67	6301.00	13.93	122.77	6185.99	-425.82	806.87	-430.32	0.77	94.00	6B	2L
68	6395.00	13.98	117.06	6277.22	-437.11	826.49	-441.72	1.47	94.00	8B	2L
69	6489.00	14.42	117.32	6368.34	-447.65	847.00	-452.38	0.47	94.00	10B	2L
70	6584.00	13.05	117.94	6460.63	-458.11	866.99	-462.94	1.45	95.00	12B	2L
71	6677.00	14.59	118.55	6550.93	-468.63	886.56	-473.57	1.66	93.00	14B	2L
72	6771.00	15.60	119.61	6641.69	-480.53	907.94	-485.59	1.11	94.00	13B	2L
73	6865.00	14.95	120.58	6732.36	-492.94	929.37	-498.13	0.74	94.00	13B	1L
74	6960.00	16.22	122.16	6823.87	-506.24	951.15	-511.54	1.41	95.00	12B	0.00
75	7054.00	16.70	122.86	6914.02	-520.56	973.61	-525.99	0.55	94.00	10B	3R
76	7148.00	16.22	122.60	7004.17	-534.96	996.02	-540.51	0.52	94.00	8B	5R
77	7242.00	13.89	123.12	7094.93	-548.20	1016.53	-553.87	2.48	94.00	8B	7R
78	7336.00	12.62	123.92	7186.43	-560.09	1034.50	-565.86	1.37	94.00	10B	9R
79	7431.00	11.96	124.62	7279.25	-571.48	1051.22	-577.34	0.71	95.00	12B	11R
80	7525.00	10.51	118.03	7371.45	-581.04	1066.80	-586.99	2.06	94.00	15B	12R
81	7619.00	9.45	119.87	7464.03	-588.91	1081.06	-594.94	1.18	94.00	18B	12R
82	7713.00	8.97	113.02	7556.82	-595.62	1094.50	-601.72	1.27	94.00	21B	12R
83	7807.00	8.00	115.04	7649.79	-601.26	1107.17	-607.43	1.08	94.00	23B	11R
84	7901.00	6.15	118.47	7743.07	-606.42	1117.52	-612.66	2.02	94.00	26B	11R
85	7996.00	5.89	108.36	7837.55	-610.39	1126.62	-616.67	1.15	95.00	29B	10R
86	8090.00	5.93	108.27	7931.05	-613.43	1135.81	-619.76	0.04	94.00	31B	8R
87	8184.00	5.27	102.82	8024.60	-615.91	1144.63	-622.29	0.90	94.00	32B	6R
88	8278.00	4.35	108.71	8118.27	-618.01	1152.22	-624.43	1.11	94.00	33B	4R
89	8372.00	4.66	112.31	8211.98	-620.60	1159.12	-627.07	0.45	94.00	32B	3R
90	8466.00	4.62	113.72	8305.67	-623.57	1166.12	-630.08	0.13	94.00	30B	3R
91	8560.00	3.30	95.88	8399.44	-625.37	1172.28	-631.91	1.90	94.00	28B	2R
92	8654.00	3.38	82.87	8493.29	-625.31	1177.72	-631.88	0.81	94.00	25B	0.00
93	8748.00	3.16	82.61	8587.13	-624.63	1183.04	-631.23	0.23	94.00	13A	17L
94	8843.00	2.42	87.00	8682.02	-624.19	1187.64	-630.81	0.81	95.00	14A	12L
95	8895.00	2.33	97.11	8733.98	-624.26	1189.79	-630.90	0.82	52.00	14A	10L
96	8917.00	2.24	99.04	8755.96	-624.38	1190.65	-631.03	0.54	22.00	14A	9L
97	9011.00	4.97	47.80	8849.78	-621.94	1195.49	-628.60	4.22	94.00	10A	9L
98	9105.00	12.53	12.82	8942.67	-609.23	1200.78	-615.93	9.49	94.00	5A	7L
99	9199.00	23.03	16.60	9032.06	-581.59	1208.31	-588.33	11.23	94.00	0.00	7L
100	9294.00	33.05	16.07	9115.80	-538.78	1220.82	-545.59	10.55	95.00	4.6A	6L
101	9388.00	42.11	13.17	9190.23	-483.34	1235.13	-490.24	9.82	94.00	8B	6L
102	9482.00	53.23	13.96	9253.43	-415.91	1251.45	-422.89	11.85	94.00	11B	8L
103	9576.00	65.76	19.24	9301.07	-338.56	1274.76	-345.67	14.17	94.00	9B	6L
104	9671.00	76.22	18.45	9331.98	-253.67	1303.71	-260.95	11.04	95.00	4B	0.00
105	9765.00	87.12	15.46	9345.58	-164.84	1330.76	-172.27	12.01	94.00	4A	3R
106	9859.00	89.71	13.09	9348.18	-73.79	1353.92	-81.35	3.73	94.00	7A	2R

107	9954.00	89.36	9.92	9348.95	19.29	1372.87	11.62	3.36	95.00	6A	0.00
108	10048.00	90.59	9.31	9348.99	111.97	1388.57	104.21	1.46	94.00	7A	2L
109	10142.00	90.64	7.90	9347.98	204.90	1402.63	197.06	1.50	94.00	8A	0.00
110	10236.00	92.13	6.76	9345.71	298.10	1414.62	290.19	2.00	94.00	11A	2R
111	10330.00	91.82	4.65	9342.47	391.57	1423.96	383.61	2.27	94.00	13A	3R
112	10425.00	90.37	3.51	9340.65	486.31	1430.71	478.31	1.94	95.00	16A	18R
113	10519.00	88.97	0.96	9341.19	580.23	1434.38	572.21	3.09	94.00	16A	28R
114	10613.00	89.10	358.32	9342.78	674.20	1433.79	666.19	2.81	94.00	14A	34R
115	10707.00	88.92	355.33	9344.40	768.04	1428.58	760.04	3.19	94.00	13A	31R
116	10802.00	89.98	354.37	9345.31	862.65	1420.06	854.70	1.51	95.00	13A	24R
117	10896.00	88.88	355.60	9346.25	956.28	1411.84	948.38	1.76	94.00	12A	17R
118	10990.00	90.33	355.86	9346.90	1050.01	1404.84	1042.15	1.57	94.00	12A	12R
119	11084.00	89.36	356.74	9347.15	1143.81	1398.78	1135.98	1.39	94.00	12A	6R
120	11178.00	87.74	357.62	9349.53	1237.67	1394.15	1229.86	1.96	94.00	10A	2R
121	11272.00	88.79	357.79	9352.38	1331.55	1390.39	1323.76	1.13	94.00	7A	0.00
122	11367.00	88.13	359.20	9354.93	1426.48	1387.90	1418.70	1.64	95.00	5A	2L
123	11461.00	89.58	359.46	9356.81	1520.45	1386.80	1512.68	1.57	94.00	3A	2R
124	11555.00	90.81	358.94	9356.49	1614.44	1385.48	1606.67	1.42	94.00	4A	3L
125	11649.00	89.67	359.46	9356.09	1708.42	1384.17	1700.67	1.33	94.00	5A	3L
126	11743.00	87.74	359.55	9358.22	1802.39	1383.36	1794.64	2.06	94.00	3A	3L
127	11837.00	89.49	359.64	9360.49	1896.36	1382.70	1888.61	1.86	94.00	1A	3L
128	11931.00	89.63	357.97	9361.21	1990.33	1380.74	1982.59	1.78	94.00	1A	5L
129	12025.00	90.90	357.26	9360.78	2084.25	1376.82	2076.53	1.55	94.00	2A	8L
130	12119.00	90.07	357.18	9359.98	2178.13	1372.27	2170.43	0.89	94.00	3A	11L
131	12213.00	88.13	357.62	9361.46	2272.02	1368.00	2264.34	2.12	94.00	2A	15L
132	12307.00	89.10	356.30	9363.73	2365.86	1363.02	2358.21	1.74	94.00	0.00	19L
133	12401.00	87.52	355.95	9366.50	2459.60	1356.67	2451.98	1.72	94.00	3B	25L
134	12495.00	88.57	355.51	9369.71	2553.28	1349.67	2545.70	1.21	94.00	6B	31L
135	12589.00	89.54	353.22	9371.26	2646.81	1340.45	2639.28	2.65	94.00	7B	39L
136	12684.00	91.74	354.28	9370.20	2741.23	1330.10	2733.76	2.57	95.00	5B	49L
137	12778.00	90.02	357.44	9368.76	2834.96	1323.32	2827.52	3.83	94.00	4B	54L
138	12872.00	89.63	0.17	9369.04	2928.93	1321.36	2921.50	2.93	94.00	4B	55L
139	12967.00	89.67	1.92	9369.62	3023.91	1323.09	3016.47	1.84	95.00	3B	53L
140	13061.00	90.24	2.36	9369.70	3117.84	1326.60	3110.38	0.77	94.00	3B	49L
141	13155.00	91.16	2.10	9368.55	3211.76	1330.26	3204.28	1.02	94.00	2B	44L
142	13250.00	88.75	1.66	9368.62	3306.70	1333.38	3299.20	2.58	95.00	1B	40L
143	13344.00	88.79	1.31	9370.64	3400.65	1335.81	3393.13	0.37	94.00	3B	37L
144	13439.00	89.27	1.22	9372.25	3495.61	1337.91	3488.08	0.51	95.00	4B	34L
145	13533.00	90.24	1.48	9372.65	3589.58	1340.12	3582.04	1.07	94.00	4B	31L
146	13627.00	90.64	1.22	9371.93	3683.55	1342.34	3676.00	0.51	94.00	4B	28L

147	13722.00	90.86	1.40	9370.69	3778.52	1344.51	3770.95	0.30	95.00	2B	25L
148	13740.00	90.68	0.96	9370.44	3796.52	1344.88	3788.95	2.64	18.00	2B	25L
PTB	13790.00	90.68	0.96	9369.85	3846.50	1345.72	3838.93	0.00	50.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-46846										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name NAILED IT FED COM		
								6. Well Number: 124H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC 015 G06 S242630A BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	2	36	26S	30E	-	711	SOUTH	2050	EAST	EDDY
BH:	I	25	26S	30E	-	2413	SOUTH	683	EAST	EDDY
13. Date Spudded 2/17/2022	14. Date T.D. Reached 3/11/2022		15. Date Rig Released 3/13/2022			16. Date Completed (Ready to Produce) 7/6/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3031 GR		
18. Total Measured Depth of Well 13790 ft			19. Plug Back Measured Depth 13723 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9440 ft to 13638 ft								BONE SPRING		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1254'		17.5"		1080 sks		0
9.625"		40		3669'		12.25"		926 sks		0
5.5"		20		13796'		8.75"/7.875"		1134 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
Perforate from 9440 ft to 13638 ft, 1 SPF, .55 inch holes with 260 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						9440 ft to 13638 ft		20 stage frac with 10,687,980 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 7/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/30/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 336	Gas - MCF 3129	Water - Bbl. 2891	Gas - Oil Ratio 9313			
Flow Tubing Press. 0	Casing Pressure 1450	Calculated 24-Hour Rate	Oil - Bbl. 336	Gas - MCF 3129	Water - Bbl. 2891	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name Jeff Trlica			Title Regulatory Analyst			Date 8/3/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	1074		Quaternary				
1074	1381		Rustler				
1381	3433		Top of Salt				
3433	3636		Base of Salt				
3636	3659		Lamar				
3659	4829		Bell Canyon				
4829	5801		Cherry Canyon				
5801	7563		Brushy Canyon				
7563	8047		Eng				
8047	8485		Avalon				
8485	9136		1st Bone Spring Sand				
9136			2nd Bone Spring Sand				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 131846

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131846
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 131846

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131846
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	11/28/2023