

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49022	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 202H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	620	SOUTH	1001	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	25S	26E	-	265	NORTH	1948	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
3/23/2022	9/5/2022	18789'	18725'	8832 ft to 18642 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	415'	440 sks		
12.25"	9.625"	1977'	1100 sks		
8.75"/6.75"	5.5"	18774'	1374 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
9/15/2022	9/15/2022	10/1/2022	24 hrs.	0	1400
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	656	4597	1864		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/29/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49022	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 202H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3427'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	25-S	26-E	-	620'	SOUTH	1001'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	25-S	26-E	-	265'	NORTH	1948'	WEST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature] 7/20/2022

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

03/16/2022

Date of Survey Signature and Seal of Professional Surveyor

[Signature]
Certificate Number

SECTION 16, TOWNSHIP 25-S, RANGE 26-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



LEASE NAME & WELL NO.: SCHLITZ FED COM 202H
SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM ELEVATION 3427'
DESCRIPTION 620' FSL & 1001' FWL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

SCHLITZ FED COM 202H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/30/2022

FILE: C_SCHLITZ_FED_COM_202H

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 202H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-015-49022

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 184' MD – 18,716' MD
Projection to Bit: 18,789' MD
Dates Performed: 03/23/2022 – 04/24/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 202H
Job Number: ID3343
Survey Company: Intrepid Directional Drilling Specialists
Rig Name: H&P 376

Target KBTVD: 8652.50
Target Inclination: 90.20°
Declination Correction: 7.03°
DF Elevation: 3455.0 ft


Vertical Section Calculated Along Azimuth: 359.65°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	184	1.05	190.63	184	183.99	-1.66	-1.66	-0.31	0.57
MWD	2	244	1.10	212.87	60	243.98	-2.68	-2.68	-0.72	0.70
MWD	3	336	1.23	200.92	92	335.96	-4.34	-4.35	-1.56	0.30
MWD	4	506	1.14	188.35	170	505.92	-7.71	-7.72	-2.45	0.16
MWD	5	595	1.19	188.35	89	594.91	-9.50	-9.51	-2.72	0.06
MWD	6	686	1.27	176.13	91	685.89	-11.44	-11.45	-2.79	0.30
MWD	7	777	2.24	155.48	91	776.84	-14.07	-14.08	-1.98	1.26
MWD	8	868	2.68	136.32	91	867.76	-17.24	-17.23	0.23	1.02
MWD	9	959	3.47	131.75	91	958.63	-20.63	-20.61	3.75	0.91
MWD	10	1050	3.78	119.71	91	1049.45	-23.98	-23.93	8.41	0.90
MWD	11	1141	4.75	108.28	91	1140.20	-26.69	-26.60	14.59	1.41
MWD	12	1234	6.64	110.65	93	1232.73	-29.84	-29.70	23.28	2.05
MWD	13	1329	7.91	112.24	95	1326.97	-34.32	-34.11	34.47	1.35
MWD	14	1424	7.47	112.41	95	1421.11	-39.22	-38.94	46.23	0.46
MWD	15	1517	8.48	109.33	93	1513.21	-43.87	-43.51	58.29	1.18
MWD	16	1612	9.58	109.07	95	1607.03	-48.86	-48.42	72.37	1.16
MWD	17	1706	9.32	109.07	94	1699.76	-53.99	-53.46	86.96	0.28
MWD	18	1799	8.22	111.27	93	1791.67	-58.94	-58.33	100.27	1.24
MWD	19	1919	6.51	111.09	120	1910.67	-64.59	-63.89	114.62	1.43
MWD	20	1978	6.15	108.63	59	1969.31	-66.84	-66.10	120.73	0.76
MWD	21	2074	6.64	114.52	96	2064.72	-70.85	-70.05	130.65	0.85
MWD	22	2168	7.91	120.58	94	2157.96	-76.46	-75.60	141.17	1.58
MWD	23	2262	11.21	123.92	94	2250.64	-84.93	-83.99	154.32	3.56
MWD	24	2357	12.35	125.59	95	2343.64	-96.09	-95.05	170.25	1.25
MWD	25	2452	12.18	125.16	95	2436.47	-107.88	-106.74	186.70	0.20
MWD	26	2546	11.87	125.86	94	2528.41	-119.35	-118.11	202.64	0.36
MWD	27	2641	11.56	125.86	95	2621.43	-130.74	-129.41	218.28	0.33
MWD	28	2736	11.25	126.91	95	2714.55	-141.98	-140.55	233.40	0.39
MWD	29	2831	10.59	126.47	95	2807.83	-152.82	-151.31	247.83	0.70
MWD	30	2925	10.55	125.77	94	2900.24	-163.07	-161.47	261.76	0.14
MWD	31	3020	10.64	125.59	95	2993.62	-173.34	-171.66	275.95	0.10
MWD	32	3114	10.37	126.82	94	3086.04	-183.55	-181.78	289.78	0.37
MWD	33	3209	9.67	125.77	95	3179.59	-193.42	-191.57	303.10	0.76
MWD	34	3303	9.32	125.51	94	3272.31	-202.53	-200.60	315.70	0.38
MWD	35	3397	8.75	124.54	94	3365.14	-211.08	-209.08	327.78	0.63
MWD	36	3491	8.48	124.19	94	3458.08	-219.10	-217.03	339.41	0.29
MWD	37	3584	9.27	122.87	93	3549.97	-227.09	-224.95	351.37	0.88
MWD	38	3679	9.27	122.17	95	3643.72	-235.39	-233.17	364.27	0.12
MWD	39	3772	10.46	122.43	93	3735.35	-243.99	-241.69	377.74	1.28
MWD	40	3866	10.20	121.90	94	3827.82	-253.05	-250.66	392.01	0.29
MWD	41	3961	10.86	118.21	95	3921.22	-261.82	-259.34	407.04	0.99
MWD	42	4056	10.77	116.72	95	4014.54	-270.14	-267.56	422.85	0.31
MWD	43	4150	10.15	115.93	94	4106.97	-277.80	-275.13	438.14	0.68
MWD	44	4245	9.36	116.19	95	4200.60	-284.96	-282.20	452.60	0.83
MWD	45	4340	9.67	115.31	95	4294.29	-291.87	-289.02	466.75	0.36
MWD	46	4434	9.10	115.49	94	4387.04	-298.53	-295.60	480.60	0.61
MWD	47	4528	9.45	115.75	94	4479.81	-305.16	-302.15	494.26	0.37
MWD	48	4623	10.33	117.16	95	4573.39	-312.53	-309.42	508.86	0.96
MWD	49	4717	11.43	123.22	94	4665.71	-321.57	-318.37	524.15	1.69
MWD	50	4812	11.08	123.49	95	4758.88	-331.86	-328.57	539.64	0.37
MWD	51	4906	10.37	122.25	94	4851.24	-341.45	-338.07	554.33	0.79
MWD	52	5000	10.77	122.52	94	4943.64	-350.77	-347.30	568.89	0.43
MWD	53	5095	10.73	122.69	95	5036.97	-360.41	-356.85	583.81	0.05
MWD	54	5190	9.32	120.67	95	5130.52	-369.20	-365.55	597.88	1.53
MWD	55	5285	10.46	119.62	95	5224.11	-377.47	-373.74	611.99	1.21
MWD	56	5380	10.90	120.23	95	5317.46	-386.35	-382.52	627.25	0.48
MWD	57	5474	12.26	121.11	94	5409.55	-396.08	-392.15	643.47	1.46
MWD	58	5567	11.60	119.62	93	5500.54	-405.90	-401.88	660.05	0.78
MWD	59	5661	10.46	115.31	94	5592.80	-414.32	-410.20	675.98	1.50
MWD	60	5755	8.09	109.86	94	5685.57	-420.30	-416.09	689.92	2.69
MWD	61	5848	7.30	115.84	93	5777.73	-425.17	-420.89	701.39	1.21
MWD	62	5942	8.66	121.38	94	5870.82	-431.53	-427.18	712.81	1.66
MWD	63	6035	10.33	120.67	93	5962.54	-439.51	-435.08	725.96	1.80
MWD	64	6129	8.79	120.94	94	6055.23	-447.58	-443.07	739.37	1.64
MWD	65	6223	8.79	111.44	94	6148.13	-453.98	-449.39	752.22	1.54
MWD	66	6317	9.19	106.43	94	6240.98	-458.81	-454.14	766.10	0.93
MWD	67	6410	11.25	117.86	93	6332.51	-465.24	-460.48	781.25	3.10
MWD	68	6504	10.42	122.17	94	6424.84	-474.15	-469.29	796.55	1.23
MWD	69	6599	9.89	122.78	95	6518.35	-483.23	-478.28	810.68	0.57
MWD	70	6692	10.77	124.01	93	6609.84	-492.49	-487.47	824.60	0.98

MWD	71	6785	12.18	121.82	93	6700.98	-502.62	-497.50	840.14	1.59
MWD	72	6879	11.25	119.18	94	6793.02	-512.42	-507.20	856.57	1.14
MWD	73	6973	8.75	122.96	94	6885.58	-520.87	-515.56	870.58	2.75
MWD	74	7066	6.02	126.91	93	6977.81	-527.71	-522.34	880.42	2.98
MWD	75	7160	5.01	128.32	94	7071.37	-533.26	-527.85	887.58	1.08
MWD	76	7254	4.57	129.99	94	7165.04	-538.25	-532.80	893.67	0.49
MWD	77	7349	3.52	139.31	95	7259.80	-542.92	-537.44	898.47	1.30
MWD	78	7443	2.59	110.13	94	7353.67	-545.86	-540.36	902.34	1.90
MWD	79	7538	2.64	99.49	95	7448.58	-546.99	-541.46	906.52	0.51
MWD	80	7632	2.07	67.24	94	7542.50	-546.71	-541.16	910.22	1.51
MWD	81	7726	2.59	65.04	94	7636.42	-545.18	-539.61	913.71	0.56
MWD	82	7821	3.08	66.18	95	7731.31	-543.27	-537.67	917.99	0.52
MWD	83	7915	1.05	62.58	94	7825.24	-541.87	-536.25	921.07	2.16
MWD	84	8009	1.45	86.83	94	7919.22	-541.42	-535.79	923.02	0.70
MWD	85	8104	1.19	82.62	95	8014.19	-541.24	-535.60	925.20	0.29
MWD	86	8166	1.14	83.93	62	8076.18	-541.10	-535.45	926.45	0.09
MWD	87	8262	3.82	4.13	96	8172.10	-537.81	-532.16	927.63	3.95
MWD	88	8357	13.32	4.22	95	8265.93	-523.72	-518.06	928.66	10.00
MWD	89	8452	22.46	6.50	95	8356.24	-494.73	-489.05	931.53	9.65
MWD	90	8547	34.20	8.52	95	8439.72	-450.18	-444.46	937.56	12.40
MWD	91	8642	44.48	1.23	95	8513.13	-390.34	-384.59	942.25	11.85
MWD	92	8737	54.29	357.89	95	8574.91	-318.33	-312.58	941.54	10.66
MWD	93	8832	65.45	1.49	95	8622.53	-236.31	-230.57	941.24	12.19
MWD	94	8927	78.64	6.50	95	8651.77	-146.44	-140.66	947.67	14.76
MWD	95	9022	88.48	8.08	95	8662.41	-53.00	-47.14	959.64	10.49
MWD	96	9116	91.47	5.98	94	8662.45	40.20	46.14	971.15	3.89
MWD	97	9212	94.15	4.13	96	8657.75	135.65	141.64	979.60	3.39
MWD	98	9307	92.75	3.51	95	8652.03	230.22	236.25	985.91	1.61
MWD	99	9404	90.59	0.35	97	8649.20	327.09	333.14	989.18	3.94
MWD	100	9498	89.93	357.27	94	8648.78	421.06	427.10	987.22	3.35
MWD	101	9593	90.95	357.01	95	8648.05	515.97	521.98	982.48	1.11
MWD	102	9687	91.74	358.59	94	8645.84	609.89	615.88	978.88	1.88
MWD	103	9782	91.03	358.86	95	8643.55	704.85	710.83	976.76	0.80
MWD	104	9877	89.80	359.82	95	8642.86	799.84	805.82	975.67	1.64
MWD	105	9972	88.75	358.77	95	8644.06	894.83	900.80	974.50	1.56
MWD	106	10067	88.84	358.50	95	8646.06	989.79	995.75	972.24	0.30
MWD	107	10162	90.73	359.91	95	8646.41	1084.78	1090.74	970.92	2.48
MWD	108	10256	91.03	359.82	94	8644.97	1178.77	1184.72	970.70	0.33
MWD	109	10351	91.21	359.91	95	8643.11	1273.75	1279.71	970.47	0.21
MWD	110	10446	91.08	359.65	95	8641.21	1368.73	1374.69	970.11	0.31
MWD	111	10541	88.66	358.86	95	8641.43	1463.72	1469.67	968.87	2.68
MWD	112	10636	90.59	359.38	95	8642.05	1558.71	1564.65	967.42	2.10
MWD	113	10730	89.76	359.12	94	8641.77	1652.71	1658.64	966.19	0.93
MWD	114	10824	89.71	358.86	94	8642.20	1746.70	1752.63	964.53	0.28
MWD	115	10920	89.76	358.68	96	8642.64	1842.69	1848.60	962.47	0.19
MWD	116	11014	91.21	358.50	94	8641.85	1936.67	1942.57	960.16	1.55
MWD	117	11108	91.69	358.68	94	8639.47	2030.62	2036.51	957.84	0.55
MWD	118	11203	91.96	358.33	95	8636.44	2125.55	2131.43	955.37	0.47
MWD	119	11299	92.40	358.07	96	8632.79	2221.45	2227.31	952.35	0.53
MWD	120	11393	92.48	357.89	94	8628.79	2315.33	2321.17	949.04	0.21
MWD	121	11489	90.51	358.68	96	8626.29	2411.26	2417.09	946.17	2.21
MWD	122	11583	91.38	359.74	94	8624.74	2505.24	2511.06	944.87	1.46
MWD	123	11678	90.99	0.44	95	8622.77	2600.22	2606.04	945.02	0.84
MWD	124	11772	88.18	359.56	94	8623.45	2694.21	2700.03	945.02	3.13
MWD	125	11867	88.13	359.21	95	8626.51	2789.16	2794.97	944.00	0.37
MWD	126	11961	88.75	359.03	94	8629.07	2883.12	2888.93	942.56	0.69
MWD	127	12056	90.59	0.17	95	8629.62	2978.11	2983.92	941.90	2.28
MWD	128	12151	90.07	360.00	95	8629.07	3073.10	3078.92	942.04	0.58
MWD	129	12246	89.36	359.56	95	8629.54	3168.10	3173.91	941.67	0.88
MWD	130	12340	89.36	358.94	94	8630.59	3262.09	3267.90	940.44	0.66
MWD	131	12435	89.49	359.12	95	8631.55	3357.08	3362.88	938.84	0.23
MWD	132	12529	90.64	0.26	94	8631.44	3451.08	3456.88	938.33	1.72
MWD	133	12624	88.88	0.53	95	8631.84	3546.07	3551.87	938.98	1.87
MWD	134	12719	91.52	1.49	95	8631.50	3641.03	3646.84	940.66	2.96
MWD	135	12814	89.01	359.82	95	8631.07	3736.00	3741.83	941.74	3.17
MWD	136	12908	89.98	359.91	94	8631.89	3830.00	3835.82	941.52	1.04
MWD	137	13003	91.43	0.26	95	8630.73	3924.99	3930.81	941.66	1.57
MWD	138	13098	91.47	0.44	95	8628.32	4019.95	4025.78	942.24	0.19
MWD	139	13193	91.96	0.44	95	8625.48	4114.90	4120.73	942.97	0.52
MWD	140	13288	89.41	0.17	95	8624.34	4209.88	4215.72	943.48	2.70
MWD	141	13382	89.10	359.03	94	8625.56	4303.87	4309.71	942.82	1.26
MWD	142	13477	88.88	358.77	95	8627.24	4398.84	4404.67	941.00	0.36
MWD	143	13572	91.03	360.00	95	8627.31	4493.83	4499.66	939.98	2.61
MWD	144	13667	94.24	1.40	95	8622.95	4588.70	4594.54	941.14	3.69
MWD	145	13762	91.47	1.58	95	8618.22	4683.53	4689.38	943.60	2.92
MWD	146	13854	88.57	1.40	92	8618.18	4775.47	4781.34	945.99	3.16
MWD	147	13948	90.42	1.76	94	8619.01	4869.41	4875.29	948.59	2.00
MWD	148	14042	89.14	2.37	94	8619.37	4963.32	4969.23	951.97	1.51
MWD	149	14136	88.88	2.37	94	8621.00	5057.20	5063.14	955.86	0.28
MWD	150	14230	88.04	1.32	94	8623.52	5151.10	5157.05	958.88	1.43
MWD	151	14324	89.23	2.02	94	8625.76	5245.01	5250.98	961.62	1.47
MWD	152	14419	90.77	2.55	95	8625.76	5339.91	5345.90	965.41	1.71
MWD	153	14514	88.92	0.61	95	8626.02	5434.84	5440.86	968.03	2.82
MWD	154	14608	87.08	0.00	94	8629.30	5528.78	5534.79	968.53	2.06

MWD	155	14702	86.95	359.74	94	8634.19	5622.65	5628.67	968.32	0.31
MWD	156	14795	87.16	358.50	93	8638.97	5715.52	5721.53	966.89	1.35
MWD	157	14889	89.36	359.03	94	8641.83	5809.46	5815.46	964.87	2.41
MWD	158	14982	91.25	358.59	93	8641.33	5902.44	5908.43	962.94	2.09
MWD	159	15077	91.65	358.86	95	8638.93	5997.40	6003.38	960.82	0.51
MWD	160	15173	89.80	357.27	96	8637.71	6093.35	6099.31	957.58	2.54
MWD	161	15267	89.36	357.19	94	8638.40	6187.26	6193.20	953.04	0.48
MWD	162	15363	90.59	358.24	96	8638.44	6283.20	6289.12	949.21	1.68
MWD	163	15456	91.43	359.03	93	8636.80	6376.17	6382.08	947.00	1.24
MWD	164	15549	93.58	2.37	93	8632.74	6469.05	6474.96	948.13	4.27
MWD	165	15643	92.44	357.36	94	8627.80	6562.89	6568.80	947.91	5.46
MWD	166	15737	92.57	357.01	94	8623.69	6656.71	6662.60	943.29	0.40
MWD	167	15831	89.19	357.01	94	8622.25	6750.59	6756.44	938.39	3.60
MWD	168	15925	89.54	356.40	94	8623.29	6844.45	6850.28	932.99	0.75
MWD	169	16023	92.75	358.33	98	8621.33	6942.34	6948.14	928.48	3.82
MWD	170	16118	91.38	360.00	95	8617.91	7037.27	7043.06	927.10	2.27
MWD	171	16212	90.42	358.50	94	8616.43	7131.25	7137.04	925.87	1.89
MWD	172	16305	90.81	357.54	93	8615.43	7224.21	7229.98	922.66	1.11
MWD	173	16401	90.73	359.03	96	8614.14	7320.17	7325.92	919.79	1.55
MWD	174	16496	90.81	1.76	95	8612.87	7415.14	7420.90	920.44	2.87
MWD	175	16590	91.96	1.49	94	8610.59	7509.06	7514.84	923.10	1.26
MWD	176	16684	90.07	1.40	94	8608.93	7602.99	7608.79	925.47	2.01
MWD	177	16778	89.80	0.53	94	8609.04	7696.97	7702.77	927.06	0.97
MWD	178	16871	90.59	359.30	93	8608.72	7789.96	7795.77	926.92	1.57
MWD	179	16966	89.10	360.00	95	8608.98	7884.96	7890.77	926.34	1.73
MWD	180	17060	89.32	359.47	94	8610.27	7978.95	7984.76	925.91	0.61
MWD	181	17155	88.88	357.71	95	8611.77	8073.92	8079.71	923.57	1.91
MWD	182	17249	89.71	356.92	94	8612.92	8167.83	8173.60	919.16	1.22
MWD	183	17344	91.21	358.77	95	8612.16	8262.77	8268.52	915.59	2.51
MWD	184	17438	90.51	0.35	94	8610.75	8356.76	8362.50	914.87	1.84
MWD	185	17534	90.07	358.68	96	8610.26	8452.76	8458.50	914.06	1.80
MWD	186	17627	90.51	357.63	93	8609.79	8545.72	8551.45	911.06	1.22
MWD	187	17719	88.79	358.86	92	8610.35	8637.69	8643.40	908.25	2.30
MWD	188	17814	90.29	359.65	95	8611.12	8732.68	8738.38	907.01	1.78
MWD	189	17908	91.60	359.74	94	8609.57	8826.66	8832.36	906.51	1.40
MWD	190	18001	91.43	358.94	93	8607.11	8919.63	8925.33	905.44	0.88
MWD	191	18096	90.24	359.03	95	8605.72	9014.61	9020.30	903.76	1.26
MWD	192	18190	89.71	0.09	94	8605.76	9108.61	9114.29	903.04	1.26
MWD	193	18283	88.04	360.00	93	8607.59	9201.58	9207.27	903.11	1.80
MWD	194	18377	87.25	359.65	94	8611.45	9295.50	9301.19	902.82	0.92
MWD	195	18471	86.99	358.50	94	8616.18	9389.38	9395.06	901.31	1.25
MWD	196	18567	88.44	358.77	96	8620.00	9485.28	9490.95	899.02	1.54
MWD	197	18716	89.98	357.80	149	8622.06	9634.22	9639.87	894.56	1.22
PTB	198	18789	89.98	357.80	73	8622.08	9707.18	9712.81	891.76	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017												
1. WELL API NO. 30-015-49022								2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.								5. Lease Name or Unit Agreement Name SCHLITZ FED COM										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								6. Well Number: 202H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC						9. OGRID 372043												
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO						11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	M	16	25S	26E	-	620	SOUTH	1001	WEST	EDDY								
BH:	C	9	25S	26E	-	265	NORTH	1948	WEST	EDDY								
13. Date Spudded 3/23/2022	14. Date T.D. Reached 4/25/2022		15. Date Rig Released 4/27/2022		16. Date Completed (Ready to Produce) 9/5/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3427 GR										
18. Total Measured Depth of Well 18789 ft			19. Plug Back Measured Depth 18725 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 8832 ft to 18642 ft							WOLFCAMP											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		415'		17.5"		440 sks		0								
9.625"		40		1977'		12.25"		1100 sks		0								
5.5"		20		18774'		8.75"/6.75"		1374 sks		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
26. Perforation record (interval, size, and number) Perforate from 8832 ft to 18642 ft, 1 SPF, .55 inch holes with 638 total shots					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>8832 ft to 18642 ft</td> <td>49 stage frac with 24,705,060 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	8832 ft to 18642 ft	49 stage frac with 24,705,060 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
8832 ft to 18642 ft	49 stage frac with 24,705,060 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 9/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 10/1/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 656	Gas - MCF 1864	Water - Bbl. 4597	Gas - Oil Ratio 2841											
Flow Tubing Press. 0	Casing Pressure 1400	Calculated 24-Hour Rate	Oil - Bbl. 656	Gas - MCF 1864	Water - Bbl. 4597	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments C-102, Directional Survey																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature 		Printed Name Jeff Trlica			Title Regulatory Analyst			Date 10/18/2022										
E-mail Address jtrlica@taprock.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	478		Quaternary					
478	915		Rustler					
915	1684		Top of Salt					
1984	1886		Base of Salt					
1886	1913		Lamar					
1913	2892		Bell Canyon					
2892	3780		Cherry Canyon					
3780	5448		Brushy Canyon					
5448	5833		Bone Spring					
5833	6304		Avalon					
6304	6870		1st Bone Spring Sand					
6870	8172		2nd Bone Spring Sand					
8172	8513		3rd Bone Spring Sand					
8513			Wolfcamp A					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151754

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151754
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151754

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151754
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	11/29/2023