DEGROOM South District-Artesia

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT							
Sperator Name				30015-0456Z			
Property Name Quello Uni				Wall No.			
⁷ Surface Location							
W. Lot Section Township Range, Feet from NS Line Feet From FAV Line - Column							
Township Range Feet from N/S Line Feet From E/W Line Edd L							
Well Status							
YES TA'D WELL NO	YES SHUT-IN	NO INJECTOR	SWD OIL PROD	GAS GAS	DATE/2023		
OBSERVED DATA							
	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Csng	(E)Tubing		
Pressure	\wedge	representative management and a second contractive and a second and a second			220		
Flow Characteristics			The same and the s	The Control of the second of the second section of the second second second second second second second second	- OO		
Puff	YIN	Y / N	Y/N	YY N	CO2		
Steady Flow	Y /O	Y / 💆	Y / N	Y/N	WTR GAS		
Surges	Y 10	Y // N	Y/ N	Y /(N)	Type of Flaid		
Down to nothing	O/N	Y// N	Y/N	(Y)/ N	Injected for Waterback I		
Gas or Oil Water	Y / S Y (y	Y / N Y / N	Y/N	Y / (N)	applies.		
And write a manage agreement of the Andread An		Samuel Commence of the Commenc		The state of the s			
Remarks - Please state for each	ch string (A,B,C,D,E) pert	inent information regarding blee	ed down or continuous bui	ld up if applies.			
Signature:	***************************************			OIL CONSERVATI	ON DIVISION		
Printed name:				Entered into RBDMS			
Title				Re-test			
E-mail Address:							
Date:	Phone	D V	DO				
***************************************	Witness	MILLER	77)	BEBELL COSTONIANTEN ABONEPENDEN ETTE PREPERMENTEN	THE RESERVE THE PROPERTY OF TH		

INSTRUCTIONS ON BACK OF THIS FORM

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify: All valves prior to testing

Gauges: Install on each casing string to record pressure.

Assure: That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open: Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges: Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

In case of pressure:

1. Record pressure reading on gauge.

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 289058

CONDITIONS

Operator:	OGRID:
BXP Operating, LLC	329487
11757 KATY FREEWAY	Action Number:
HOUSTON, TX 77079	289058
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By		Condition Date
kfortner	None	12/4/2023