<u>DECCEDE</u>X South District-Artesia

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Frics District Office

BRADENHEAD TEST REPORT	
BYP Operator Name Operator Name	30-015 10101
North Benson Queen Unit	No.
¹ Surface Location	
ULALOT Section Township Range Feet from NS Line 3310 N	Feet From E/W Line Chung
Well Status	<i></i>
YES TA'D WELL NO YES SHUT-IN NO INJ INJECTOR SWD OIL	GAS 9/24/2023

OBSERVED DATA

are the security of the contract of the Contra	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Csng	(E)Tubing
Pressure	0	CONTRACTOR AND	A STATE OF THE STA	0	320
Flow Characteristics			/		
Puff	Y/N	Y/N	Y/N/	YN	CO2 WTR
Steady Flow	YON	Y / N	YIN	Y/N	GAS
Surges	YON	Y //N	Y/N	Y	T) red Flata
Down to nothing	(D) N	y/ N	YIN	(F) / N	Injected for Waterband Y
Gas or Oil	Y / (N)	/Y / N	Y / N	YIN	# Street
Water	YVN	/ Y / N	Y/N	Y	

Remarks - Please state for each string (A,B,C,D,E) pertinent	t information regarding bleed down	n or continuous build up if appli	es.	ANTER MERCHANISM PROPERTY AND PROPERTY.
BHT-OK				
Carta Alabama kulti ana Salik Challa (CC Cartaman may partemata kumbah na dia Partemas (C. C. Salik Madisia (C. C. C. Salik Madisia)	the Control of the Co	BASULE OF ALSO AND	enconstantini in interese entre	Bres L Biston or restrict the

OIL CONSERVATION DIVISION
Entered into RBDMS
Re-test

INSTRUCTIONS ON BACK OF THIS FORM

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

In case of pressure:

- 1. Record pressure reading on gauge.
- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 289048

CONDITIONS

Operator:	OGRID:
BXP Operating, LLC	329487
11757 KATY FREEWAY	Action Number:
HOUSTON, TX 77079	289048
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By		Condition Date
kfortner	None	12/4/2023