

Pressure Test Report

COMPANY INFORMATION

Company Name	XTO ENERGY
Representative	DUSTIN DEVER
Phone	
Fax	
Address	

E-Mail Address	
Service Company	PHOENIX SERVICES

WELL INFORMATION

Well Name	POKER LAKE UNIT 26 BRIDGE SWD 1
Well Location	EDDY CTY, NM
Field and Pool	DEVONIAN
Status (Oil, Gas, Water, Injection)	DISPOSAL
Perforated Intervals	16836-17905
Mid-point of Perforated Intervals (MPP)	
Drilling Rig Number	
Elevations	
Kelly Bushing (KB)	
Casing Flange (CF)	
KB-CF	
Ground Level	
Plug Back Total Depth	10958
Total Depth	17905
Production Casing	7" TO 16830
Production Tubing	4 1/2" TO 16750

TEST INFORMATION

Type of Test	BUILDUP
Date(s) of Test	10/2/20-10/3/20
Dead-weight Gauge Tubing Pressure	400
Dead-weight Gauge Casing Pressure	
Shut-in Date (Duration)	
Date / Time on Bottom	10/2/20 @ 1951 HRS
Date / Time off Bottom	10/3/20 @ 0912 HRS

Probe Serial Number	91641
Probe Offset from End of Tool String	0-100000
Run Depth at Probe Pressure Port	16700

PRESSURE TEST RESULTS

Maximum Recorded Probe Pressure	7852.0 psig
Maximum Recorded Probe Temperature	244.8 deg F
Final Buildup Pressure	
Gradient Survey Information	
Extrapolated Pressure to MPP	
Final Gradient at Depth	
Job Number	

Company Name	XTO ENERGY
Well Name	POKER LAKE UNIT 26 BRIDGE SWD 1
Type of Test	BUILDUP
Date(s) of Test	10/2/20-10/3/20

PROBE INFORMATION

Probe Serial Number 91641

Model

Pressure

Calibrated Pressure Range

Accuracy

Resolution

Temperature

Calibrated Temperature Range

Accuracy

Resolution

Calibration File Used for Reports

PROGRAMMING DETAILS

<u>Step</u>	<u>Sample Mode</u>	<u>Period</u>	<u>Duration</u>	<u>Comment</u>
-------------	--------------------	---------------	-----------------	----------------

Program Start Time

Program End Time

Total Samples Taken

Usage for this Test

Generic Data File Name

Company Name	XTO ENERGY
Well Name	POKER LAKE UNIT 26 BRIDGE SWD 1
Type of Test	BUILDUP
Date(s) of Test	10/2/20-10/3/20

COMMENTS

Reported By

PHOENIX SERVICES

10/2/20 - AOL-ON STANDBY FOR STEP RATE TEST-RU 1 1/4" TOOL STRING, 3 1/2"-5 1/2" X
OVER-RAN TANDEM BHP GAUGES (91641, 91642) TO 16700' @ 100'/MIN-MAKING GRADIENT
STOPS EVERY 1000' STARING @ 5000'-LEFT GAUGES IN TO MONITER WELL.

10/3/20 - AOL-POOH W/TANDEM BHP GAUGES FROM 16700' MAKING GRADIENT STOPS TO 5000'-

Company Name	XTO ENERGY
Well Name	POKER LAKE UNIT 26 BRIDGE SWD 1
Type of Test	BUILDUP
Date(s) of Test	10/2/20-10/3/20

Pressure vs. Depth

Probe Serial Number 91641


Stop Time From	Stop Time To	Depth (ft)	Pressure (psig)	Gradient (psi/ft)	(deg F)	(deg F/ft)
1706	1711	5000.000	2921.793	-	90.306	-
1720	1725	6000.000	3381.095	0.4593	92.410	0.0021
1734	1739	7000.000	3845.756	0.4647	99.696	0.0073
1748	1753	8000.000	4306.563	0.4608	103.300	0.0036
1802	1807	9000.000	4765.359	0.4588	112.150	0.0089
1816	1821	10000.000	5226.256	0.4609	119.107	0.0070
1830	1835	11000.000	5684.015	0.4578	131.068	0.0120
1844	1849	12000.000	6137.976	0.4540	141.791	0.0107
1858	1903	13000.000	6557.232	0.4193	153.018	0.0112
1912	1917	14000.000	6947.483	0.3903	171.372	0.0184
1926	1931	15000.000	7319.704	0.3722	188.289	0.0169
1940	1945	16000.000	7652.720	0.3330	201.051	0.0128
1951		16700.000	7848.872	0.2802	213.485	0.0178

Extrapolated to MPP:	Depth (ft)	Pressure (psig)	(deg F)
	0.000		


Company Name	XTO ENERGY
Well Name	POKER LAKE UNIT 26 BRIDGE SWD 1
Type of Test	BUILDUP
Date(s) of Test	10/2/20-10/3/20

Probe Serial Number 91641

RIH Gradient Depth vs. Pressure



RIH Gradient Depth vs. Temperature



Company Name	XTO ENERGY
Well Name	POKER LAKE UNIT 26 BRIDGE SWD 1
Type of Test	BUILDUP
Date(s) of Test	10/2/20-10/3/20

Pressure vs. Depth

Probe Serial Number 91641

		(ft)	(psig)	(psi/ft)	(deg F)	(deg F/ft)
	0912	16700.000	7838.027	-	244.769	-
0917	0922	16000.000	7598.980	0.3415	232.966	0.0169
0928	0933	15000.000	7369.581	0.2294	219.236	0.0137
0941	0946	14000.000	7132.438	0.2371	205.324	0.0139
0953	0958	13000.000	6865.950	0.2665	190.717	0.0146
1006	1011	12000.000	6583.516	0.2824	175.989	0.0147
1019	1024	11000.000	6282.945	0.3006	163.378	0.0126
1032	1037	10000.000	5885.334	0.3976	151.707	0.0117
1046	1051	9000.000	5497.578	0.3878	141.384	0.0103
1100	1105	8000.000	5108.905	0.3887	129.123	0.0123
1114	1119	7000.000	4722.186	0.3867	121.431	0.0077
1128	1133	6000.000	4334.109	0.3881	112.926	0.0085
1142	1147	5000.000	3934.029	0.4001	104.896	0.0080


Extrapolated to MPP:

(ft)	(psig)	(deg F)
0.000		


Company Name XTO ENERGY
Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
Type of Test BUILDUP
Date(s) of Test 10/2/20-10/3/20

Probe Serial Number 91641

POOH Gradient Depth vs. Pressure




POOH Gradient Depth vs. Temperature




Company Name XTO ENERGY
Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
Type of Test BUILDUP
Date(s) of Test 10/2/20-10/3/20

Poker Lake Unit 26 Bridge SWD 001




Company Name XTO ENERGY
 Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
 Type of Test BUILDUP
 Date(s) of Test 10/2/20-10/3/20

RIH Gradient Poker Lake Unit 26 Bridge SWD 001



Company Name XTO ENERGY
 Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
 Type of Test BUILDUP
 Date(s) of Test 10/2/20-10/3/20

POOH Gradient Poker Lake Unit 26 Bridge SWD 001



Company Name XTO ENERGY
 Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
 Type of Test BUILDUP
 Date(s) of Test 10/2/20-10/3/20

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/10/02	16:02:05	0.0000	0.636	83.959
2020/10/02	16:06:05	0.0667	0.574	86.371
2020/10/02	16:10:05	0.1333	0.583	87.683
2020/10/02	16:14:05	0.2000	15.241	88.677
2020/10/02	16:18:05	0.2667	664.613	85.174
2020/10/02	16:22:05	0.3333	793.841	76.374
2020/10/02	16:26:05	0.4000	986.534	75.927
2020/10/02	16:30:05	0.4667	1179.683	76.681
2020/10/02	16:34:05	0.5333	1374.180	77.583
2020/10/02	16:38:05	0.6000	1575.433	78.442
2020/10/02	16:42:05	0.6667	1729.297	79.086
2020/10/02	16:46:05	0.7333	1871.365	80.069
2020/10/02	16:50:05	0.8000	2065.744	81.136
2020/10/02	16:54:05	0.8667	2248.897	81.892
2020/10/02	16:58:05	0.9333	2476.098	84.740
2020/10/02	17:02:05	1.0000	2685.662	89.083
2020/10/02	17:06:05	1.0667	2889.024	87.764
RIH Gradient: 5000.000 ft				
2020/10/02	17:06:50	1.0792	2921.793	90.306
2020/10/02	17:10:05	1.1333	2927.577	91.542
2020/10/02	17:14:05	1.2000	3077.566	89.798
2020/10/02	17:18:05	1.2667	3272.096	91.002
RIH Gradient: 6000.000 ft				
2020/10/02	17:20:15	1.3028	3381.095	92.410
2020/10/02	17:22:05	1.3333	3385.982	93.398
2020/10/02	17:26:05	1.4000	3423.540	93.852
2020/10/02	17:30:05	1.4667	3621.723	95.562
2020/10/02	17:34:05	1.5333	3818.966	98.856
RIH Gradient: 7000.000 ft				
2020/10/02	17:34:50	1.5458	3845.756	99.696
2020/10/02	17:38:05	1.6000	3851.134	100.515
2020/10/02	17:42:05	1.6667	3976.183	100.683
2020/10/02	17:46:05	1.7333	4172.205	102.855
RIH Gradient: 8000.000 ft				
2020/10/02	17:48:50	1.7792	4306.563	103.300
2020/10/02	17:50:05	1.8000	4308.749	103.930
2020/10/02	17:54:05	1.8667	4335.803	104.506
2020/10/02	17:58:05	1.9333	4544.273	106.821
2020/10/02	18:02:05	2.0000	4757.019	111.976
RIH Gradient: 9000.000 ft				
2020/10/02	18:02:15	2.0028	4765.359	112.150
2020/10/02	18:06:05	2.0667	4772.665	113.052
2020/10/02	18:10:05	2.1333	4903.526	114.228
2020/10/02	18:14:05	2.2000	5108.016	117.673
RIH Gradient: 10000.000 ft				
2020/10/02	18:16:45	2.2444	5226.256	119.107
2020/10/02	18:18:05	2.2667	5228.795	118.945
2020/10/02	18:22:05	2.3333	5264.642	119.340
2020/10/02	18:26:05	2.4000	5454.599	124.275
2020/10/02	18:30:05	2.4667	5645.579	129.526

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
RIH Gradient: 11000.000 ft				
2020/10/02	18:30:55	2.4806	5684.015	131.068
2020/10/02	18:34:05	2.5333	5690.498	133.221
2020/10/02	18:38:05	2.6000	5796.817	133.633
2020/10/02	18:42:05	2.6667	6008.132	132.181
RIH Gradient: 12000.000 ft				
2020/10/02	18:44:45	2.7111	6137.976	141.791
2020/10/02	18:46:05	2.7333	6140.143	143.737
2020/10/02	18:50:05	2.8000	6167.745	144.644
2020/10/02	18:54:05	2.8667	6348.263	146.860
2020/10/02	18:58:05	2.9333	6525.662	152.645
RIH Gradient: 13000.000 ft				
2020/10/02	18:59:05	2.9500	6557.232	153.018
2020/10/02	19:02:05	3.0000	6558.063	154.643
2020/10/02	19:06:05	3.0667	6675.562	157.746
2020/10/02	19:10:05	3.1333	6845.609	162.837
RIH Gradient: 14000.000 ft				
2020/10/02	19:12:40	3.1764	6947.483	171.372
2020/10/02	19:14:05	3.2000	6949.826	171.891
2020/10/02	19:18:05	3.2667	6972.920	172.621
2020/10/02	19:22:05	3.3333	7134.142	179.622
2020/10/02	19:26:05	3.4000	7285.380	186.066
RIH Gradient: 15000.000 ft				
2020/10/02	19:27:05	3.4167	7319.704	188.289
2020/10/02	19:30:05	3.4667	7320.821	189.799
2020/10/02	19:34:05	3.5333	7412.790	192.245
2020/10/02	19:38:05	3.6000	7583.924	197.521
RIH Gradient: 16000.000 ft				
2020/10/02	19:40:05	3.6333	7652.720	201.051
2020/10/02	19:42:05	3.6667	7653.261	202.028
2020/10/02	19:46:05	3.7333	7669.591	202.748
2020/10/02	19:50:05	3.8000	7799.871	208.711
RIH Gradient: 16700.000 ft				
2020/10/02	19:51:45	3.8278	7848.872	213.485
2020/10/02	19:54:05	3.8667	7851.797	216.243
2020/10/02	19:58:05	3.9333	7851.725	216.819
2020/10/02	20:02:05	4.0000	7851.614	217.272
2020/10/02	20:06:05	4.0667	7851.355	217.719
2020/10/02	20:10:05	4.1333	7851.516	218.143
2020/10/02	20:14:05	4.2000	7851.306	218.572
2020/10/02	20:18:05	4.2667	7851.277	219.034
2020/10/02	20:22:05	4.3333	7851.182	219.452
2020/10/02	20:26:05	4.4000	7851.075	219.859
2020/10/02	20:30:05	4.4667	7850.984	220.260
2020/10/02	20:34:05	4.5333	7850.984	220.604
2020/10/02	20:38:05	4.6000	7850.718	220.982
2020/10/02	20:42:05	4.6667	7850.742	221.362
2020/10/02	20:46:05	4.7333	7850.770	221.736
2020/10/02	20:50:05	4.8000	7850.523	222.085
2020/10/02	20:54:05	4.8667	7850.626	222.429

Company Name XTO ENERGY
 Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
 Type of Test BUILDUP
 Date(s) of Test 10/2/20-10/3/20

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/10/02	20:58:05	4.9333	7850.470	222.787
2020/10/02	21:02:05	5.0000	7850.329	223.129
2020/10/02	21:06:05	5.0667	7850.495	223.464
2020/10/02	21:10:05	5.1333	7850.272	223.772
2020/10/02	21:14:05	5.2000	7850.283	224.078
2020/10/02	21:18:05	5.2667	7850.231	224.386
2020/10/02	21:22:05	5.3333	7850.231	224.712
2020/10/02	21:26:05	5.4000	7850.082	225.032
2020/10/02	21:30:05	5.4667	7850.018	225.387
2020/10/02	21:34:05	5.5333	7850.006	225.680
2020/10/02	21:38:05	5.6000	7849.993	225.981
2020/10/02	21:42:05	5.6667	7849.804	226.251
2020/10/02	21:46:05	5.7333	7849.919	226.535
2020/10/02	21:50:05	5.8000	7849.998	226.819
2020/10/02	21:54:05	5.8667	7849.827	227.098
2020/10/02	21:58:05	5.9333	7849.933	227.388
2020/10/02	22:02:05	6.0000	7849.846	227.647
2020/10/02	22:06:05	6.0667	7849.756	227.919
2020/10/02	22:10:05	6.1333	7849.817	228.198
2020/10/02	22:14:05	6.2000	7849.738	228.466
2020/10/02	22:18:05	6.2667	7849.647	228.726
2020/10/02	22:22:05	6.3333	7849.666	228.969
2020/10/02	22:26:05	6.4000	7849.445	229.195
2020/10/02	22:30:05	6.4667	7849.460	229.438
2020/10/02	22:34:05	6.5333	7849.433	229.667
2020/10/02	22:38:05	6.6000	7849.438	229.888
2020/10/02	22:42:05	6.6667	7849.512	230.121
2020/10/02	22:46:05	6.7333	7849.357	230.326
2020/10/02	22:50:05	6.8000	7849.365	230.540
2020/10/02	22:54:05	6.8667	7849.226	230.733
2020/10/02	22:58:05	6.9333	7849.131	230.907
2020/10/02	23:02:05	7.0000	7849.149	231.114
2020/10/02	23:06:05	7.0667	7849.149	231.321
2020/10/02	23:10:05	7.1333	7849.092	231.525
2020/10/02	23:14:05	7.2000	7848.975	231.717
2020/10/02	23:18:05	7.2667	7848.832	231.888
2020/10/02	23:22:05	7.3333	7848.878	232.075
2020/10/02	23:26:05	7.4000	7848.800	232.250
2020/10/02	23:30:05	7.4667	7848.731	232.423
2020/10/02	23:34:05	7.5333	7848.725	232.587
2020/10/02	23:38:05	7.6000	7848.456	232.754
2020/10/02	23:42:05	7.6667	7848.618	232.943
2020/10/02	23:46:05	7.7333	7848.542	233.109
2020/10/02	23:50:05	7.8000	7848.646	233.283
2020/10/02	23:54:05	7.8667	7848.659	233.451
2020/10/02	23:58:05	7.9333	7848.509	233.605
2020/10/03	00:02:05	8.0000	7848.579	233.758
2020/10/03	00:06:05	8.0667	7848.519	233.929
2020/10/03	00:10:05	8.1333	7848.323	234.075
2020/10/03	00:14:05	8.2000	7848.424	234.230

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/10/03	00:18:05	8.2667	7848.308	234.363
2020/10/03	00:22:05	8.3333	7848.376	234.511
2020/10/03	00:26:05	8.4000	7848.171	234.631
2020/10/03	00:30:05	8.4667	7848.079	234.772
2020/10/03	00:34:05	8.5333	7848.064	234.918
2020/10/03	00:38:05	8.6000	7848.004	235.044
2020/10/03	00:42:05	8.6667	7847.916	235.175
2020/10/03	00:46:05	8.7333	7847.903	235.297
2020/10/03	00:50:05	8.8000	7847.867	235.441
2020/10/03	00:54:05	8.8667	7847.805	235.558
2020/10/03	00:58:05	8.9333	7847.709	235.674
2020/10/03	01:02:05	9.0000	7847.688	235.785
2020/10/03	01:06:05	9.0667	7847.646	235.908
2020/10/03	01:10:05	9.1333	7847.633	236.025
2020/10/03	01:14:05	9.2000	7847.495	236.136
2020/10/03	01:18:05	9.2667	7847.448	236.246
2020/10/03	01:22:05	9.3333	7847.523	236.361
2020/10/03	01:26:05	9.4000	7847.427	236.473
2020/10/03	01:30:05	9.4667	7847.429	236.577
2020/10/03	01:34:05	9.5333	7847.323	236.687
2020/10/03	01:38:05	9.6000	7847.308	236.784
2020/10/03	01:42:05	9.6667	7847.294	236.894
2020/10/03	01:46:05	9.7333	7847.317	237.011
2020/10/03	01:50:05	9.8000	7847.288	237.112
2020/10/03	01:54:05	9.8667	7847.283	237.207
2020/10/03	01:58:05	9.9333	7847.235	237.308
2020/10/03	02:02:05	10.0000	7847.174	237.405
2020/10/03	02:06:05	10.0667	7847.118	237.510
2020/10/03	02:10:05	10.1333	7847.150	237.619
2020/10/03	02:14:05	10.2000	7847.106	237.711
2020/10/03	02:18:05	10.2667	7847.065	237.807
2020/10/03	02:22:05	10.3333	7847.041	237.904
2020/10/03	02:26:05	10.4000	7846.855	237.987
2020/10/03	02:30:05	10.4667	7846.818	238.062
2020/10/03	02:34:05	10.5333	7846.790	238.152
2020/10/03	02:38:05	10.6000	7846.745	238.224
2020/10/03	02:42:05	10.6667	7846.641	238.291
2020/10/03	02:46:05	10.7333	7846.372	238.330
2020/10/03	02:50:05	10.8000	7846.100	238.379
2020/10/03	02:54:05	10.8667	7846.146	238.440
2020/10/03	02:58:05	10.9333	7845.884	238.507
2020/10/03	03:02:05	11.0000	7845.713	238.557
2020/10/03	03:06:05	11.0667	7845.717	238.627
2020/10/03	03:10:05	11.1333	7845.469	238.689
2020/10/03	03:14:05	11.2000	7845.374	238.735
2020/10/03	03:18:05	11.2667	7845.209	238.786
2020/10/03	03:22:05	11.3333	7845.212	238.840
2020/10/03	03:26:05	11.4000	7845.181	238.899
2020/10/03	03:30:05	11.4667	7845.115	238.957
2020/10/03	03:34:05	11.5333	7845.112	239.023

Company Name XTO ENERGY
 Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
 Type of Test BUILDUP
 Date(s) of Test 10/2/20-10/3/20

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/10/03	03:38:05	11.6000	7845.098	239.081
2020/10/03	03:42:05	11.6667	7845.124	239.148
2020/10/03	03:46:05	11.7333	7845.088	239.212
2020/10/03	03:50:05	11.8000	7845.125	239.286
2020/10/03	03:54:05	11.8667	7845.138	239.358
2020/10/03	03:58:05	11.9333	7845.140	239.419
2020/10/03	04:02:05	12.0000	7845.177	239.500
2020/10/03	04:06:05	12.0667	7845.179	239.571
2020/10/03	04:10:05	12.1333	7845.217	239.646
2020/10/03	04:14:05	12.2000	7845.250	239.722
2020/10/03	04:18:05	12.2667	7845.114	239.785
2020/10/03	04:22:05	12.3333	7845.143	239.868
2020/10/03	04:26:05	12.4000	7845.305	239.945
2020/10/03	04:30:05	12.4667	7845.239	240.022
2020/10/03	04:34:05	12.5333	7845.389	240.102
2020/10/03	04:38:05	12.6000	7845.305	240.175
2020/10/03	04:42:05	12.6667	7845.365	240.253
2020/10/03	04:46:05	12.7333	7845.390	240.327
2020/10/03	04:50:05	12.8000	7845.403	240.400
2020/10/03	04:54:05	12.8667	7845.451	240.487
2020/10/03	04:58:05	12.9333	7845.524	240.568
2020/10/03	05:02:05	13.0000	7845.466	240.633
2020/10/03	05:06:05	13.0667	7845.559	240.715
2020/10/03	05:10:05	13.1333	7845.488	240.789
2020/10/03	05:14:05	13.2000	7845.556	240.863
2020/10/03	05:18:05	13.2667	7845.504	240.939
2020/10/03	05:22:05	13.3333	7845.548	241.007
2020/10/03	05:26:05	13.4000	7845.722	241.090
2020/10/03	05:30:05	13.4667	7845.614	241.162
2020/10/03	05:34:05	13.5333	7845.670	241.243
2020/10/03	05:38:05	13.6000	7845.833	241.326
2020/10/03	05:42:05	13.6667	7845.821	241.396
2020/10/03	05:46:05	13.7333	7845.782	241.471
2020/10/03	05:50:05	13.8000	7845.819	241.549
2020/10/03	05:54:05	13.8667	7845.816	241.624
2020/10/03	05:58:05	13.9333	7845.683	241.702
2020/10/03	06:02:05	14.0000	7845.730	241.774
2020/10/03	06:06:05	14.0667	7845.756	241.848
2020/10/03	06:10:05	14.1333	7845.711	241.918
2020/10/03	06:14:05	14.2000	7845.707	241.992
2020/10/03	06:18:05	14.2667	7845.771	242.067
2020/10/03	06:22:05	14.3333	7845.737	242.139
2020/10/03	06:26:05	14.4000	7845.856	242.206
2020/10/03	06:30:05	14.4667	7845.667	242.267
2020/10/03	06:34:05	14.5333	7845.736	242.344
2020/10/03	06:38:05	14.6000	7845.747	242.418
2020/10/03	06:42:05	14.6667	7845.746	242.492
2020/10/03	06:46:05	14.7333	7845.777	242.555
2020/10/03	06:50:05	14.8000	7845.654	242.618
2020/10/03	06:54:05	14.8667	7845.729	242.686

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/10/03	06:58:05	14.9333	7845.761	242.757
2020/10/03	07:02:05	15.0000	7845.776	242.832
2020/10/03	07:06:05	15.0667	7845.760	242.902
2020/10/03	07:10:05	15.1333	7845.725	242.955
2020/10/03	07:14:05	15.2000	7845.653	243.001
2020/10/03	07:18:05	15.2667	7845.757	243.079
2020/10/03	07:22:05	15.3333	7845.753	243.149
2020/10/03	07:26:05	15.4000	7845.764	243.208
2020/10/03	07:30:05	15.4667	7845.765	243.279
2020/10/03	07:34:05	15.5333	7845.666	243.331
2020/10/03	07:38:05	15.6000	7845.727	243.392
2020/10/03	07:42:05	15.6667	7845.801	243.460
2020/10/03	07:46:05	15.7333	7845.741	243.518
2020/10/03	07:50:05	15.8000	7845.741	243.579
2020/10/03	07:54:05	15.8667	7845.687	243.640
2020/10/03	07:58:05	15.9333	7845.672	243.703
2020/10/03	08:02:05	16.0000	7845.681	243.770
2020/10/03	08:06:05	16.0667	7845.639	243.828
2020/10/03	08:10:05	16.1333	7845.656	243.882
2020/10/03	08:14:05	16.2000	7845.639	243.945
2020/10/03	08:18:05	16.2667	7845.613	244.002
2020/10/03	08:22:05	16.3333	7845.643	244.065
2020/10/03	08:26:05	16.4000	7845.593	244.119
2020/10/03	08:30:05	16.4667	7845.489	244.173
2020/10/03	08:34:05	16.5333	7845.534	244.233
2020/10/03	08:38:05	16.6000	7845.386	244.285
2020/10/03	08:42:05	16.6667	7845.417	244.346
2020/10/03	08:46:05	16.7333	7845.355	244.409
2020/10/03	08:50:05	16.8000	7845.278	244.458
2020/10/03	08:54:05	16.8667	7845.084	244.519
2020/10/03	08:58:05	16.9333	7844.903	244.566
2020/10/03	09:02:05	17.0000	7844.614	244.611
2020/10/03	09:06:05	17.0667	7844.457	244.681
2020/10/03	09:10:05	17.1333	7844.208	244.746
POOH Gradient: 16700.000 ft				
2020/10/03	09:12:20	17.1708	7838.027	244.769
2020/10/03	09:14:05	17.2000	7758.587	241.938
2020/10/03	09:18:05	17.2667	7605.763	233.384
2020/10/03	09:22:05	17.3333	7605.326	232.979
POOH Gradient: 16000.000 ft				
2020/10/03	09:22:25	17.3389	7598.980	232.966
2020/10/03	09:26:05	17.4000	7463.353	226.206
2020/10/03	09:30:05	17.4667	7369.964	219.421
POOH Gradient: 15000.000 ft				
2020/10/03	09:33:25	17.5222	7369.581	219.236
2020/10/03	09:34:05	17.5333	7349.169	218.860
2020/10/03	09:38:05	17.6000	7232.005	212.385
2020/10/03	09:42:05	17.6667	7137.137	205.660
2020/10/03	09:46:05	17.7333	7137.680	205.333
POOH Gradient: 14000.000 ft				

Company Name XTO ENERGY
 Well Name POKER LAKE UNIT 26 BRIDGE SWD 1
 Type of Test BUILDUP
 Date(s) of Test 10/2/20-10/3/20

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/10/03	09:46:30	17.7403	7132.438	205.324
2020/10/03	09:50:05	17.8000	6997.845	198.397
2020/10/03	09:54:05	17.8667	6870.986	191.071
2020/10/03	09:58:05	17.9333	6871.202	190.724
POOH Gradient: 13000.000 ft				
2020/10/03	09:58:25	17.9389	6865.950	190.717
2020/10/03	10:02:05	18.0000	6743.505	185.358
2020/10/03	10:06:05	18.0667	6609.098	178.430
2020/10/03	10:10:05	18.1333	6585.863	176.016
POOH Gradient: 12000.000 ft				
2020/10/03	10:11:25	18.1556	6583.516	175.989
2020/10/03	10:14:05	18.2000	6484.007	172.063
2020/10/03	10:18:05	18.2667	6333.575	166.300
2020/10/03	10:22:05	18.3333	6282.352	163.407
POOH Gradient: 11000.000 ft				
2020/10/03	10:24:25	18.3722	6282.945	163.378
2020/10/03	10:26:05	18.4000	6204.830	161.312
2020/10/03	10:30:05	18.4667	5994.512	154.701
2020/10/03	10:34:05	18.5333	5893.764	151.740
POOH Gradient: 10000.000 ft				
2020/10/03	10:37:30	18.5903	5885.334	151.707
2020/10/03	10:38:05	18.6000	5860.816	151.444
2020/10/03	10:42:05	18.6667	5688.184	146.656
2020/10/03	10:46:05	18.7333	5512.558	142.434
2020/10/03	10:50:05	18.8000	5502.761	141.386
POOH Gradient: 9000.000 ft				
2020/10/03	10:51:25	18.8222	5497.578	141.384
2020/10/03	10:54:05	18.8667	5384.748	137.703
2020/10/03	10:58:05	18.9333	5212.833	132.332
2020/10/03	11:02:05	19.0000	5112.680	129.175
POOH Gradient: 8000.000 ft				
2020/10/03	11:05:20	19.0542	5108.905	129.123
2020/10/03	11:06:05	19.0667	5078.268	128.876
2020/10/03	11:10:05	19.1333	4899.441	125.823
2020/10/03	11:14:05	19.2000	4727.560	121.996
2020/10/03	11:18:05	19.2667	4727.479	121.428
POOH Gradient: 7000.000 ft				
2020/10/03	11:19:25	19.2889	4722.186	121.431
2020/10/03	11:22:05	19.3333	4605.944	119.426
2020/10/03	11:26:05	19.4000	4424.983	115.576
2020/10/03	11:30:05	19.4667	4334.584	112.971
POOH Gradient: 6000.000 ft				
2020/10/03	11:33:15	19.5194	4334.109	112.926
2020/10/03	11:34:05	19.5333	4298.056	112.627
2020/10/03	11:38:05	19.6000	4119.727	109.103
2020/10/03	11:42:05	19.6667	3939.819	105.512
2020/10/03	11:46:05	19.7333	3937.608	104.898
POOH Gradient: 5000.000 ft				
2020/10/03	11:47:05	19.7500	3934.029	104.896
2020/10/03	11:50:05	19.8000	3801.820	102.758

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2020/10/03	11:54:05	19.8667	3621.215	99.846
2020/10/03	11:58:05	19.9333	3434.252	94.968
2020/10/03	12:02:05	20.0000	3243.952	92.912
2020/10/03	12:06:05	20.0667	3058.001	90.921
2020/10/03	12:10:05	20.1333	2876.244	88.711
2020/10/03	12:14:05	20.2000	2690.115	86.770
2020/10/03	12:18:05	20.2667	2515.776	84.571
2020/10/03	12:22:05	20.3333	2482.581	82.845
2020/10/03	12:26:05	20.4000	2448.210	80.253
2020/10/03	12:30:05	20.4667	2009.410	85.123
2020/10/03	12:34:05	20.5333	1495.201	83.824
2020/10/03	12:38:05	20.6000	0.000	71.281
2020/10/03	12:42:05	20.6667	0.057	70.696

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐ SWD Disposal		WELL API NO. 30-015-46706
2. Name of Operator XTO Permian Operating, LLC		5. Indicate Type of Lease STATE ☐ FEE ☐ Fed ☒
3. Address of Operator 64001 Holiday Hill rd BLDG #5, Midland TX 79707		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>O</u> : <u>875</u> feet from the <u>South</u> line and <u>230</u> feet from the <u>East</u> line Section <u>26</u> Township <u>25S</u> Range <u>30E</u> NMPM County <u>Eddy</u>		7. Lease Name or Unit Agreement Name Poker Lake Unit 26 Bridge Fed SWD
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3315 GR		8. Well Number <u>1</u>
		9. OGRID Number 373375
		10. Pool name or Wildcat SWD Devonian

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☒ CASING/CEMENT JOB ☐ OTHER: First Disposal Date ☒	
--	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Poker Lake Unit 26 Bridge Federal SWD 001

XTO Permian Operating, LLC respectfully submits this report for record clean-up.

10/30/2020: Bottom-Hole Pressure Measurement Conducted. Pressure report is attached.

12/13/2020: First Disposal of Volumes

Spud Date:

02/07/2019

Rig Release Date:

04/29/2019

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Cassie Evans TITLE Regulatory Analyst DATE 2/23/2022

Type or print name Cassie Evans E-mail address: cassie.evans@exxonmobil.com PHONE: 432.218.3671

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

02/24/2022

Well Name: POKER LAKE UNIT 26 BRIDGE FED	Well Location: T25S / R30E / SEC 26 / SWSE / 32.096274 / -103.850777	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: INJECTION - DISPOSAL	Allottee or Tribe Name:
Lease Number: NMLC0063875, NMLC063875	Unit or CA Name: POKER LAKE	Unit or CA Number: NMNM071016X, NMNM71016X
US Well Number: 3001546706	Well Status: Drilling Well	Operator: XTO PERMIAN OPERATING LLC

Notification

Sundry ID:	2658757		
Type of Submission:	Notification	Type of Action:	Other
Date Sundry Submitted:	Feb 24, 2022	Time Sundry Submitted:	5:52:04 PM
Date Operation will begin:	Dec 13, 2020	Time Operation will begin:	6:01:00 AM
Field Contact Name:	Stephanie Rabadue	Field Contact Number:	4326206714

Procedure Description: Poker Lake Unit 26 Bridge Federal SWD 001
XTO Permian Operating, LLC respectfully submits this report for record clean-up.
10/30/2020: Bottom-Hole Pressure Measurement Conducted. Pressure report is attached.
12/13/2020: First Disposal of Volumes

Notification Attachments

Procedure Description

10032020_PLU_26_Bridge_Fed_SWD_001_BHP_Report_20220224175149.pdf

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 84153

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 84153
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	12/4/2023