
Office	State of New Mexico	Form C-103
District I - (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283		WELL API NO. 30-015-01657
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE X FEE
District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		308702
	TICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	OSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A ICATION FOR PERMIT" (FORM C-101) FOR SUCH	AA State
1. Type of Well: Oil Well	Gas Well Other	8. Well Number 1
Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator		10. Pool name or Wildcat
303 Veterans Airpark Lane, Ste 4. Well Location	9. 3000, Midland, TX 79705	Artesia: Glorieta-Yeso (o)
Unit Letter F :	2280 feet from the N line and	1980 feet from the W line
Section 32	Township 17S Range 28E	NMPM County Eddy
	11. Elevation (Show whether DR, RKB, RT, GR, etc.	
12. Check	Appropriate Box to Indicate Nature of Notice,	Report or Other Data
NOTICE OF IN	ITENTION TO:	RECUENT REPORT OF
PERFORM REMEDIAL WORK	NTENTION TO: SUB PLUG AND ABANDON ☐ REMEDIAL WOR	SSEQUENT REPORT OF: RK ALTERING CASING
TEMPORARILY ABANDON	TO CONTRACTOR ACCOUNTS ACCOUNT AND ACCOUNT AND ACCOUNT AND ACCOUNT AND ACCOUNT	ILLING OPNS. PAND A
PULL OR ALTER CASING	MULTIPLE COMPL CASING/CEMEN	IT JOB
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM		
	□ OTHER	П
OTHER:	OTHER:	d give pertinent dates, including estimated date
OTHER: 13. Describe proposed or compost of starting any proposed we	oleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or comp	oleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or compost of starting any proposed we	oleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or composed we proposed completion or recomposed to the composed with the composed completion or recomposed completion or recompletion or recomposed completion or rec	oleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co completion. ot 25 sx class C cmt WOC Tag Toc 0.	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or composed we proposed completion or recomposed with the proposed completion or recomposed	oleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co completion. ot 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'.	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or composed we proposed completion or recomposed with the proposed will be completed on the proposed completion or recomposed completion or recomposed completion or recomposed completed with the proposed or completed with the proposed with the proposed completed with the proposed completed with the proposed with the proposed completed with the proposed completed with the proposed with the proposed completed with the proposed completed with the proposed with the proposed completed with the proposed completed with the proposed completed with the proposed with the proposed completed with the propose	oleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co completion. of 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. of 55 sx class C cmt from 1992 to 1200'.	d give pertinent dates, including estimated date mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or composed we proposed completion or recomposed with the proposed will be completed on the proposed completion or recomposed completion or recomposed completion or recomposed will be composed with the proposed will be composed with the proposed will be composed will be composed with the proposed or composed with the proposed with	oleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co completion. ot 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'.	mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or composed we proposed completion or recomposed with the proposed will be completed on the proposed completion or recomposed completion or recomposed completion or recomposed will be composed with the proposed will be composed with the proposed will be composed will be composed with the proposed or composed with the proposed with	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 26 sx class C cmt from 1992 to 1200'. but 27 sx class C cmt from 1992 to 1200'. but 28 sx class C cmt from 1992 to 1200'. but 29 sx class C cmt woc Tag Toc @ 902'. but 29 sx class C cmt woc Tag Toc @ 902'.	mpletions: Attach wellbore diagram of
OTHER: 13. Describe proposed or composed we proposed completion or recomproposed with the proposed completion or recompletion of the proposed or recompletion	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 26 sx class C cmt from 1992 to 1200'. but 27 sx class C cmt from 1992 to 1200'. but 28 sx class C cmt from 1992 to 1200'. but 29 sx class C cmt woc Tag Toc @ 902'. but 29 sx class C cmt woc Tag Toc @ 902'.	ead and remove. Install dry
OTHER: 13. Describe proposed or composed we proposed completion or recomproposed with the proposed completion or recompletion of the proposed or recompletion	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 26 sx class C cmt from 1992 to 1200'. but 27 sx class C cmt from 1992 to 1200'. but 28 sx class C cmt from 1992 to 1200'. but 29 sx class C cmt woc Tag Toc @ 902'. but 29 sx class C cmt woc Tag Toc @ 902'.	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of
OTHER: 13. Describe proposed or composed we proposed completion or recomproposed with the proposed completion or recompletion of the proposed or recompletion	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 26 sx class C cmt from 1992 to 1200'. but 27 sx class C cmt from 1992 to 1200'. but 28 sx class C cmt from 1992 to 1200'. but 29 sx class C cmt woc Tag Toc @ 902'. but 29 sx class C cmt woc Tag Toc @ 902'.	ead and remove. Install dry Approved for plugging of well bore only. Liability under
OTHER: 13. Describe proposed or composed we proposed completion or recomproposed with the proposed completion or recompletion of the proposed or recompletion	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 26 sx class C cmt from 1992 to 1200'. but 27 sx class C cmt from 1992 to 1200'. but 28 sx class C cmt from 1992 to 1200'. but 29 sx class C cmt woc Tag Toc @ 902'. but 29 sx class C cmt woc Tag Toc @ 902'.	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which
OTHER: 13. Describe proposed or composed we proposed completion or recomproposed with the proposed completion or recompletion of the proposed or recompletion	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 26 sx class C cmt from 1992 to 1200'. but 27 sx class C cmt from 1992 to 1200'. but 28 sx class C cmt from 1992 to 1200'. but 29 sx class C cmt woc Tag Toc @ 902'. but 29 sx class C cmt woc Tag Toc @ 902'.	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
OTHER: 13. Describe proposed or composed we proposed completion or recomproposed with the proposed completion or recompletion of the proposed or recompletion	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 25 sx class C cmt from 1992 to 1200'. but 26 sx class C cmt from 1992 to 1200'. but 27 sx class C cmt from 1992 to 1200'. but 28 sx class C cmt from 1992 to 1200'. but 29 sx class C cmt woc Tag Toc @ 902'. but 29 sx class C cmt woc Tag Toc @ 902'.	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed w/BLM & spot 11/28/23 Notified w/BLM & spot 11/28/23 Notified w/BLM & Perhole marker. P&A complete the proposed or complete with the pr	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 55 sx class C cmt from 1992 to 1200'. but 65 sx class C cmt from 1992 to 1200'. but 665 & Circ cmt to surf w/200 sx class C cmt. Cut off wellhomplete.	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed w/BLM & spot 11/28/23 Notified w/BLM & spot 11/28/23 Notified w/BLM & Perhole marker. P&A complete the proposed or complete with the pr	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 55 sx class C cmt from 1992 to 1200'. but 65 sx class C cmt from 1992 to 1200'. but 665 & Circ cmt to surf w/200 sx class C cmt. Cut off wellhomplete.	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recomposed completion or r	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 55 sx class C cmt from 1992 to 1200'. but 65 sx class C cmt from 1992 to 1200'. but 665 & Circ cmt to surf w/200 sx class C cmt. Cut off wellhomplete.	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recomposed completion or r	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 60 for 1030' sqz 50 sx class C cmt WOC Tag Toc @ 902'. but 60 for 20 for 20 for 20 for 20 for 20 for 30 for	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed with the specific complete complete composed with the specific composed complete co	bleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. but 25 sx class C cmt WOC Tag Toc 0. spot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. but 25 sx class C cmt from 1992 to 1200'. but 60 for 1030' sqz 50 sx class C cmt WOC Tag Toc @ 902'. but 60 for 20 for 20 for 20 for 20 for 20 for 30 for	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed complete with a specific complete compl	Deleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Det 25 sx class C cmt WOC Tag Toc 0. Expot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. Det 55 sx class C cmt from 1992 to 1200'. Det 665 & Circ cmt to surf w/200 sx class C cmt. Cut off wellhomplete. Rig Release Date: Rig Release Date: Agent	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us The and belief. DATE 11/30/23
OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or	Deleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Det 25 sx class C cmt WOC Tag Toc 0. Expot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. Det 55 sx class C cmt from 1992 to 1200'. Det 665 & Circ cmt to surf w/200 sx class C cmt. Cut off wellhomplete. Rig Release Date: Rig Release Date: Agent	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed complete with a specific complete compl	Deleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Det 25 sx class C cmt WOC Tag Toc 0. Expot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. Det 55 sx class C cmt from 1992 to 1200'. Det 665 & Circ cmt to surf w/200 sx class C cmt. Cut off wellhomplete. Rig Release Date: Rig Release Date: Agent	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us The and belief. DATE 11/30/23
OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or	Deleted operations. (Clearly state all pertinent details, an ork). SEE RULE 19.15.7.14 NMAC. For Multiple Cocompletion. Det 25 sx class C cmt WOC Tag Toc 0. Expot 25 sx class C cmt @ 3472' WOC Tag Toc @ 3120'. Det 55 sx class C cmt from 1992 to 1200'. Det 665 & Circ cmt to surf w/200 sx class C cmt. Cut off wellhomplete. Rig Release Date: Rig Release Date: Agent	ead and remove. Install dry Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us The and belief. DATE 11/30/23 DE@yahoo.com PHONE: 432-561-8600



LEASE NAME	AA State	Tuge 2
WELL#	1	
API#	30-015-01657	
COUNTY	Eddy	

FINAL PA WB DIAGRAM



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 290206

CONDITIONS

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	290206
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	None	12/5/2023