

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-21962
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. 309164
7. Lease Name or Unit Agreement Name EMPIRE ABO UNIT
8. Well Number 332
9. OGRID Number 873
10. Pool name or Wildcat EMPIRE ABO 22040

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Apache Corporation	
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705	
4. Well Location Unit Letter <u>E</u> : 2582 feet from the <u>N</u> line and 150 feet from the <u>W</u> line Section <u>34</u> Township <u>17S</u> Range <u>28E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3668	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☒	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: new well ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

APACHE IS REQUESTING TO TA THE WELLBORE PER PROCEDURES BELOW

Disconnect, isolate, lock-out surface mechanical and electrical equipment
 POOH all equipment
 SET CIBP @5772 DUMP BAIL 35 FT OF CEMENT ON TOP OF CIBP
 TAG CEMENT
 NOTIFY NMOCD 24HRS PRIOR TO MIT
 CIRCULATE PKR FLUD
 CONDUCT MIT
 SI AND SECURE WELL

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

Spud Date:

12/18/1976

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE Sr. Staff Reg Analyst DATE 11/21/2023

Type or print name Alicia Fulton E-mail address: alicia.fulton@apachecorp.com PHONE: (432) 818-1088

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 12/6/23
 Conditions of Approval (if any):



WBD Actual

Well Name: EMPIRE ABO UNIT F #332

Reference Datum: KB

API/Surface Loc 3001521962	Surface Legal Location SEC 34, T17S, R28E, EDDY CO., NM	Field Name Empire	State/Province New Mexico	Well Purpose Production
Spud Date 12/18/1976 18:00	Original KB Elevation (ft) 3,680.0	Ground Elevation (ft) 3,668.0	KB-Ground Distance (ft) 12.0	
PBTD (All) (ftKB) Original Hole - 6,192		Total Depth All (TVD) (ftKB)		

Production, EMPIRE ABO UNIT F #332 - Original Hole, 11/20/2023 5:05:44 PM		Original KB Elevation (ft)		KB-TH (ft)	Ground Elevation (ft)		TH Elev (ft)	KB-Ground Distance (ft)		
		3,680.0			3,668.0			12.0		
BH UWI										
Vertical schematic (actual)		MD (ftKB)	Wellbore Legal Name		Wellbore Name		Bottom Hole Legal Location		Total Depth (ftKB)	
			EMPIRE ABO UNIT F #332		EMPIRE ABO UNIT F #332				6,368.0	
Wellbore Sections										
			Section Des		Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date		
		-208.2	Surface		11	12.0	643.0			
			Prod 1		7 7/8	643.0	6,368.0			
		-98.0								
Casing Strings										
			Csg Des	OD (in)	Wt/Len (lb/ft)	Grade		Set Depth (ftKB)		
		12.1	Surface	8 5/8	24.00	K-55		643.00		
			Prod 1	5 1/2	15.00	K-55		6,368.00		
Cement Stages										
			Des	String		Top (ftKB)	Btm (ftKB)	Start Date		
		432.7	Primary Cement	Prod 1, 6,368.00ftKB, 5 1/2		12.00	6,368.00			
			Primary Cement	Surface, 643.00ftKB, 8 5/8		12.00	643.00			
Tubing Strings										
			Tubing Description		Run Date	String Length (ft)	Set Depth (ftKB)			
		2,341.0	SUCKER RODS		11/21/2006	6,007.51	6,007.5			
			Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
		4,038.9	Polished Rod	1			1 1/4			22.00
			Rod(s)	1			1			6.00
		5,736.9	Rod(s)	1			1			9.00
			Rod(s)	145			1			5,437.51
		5,748.6	Unknown	20			1 1/2		C	500.00
			Pony Rod(s)	1			7/8		C	2.00
		5,760.3	Unknown	1						1.00
			Pony Rod(s)	1			7/8		C	2.00
		5,772.0	Rod Pump	1			2			28.00
			Seating Nipple	1			1			0.00
Rod Strings										
			Rod Description		Run Date	String Length (ft)	Set Depth (ftKB)			
		5,774.6	Rod		10/13/2014	6,008.1	6,008.1			
			Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
		5,775.9	Polished Rod	1			1 1/2		SM-125	26.00
		5,914.6	Pony Rod(s)	1			1		FG	3.00
			Pony Rod(s)	1			1		FG	9.00
		6,053.3	Polished Rod	145		Chromed	1 1/4	4.20	PRC	5,437.50
			Sinker Bar	20			1 1/2	4.17	C	500.00
		6,191.9	Pony Rod(s)	1			7/8			2.00
			Right Hand Release	1			7/8			0.60
		6,199.3	Pony Rod(s)	1			7/8			1.00
			Insert Pump	1			1 1/2			28.00
		6,206.6	Gas Anchor	1			1			1.00
Perforations										
			Date	Type		Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total
		6,213.9	12/1/2006	PERFORATED		5,822	5,934	No		
		6,265.3	1/8/1977	PERFORATED		6,214	6,237	No	1.0	47
Plug Back Total Depths										
			Date	Type			Depth (ftKB)		Depth (TVD) (ftKB)	
		6,316.7	10/13/2014				6,192			
Comments										
			Com							
		6,474.2	AGSP:-3680.01							
Schematic Annotations										
			Start Date	Depth (ftKB)	Annotation					
		6,580.4								




WBD Proposed - TA

Well Name: EMPIRE ABO UNIT F #332

Reference Datum: KB

API/Surface Loc 3001521962	Surface Legal Location SEC 34, T17S, R28E, EDDY CO., NM	Field Name Empire	State/Province New Mexico	Well Purpose Production
Spud Date 12/18/1976 18:00	Original KB Elevation (ft) 3,680.0	Ground Elevation (ft) 3,668.0	KB-Ground Distance (ft) 12.0	
PBTD (All) (ftKB) Original Hole - 6,192		Total Depth All (TVD) (ftKB)		



Wellbore Sections								
Section Des		Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date			
Surface		11	12.0	643.0				
Prod 1		7 7/8	643.0	6,368.0				
Casing Strings								
Csg Des	OD (in)	Wt/Len (lb/ft)	Grade		Set Depth (ftKB)			
Surface	8 5/8	24.00	K-55		643.00			
Prod 1	5 1/2	15.00	K-55		6,368.00			
Cement Stages								
Des	String		Top (ftKB)	Btm (ftKB)	Start Date			
Primary Cement	Surface, 643.00ftKB, 8 5/8		12.00	643.00				
Primary Cement	Prod 1, 6,368.00ftKB, 5 1/2		12.00	6,368.00				
Abandonment Plug	Prod 1, 6,368.00ftKB, 5 1/2		5,737.00	5,772.00				
Tubing Strings								
Tubing Description		Run Date	String Length (ft)		Set Depth (ftKB)			
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)	
Rod Strings								
Rod Description		Run Date	String Length (ft)		Set Depth (ftKB)			
Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)	
Other In Hole								
Des	Icon	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date			
Bridge Plug - Permanent	⚠	5 1/2	5,772	5,776				
Perforations								
Date	Type		Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total	
12/1/2006	PERFORATED		5,822	5,934	No			
1/8/1977	PERFORATED		6,214	6,237	No	1.0	47	
Plug Back Total Depths								
Date	Type			Depth (ftKB)	Depth (TVD) (ftKB)			
10/13/2014				6,192				
Schematic Annotations								
Start Date	Depth (ftKB)	Annotation						

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 287609

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 287609
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/6/2023