

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: GETTY 5 FED COM Well Location: T25S / R33E / SEC 5 / County or Parish/State: LEA /

SESW / 32.1531237 / -103.5975061

Well Number: 508H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM118726 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300254766500X1 **Well Status:** Approved Application for **Operator:** EOG RESOURCES

Permit to Drill INCORPORATED

### **Notification**

Type of Submission: Notification Type of Action: Casing and Cementing

**Date Sundry Submitted:** Feb 2, 2021 **Time Sundry Submitted:** 1:14:53 PM

Date Operation will begin: Jan 28, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: E DEL VALLE Field Contact Number: 4326363600

Rig Name: Rig Number: HP246

## **Well Casing Table:**

| 0 71    |   |   |      |      | Bottom Setting<br>Depth TVD | Bottom Setting<br>Depth MSL |
|---------|---|---|------|------|-----------------------------|-----------------------------|
| SURFACE | О | o | 3457 | 1195 | 1195                        | 2262                        |

Procedure Description: 1-29-2021 17 1/2" hole

1-29-2021 Surface Hole @ 1,186' MD, 1,185' TVD

Casing shoe @ 1,171' MD Ran 13-3/8" 54.5# J-55 STC

 $\label{lead Cement w} Lead \ Cement \ w/\ 585 \ sx \ Class \ C \ \ (1.79 \ yld,\ 13.5 \ ppg), \ Trail \ w/190 \ sx \ Class \ C \ \ (1.35 \ yld,\ 14.8 \ ppg)$ 

ppg)

Test casing to 1,500 psi for 30 min -Good Circ 295 sx cement to surface resume drilling 12 1/4"

hole



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: GETTY 5 FED COM Well Location: T25S / R33E / SEC 5 / County or Parish/State: LEA /

SESW / 32.1531237 / -103.5975061

Well Number: 508H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM118726 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300254766500S1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

**INCORPORATED** 

### **Notification**

**Sundry ID:** 1341454

Type of Submission: Notification Type of Action: Casing and Cementing

Date Sundry Submitted: Feb 11, 2021 Time Sundry Submitted: 1:23:37 PM

Date Operation will begin: Feb 9, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: E DEL VALLE Field Contact Number: 4326363600

Rig Name: Rig Number: HP246

# **Well Casing Table:**

| 0 71         |      |      |      | _    | Bottom Setting<br>Depth TVD | Bottom Setting Depth MSL |
|--------------|------|------|------|------|-----------------------------|--------------------------|
| INTERMEDIATE | 4000 | 4000 | -389 | 4905 | 4905                        | -1448                    |
| INTERMEDIATE | 0    | 0    |      | 4000 | 4000                        | -543                     |

Procedure Description: 2-10-2021 12 1/4" HOLE

2-10-2021 1st Intermediate Hole @ 5,022' MD, 4,902' TVD

Casing shoe @ 4,947' MD

Ran 9-5/8", 40#, J55 LTC (0' - 3,681')

Ran 9-5/8", 40#, HCK-55 LTC (3,681' - 4,947')

Cement w/ 515 sx Class C (3.75 yld, 10.5 ppg), trail w/ 1745 sx Class C (1.23 yld, 14.5 ppg)
Test casing to 3,500 psi for 30 min - Good. Circ 152 sx cement to surface Resume drilling 8 3/4"

hole

**Disposition:** Accepted

**Accepted Date:** 07/09/2021

Page 1 of 1



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: GETTY 5 FED COM Well Location: T25S / R33E / SEC 5 / County or Parish/State: LEA /

SESW / 32.1531237 / -103.5975061

Well Number: 508H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM118726 Unit or CA Name: Unit or CA Number:

**US Well Number**: 300254766500S1 **Well Status**: Drilling Well **Operator**: EOG RESOURCES

**INCORPORATED** 

### **Notification**

**Sundry ID:** 1516508

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Feb 25, 2021 Time Sundry Submitted: 1:14:22 PM

Date Operation will begin: Feb 17, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: E DEL VALLE Field Contact Number: 4326363600

Rig Name: Rig Number: HP246

# **Well Casing Table:**

| 0 71       |       |       |       |       | _     | Bottom Setting Depth MSL |
|------------|-------|-------|-------|-------|-------|--------------------------|
| PRODUCTION | 11365 | 11365 | -7908 | 18561 | 11015 | -7558                    |
| PRODUCTION | 0     | 0     |       | 11365 | 11365 | -7908                    |

Procedure Description: 2-18-2021 8-1/2" HOLE

2-18-2021 Production Hole @ 18,561' MD, 11,025' TVD

Casing Shoe @ 18,557' MD, 11,025' TVD

5-1/2", 20#, EY HCP-110, RDT-BTX (MJ @ 10,371' and 18,037') Stage 1: Cemented w/ 540 sx Class C (3.75 yld, 10.5 ppg) Did not circ cement to surface, TOC @ 3,200' by Calc

Stage 2: Cemented w/ 1,745 sx Class H (1.23 yld, 14.5 ppg). Flushed valves w/ 5 bbl FW,

TOC @ 7,912' by Calc RR 2-19-2021

**Disposition:** Accepted

**Accepted Date:** 06/11/2021

Page 1 of 1

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 81847

#### **CONDITIONS**

| Operator:         | OGRID:                         |
|-------------------|--------------------------------|
| EOG RESOURCES INC | 7377                           |
| P.O. Box 2267     | Action Number:                 |
| Midland, TX 79702 | 81847                          |
|                   | Action Type:                   |
|                   | [C-103] Sub. Drilling (C-103N) |

#### CONDITIONS

| Created E | <b>'</b>  | Condition<br>Date |
|-----------|---|-------------------|
| nmurph    | y Must submit pressure test for production casing | 12/8/2023         |
| nmurph    | y please verify tieback with CBL                  | 12/8/2023         |