

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 602 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-47034	⁵ Pool Name WC-015 G-03 S262925D; BONE SPRING	⁶ Pool Code 98211
⁷ Property Code 326330	⁸ Property Name WTG FED COM	⁹ Well Number 124H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	27	26S	29E		313	NORTH	914	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
12	34	26S	29E		26	SOUTH	321	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 2/16/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date 10/9/21	²² Ready Date 1/18/2022	²³ TD 1555'	²⁴ PBTB 15490'	²⁵ Perforations 8668 ft to 15405 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	617'	620		
12-1/2"	9-5/8"	3066'	902		
8-3/4"/8-1/2"	5-1/2"	15537'	1869		

V. Well Test Data

³¹ Date New Oil 2/16/2022	³² Gas Delivery Date 2/16/2022	³³ Test Date 3/1/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1200
³⁷ Choke Size 40/64	³⁸ Oil 918	³⁹ Water 3322	⁴⁰ Gas 2083		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/11/2023		
Date: 3/21/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47034	² Pool Code 98211	³ Pool Name WC-015 G-03 S262925D;BONE SPRING
⁴ Property Code 326330	⁵ Property Name WTG FED COM	⁶ Well Number 124H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 2884'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	27	26-S	29-E	-	313'	NORTH	914'	EAST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
12	34	26-S	29-E	-	26'	SOUTH	321'	EAST	EDDY

¹² Dedicated Acres 240	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

1/10/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com


E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

08/28/2021

Date of Survey
Signature and Seal of Professional Surveyor



Certificate Number



LEASE NAME & WELL NO.: _____ WTG FED COM 124H

SECTION 27 TWP 26-S RGE 29-E SURVEY N.M.P.M.

COUNTY EDDY STATE NM ELEVATION 2884'

DESCRIPTION 313' FNL & 914' FEL

INTERNAL
PRE-COMPLETION
PLAT



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

WTG FED COM 124H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 11/30/2021		
FILE: C_WTG_FED COM_124H		
DRAWN BY: GJU		
SHEET: 2 OF 2		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: TapRock Resources LLC
Well Name: Welcome To Golden Federal Com #124H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-47034

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 15,493' MD
Projection to Bit: 15,557' MD
Dates Performed: 10/09/2021 – 10/30/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: WTG Fed Com 124H

Job Number: ID3105

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 312

Target KBTVD: 8,595'

Target Inclination: 90.30°

Declination Correction: 6.34°

KB Elevation: 2,912'

Vertical Section Calculated Along Azimuth: 181.88°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	0.92	123.85	176	175.99	0.75	-0.79	1.17	0.52
MWD	2	235	1.23	166.74	59	234.98	1.61	-1.67	1.71	1.42
MWD	3	324	0.75	131.94	89	323.97	2.91	-2.99	2.36	0.84
MWD	4	415	1.05	201.63	91	414.96	4.08	-4.16	2.50	1.16
MWD	5	505	0.75	283.28	90	504.95	4.73	-4.79	1.62	1.33
MWD	6	567	0.18	183.18	62	566.95	4.75	-4.79	1.22	1.29
MWD	7	639	1.05	255.69	72	638.95	5.05	-5.07	0.58	1.40
MWD	8	731	1.10	240.66	92	730.93	5.74	-5.71	-1.01	0.31
MWD	9	824	1.10	248.04	93	823.91	6.57	-6.48	-2.62	0.15
MWD	10	886	1.54	268.17	62	885.90	6.86	-6.73	-4.00	1.02
MWD	11	981	1.27	243.29	95	980.87	7.45	-7.25	-6.22	0.69
MWD	12	1076	1.93	242.59	95	1075.83	8.73	-8.46	-8.58	0.70
MWD	13	1172	2.02	241.89	96	1171.78	10.37	-10.00	-11.50	0.10
MWD	14	1267	2.20	253.75	95	1266.71	11.77	-11.30	-14.73	0.50
MWD	15	1362	1.71	238.90	95	1361.66	13.11	-12.54	-17.70	0.74
MWD	16	1458	0.22	117.87	96	1457.64	13.97	-13.36	-18.76	1.91
MWD	17	1553	2.15	90.80	95	1552.62	14.02	-13.48	-16.82	2.06
MWD	18	1649	2.95	68.92	96	1648.52	13.02	-12.61	-12.71	1.30
MWD	19	1744	4.18	67.86	95	1743.34	10.66	-10.43	-7.22	1.30
MWD	20	1840	5.36	69.01	96	1839.00	7.49	-7.50	0.20	1.23
MWD	21	1935	6.99	70.32	95	1933.45	3.64	-3.97	9.79	1.72
MWD	22	2030	7.38	67.95	95	2027.70	-0.96	0.27	20.89	0.52
MWD	23	2126	6.29	69.36	96	2123.02	-5.47	4.44	31.53	1.15
MWD	24	2221	6.37	64.96	95	2217.44	-9.85	8.50	41.17	0.52
MWD	25	2316	8.53	71.20	95	2311.64	-14.73	13.01	52.62	2.42
MWD	26	2411	9.01	75.60	95	2405.53	-19.30	17.13	66.49	0.87
MWD	27	2507	8.57	75.69	96	2500.40	-23.40	20.76	80.70	0.46
MWD	28	2602	9.19	78.76	95	2594.26	-27.10	23.99	95.00	0.82
MWD	29	2697	9.98	84.39	95	2687.93	-29.89	26.28	110.64	1.29
MWD	30	2792	8.26	80.26	95	2781.73	-32.34	28.24	125.56	1.94
MWD	31	2888	7.43	75.16	96	2876.83	-35.51	30.99	138.35	1.13
MWD	32	2983	7.38	73.84	95	2971.04	-39.17	34.26	150.15	0.19
MWD	33	3011	6.95	70.32	28	2998.82	-40.35	35.33	153.47	2.19
MWD	34	3161	6.59	68.39	150	3147.78	-47.12	41.56	170.02	0.28
MWD	35	3256	5.93	67.69	95	3242.21	-51.30	45.43	179.63	0.70
MWD	36	3351	6.42	61.27	95	3336.66	-56.01	49.85	188.83	0.89
MWD	37	3446	6.81	62.50	95	3431.03	-61.48	55.00	198.48	0.44
MWD	38	3542	9.14	63.47	96	3526.09	-67.90	61.04	210.35	2.43
MWD	39	3637	9.32	62.77	95	3619.86	-75.24	67.93	223.94	0.22
MWD	40	3732	8.70	62.85	95	3713.69	-82.46	74.72	237.18	0.65
MWD	41	3828	9.85	65.75	96	3808.43	-89.60	81.41	251.12	1.29
MWD	42	3923	9.23	66.90	95	3902.12	-96.40	87.74	265.54	0.68
MWD	43	4018	9.01	64.88	95	3995.92	-103.00	93.88	279.28	0.41
MWD	44	4114	8.09	63.82	96	4090.85	-109.59	100.06	292.15	0.97
MWD	45	4209	8.18	64.44	95	4184.89	-115.84	105.92	304.25	0.13
MWD	46	4304	7.82	63.21	95	4278.97	-122.06	111.75	316.11	0.42
MWD	47	4400	7.43	64.52	96	4374.12	-128.05	117.36	327.55	0.44
MWD	48	4495	9.14	73.75	95	4468.13	-133.22	122.12	340.34	2.27
MWD	49	4590	8.13	72.87	95	4562.05	-137.75	126.21	354.00	1.07
MWD	50	4685	7.69	76.48	95	4656.15	-141.63	129.67	366.60	0.70
MWD	51	4781	7.47	76.74	96	4751.31	-144.96	132.61	378.92	0.23
MWD	52	4876	7.56	75.69	95	4845.49	-148.32	135.57	390.99	0.17
MWD	53	4971	9.05	73.49	95	4939.49	-152.42	139.23	404.21	1.60
MWD	54	5067	9.19	74.81	96	5034.28	-157.05	143.39	418.84	0.26
MWD	55	5162	8.70	73.93	95	5128.13	-161.49	147.37	433.07	0.54
MWD	56	5257	7.43	76.56	95	5222.18	-165.33	150.78	445.95	1.39
MWD	57	5352	7.34	76.65	95	5316.40	-168.55	153.61	457.83	0.10
MWD	58	5447	7.38	81.13	95	5410.61	-171.28	155.95	469.76	0.61
MWD	59	5540	8.26	71.12	93	5502.75	-174.76	159.04	481.98	1.74
MWD	60	5635	7.08	69.09	95	5596.90	-179.45	163.33	493.91	1.27
MWD	61	5731	9.01	61.18	96	5691.96	-185.58	169.07	506.02	2.31
MWD	62	5825	8.88	62.68	94	5784.81	-192.88	175.95	518.92	0.28

MWD	63	5919	8.31	64.88	94	5877.76	-199.50	182.16	531.51	0.70
MWD	64	6014	7.34	65.40	95	5971.87	-205.32	187.60	543.25	1.02
MWD	65	6109	7.34	68.92	95	6066.09	-210.40	192.31	554.43	0.47
MWD	66	6205	6.81	66.90	96	6161.36	-215.19	196.75	565.39	0.61
MWD	67	6300	6.20	69.09	95	6255.75	-219.56	200.79	575.36	0.69
MWD	68	6396	5.45	73.22	96	6351.25	-223.02	203.96	584.57	0.89
MWD	69	6491	5.14	77.97	95	6445.85	-225.49	206.15	593.05	0.56
MWD	70	6586	3.38	72.79	95	6540.58	-227.43	207.86	599.89	1.89
MWD	71	6682	1.80	25.41	96	6636.49	-229.74	210.06	603.24	2.64
MWD	72	6777	1.23	33.76	95	6731.46	-231.97	212.26	604.44	0.64
MWD	73	6872	1.14	356.58	95	6826.44	-233.78	214.05	604.95	0.80
MWD	74	6967	0.84	327.23	95	6921.42	-235.29	215.58	604.52	0.61
MWD	75	7063	0.75	272.82	96	7017.42	-235.88	216.20	603.51	0.76
MWD	76	7158	1.14	266.14	95	7112.40	-235.80	216.17	601.95	0.43
MWD	77	7253	2.07	300.51	95	7207.37	-236.53	216.97	599.53	1.37
MWD	78	7349	2.07	301.13	96	7303.30	-238.20	218.75	596.55	0.02
MWD	79	7444	2.29	285.04	95	7398.24	-239.47	220.13	593.25	0.68
MWD	80	7539	2.24	315.45	95	7493.17	-241.19	221.95	590.11	1.25
MWD	81	7635	1.76	317.56	96	7589.11	-243.53	224.37	587.80	0.51
MWD	82	7731	1.67	307.89	96	7685.06	-245.41	226.32	585.70	0.32
MWD	83	7826	1.63	301.04	95	7780.03	-246.88	227.86	583.45	0.21
MWD	84	7922	1.89	293.30	96	7875.98	-248.13	229.19	580.83	0.37
MWD	85	8017	1.05	289.61	95	7970.95	-248.96	230.11	578.57	0.89
MWD	86	8143	6.99	198.91	126	8096.63	-241.98	223.23	574.99	5.62
MWD	87	8239	21.05	190.56	96	8189.54	-219.23	200.64	569.91	14.76
MWD	88	8335	30.90	185.37	96	8275.75	-177.47	159.04	564.43	10.52
MWD	89	8430	35.25	180.28	95	8355.35	-125.69	107.31	562.01	5.43
MWD	90	8526	42.64	178.96	96	8429.97	-65.44	47.01	562.47	7.75
MWD	91	8622	54.73	182.82	96	8493.24	6.50	-24.92	561.13	12.95
MWD	92	8717	62.86	185.11	95	8542.42	87.62	-105.90	555.44	8.80
MWD	93	8813	69.36	183.79	96	8581.28	175.26	-193.36	548.66	6.89
MWD	94	8908	74.77	183.09	95	8610.53	265.58	-283.55	543.25	5.74
MWD	95	9003	80.92	181.86	95	8630.52	358.40	-376.29	539.25	6.60
MWD	96	9099	88.13	180.10	96	8639.68	453.88	-471.77	537.63	7.73
MWD	97	9194	91.47	180.28	95	8640.01	548.82	-566.76	537.31	3.52
MWD	98	9290	90.42	180.10	96	8638.42	644.77	-662.74	537.00	1.11
MWD	99	9385	91.52	180.01	95	8636.82	739.70	-757.73	536.90	1.16
MWD	100	9480	90.77	179.48	95	8634.92	834.62	-852.70	537.33	0.97
MWD	101	9576	92.48	178.96	96	8632.19	930.47	-948.65	538.63	1.86
MWD	102	9671	92.18	180.80	95	8628.33	1025.33	-1043.57	538.83	1.96
MWD	103	9766	90.90	181.77	95	8625.78	1120.29	-1138.51	536.70	1.69
MWD	104	9862	89.85	183.26	96	8625.15	1216.28	-1234.41	532.49	1.90
MWD	105	9957	91.96	183.53	95	8623.65	1311.23	-1329.23	526.86	2.24
MWD	106	10052	90.86	181.95	95	8621.31	1406.18	-1424.08	522.33	2.03
MWD	107	10148	89.32	182.74	96	8621.16	1502.18	-1520.00	518.40	1.80
MWD	108	10243	91.96	182.65	95	8620.10	1597.15	-1614.88	513.93	2.78
MWD	109	10338	90.33	181.95	95	8618.20	1692.13	-1709.78	510.12	1.87
MWD	110	10434	89.05	182.56	96	8618.72	1788.12	-1805.70	506.34	1.48
MWD	111	10529	91.52	183.09	95	8618.25	1883.10	-1900.58	501.66	2.66
MWD	112	10624	90.24	183.26	95	8616.79	1978.06	-1995.42	496.40	1.36
MWD	113	10719	88.35	182.03	95	8617.96	2073.04	-2090.31	492.02	2.37
MWD	114	10815	91.52	182.03	96	8618.07	2169.03	-2186.23	488.62	3.30
MWD	115	10910	88.66	182.21	95	8617.92	2264.02	-2281.16	485.10	3.02
MWD	116	11006	90.42	182.47	96	8618.69	2360.01	-2377.07	481.18	1.85
MWD	117	11101	93.76	182.30	95	8615.23	2454.93	-2471.91	477.23	3.52
MWD	118	11197	90.24	181.95	96	8611.88	2550.85	-2567.77	473.68	3.68
MWD	119	11292	91.03	181.33	95	8610.82	2645.84	-2662.73	470.96	1.06
MWD	120	11387	90.81	181.77	95	8609.30	2740.83	-2757.68	468.39	0.52
MWD	121	11483	87.69	182.30	96	8610.55	2836.81	-2853.60	464.98	3.30
MWD	122	11579	91.52	183.26	96	8611.22	2932.78	-2949.46	460.32	4.11
MWD	123	11669	89.93	183.26	90	8610.08	3022.74	-3039.31	455.21	1.77
MWD	124	11765	91.12	183.18	96	8609.20	3118.71	-3135.15	449.82	1.24
MWD	125	11861	89.45	183.70	96	8608.72	3214.67	-3230.97	444.06	1.82
MWD	126	11957	90.68	184.49	96	8608.61	3310.59	-3326.73	437.20	1.52
MWD	127	12052	89.63	184.58	95	8608.35	3405.49	-3421.43	429.69	1.11
MWD	128	12148	92.13	185.46	96	8606.88	3501.32	-3517.04	421.29	2.76
MWD	129	12244	88.44	184.05	96	8606.40	3597.18	-3612.69	413.33	4.11
MWD	130	12340	89.01	183.44	96	8608.54	3693.11	-3708.46	407.07	0.87
MWD	131	12435	93.01	184.23	95	8606.86	3788.02	-3803.21	400.71	4.29
MWD	132	12531	91.52	183.70	96	8603.07	3883.88	-3898.90	394.08	1.65
MWD	133	12626	88.84	182.65	95	8602.77	3978.84	-3993.75	388.82	3.03
MWD	134	12722	89.10	182.47	96	8604.50	4074.82	-4089.64	384.53	0.33
MWD	135	12817	90.24	182.56	95	8605.04	4169.81	-4184.54	380.37	1.20
MWD	136	12913	89.54	182.47	96	8605.23	4265.80	-4280.45	376.15	0.74
MWD	137	13008	90.86	182.74	95	8604.90	4360.79	-4375.35	371.83	1.42
MWD	138	13104	88.79	182.74	96	8605.19	4456.78	-4471.23	367.25	2.16

MWD	139	13199	87.82	183.18	95	8608.00	4551.72	-4566.06	362.34	1.12
MWD	140	13295	89.80	182.91	96	8609.99	4647.67	-4661.90	357.24	2.08
MWD	141	13390	91.47	183.26	95	8608.94	4742.64	-4756.75	352.13	1.80
MWD	142	13486	90.86	183.00	96	8606.99	4838.60	-4852.59	346.89	0.69
MWD	143	13581	90.90	183.18	95	8605.53	4933.57	-4947.44	341.77	0.19
MWD	144	13677	91.65	181.15	96	8603.39	5029.53	-5043.34	338.15	2.25
MWD	145	13772	91.08	181.24	95	8601.13	5124.50	-5138.29	336.17	0.61
MWD	146	13867	90.07	180.36	95	8600.18	5219.48	-5233.28	334.84	1.41
MWD	147	13963	89.49	180.19	96	8600.55	5315.44	-5329.28	334.38	0.63
MWD	148	14058	89.93	179.66	95	8601.03	5410.38	-5424.27	334.50	0.73
MWD	149	14153	89.89	179.05	95	8601.18	5505.29	-5519.27	335.57	0.64
MWD	150	14249	90.37	178.78	96	8600.96	5601.16	-5615.25	337.39	0.57
MWD	151	14345	90.29	178.78	96	8600.41	5697.02	-5711.23	339.43	0.08
MWD	152	14440	90.33	178.25	95	8599.89	5791.85	-5806.19	341.90	0.56
MWD	153	14536	88.53	178.69	96	8600.85	5887.67	-5902.15	344.46	1.93
MWD	154	14632	90.29	178.61	96	8601.83	5983.51	-5998.11	346.72	1.84
MWD	155	14727	90.86	178.34	95	8600.88	6078.34	-6093.08	349.25	0.66
MWD	156	14823	89.89	179.05	96	8600.25	6174.19	-6189.05	351.43	1.25
MWD	157	14919	90.81	179.22	96	8599.67	6270.07	-6285.03	352.88	0.97
MWD	158	15015	89.80	179.05	96	8599.16	6365.96	-6381.02	354.33	1.07
MWD	159	15110	89.98	179.31	95	8599.34	6460.85	-6476.01	355.69	0.33
MWD	160	15206	90.07	178.61	96	8599.30	6556.73	-6571.99	357.43	0.74
MWD	161	15302	90.95	178.61	96	8598.44	6652.57	-6667.96	359.76	0.92
MWD	162	15397	91.56	178.87	95	8596.36	6747.40	-6762.91	361.85	0.70
MWD	163	15493	92.09	178.52	96	8593.30	6843.21	-6858.84	364.04	0.66
PTB	164	15557	92.09	178.52	64	8590.97	6907.05	-6922.78	365.69	0.00

Well Name: WTG FED COM	Well Location: T26S / R29E / SEC 27 / NENE / 32.0192083 / -103.9660941	County or Parish/State: EDDY / NM
Well Number: 124H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM38636	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547034	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2655068

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/31/2022

Date Operation Actually Began: 12/21/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 06:06

Actual Procedure: 12/21/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 12/30/2021 to 1/12/2022: Perforate from 8668 ft to 15405 ft, 1 SPF, .55 inch holes with 351 total shots. 27 stage frac with 20,427,252 lbs of 100 mesh sand. 1/16/2022 to 1/17/2022: Drill out plugs Plug Back Measured depth at 15490 ft MD, 8593 ft TVD. 1/18/2022: Ready to produce

Well Name: WTG FED COM	Well Location: T26S / R29E / SEC 27 / NENE / 32.0192083 / -103.9660941	County or Parish/State: EDDY / NM
Well Number: 124H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM38636	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547034	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 31, 2022 06:05 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/02/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-47034										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name WTG Fed Com		
								6. Well Number: 123H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 602 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat [98211] WC-015 G-03 S262925D; BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	27	26S	29E		313	NORTH	914	EAST	EDDY
BH:	12	34	26S	29E		26	SOUTH	321	EAST	EDDY
13. Date Spudded 10/9/2021	14. Date T.D. Reached 10/30/2021		15. Date Rig Released 11/1/2021			16. Date Completed (Ready to Produce) 1/18/2022		17. Elevations (DF and RKB, RT, GR, etc.) 2884 GL		
18. Total Measured Depth of Well 15557'			19. Plug Back Measured Depth 15490'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8668 ft to 15405 ft, BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		617'		17-1/2"		620 SKS		0
9-5/8"		29.7		3066"		12-1/2"		902 SKS		0
5-1/2"		20		15537'		8-3/4"/8-1/2"		1869 SKS		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number) Perforate from 8668 ft to 15405 ft, 1 SPF, .55 inch holes with 351 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 8668 ft to 15405 ft 27 stage frac with 20,427,252 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 2/16/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 3/1/2022	Hours Tested 24	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 918	Gas - MCF 2083	Water - Bbl. 3322	Gas - Oil Ratio 2269			
Flow Tubing Press.	Casing Pressure 1200	Calculated 24-Hour Rate	Oil - Bbl. 918	Gas - MCF 2083	Water - Bbl. 3322	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102 As-Drilled, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name			Title			Date		
		Jeff Trlica			Regulatory Analyst			3/21/2022		
E-mail Address jtrlica@taprk.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	511		QUATERNARY				
511	895		RUSTLER				
895	2618		TOP OF SALT				
2618	2857		BASE OF SALT				
2857	2888		DELAWARE				
2888	3781		BELL CANYON				
3781	5455		CHERRY CANYON				
5455	6682		BRUSHY CANYON				
6682	7122		BONE SPRING LIME				
7122	7600		AVALON				
7600	8191		1ST BONE SPRING SAND				
8191			2ND BONE SPRING SAND				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 96795

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 96795
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 96795

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 96795
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	12/11/2023