

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-47672	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 231H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	617	SOUTH	1081	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25S	26E	-	259	NORTH	690	WEST	EDDY
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
3/25/2022	9/9/2022	19615'	19551'	9600 ft to 19466 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	415'	400 sks		
9.875"	7.625"	8911'	1153 sks		
6.75"	5.5"	19601'	924 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
9/15/2022	9/15/2022	10/1/2022	24 hrs.	0	2600
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	743	3283	6934		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/18/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47672	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 231H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3427'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	25-S	26-E	-	617'	SOUTH	1081'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25-S	26-E	-	259'	NORTH	690'	WEST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 16, TOWNSHIP 25-S, RANGE 26-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO

FND. BRASS CAP,
U.S. G.L.O. SUR.

SCALE: 1" = 2000'

0' 1000' 2000'



FND. BRASS CAP,
U.S. G.L.O. SUR.

BOTTOM HOLE LOCATION
NEW MEXICO EAST
NAD 1983
X=550328
Y=418760
LAT.: N 32.1512451
LONG.: W 104.3042840
MD = 19612.3'

FND. BRASS CAP,
U.S. G.L.O. SUR.

LAST TAKE POINT (TOE)
NEW MEXICO EAST
NAD 1983
X=550324
Y=418688
LAT.: N 32.1510495
LONG.: W 104.3042964
330' FNL & 686' FWL
MD = 19541.0'

FND. BRASS CAP,
U.S. G.L.O. SUR.

FND. BRASS CAP,
U.S. G.L.O. SUR.

FND. BRASS CAP,
U.S. G.L.O. SUR.

FND. BRASS CAP,
U.S. G.L.O. SUR.

FND. BRASS CAP,
U.S. G.L.O. SUR.

FND. BRASS CAP,
U.S. G.L.O. SUR.

FIRST TAKE POINT (HEEL)
NEW MEXICO EAST
NAD 1983
X=550388
Y=408745
LAT.: N 32.1237144
LONG.: W 104.3040972
330' FSL & 689' FWL
MD = 9569.8'

SURFACE LOCATION
NEW MEXICO EAST
NAD 1983
X=550774
Y=409046
LAT.: N 32.1245424
LONG.: W 104.3028492

FND. BRASS CAP,
U.S. G.L.O. SUR.

FND. BRASS CAP,
U.S. G.L.O. SUR.

FND. BRASS CAP,
U.S. G.L.O. SUR.

LEASE NAME & WELL NO.: SCHLITZ FED COM 231H

SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.

COUNTY EDDY STATE NM ELEVATION 3427'

DESCRIPTION 617' FSL & 1081' FWL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

SCHLITZ FED COM 231H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/30/2022

FILE: C_SCHLITZ_FED_COM_231H

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 231H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-015-47672

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 184' MD – 19542' MD
Projection to Bit: 19615' MD
Dates Performed: 03/26/2022 – 05/06/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
Well Name: **Schlitz Fed Com 231H**
Job Number: **ID3345**
Survey Company: **Intrepid Directional Drilling Specialists**
Rig Name: **H&P 376**

Target KBTVD: **9510.00**
Target Inclination: **90.30°**
Declination Correction: **7.02°**
DF Elevation: **3454.0 ft**

Vertical Section Calculated Along Azimuth: **359.65°**

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect Ft.	+N/-S Ft.	+E/-W Ft.	Dogleg /100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	184	0.97	106.95	184	183.99	-0.46	-0.45	1.49	0.53
MWD	2	275	1.10	115.56	91	274.98	-1.07	-1.06	3.01	0.22
MWD	3	357	1.27	142.20	82	356.96	-2.14	-2.11	4.28	0.70
MWD	4	499	1.58	132.88	142	498.92	-4.73	-4.69	6.68	0.27
MWD	5	589	3.30	174.80	90	588.84	-8.16	-8.11	7.82	2.64
MWD	6	680	4.84	184.91	91	679.61	-14.59	-14.55	7.73	1.86
MWD	7	769	4.62	183.06	89	768.30	-21.91	-21.87	7.22	0.30
MWD	8	860	5.54	203.37	91	858.95	-29.59	-29.56	5.28	2.20
MWD	9	951	5.54	203.28	91	949.53	-37.64	-37.63	1.80	0.01
MWD	10	1042	6.64	214.62	91	1040.01	-45.97	-45.99	-2.92	1.79
MWD	11	1133	6.02	200.73	91	1130.46	-54.74	-54.79	-7.60	1.81
MWD	12	1223	7.12	180.34	90	1219.88	-64.72	-64.78	-9.30	2.85
MWD	13	1315	8.62	183.86	92	1311.02	-77.30	-77.36	-9.80	1.71
MWD	14	1412	8.57	205.74	97	1406.95	-91.04	-91.13	-13.43	3.35
MWD	15	1507	7.69	216.90	95	1501.00	-102.46	-102.59	-20.32	1.90
MWD	16	1601	7.03	208.64	94	1594.23	-112.50	-112.66	-26.86	1.32
MWD	17	1695	7.34	207.41	94	1687.49	-122.84	-123.04	-32.38	0.37
MWD	18	1790	8.40	217.61	95	1781.60	-133.68	-133.93	-39.41	1.84
MWD	19	1883	8.22	220.59	93	1873.62	-144.06	-144.36	-47.88	0.50
MWD	20	1977	7.69	219.89	94	1966.72	-153.94	-154.29	-56.28	0.57
MWD	21	2071	7.65	220.24	94	2059.88	-163.49	-163.89	-64.36	0.07
MWD	22	2165	7.47	220.86	94	2153.06	-172.84	-173.29	-72.40	0.21
MWD	23	2260	7.08	220.86	95	2247.30	-181.89	-182.38	-80.27	0.41
MWD	24	2355	8.09	224.90	95	2341.46	-191.00	-191.55	-88.82	1.20
MWD	25	2449	9.71	216.46	94	2434.33	-202.01	-202.61	-98.20	2.21
MWD	26	2543	10.11	212.77	94	2526.93	-215.26	-215.92	-107.37	0.80
MWD	27	2638	9.71	209.96	95	2620.51	-229.16	-229.87	-115.89	0.66
MWD	28	2733	9.27	206.62	95	2714.22	-242.90	-243.66	-123.32	0.74
MWD	29	2827	9.14	210.84	94	2807.01	-256.03	-256.83	-130.54	0.73
MWD	30	2922	9.32	211.81	95	2900.78	-269.00	-269.85	-138.46	0.25
MWD	31	3017	9.10	209.61	95	2994.55	-282.02	-282.92	-146.23	0.44
MWD	32	3112	8.88	209.17	95	3088.38	-294.91	-295.85	-153.51	0.24
MWD	33	3206	9.32	216.11	94	3181.20	-307.34	-308.34	-161.53	1.26
MWD	34	3300	9.32	216.20	94	3273.96	-319.58	-320.63	-170.51	0.02
MWD	35	3395	8.48	214.35	95	3367.82	-331.52	-332.62	-179.01	0.93
MWD	36	3489	7.91	214.53	94	3460.86	-342.52	-343.67	-186.59	0.61
MWD	37	3584	7.21	213.39	95	3555.03	-352.84	-354.03	-193.57	0.75
MWD	38	3678	8.26	216.46	94	3648.18	-363.16	-364.39	-200.83	1.20
MWD	39	3772	9.67	217.43	94	3741.03	-374.80	-376.09	-209.64	1.51
MWD	40	3865	9.80	218.31	93	3832.69	-387.16	-388.50	-219.30	0.21
MWD	41	3960	9.19	216.02	95	3926.38	-399.58	-400.98	-228.77	0.76
MWD	42	4053	8.70	213.39	93	4018.25	-411.41	-412.86	-237.01	0.69
MWD	43	4147	8.04	212.42	94	4111.25	-422.85	-424.35	-244.45	0.72
MWD	44	4242	7.47	211.37	95	4205.38	-433.69	-435.23	-251.22	0.62
MWD	45	4336	7.43	209.17	94	4298.59	-444.17	-445.75	-257.37	0.31
MWD	46	4431	8.84	211.19	95	4392.63	-455.74	-457.36	-264.14	1.51
MWD	47	4525	8.84	210.49	94	4485.51	-468.10	-469.76	-271.55	0.11
MWD	48	4620	7.96	209.17	95	4579.49	-480.09	-481.80	-278.46	0.95
MWD	49	4715	7.74	209.26	95	4673.60	-491.37	-493.12	-284.79	0.23
MWD	50	4809	8.66	212.24	94	4766.64	-502.84	-504.63	-291.66	1.08
MWD	51	4904	8.66	212.95	95	4860.36	-514.84	-516.68	-299.36	0.18
MWD	52	4997	8.13	211.98	93	4952.56	-526.25	-528.14	-306.65	0.59
MWD	53	5093	7.82	211.98	96	5047.63	-537.51	-539.43	-313.71	0.32
MWD	54	5187	7.12	211.01	94	5140.84	-547.88	-549.85	-320.10	0.76
MWD	55	5281	6.77	211.89	94	5234.15	-557.55	-559.55	-326.03	0.39
MWD	56	5376	6.59	214.97	95	5328.50	-566.73	-568.77	-332.11	0.42
MWD	57	5471	6.19	220.77	95	5423.00	-574.41	-576.49	-338.04	1.60
MWD	58	5566	4.97	223.06	95	5517.63	-580.64	-582.75	-343.05	0.31
MWD	59	5661	4.00	235.98	95	5612.34	-585.47	-587.61	-349.21	1.47
MWD	60	5755	1.80	247.66	94	5706.21	-587.84	-590.01	-353.29	2.41
MWD	61	5848	1.05	250.56	93	5799.18	-588.66	-590.85	-355.45	0.81
MWD	62	5942	0.97	261.81	94	5893.17	-589.05	-591.25	-357.05	0.23
MWD	63	6036	0.75	237.82	94	5987.16	-589.49	-591.69	-358.36	0.44
MWD	64	6129	0.84	177.70	93	6080.15	-590.49	-592.69	-358.84	0.86
MWD	65	6223	0.70	158.98	94	6174.14	-591.72	-593.92	-358.61	0.30
MWD	66	6316	0.22	269.81	93	6267.14	-592.25	-594.45	-358.59	0.87
MWD	67	6410	0.57	272.63	94	6361.14	-592.22	-594.43	-359.23	0.37
MWD	68	6492	0.57	274.12	82	6443.13	-592.17	-594.38	-360.05	0.02
MWD	69	6585	0.53	249.42	93	6536.13	-592.28	-594.50	-360.91	0.26
MWD	70	6678	0.57	245.82	93	6629.12	-592.62	-594.84	-361.74	0.06

MWD	71	6773	0.48	229.91	95	6724.12	-593.06	-595.29	-362.47	0.18
MWD	72	6867	1.32	296.18	94	6818.11	-592.83	-595.06	-363.74	1.29
MWD	73	6961	1.63	297.15	94	6912.08	-591.73	-593.98	-365.91	0.33
MWD	74	7053	2.02	287.22	92	7004.03	-590.64	-592.90	-368.62	0.54
MWD	75	7147	2.02	269.37	94	7097.97	-590.14	-592.43	-371.86	0.67
MWD	76	7241	2.51	276.67	94	7191.90	-589.90	-592.21	-375.56	0.60
MWD	77	7334	1.49	258.65	93	7284.84	-589.88	-592.21	-378.77	1.28
MWD	78	7428	0.92	223.23	94	7378.82	-590.66	-593.00	-380.48	0.97
MWD	79	7522	1.71	222.53	94	7472.80	-592.24	-594.58	-381.95	0.84
MWD	80	7617	1.98	204.60	95	7567.75	-594.76	-597.12	-383.59	0.67
MWD	81	7711	1.05	195.55	94	7661.71	-597.06	-599.42	-384.49	1.02
MWD	82	7806	1.05	202.75	95	7756.70	-598.70	-601.07	-385.06	0.14
MWD	83	7901	0.44	70.39	95	7851.69	-599.38	-601.75	-385.06	1.46
MWD	84	7994	0.44	22.14	93	7944.69	-598.93	-601.30	-384.59	0.39
MWD	85	8089	0.31	302.24	95	8039.69	-598.46	-600.82	-384.67	0.52
MWD	86	8183	0.62	217.43	94	8133.69	-598.72	-601.09	-385.19	0.71
MWD	87	8278	0.75	208.11	95	8228.68	-599.68	-602.04	-385.80	0.18
MWD	88	8373	0.70	212.95	95	8323.67	-600.71	-603.08	-386.41	0.08
MWD	89	8468	0.84	183.86	95	8418.67	-601.89	-604.26	-386.77	0.43
MWD	90	8563	1.01	176.12	95	8513.65	-603.42	-605.79	-386.76	0.22
MWD	91	8658	0.35	43.49	95	8608.65	-604.04	-606.42	-386.50	1.34
MWD	92	8753	0.35	44.64	95	8703.65	-603.63	-606.00	-386.10	0.01
MWD	93	8848	0.18	276.32	95	8798.65	-603.41	-605.78	-386.04	0.51
MWD	94	8922	0.40	248.02	74	8872.65	-603.49	-605.86	-386.40	0.35
MWD	95	9007	2.29	274.21	85	8957.62	-603.46	-605.85	-388.37	2.28
MWD	96	9102	12.62	344.17	95	9051.78	-593.27	-595.69	-393.11	12.66
MWD	97	9197	30.11	4.12	95	9140.01	-559.21	-561.63	-394.24	19.69
MWD	98	9293	37.36	5.79	96	9219.79	-506.17	-508.56	-389.56	7.61
MWD	99	9388	42.64	0.25	95	9292.56	-445.28	-447.65	-386.51	6.70
MWD	100	9482	52.84	359.64	94	9355.69	-375.80	-378.17	-386.61	10.86
MWD	101	9577	67.12	0.78	95	9403.10	-293.77	-296.13	-386.25	15.07
MWD	102	9670	73.27	0.25	93	9434.60	-206.32	-208.68	-385.47	6.63
MWD	103	9765	80.66	0.78	95	9456.01	-113.84	-116.19	-384.63	7.80
MWD	104	9881	86.59	358.93	116	9468.88	1.38	-0.97	-384.93	5.35
MWD	105	9976	88.48	356.91	95	9472.97	96.24	93.87	-388.38	2.91
MWD	106	10071	85.05	352.08	95	9478.33	190.67	188.24	-397.47	6.23
MWD	107	10165	86.64	351.81	94	9485.14	283.57	281.07	-410.60	1.72
MWD	108	10259	90.46	352.96	94	9487.52	376.77	374.19	-423.05	4.24
MWD	109	10355	91.69	352.96	96	9485.72	472.09	469.45	-434.82	1.28
MWD	110	10450	91.74	356.12	95	9482.88	566.66	563.96	-443.85	3.33
MWD	111	10545	90.02	359.20	95	9481.42	661.58	658.86	-447.73	3.71
MWD	112	10639	89.85	358.49	94	9481.52	755.57	752.84	-449.62	0.78
MWD	113	10734	89.63	357.79	95	9481.96	850.53	847.78	-452.71	0.77
MWD	114	10828	88.84	357.79	94	9483.21	944.48	941.71	-456.33	0.84
MWD	115	10923	89.23	0.96	95	9484.81	1039.45	1036.67	-457.37	3.36
MWD	116	11018	87.82	359.99	95	9487.26	1134.40	1131.64	-456.58	1.80
MWD	117	11112	92.35	0.69	94	9487.12	1228.37	1225.61	-456.02	4.88
MWD	118	11207	92.70	1.66	95	9482.93	1323.24	1320.50	-454.08	1.08
MWD	119	11302	93.19	2.10	95	9478.05	1418.05	1415.32	-450.96	0.69
MWD	120	11397	92.40	1.13	95	9473.42	1512.88	1510.17	-448.29	1.32
MWD	121	11492	91.43	1.66	95	9470.24	1607.78	1605.08	-445.98	1.16
MWD	122	11586	87.78	355.77	94	9470.89	1701.71	1699.00	-448.08	7.37
MWD	123	11681	89.32	1.75	95	9473.30	1796.62	1793.90	-450.14	6.50
MWD	124	11776	88.66	2.63	95	9474.97	1891.51	1888.82	-446.51	1.16
MWD	125	11870	91.21	6.93	94	9475.08	1985.10	1982.46	-438.68	5.32
MWD	126	11965	88.44	4.38	95	9475.37	2079.56	2076.98	-429.32	3.96
MWD	127	12060	88.92	5.35	95	9477.56	2174.17	2171.61	-421.26	1.14
MWD	128	12155	88.84	3.86	95	9479.41	2268.77	2266.28	-413.64	1.57
MWD	129	12250	88.88	2.63	95	9481.30	2363.56	2361.11	-408.26	1.30
MWD	130	12343	86.51	0.34	93	9485.05	2456.42	2453.99	-405.85	3.54
MWD	131	12438	85.98	357.00	95	9491.27	2551.19	2548.75	-408.05	3.55
MWD	132	12533	90.29	358.76	95	9494.36	2646.07	2643.61	-411.56	4.90
MWD	133	12629	89.41	358.93	96	9494.61	2742.06	2739.59	-413.49	0.93
MWD	134	12723	88.66	358.14	94	9496.19	2836.03	2833.54	-415.90	1.16
MWD	135	12817	90.51	358.76	94	9496.88	2930.00	2927.50	-418.44	2.08
MWD	136	12912	88.26	357.26	95	9497.89	3024.95	3022.43	-421.74	2.85
MWD	137	13007	86.99	356.39	95	9501.83	3119.75	3117.20	-426.99	1.62
MWD	138	13102	88.57	358.41	95	9505.51	3214.59	3212.02	-431.30	2.70
MWD	139	13197	92.70	357.44	95	9504.46	3309.52	3306.93	-434.74	4.47
MWD	140	13292	92.84	356.82	95	9499.87	3404.32	3401.70	-439.49	0.67
MWD	141	13386	92.70	359.02	94	9495.32	3498.16	3495.52	-442.90	2.34
MWD	142	13481	92.48	359.29	95	9491.03	3593.06	3590.41	-444.30	0.37
MWD	143	13576	89.67	359.37	95	9489.25	3688.03	3685.38	-445.41	2.96
MWD	144	13670	86.95	358.06	94	9492.02	3781.97	3779.31	-447.51	3.21
MWD	145	13765	84.92	357.35	95	9498.76	3876.67	3873.99	-451.31	2.26
MWD	146	13858	89.80	359.11	93	9503.04	3969.51	3966.81	-454.17	5.58
MWD	147	13952	90.73	358.49	94	9502.60	4063.50	4060.79	-456.14	1.19
MWD	148	14045	89.54	357.62	93	9502.38	4156.46	4153.73	-459.30	1.59
MWD	149	14140	92.35	357.70	95	9500.82	4251.38	4248.63	-463.17	2.96
MWD	150	14233	95.03	359.46	93	9494.83	4344.16	4341.40	-465.48	3.45
MWD	151	14328	94.20	0.69	95	9487.19	4438.85	4436.09	-465.35	1.56
MWD	152	14423	91.38	0.60	95	9482.57	4533.71	4530.96	-464.28	2.97
MWD	153	14517	93.19	1.66	94	9478.82	4627.60	4624.86	-462.43	2.23
MWD	154	14612	91.96	0.69	95	9474.55	4722.47	4719.74	-460.49	1.65

MWD	155	14705	86.51	0.60	93	9475.79	4815.41	4812.69	-459.44	5.86
MWD	156	14799	91.69	1.57	94	9477.27	4909.33	4906.63	-457.66	5.61
MWD	157	14893	89.67	1.13	94	9476.15	5003.28	5000.59	-455.45	2.20
MWD	158	14986	88.13	2.45	93	9477.94	5096.19	5093.52	-452.54	2.18
MWD	159	15081	84.66	2.71	95	9483.91	5190.87	5188.23	-448.28	3.66
MWD	160	15176	85.85	2.19	95	9491.77	5285.43	5282.81	-444.23	1.37
MWD	161	15270	97.93	3.94	94	9488.67	5379.03	5376.45	-439.22	12.98
MWD	162	15366	87.78	359.81	96	9483.90	5474.70	5472.13	-436.10	11.41
MWD	163	15459	88.00	359.81	93	9487.32	5567.63	5565.07	-436.41	0.24
MWD	164	15553	86.42	358.23	94	9491.89	5661.51	5658.94	-438.02	2.38
MWD	165	15647	84.35	357.44	94	9499.46	5755.15	5752.56	-441.55	2.36
MWD	166	15740	83.47	356.39	93	9509.32	5847.52	5844.90	-446.53	1.47
MWD	167	15835	86.24	355.68	95	9517.84	5941.94	5939.28	-453.07	3.01
MWD	168	15929	91.65	356.91	94	9519.57	6035.72	6033.03	-459.14	5.90
MWD	169	16023	93.14	357.88	94	9515.65	6129.57	6126.85	-463.41	1.89
MWD	170	16117	92.31	358.32	94	9511.18	6223.42	6220.69	-466.52	1.00
MWD	171	16212	93.54	358.58	95	9506.33	6318.28	6315.53	-469.09	1.32
MWD	172	16305	90.42	357.00	93	9503.12	6411.16	6408.39	-472.68	3.76
MWD	173	16400	93.58	357.97	95	9499.80	6506.02	6503.23	-476.84	3.48
MWD	174	16495	89.58	356.47	95	9497.18	6600.88	6598.06	-481.45	4.50
MWD	175	16589	89.23	355.24	94	9498.16	6694.66	6691.81	-488.24	1.36
MWD	176	16683	94.95	355.77	94	9494.73	6788.32	6785.41	-495.60	6.11
MWD	177	16784	91.21	358.32	101	9489.30	6889.04	6886.11	-500.80	4.48
MWD	178	16877	94.42	358.14	93	9484.74	6981.89	6978.94	-503.66	3.46
MWD	179	16971	92.40	1.75	94	9479.14	7075.70	7072.75	-503.75	4.39
MWD	180	17065	91.69	2.36	94	9475.79	7169.55	7166.63	-500.38	1.00
MWD	181	17160	90.02	2.19	95	9474.37	7264.44	7261.54	-496.61	1.77
MWD	182	17255	90.11	2.71	95	9474.26	7359.33	7356.46	-492.55	0.56
MWD	183	17349	89.45	2.80	94	9474.63	7453.19	7450.35	-488.03	0.71
MWD	184	17444	87.30	2.19	95	9477.32	7548.03	7545.21	-483.90	2.35
MWD	185	17539	88.75	2.45	95	9480.59	7642.86	7640.07	-480.06	1.55
MWD	186	17632	90.55	1.13	93	9481.16	7735.79	7733.02	-477.15	2.40
MWD	187	17724	94.81	1.13	92	9476.86	7827.64	7824.88	-475.34	4.63
MWD	188	17819	95.91	1.83	95	9467.99	7922.17	7919.43	-472.90	1.37
MWD	189	17914	94.73	1.04	95	9459.18	8016.72	8013.99	-470.53	1.49
MWD	190	18007	90.64	0.87	93	9454.82	8109.57	8106.86	-468.98	4.40
MWD	191	18101	86.02	359.64	94	9457.56	8203.50	8200.79	-468.56	5.09
MWD	192	18195	87.08	359.55	94	9463.22	8297.33	8294.61	-469.22	1.13
MWD	193	18288	89.71	0.60	93	9465.82	8390.28	8387.57	-469.10	3.04
MWD	194	18382	90.46	0.43	94	9465.68	8484.27	8481.56	-468.26	0.82
MWD	195	18476	90.73	0.78	94	9464.71	8578.25	8575.55	-467.27	0.47
MWD	196	18572	90.81	1.22	96	9463.42	8674.21	8671.53	-465.59	0.47
MWD	197	18666	93.41	3.15	94	9459.96	8768.04	8765.39	-462.01	3.44
MWD	198	18760	91.74	1.92	94	9455.73	8861.83	8859.19	-457.86	2.21
MWD	199	18854	89.80	0.34	94	9454.47	8955.78	8953.16	-456.00	2.66
MWD	200	18949	87.96	359.20	95	9456.33	9050.75	9048.13	-456.39	2.28
MWD	201	19042	88.31	359.20	93	9459.35	9143.70	9141.08	-457.68	0.38
MWD	202	19136	90.46	359.46	94	9460.36	9237.69	9235.06	-458.78	2.30
MWD	203	19230	90.59	359.02	94	9459.50	9331.68	9329.05	-460.03	0.49
MWD	204	19325	89.49	0.96	95	9459.43	9426.67	9424.04	-460.05	2.35
MWD	205	19420	91.96	2.80	95	9458.23	9521.58	9518.97	-456.93	3.24
MWD	206	19542	90.55	3.06	122	9455.56	9643.35	9640.78	-450.70	1.18
PTB	207	19615	90.55	3.06	73	9454.86	9716.22	9713.67	-446.80	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-47672										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM		
								6. Well Number: 231H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	16	25S	26E	-	617	SOUTH	1081	WEST	EDDY
BH:	D	9	25S	26E	-	259	NORTH	690	WEST	EDDY
13. Date Spudded 3/25/2022	14. Date T.D. Reached 5/6/2022		15. Date Rig Released 5/8/2022			16. Date Completed (Ready to Produce) 9/9/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3427 GR		
18. Total Measured Depth of Well 19615 ft			19. Plug Back Measured Depth 19551 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9600 ft to 19466 ft								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		415'		17.5"		400 sks		0
7.625"		29.7		8911'		9.875"		1153 sks		0
5.5"		20		19601'		6.75"		924 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number) Perforate from 9600 ft to 19466 ft, 1 SPF, .55 inch holes with 585 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 9600 ft to 19466 ft 44 stage frac with 25,093,370 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 9/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 10/1/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 743	Gas - MCF 6934	Water - Bbl. 3283	Gas - Oil Ratio 9332			
Flow Tubing Press. 0	Casing Pressure 2600	Calculated 24-Hour Rate	Oil - Bbl. 743	Gas - MCF 6934	Water - Bbl. 3283	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst		Date 10/18/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	664		Quaternary					
664	1101		Rustler					
1101	1674		Top of Salt					
1974	1891		Base of Salt					
1891	1919		Lamar					
1919	2896		Bell Canyon					
2896	3802		Cherry Canyon					
3802	5416		Brushy Canyon					
5416	5842		Bone Spring					
5842	6310		Avalon					
6310	6880		1st Bone Spring Sand					
6880	8156		2nd Bone Spring Sand					
8156	8528		3rd Bone Spring Sand					
8528	8806		Wolfcamp A					
8806	9314		Wolfcamp B					
9314			Wolfcamp C					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151759

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151759
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151759

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151759
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/18/2023