

Well Name: JUNIPER WEST COM 13	Well Location: T24N / R11W / SEC 13 / SWSW / 36.30939 / -107.95921	County or Parish/State: SAN JUAN / NM
Well Number: 14	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NOG04111711	Unit or CA Name: FRCL - W/2	Unit or CA Number: NMNM104868
US Well Number: 300453359200S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2764681

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/05/2023	Time Sundry Submitted: 04:26
Date Operation Actually Began: 10/31/2023	

**Actual Procedure:** Dugan Production P&A'd the well between 10/31/2023-11/01/2023 per the following procedure: 1) MI&RU Aztec Rig 481 and cement equipment. Spot in & NU BOP. 2) PU & tally 2-3/8", 4.7# workstring. Run 5½" casing scraper to 1036'. 3) RIH & set 5½" CIBP @ 984'. Fruitland Coal perforations @ 1034'-1052'. Load hole. Attempt to pressure test casing to 650 psi for 30 mins. Casing tested good. 4) Spot inside Plug I above CIBP @ 984' w/32 sks (36.8 cu ft) Class G neat cement to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displaced w/2.7 bbls. WOC 4 hrs. Tagged TOC @ 720'. Good tag. Plug I, inside 5½" casing, 720'-984', Fruitland, 32 sks, 36.8 cu ft. 5) Perforate @ 183'. Attempt to establish rate from 183' to surface. Locked up at 800 psi. Run 2-3/8" tubing to 330'. Spot inside Plug II from 330' w/45 sks Class G neat cement (51.75 cu ft) to cover the surface casing shoe & Kirtland- Ojo Alamo tops. Cut wellhead off. TOC inside 5½" casing at surface and inside the annulus. Plug II, inside 5½" casing, 0-330', Kirtland-Ojo Alamo-Surface, 45 sks, 51.75 cu ft. 6) Fill up cellar and install dry hole marker w/38 sks, 43.7 cu ft Class G neat cement. 7) Clean location. Rig down Aztec 481. Fred Brandenburg w/BLM Farmington FO & Johnny Begay w/BIA-NNOG witnessed job. 8) Well P&A'd 11/01/2023.

Well Name: JUNIPER WEST COM 13	Well Location: T24N / R11W / SEC 13 / SWSW / 36.30939 / -107.95921	County or Parish/State: SAN JUAN / NM
Well Number: 14	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N0G04111711	Unit or CA Name: FRCL - W/2	Unit or CA Number: NMNM104868
US Well Number: 300453359200S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

SR Attachments

Actual Procedure

Juniper\_West\_Com\_13\_14\_Post\_PA\_wellbore\_schematic\_20231205162538.pdf

Juniper\_West\_Com\_13\_14\_Post\_PA\_work\_20231205162529.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: DEC 05, 2023 04:25 PM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO Box 420	
City: Farmington	State: NM
Phone: (505) 325-1821	
Email address: tyrafeil@duganproduction.com	

Field

Representative Name: Aliph Reena		
Street Address: PO Box 420		
City: Farmington	State: NM	Zip: 87499-0420
Phone: (505)360-9192		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 12/06/2023
Signature: Matthew Kade	

Dugan Production P&A'd the well between 10/31/2023-11/01/2023 per the following procedure:

- MI&RU Aztec Rig 481 and cement equipment. Spot in & NU BOP.
- PU & tally 2-3/8", 4.7# workstring. Run 5½" casing scraper to 1036'.
- RIH & set 5½" CIBP @ 984'. Fruitland Coal perforations @ 1034'-1052'. Load hole. Attempt to pressure test casing to 650 psi for 30 mins. Casing tested good.
- Spot inside Plug I above CIBP @ 984' w/32 sks (36.8 cu ft) Class G neat cement to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displaced w/2.7 bbls. WOC 4 hrs. Tagged TOC @ 720'. Good tag. **Plug I, inside 5½" casing, 720'-984', Fruitland, 32 sks, 36.8 cu ft.**
- Perforate @ 183'. Attempt to establish rate from 183' to surface. Locked up at 800 psi. Run 2-3/8" tubing to 330'. Spot inside Plug II from 330' w/45 sks Class G neat cement (51.75 cu ft) to cover the surface casing shoe & Kirtland- Ojo Alamo tops. Cut wellhead off. TOC inside 5½" casing at surface and inside the annulus. **Plug II, inside 5½" casing, 0-330', Kirtland-Ojo Alamo-Surface, 45 sks, 51.75 cu ft.**
- Fill up cellar and install dry hole marker w/38 sks, 43.7 cu ft Class G neat cement.
- Clean location. Rig down Aztec 481. Fred Brandenburg w/BLM Farmington FO & Johnny Begay w/BIA-NNOG witnessed job.
- **Well P&A'd 11/01/2023.**

**Completed wellbore schematic**

Juniper West Com 13 #14

30-045-33592


Basin Fruitland

1200' FSL & 1250' FWL

S13 T24N R11W

San Juan County, NM

Lat:36.3093643 Long:-107.9592209



8-5/8" 24# casing @ 132'. Cemented with 95 sks Class B cement.  
Hole size: 12-1/4". Circulate 7 bbls cement to surface.

**Perforate @ 183'. Plug II, inside/outside 5 1/2" casing, 0-327',  
Surface-Ojo Alamo-Kirtland, 93 sks, 107 Cu.ft.**

**5 1/2" 15.5# casing @ 1210'. Hole size: 7-7/8"**

Cemented production casing w/ 106 sks Class G followed by 90 sks 50/50  
poz. Circulated 20 bbls cement to surface.

**CIBP @ 984'. Plug I, Inside 5 1/2" casing, 720'-984', Fruitland,  
32 sks, 36.8 Cu.ft.**

Fruitland Coal Perforated @ 1034' – 1052'

PBTD @ 1159, TD 1210'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 291640

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 291640
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	welll plugged 11/1/2023	12/18/2023