

Well Name: SCHLITZ FED COM	Well Location: T25S / R26E / SEC 16 / SWSW / 32.1246111 / -104.3025908	County or Parish/State: EDDY / NM
Well Number: 152H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM100324	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549942	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2697413

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/11/2022

Time Sundry Submitted: 08:20

Date Operation Actually Began: 09/20/2022

Actual Procedure: Well spud on 9/20/2022 at 20:45 9/20/2022: Drill 17.5 inch surface hole to 550. 9/21/2022: Run 13.375 inch 54.5 lb J55 surface casing to 541 ft. Pump 20 bbls water spacer, followed by 495 sks of 14.8 ppg tail cmt. Drop plug and displace with 73 bbls brine. 50 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 9/21/2022: Test BOPS. Drill 12.25 intermediate hole to 2010 ft. 9/24/2022: Run 9.625 inch 40 lb J-55 intermediate casing to 1999 ft. Pump 20 bbls fresh water spacer, followed by 370 sks of 12.8 ppg lead cmt, 210 sks of 14.8 ppg tail cmt. Drop plug and displace with 148 bbls of fresh water. 48 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1500 for 30 minutes, good test. 10/3/2022: Drill 8.75 inch production hole to 7172 then switch to 7.875 inch to 17695 ft. 10/10/2022: Run 5.5 inch 20 lb P-110 production casing to 17676 ft MD. Pump 40 bbls fresh water, then 425 sks of 10.5 ppg lead and 1685 sks of 13.2 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 391 bbls fresh water. 55 bbls cement returned to surface. Est TOC at 0 ft. Surface Casing Details: Casing ran: 9/21/2022, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 541 ft, Cement 495 sacks, Yield 1.34 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 9/24/2022, Fluid Type Brine, Hole 12.25 inch to 2010, Csg Size 9.625 inch, Weight 40 lbs, Grade J-55, Est TOC 0 ft, Depth set 1999 ft, Cement 580 sks, Yield 1.86 lead/1.34 tail, Class C, Pressure Held 1500 psi, Pres Drop 0. Production Casing details: Casing Date: 10/10/2022, Fluid Type Oil Based Mud, Hole 8.75 inch hole to 7172 ft then switch to 7.875 inch to 17695 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 17676 ft, EST TOC 0 ft, Cement 2110 sacks, yield 4.12 lead/1.53 tail, Class 50/50 POZ tail. 10/8/2022: TD Reached at 17695 ft MD, 7680 ft TVD. Plug Back Measured depth at 17673 ft MD, 7681 ft TVD. Rig Release on 10/11/2022 at 06:00

Well Name: SCHLITZ FED COM

Well Location: T25S / R26E / SEC 16 / SWSW / 32.1246111 / -104.3025908

County or Parish/State: EDDY / NM

Well Number: 152H

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM100324

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001549942

Well Status: Drilling Well

Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA

Signed on: OCT 11, 2022 08:20 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN

State: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 10/26/2022

Signature: Jonathon Shepard

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 154303

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 154303
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/20/2023