

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49950	⁵ Pool Name COTTONWOOD DRAW; BONE SPRING	⁶ Pool Code 97494
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 151H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	614	SOUTH	1161	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25S	26E	-	250	NORTH	323	WEST	EDDY
¹² Lse Code S, P	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/14/2023	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
9/21/2022	3/6/2023	17801'	17717'	7764 ft to 17654 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	494'	495 sks		
12.25"	9.625"	1991'	580 sks		
8.75"/7.875"	5.5"	17786'	2125 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
3/14/2023	3/14/2023	4/8/2023	24 hrs.		725
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	910	3326	2001		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/20/2023		
Date: 4/19/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49950	² Pool Code 97494	³ Pool Name COTTONWOOD DRAW; BONE SPRING
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 151H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3426'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	25-S	26-E	-	614'	SOUTH	1161'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25-S	26-E	-	250'	NORTH	323'	WEST	EDDY


¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.




SECTION 16, TOWNSHIP 25-S, RANGE 26-E, N.M.P.M.

EDDY COUNTY, NEW MEXICO

FND. BRASS CAP.
U.S. G.L.O. SUR.

481 WINSBOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508
February 15, 2023



SCHLITZ FED COM 151H
AS-DRILLED

REVISION:

INT

DATE

DATE: 02/15/23

FILE:AD_SCHLITZ_FED_COM_151H

DRAWN BY: SAR

SHEET: 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 151H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-49950

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 1,939' MD – 17,745' MD
Projection to Bit: 17,801' MD
Dates Performed: 09/25/2022 – 10/01/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Schlitz Fed Com 151H**
 Job Number: **ID3661**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 312**

Target KBTVD: **7605.60**
 Target Inclination: **90.30°**
 Declination Correction: **6.98°**
 DF Elevation: **3453**


Vertical Section Calculated Along Azimuth: **359.65°**
 Survey Calculation Method: **Minimum Curvature**

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	90.88	1.39	25.94	91	90.87	0.99	0.99	0.48	1.53
GYRO	2	179.02	1.22	15.10	88	178.99	2.85	2.86	1.19	0.34
GYRO	3	263.62	1.12	14.74	85	263.57	4.52	4.53	1.64	0.12
GYRO	4	359.19	1.16	12.32	96	359.12	6.36	6.38	2.08	0.07
GYRO	5	451.14	1.48	355.97	92	451.05	8.46	8.47	2.20	0.53
GYRO	6	542.86	1.40	354.91	92	542.74	10.75	10.77	2.02	0.09
GYRO	7	635.02	1.29	302.21	92	634.88	12.44	12.44	1.04	1.30
GYRO	8	727.57	1.25	289.81	93	727.40	13.34	13.34	-0.79	0.30
GYRO	9	819.59	1.15	300.24	92	819.40	14.16	14.14	-2.54	0.26
GYRO	10	911.87	0.73	303.67	92	911.67	14.96	14.94	-3.82	0.46
GYRO	11	1003.99	0.21	300.44	92	1003.79	15.37	15.35	-4.46	0.56
GYRO	12	1096.45	0.12	264.07	92	1096.25	15.45	15.42	-4.70	0.14
GYRO	13	1188.32	0.96	147.35	92	1188.11	14.79	14.77	-4.38	1.11
GYRO	14	1280.75	2.04	135.25	92	1280.51	12.96	12.95	-2.81	1.21
GYRO	15	1373.29	1.89	148.45	93	1373.00	10.48	10.47	-0.85	0.51
GYRO	16	1465.86	2.52	155.37	93	1465.50	7.32	7.32	0.80	0.74
GYRO	17	1557.47	3.20	161.37	92	1556.99	3.06	3.07	2.46	0.81
GYRO	18	1652.99	3.28	174.64	96	1652.36	-2.20	-2.18	3.56	0.79
GYRO	19	1748.29	2.70	201.28	95	1747.54	-7.00	-6.98	3.00	1.56
GYRO	20	1843.43	2.81	230.51	95	1842.57	-10.56	-10.55	0.39	1.47
GYRO	21	1875.33	3.07	236.38	32	1874.43	-11.52	-11.52	-0.93	1.25
MWD	22	1939.00	3.47	240.33	64	1938.00	-13.40	-13.42	-4.02	0.72
MWD	23	2090.00	3.25	247.71	151	2088.74	-17.23	-17.31	-11.95	0.32
MWD	24	2185.00	3.16	241.82	95	2183.59	-19.46	-19.57	-16.75	0.36
MWD	25	2280.00	3.34	244.28	95	2278.44	-21.87	-22.00	-21.55	0.24
MWD	26	2376.00	3.65	269.77	96	2374.26	-23.06	-23.23	-27.13	1.64
MWD	27	2471.00	6.90	282.34	95	2468.85	-21.80	-22.02	-35.73	3.61
MWD	28	2567.00	9.58	278.30	96	2563.85	-19.33	-19.64	-49.27	2.85
MWD	29	2662.00	12.04	276.36	95	2657.16	-16.99	-17.40	-66.94	2.62
MWD	30	2758.00	13.19	270.56	96	2750.84	-15.64	-16.18	-87.85	1.78
MWD	31	2853.00	14.64	262.57	95	2843.06	-16.95	-17.63	-110.59	2.53
MWD	32	2948.00	17.10	254.48	95	2934.44	-22.09	-22.92	-135.96	3.48
MWD	33	3044.00	18.64	246.31	96	3025.83	-31.86	-32.86	-163.62	3.06
MWD	34	3139.00	16.44	236.90	95	3116.42	-45.15	-46.31	-188.79	3.77
MWD	35	3234.00	14.95	231.98	95	3207.88	-59.91	-61.20	-209.70	2.10
MWD	36	3329.00	14.90	230.57	95	3299.68	-75.10	-76.50	-228.79	0.39
MWD	37	3425.00	15.03	228.29	96	3392.42	-91.11	-92.62	-247.62	0.63
MWD	38	3520.00	13.71	227.94	95	3484.45	-106.74	-108.36	-265.17	1.39
MWD	39	3615.00	14.07	230.75	95	3576.67	-121.48	-123.21	-282.47	0.80
MWD	40	3711.00	14.64	232.07	96	3669.67	-136.21	-138.05	-301.08	0.68
MWD	41	3806.00	15.16	228.82	95	3761.48	-151.65	-153.61	-319.90	1.04
MWD	42	3901.00	16.00	226.00	95	3852.99	-168.81	-170.88	-338.67	1.19
MWD	43	3996.00	14.59	223.81	95	3944.62	-186.43	-188.61	-356.37	1.60
MWD	44	4091.00	13.45	222.66	95	4036.79	-203.10	-205.37	-372.14	1.24
MWD	45	4186.00	13.05	227.50	95	4129.27	-218.37	-220.75	-387.53	1.24
MWD	46	4281.00	13.93	234.18	95	4221.65	-232.21	-234.69	-404.72	1.88
MWD	47	4377.00	13.14	234.79	96	4314.98	-245.15	-247.74	-423.00	0.84

MWD	48	4472.00	13.05	234.35	95	4407.51	-257.52	-260.22	-440.54	0.14
MWD	49	4567.00	14.81	234.44	95	4499.71	-270.72	-273.53	-459.13	1.85
MWD	50	4662.00	15.12	233.65	95	4591.49	-285.00	-287.94	-478.99	0.39
MWD	51	4758.00	14.11	231.98	96	4684.38	-299.51	-302.56	-498.29	1.14
MWD	52	4853.00	14.42	231.89	95	4776.46	-313.83	-317.00	-516.72	0.33
MWD	53	4948.00	14.37	231.36	95	4868.47	-328.38	-331.66	-535.24	0.15
MWD	54	5044.00	13.85	230.22	96	4961.58	-343.06	-346.45	-553.37	0.61
MWD	55	5139.00	14.37	231.63	95	5053.71	-357.55	-361.04	-571.36	0.66
MWD	56	5235.00	14.37	232.60	96	5146.71	-372.06	-375.67	-590.16	0.25
MWD	57	5330.00	13.80	231.45	95	5238.85	-386.17	-389.89	-608.39	0.67
MWD	58	5426.00	14.07	231.72	96	5332.03	-400.42	-404.26	-626.50	0.29
MWD	59	5520.00	13.58	231.36	94	5423.30	-414.29	-418.23	-644.09	0.53
MWD	60	5615.00	12.31	233.30	95	5515.89	-427.20	-431.25	-660.92	1.41
MWD	61	5711.00	9.58	234.53	96	5610.13	-437.86	-442.00	-675.63	2.85
MWD	62	5806.00	10.02	238.04	95	5703.75	-446.74	-450.96	-689.08	0.78
MWD	63	5902.00	11.21	243.58	96	5798.10	-455.22	-459.53	-704.53	1.63
MWD	64	5997.00	9.63	241.47	95	5891.53	-463.03	-467.44	-719.78	1.71
MWD	65	6091.00	12.18	238.48	94	5983.83	-471.88	-476.38	-735.14	2.78
MWD	66	6186.00	11.30	240.51	95	6076.84	-481.60	-486.20	-751.79	1.02
MWD	67	6281.00	8.84	238.22	95	6170.37	-489.94	-494.63	-766.10	2.62
MWD	68	6377.00	8.35	231.72	96	6265.30	-498.07	-502.83	-777.84	1.13
MWD	69	6472.00	7.21	224.07	95	6359.42	-506.57	-511.39	-787.40	1.62
MWD	70	6568.00	5.54	226.79	96	6454.83	-514.02	-518.89	-794.97	1.77
MWD	71	6663.00	4.75	236.37	95	6549.44	-519.30	-524.21	-801.59	1.23
MWD	72	6759.00	4.31	241.91	96	6645.14	-523.16	-528.11	-808.08	0.65
MWD	73	6854.00	4.00	242.53	95	6739.89	-526.33	-531.32	-814.17	0.33
MWD	74	6949.00	1.71	237.43	95	6834.77	-528.60	-533.61	-818.30	2.42
MWD	75	7044.00	1.49	204.82	95	6929.73	-530.47	-535.49	-820.02	0.97
MWD	76	7120.00	1.10	194.10	76	7005.72	-532.08	-537.10	-820.61	0.60
MWD	77	7186.00	1.05	158.86	66	7071.70	-533.25	-538.28	-820.55	0.99
MWD	78	7281.00	5.36	342.46	95	7166.59	-529.83	-534.85	-821.57	6.75
MWD	79	7377.00	15.60	349.93	96	7260.86	-512.77	-517.82	-825.19	10.74
MWD	80	7472.00	25.58	359.51	95	7349.71	-479.58	-484.65	-827.60	11.05
MWD	81	7568.00	35.87	358.02	96	7432.12	-430.61	-435.68	-828.76	10.75
MWD	82	7663.00	43.87	2.67	95	7504.99	-369.80	-374.87	-828.18	8.98
MWD	83	7758.00	54.46	6.36	95	7567.03	-298.33	-303.35	-822.35	11.52
MWD	84	7854.00	69.76	6.54	96	7611.81	-214.32	-219.29	-812.84	15.94
MWD	85	7949.00	82.81	0.83	95	7634.30	-122.49	-127.43	-807.05	14.92
MWD	86	7976.00	86.15	359.25	27	7636.90	-95.62	-100.56	-807.03	13.67
MWD	87	8071.00	88.88	358.63	95	7641.02	-0.73	-5.67	-808.79	2.95
MWD	88	8167.00	89.41	358.54	96	7642.45	95.24	90.29	-811.16	0.56
MWD	89	8262.00	89.76	358.37	95	7643.14	190.22	185.25	-813.72	0.41
MWD	90	8357.00	91.69	359.07	95	7641.93	285.19	280.21	-815.84	2.16
MWD	91	8453.00	93.45	358.81	96	7637.63	381.09	376.10	-817.62	1.85
MWD	92	8548.00	92.48	358.02	95	7632.72	475.93	470.93	-820.24	1.32
MWD	93	8643.00	91.78	357.84	95	7629.19	570.83	565.80	-823.67	0.76
MWD	94	8738.00	90.46	357.93	95	7627.33	665.76	660.72	-827.17	1.39
MWD	95	8833.00	89.14	358.89	95	7627.66	760.73	755.68	-829.81	1.72
MWD	96	8929.00	88.66	359.25	96	7629.50	856.71	851.65	-831.37	0.62
MWD	97	9024.00	89.05	359.86	95	7631.40	951.69	946.63	-832.11	0.76
MWD	98	9119.00	88.35	0.48	95	7633.56	1046.66	1041.60	-831.82	0.98
MWD	99	9214.00	87.82	1.09	95	7636.73	1141.59	1136.54	-830.52	0.85
MWD	100	9310.00	88.84	0.48	96	7639.53	1237.53	1232.49	-829.21	1.24
MWD	101	9405.00	90.07	0.12	95	7640.43	1332.52	1327.48	-828.71	1.35
MWD	102	9500.00	88.97	0.48	95	7641.23	1427.50	1422.47	-828.21	1.22
MWD	103	9595.00	89.54	359.60	95	7642.46	1522.49	1517.46	-828.15	1.10
MWD	104	9690.00	90.46	359.33	95	7642.46	1617.49	1612.46	-829.03	1.01
MWD	105	9786.00	89.36	359.77	96	7642.61	1713.49	1708.45	-829.79	1.23
MWD	106	9880.00	89.27	0.56	94	7643.74	1807.48	1802.44	-829.52	0.85
MWD	107	9976.00	89.54	0.12	96	7644.74	1903.47	1898.44	-828.95	0.54
MWD	108	10071.00	89.93	0.21	95	7645.17	1998.46	1993.44	-828.67	0.42

MWD	109	10166.00	91.16	0.83	95	7644.27	2093.44	2088.43	-827.81	1.45
MWD	110	10261.00	91.34	0.65	95	7642.20	2188.40	2183.39	-826.59	0.27
MWD	111	10356.00	90.86	359.25	95	7640.37	2283.38	2278.37	-826.67	1.56
MWD	112	10451.00	88.97	358.45	95	7640.52	2378.37	2373.35	-828.58	2.16
MWD	113	10547.00	88.48	358.98	96	7642.65	2474.33	2469.30	-830.73	0.75
MWD	114	10642.00	89.19	359.16	95	7644.58	2569.31	2564.27	-832.27	0.77
MWD	115	10737.00	90.29	358.72	95	7645.01	2664.30	2659.25	-834.03	1.25
MWD	116	10832.00	91.30	358.72	95	7643.70	2759.27	2754.22	-836.15	1.06
MWD	117	10928.00	91.30	359.33	96	7641.52	2855.24	2850.18	-837.78	0.64
MWD	118	11022.00	91.08	0.30	94	7639.57	2949.22	2944.15	-838.09	1.06
MWD	119	11117.00	90.77	0.56	95	7638.03	3044.20	3039.14	-837.37	0.43
MWD	120	11212.00	90.02	1.36	95	7637.38	3139.17	3134.12	-835.78	1.15
MWD	121	11307.00	89.27	1.88	95	7637.97	3234.11	3229.08	-833.10	0.96
MWD	122	11402.00	89.10	1.62	95	7639.32	3329.04	3324.03	-830.19	0.33
MWD	123	11498.00	89.71	0.92	96	7640.31	3424.99	3420.00	-828.07	0.97
MWD	124	11593.00	90.51	1.62	95	7640.13	3519.95	3514.97	-825.96	1.12
MWD	125	11688.00	90.59	1.53	95	7639.22	3614.90	3609.93	-823.35	0.13
MWD	126	11783.00	90.02	359.86	95	7638.71	3709.87	3704.92	-822.20	1.86
MWD	127	11878.00	90.29	359.86	95	7638.46	3804.87	3799.92	-822.43	0.28
MWD	128	11973.00	89.85	0.30	95	7638.34	3899.87	3894.92	-822.30	0.66
MWD	129	12068.00	90.51	0.12	95	7638.04	3994.86	3989.92	-821.95	0.72
MWD	130	12163.00	90.46	358.45	95	7637.24	4089.86	4084.90	-823.13	1.76
MWD	131	12258.00	91.30	357.66	95	7635.78	4184.81	4179.84	-826.36	1.21
MWD	132	12353.00	90.51	358.45	95	7634.28	4279.76	4274.77	-829.58	1.18
MWD	133	12448.00	90.37	359.33	95	7633.55	4374.74	4369.75	-831.42	0.94
MWD	134	12544.00	89.67	358.63	96	7633.52	4470.74	4465.73	-833.13	1.03
MWD	135	12639.00	88.13	358.89	95	7635.34	4565.70	4560.69	-835.19	1.64
MWD	136	12734.00	87.78	358.37	95	7638.73	4660.63	4655.60	-837.46	0.66
MWD	137	12830.00	88.97	358.19	96	7641.45	4756.56	4751.52	-840.34	1.25
MWD	138	12925.00	90.73	358.19	95	7641.70	4851.53	4846.46	-843.34	1.85
MWD	139	13021.00	90.95	358.89	96	7640.29	4947.50	4942.42	-845.78	0.76
MWD	140	13116.00	90.15	359.33	95	7639.38	5042.49	5037.41	-847.26	0.96
MWD	141	13211.00	90.33	359.95	95	7638.98	5137.49	5132.40	-847.86	0.68
MWD	142	13306.00	92.04	359.86	95	7637.02	5232.46	5227.38	-848.01	1.80
MWD	143	13401.00	89.89	0.65	95	7635.42	5327.44	5322.36	-847.59	2.41
MWD	144	13497.00	89.19	359.86	96	7636.19	5423.43	5418.35	-847.16	1.10
MWD	145	13592.00	90.46	359.69	95	7636.48	5518.42	5513.35	-847.54	1.35
MWD	146	13687.00	90.15	359.95	95	7635.97	5613.42	5608.35	-847.83	0.43
MWD	147	13783.00	90.33	359.77	96	7635.57	5709.42	5704.35	-848.07	0.27
MWD	148	13878.00	89.41	0.39	95	7635.79	5804.42	5799.34	-847.94	1.17
MWD	149	13974.00	89.85	0.48	96	7636.41	5900.40	5895.34	-847.21	0.47
MWD	150	14069.00	91.12	0.56	95	7635.60	5995.39	5990.33	-846.35	1.34
MWD	151	14165.00	92.13	359.86	96	7632.88	6091.34	6086.29	-845.99	1.28
MWD	152	14259.00	91.38	0.30	94	7630.00	6185.29	6180.24	-845.86	0.92
MWD	153	14355.00	92.31	0.56	96	7626.91	6281.24	6276.19	-845.14	1.01
MWD	154	14450.00	90.46	359.69	95	7624.62	6376.20	6371.16	-844.94	2.15
MWD	155	14546.00	89.76	359.07	96	7624.43	6472.20	6467.15	-845.97	0.97
MWD	156	14641.00	90.42	359.07	95	7624.28	6567.19	6562.14	-847.52	0.69
MWD	157	14737.00	90.42	358.19	96	7623.58	6663.17	6658.11	-849.81	0.92
MWD	158	14832.00	89.01	357.75	95	7624.05	6758.13	6753.04	-853.18	1.55
MWD	159	14928.00	89.76	357.58	96	7625.08	6854.06	6848.96	-857.09	0.80
MWD	160	15023.00	89.63	358.63	95	7625.59	6949.03	6943.90	-860.23	1.11
MWD	161	15119.00	89.27	359.16	96	7626.51	7045.01	7039.88	-862.08	0.67
MWD	162	15214.00	90.24	358.98	95	7626.91	7140.01	7134.86	-863.62	1.04
MWD	163	15309.00	89.80	359.07	95	7626.88	7235.00	7229.85	-865.24	0.47
MWD	164	15405.00	89.32	359.69	96	7627.62	7331.00	7325.84	-866.28	0.82
MWD	165	15500.00	90.55	359.42	95	7627.73	7425.99	7420.84	-867.01	1.33
MWD	166	15595.00	92.18	358.81	95	7625.46	7520.96	7515.79	-868.48	1.83
MWD	167	15690.00	91.56	358.89	95	7622.36	7615.90	7610.72	-870.39	0.66
MWD	168	15786.00	89.89	359.42	96	7621.15	7711.88	7706.70	-871.80	1.83
MWD	169	15881.00	89.67	358.63	95	7621.51	7806.88	7801.69	-873.42	0.86

MWD	170	15976.00	89.23	358.98	95	7622.43	7901.86	7896.66	-875.40	0.59
MWD	171	16072.00	89.45	359.16	96	7623.53	7997.85	7992.64	-876.96	0.30
MWD	172	16167.00	90.02	358.37	95	7623.97	8092.84	8087.62	-879.01	1.03
MWD	173	16262.00	90.24	358.45	95	7623.75	8187.81	8182.58	-881.64	0.25
MWD	174	16358.00	88.97	358.28	96	7624.42	8283.79	8278.54	-884.38	1.33
MWD	175	16453.00	90.07	357.66	95	7625.21	8378.74	8373.47	-887.75	1.33
MWD	176	16548.00	89.23	358.89	95	7625.79	8473.71	8468.43	-890.61	1.57
MWD	177	16643.00	89.01	358.89	95	7627.25	8568.69	8563.40	-892.45	0.23
MWD	178	16738.00	88.00	359.16	95	7629.73	8663.65	8658.35	-894.06	1.10
MWD	179	16834.00	87.34	0.30	96	7633.63	8759.57	8754.27	-894.51	1.37
MWD	180	16930.00	87.91	1.18	96	7637.61	8855.47	8850.17	-893.28	1.09
MWD	181	17025.00	87.52	359.86	95	7641.40	8950.38	8945.09	-892.41	1.45
MWD	182	17121.00	88.31	0.04	96	7644.89	9046.31	9041.03	-892.50	0.84
MWD	183	17223.00	88.79	0.12	102	7647.47	9148.28	9143.00	-892.35	0.48
MWD	184	17319.00	90.02	0.74	96	7648.47	9244.26	9238.99	-891.63	1.43
MWD	185	17414.00	91.12	0.30	95	7647.53	9339.24	9333.97	-890.77	1.25
MWD	186	17509.00	89.98	359.33	95	7646.61	9434.23	9428.97	-891.08	1.58
MWD	187	17605.00	90.42	359.77	96	7646.28	9530.23	9524.96	-891.83	0.65
MWD	188	17700.00	90.95	359.69	95	7645.14	9625.23	9619.96	-892.28	0.56
MWD	189	17745.00	91.08	359.42	45	7644.35	9670.22	9664.95	-892.63	0.67
PTB	190	17801.00	91.08	359.42	56	7643.29	9726.21	9720.93	-893.20	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM		
								6. Well Number: 151H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat COTTONWOOD DRAW; BONE SPRING			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	16	25S	26E	-	614	SOUTH	1161	WEST	EDDY
BH:	D	9	25S	26E	-	250	NORTH	323	WEST	EDDY
13. Date Spudded 9/21/2022	14. Date T.D. Reached 10/1/2022		15. Date Rig Released 10/3/2022		16. Date Completed (Ready to Produce) 3/3/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3426 GR		
18. Total Measured Depth of Well 17801 ft			19. Plug Back Measured Depth 17717 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 7764 ft to 17654 ft							BONE SPRING			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		494'		17.5"		495 sks		0
9.625"		40		1991'		12.25"		580 sks		0
5.5"		20		17786'		8.75"/7.875"		2125 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 7764 ft to 17654 ft, 1 SPF, .55 inch holes with 351 total shots					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED		
					7764 ft to 17654 ft			27 stage frac with 22,418,312 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 3/14/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 4/8/2023	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 910	Gas - MCF 2001	Water - Bbl. 3326	Gas - Oil Ratio 2199			
Flow Tubing Press.	Casing Pressure 725	Calculated 24-Hour Rate	Oil - Bbl. 910	Gas - MCF 2001	Water - Bbl. 3326	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
			Latitude		Longitude		NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name			Title			Date		
		Jeff Trlica			Regulatory Specialist			4/19/2023		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	433		Quaternary					
433	870		Rustler					
870	1639		Top of Salt					
1639	1841		Base of Salt					
1841	1868		Lamar					
1868	2847		Bell Canyon					
2847	3735		Cherry Canyon					
3735	5403		Brushy Canyon					
5403	5826		Bone Spring					
5826	6297		Avalon					
6297	6856		1st Bone Spring Sand					
6856			2nd Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 209069

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 209069
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 209069

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 209069
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/20/2023