

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 15-53324	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)		⁶ Pool Code 98220
⁷ Property Code 333731	⁸ Property Name COLD SNACK FED COM		⁹ Well Number 234H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L	14	25S	25E	-	1697	SOUTH	315	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	13	25S	25E	-	1614	SOUTH	248	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 11/5/2023	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/27/2023	²² Ready Date 9/12/2023	²³ TD 19179'	²⁴ PBTD 19114'	²⁵ Perforations 9142 ft to 19031 ft	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
17.5"		13.375"		377'	
9.875"		7.625"		8388'	
6.75"		5.5"		19163'	

V. Well Test Data

³¹ Date New Oil 11/5/2023	³² Gas Delivery Date 11/5/2023	³³ Test Date 12/2/2023	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 301	³⁶ Csg. Pressure 905
³⁷ Choke Size 42/64	³⁸ Oil 260	³⁹ Water 3655	⁴⁰ Gas 4736		⁴¹ Test Method Pumping

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name: Jeff Trlica		Approved by: Sarah McGrath	
Title: Regulatory Specialist		Title: Petroleum Specialist- A	
E-mail Address: jtrlica@taprk.com		Approval Date: 01/04/2024	
Date: 12/12/2023	Phone: 720-772-5910	File 3160-4 within 10 days of BLM Approval	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As Drilled

AS-DRILLED PLAT

¹ API Number 30-015-53324	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 333731	⁵ Property Name COLD SNACK FED COM	⁶ Well Number 233H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3451'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	14	25-S	25-E	-	1697'	SOUTH	315'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	13	25-S	25-E	-	1614'	SOUTH	248'	EAST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)

1697' FSL - SEC. 14
315' FWL - SEC. 14
X=528752 Y=410026
LAT.: N 32.1272350
LONG.: W 104.3739888

KICK OFF POINT (KOP)

1632' FSL - SEC. 14
57' FWL - SEC. 14
X=528493 Y=409961
LAT.: N 32.1270546
LONG.: W 104.3748270
MD=8506' TVD=8489'

FIRST TAKE POINT (FTP)

1656' FSL - SEC. 14
342' FWL - SEC. 14
X=528778 Y=409985
LAT.: N 32.1271219
LONG.: W 104.3739061
MD=9132' TVD=8993'

FED PERF. POINT (FPP1)

1679' FSL - SEC. 14
0' FEL - SEC. 14
X=528749 Y=410012
LAT.: N 32.1271991
LONG.: W 104.3578479
MD=14121' TVD=9165'

FED PERF. POINT (FPP2)

1642' FSL - SEC. 13
2652' FWL - SEC. 13
X=536401 Y=410016
LAT.: N 32.1272111
LONG.: W 104.3492795
MD=16776' TVD=9210'

LAST TAKE POINT (LTP)

1618' FSL - SEC. 13
334' FEL - SEC. 13
X=538717 Y=410026
LAT.: N 32.1272406
LONG.: W 104.3417987
MD=19093' TVD=9218'

BOTTOM HOLE LOCATION (BHL)

1614' FSL - SEC. 13
248' FEL - SEC. 13
X=538803 Y=410024
LAT.: N 32.1272347
LONG.: W 104.3415209
MD=19179' TVD=9219'

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.



9/21/2023

Signature

Date

Jeff Trlica

Printed Name

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

03/17/2023


Date of Survey


Signature and Seal of Professional Surveyor



11/16/2023 1:56:44 PM

Certificate Number





NEW MEXICO EAST NAD 1983			
SURFACE LOCATION (SHL)	KICK OFF POINT (KOP)	FIRST TAKE POINT (FTP)	FED PERF. POINT (FPP1)
1697' FSL - SEC. 14	1632' FSL - SEC. 14	1656' FSL - SEC. 14	1679' FSL - SEC. 14
315' FWL - SEC. 14	57' FWL - SEC. 14	342' FWL - SEC. 14	0' FEL - SEC. 14
X=528752 Y=410026	X=528493 Y=409961	X=528778 Y=409985	X=528749 Y=410012
LAT.: N 32.1272350	LAT.: N 32.1270546	LAT.: N 32.1271219	LAT.: N 32.1271991
LONG.: W 104.3739888	LONG.: W 104.3748270	LONG.: W 104.3739061	LONG.: W 104.3578479
	MD=8506' TVD=8489'	MD=9132' TVD=8993'	MD=14121' TVD=9165'
FED PERF. POINT (FPP2)	LAST TAKE POINT (LTP)	BOTTOM HOLE LOCATION (BHL)	
1642' FSL - SEC. 13	1618' FSL - SEC. 13	1642' FSL - SEC. 13	
2652' FWL - SEC. 13	334' FEL - SEC. 13	2652' FWL - SEC. 13	
X=536401 Y=410016	X=538717 Y=410026	X=536401 Y=410016	
LAT.: N 32.1272111	LAT.: N 32.1272406	LAT.: N 32.1272111	
LONG.: W 104.3492795	LONG.: W 104.3417987	LONG.: W 104.3492795	
MD=16776' TVD=9210'	MD=19093' TVD=9218'	MD=16776' TVD=9210'	

LEASE NAME & WELL NO.: COLD SNACK FED COM 233H

SECTION 14 TWP 25-S RGE 25-E SURVEY N.M.P.M.

COUNTY EDDY STATE NM ELEVATION 3451'

DESCRIPTION 1697' FSL & 315' FWL



481 WINSOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



11/16/2023 1:56:45 PM

Ramon A. Dominguez, P.S. No. 24508

COLD SNACK FED COM
233H
AS-DRILLED

REVISION:

CR

11/16/23

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 08/09/2023

FILE:AD_COLD_SNACK_FED_COM_233H_REV2

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Cold Snack Fee #233H ST01
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-53324

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 8,369' MD – 19,097' MD
Projection to Bit: 19,182' MD
Dates Performed: 05/06/2023 – 05/17/2023.
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
 Well Name: Cold Snack Fee #233H ST01
 Job Number: ID3930
 Survey Company: Intrepid Directional Drilling Specialists
 Rig Name: H&P 312

Target KBTVD: 9082.00
 Target Inclination: 89.10°
 Declination Correction: 7.05°
 DF Elevation: 3477

Vertical Section Calculated Along Azimuth:

89.55°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	81.81	1.25	306.92	82	81.80	-0.71	0.54	-0.71	1.53
GYRO	2	164.91	1.93	309.56	83	164.87	-2.50	1.97	-2.52	0.82
GYRO	3	255.21	2.81	307.72	90	255.09	-5.41	4.29	-5.44	0.98
GYRO	4	346.61	3.23	306.62	91	346.37	-9.22	7.20	-9.28	0.46
GYRO	5	438.31	2.66	305.30	92	437.94	-13.01	9.97	-13.09	0.63
GYRO	6	530.51	1.15	315.56	92	530.09	-15.39	11.87	-15.48	1.67
GYRO	7	622.31	0.60	305.48	92	621.88	-16.42	12.81	-16.52	0.62
GYRO	8	715.01	0.57	125.18	93	714.58	-16.44	12.82	-16.54	1.26
GYRO	9	806.51	0.19	167.74	92	806.08	-16.04	12.41	-16.13	0.49
GYRO	10	899.31	0.58	151.14	93	898.87	-15.78	11.85	-15.87	0.43
GYRO	11	991.61	1.69	119.06	92	991.16	-14.37	10.78	-14.46	1.34
GYRO	12	1084.21	2.44	129.79	93	1083.69	-11.68	8.85	-11.75	0.91
GYRO	13	1176.51	2.63	159.83	92	1175.91	-9.47	5.61	-9.51	1.44
GYRO	14	1267.41	2.39	210.59	91	1266.73	-9.74	2.02	-9.76	2.38
GYRO	15	1359.31	3.08	244.54	92	1358.53	-12.97	-0.69	-12.96	1.88
GYRO	16	1452.11	4.19	252.11	93	1451.14	-18.46	-2.80	-18.44	1.30
GYRO	17	1545.91	6.29	255.01	94	1544.55	-26.70	-5.19	-26.66	2.26
GYRO	18	1641.81	7.09	253.27	96	1639.79	-37.47	-8.25	-37.41	0.86
GYRO	19	1737.61	7.19	254.68	96	1734.85	-48.94	-11.54	-48.85	0.21
GYRO	20	1833.61	7.75	255.05	96	1830.04	-61.01	-14.79	-60.90	0.59
GYRO	21	1929.31	8.17	253.52	96	1924.81	-73.80	-18.39	-73.65	0.49
GYRO	22	2025.21	7.16	250.45	96	2019.86	-85.99	-22.32	-85.82	1.14
GYRO	23	2121.31	6.92	251.92	96	2115.23	-97.17	-26.12	-96.97	0.31
GYRO	24	2217.21	8.59	252.00	96	2210.25	-109.50	-30.13	-109.27	1.74
GYRO	25	2313.11	8.16	250.42	96	2305.13	-122.76	-34.62	-122.50	0.51
GYRO	26	2408.91	7.43	249.68	96	2400.04	-135.01	-39.05	-134.71	0.77
GYRO	27	2504.61	7.87	253.03	96	2494.89	-147.11	-43.11	-146.78	0.65
GYRO	28	2600.91	8.56	253.95	96	2590.20	-160.34	-47.02	-159.97	0.73
GYRO	29	2696.71	7.14	251.98	96	2685.10	-172.88	-50.83	-172.49	1.51
GYRO	30	2792.51	7.29	254.49	96	2780.14	-184.43	-54.30	-184.01	0.36
GYRO	31	2888.11	7.37	254.45	96	2874.96	-196.20	-57.56	-195.76	0.08
GYRO	32	2983.71	6.90	257.43	96	2969.82	-207.74	-60.46	-207.27	0.63
GYRO	33	3079.41	6.68	260.26	96	3064.85	-218.85	-62.65	-218.37	0.42
GYRO	34	3174.91	6.30	257.22	96	3159.74	-229.45	-64.75	-228.95	0.54
GYRO	35	3270.61	6.05	253.20	96	3254.88	-239.42	-67.37	-238.90	0.52
GYRO	36	3366.21	4.97	262.30	96	3350.04	-248.36	-69.38	-247.83	1.45
GYRO	37	3462.31	3.01	282.64	96	3445.91	-254.95	-69.38	-254.41	2.49
GYRO	38	3558.11	1.07	284.76	96	3541.65	-258.26	-68.61	-257.73	2.03
GYRO	39	3654.01	0.15	241.25	96	3637.54	-259.24	-68.44	-258.71	1.01
GYRO	40	3749.51	0.09	344.67	96	3733.04	-259.37	-68.43	-258.84	0.20
GYRO	41	3845.01	0.19	18.01	96	3828.54	-259.34	-68.20	-258.81	0.13
GYRO	42	3940.61	0.19	49.60	96	3924.14	-259.17	-67.95	-258.64	0.11
GYRO	43	4036.21	0.11	43.79	96	4019.74	-258.98	-67.78	-258.46	0.09
GYRO	44	4132.21	0.08	306.46	96	4115.74	-258.97	-67.67	-258.45	0.15
GYRO	45	4227.61	0.18	248.61	95	4211.14	-259.16	-67.69	-258.64	0.16
GYRO	46	4323.71	0.66	243.28	96	4307.23	-259.80	-67.99	-259.27	0.50
GYRO	47	4418.91	1.05	248.23	95	4402.42	-261.10	-68.56	-260.57	0.42
GYRO	48	4514.71	0.58	268.19	96	4498.21	-262.41	-68.90	-261.87	0.57
GYRO	49	4610.91	0.85	5.78	96	4594.41	-262.82	-68.21	-262.29	1.13

GYRO	50	4706.21	0.59	345.80	95	4689.70	-262.86	-67.03	-262.34	0.38
GYRO	51	4802.01	0.45	339.46	96	4785.50	-263.10	-66.20	-262.59	0.16
GYRO	52	4898.11	0.27	318.44	96	4881.60	-263.38	-65.68	-262.87	0.23
GYRO	53	4993.41	0.23	271.95	95	4976.89	-263.72	-65.50	-263.21	0.21
GYRO	54	5089.31	0.15	317.79	96	5072.79	-264.00	-65.40	-263.49	0.17
GYRO	55	5185.41	0.22	203.34	96	5168.89	-264.15	-65.48	-263.65	0.33
GYRO	56	5280.81	0.80	284.18	95	5264.29	-264.87	-65.48	-264.37	0.83
GYRO	57	5375.81	0.80	17.06	95	5359.28	-265.31	-64.69	-264.81	1.22
GYRO	58	5471.51	1.54	57.92	96	5454.97	-264.02	-63.37	-263.53	1.12
GYRO	59	5566.81	0.51	64.46	95	5550.25	-262.54	-62.50	-262.06	1.09
GYRO	60	5662.61	1.03	175.75	96	5646.04	-262.10	-63.18	-261.61	1.36
GYRO	61	5758.61	1.11	201.87	96	5742.03	-262.40	-64.90	-261.90	0.51
GYRO	62	5854.91	0.91	233.05	96	5838.31	-263.37	-66.23	-262.85	0.60
GYRO	63	5951.01	0.57	234.64	96	5934.40	-264.37	-66.96	-263.85	0.35
GYRO	64	6047.01	0.31	262.91	96	6030.40	-265.02	-67.27	-264.50	0.35
GYRO	65	6143.21	0.25	44.93	96	6126.60	-265.13	-67.15	-264.61	0.55
GYRO	66	6238.51	0.41	350.40	95	6221.90	-265.04	-66.67	-264.52	0.35
GYRO	67	6334.31	0.28	278.43	96	6317.70	-265.32	-66.30	-264.81	0.44
GYRO	68	6429.61	0.46	238.11	95	6413.00	-265.88	-66.47	-265.36	0.32
GYRO	69	6524.81	0.40	208.55	95	6508.19	-266.37	-66.96	-265.85	0.24
GYRO	70	6621.11	1.56	77.51	96	6604.48	-265.25	-66.97	-264.73	1.92
GYRO	71	6716.81	0.39	216.98	96	6700.17	-264.17	-66.95	-263.65	1.96
GYRO	72	6812.41	1.59	278.41	96	6795.76	-265.68	-67.02	-265.16	1.51
GYRO	73	6908.21	1.33	352.81	96	6891.54	-267.12	-65.72	-266.61	1.86
GYRO	74	7003.51	2.41	47.66	95	6986.79	-265.76	-63.27	-265.27	2.07
GYRO	75	7099.71	1.90	50.48	96	7082.92	-263.02	-60.89	-262.55	0.54
GYRO	76	7196.01	2.25	44.45	96	7179.16	-260.44	-58.53	-259.99	0.43
GYRO	77	7291.51	1.74	48.37	96	7274.60	-258.03	-56.23	-257.59	0.55
GYRO	78	7387.41	0.21	182.10	96	7370.49	-256.94	-55.44	-256.51	1.97
GYRO	79	7482.41	1.48	214.93	95	7465.47	-257.66	-56.62	-257.22	1.38
GYRO	80	7578.71	1.19	224.86	96	7561.75	-259.09	-58.34	-258.64	0.38
GYRO	81	7673.81	0.99	35.99	95	7656.84	-259.30	-58.38	-258.85	2.29
GYRO	82	7769.61	0.50	46.98	96	7752.63	-258.50	-57.42	-258.06	0.53
GYRO	83	7865.71	0.32	38.11	96	7848.73	-258.03	-56.93	-257.59	0.20
GYRO	84	7962.21	1.23	144.03	97	7945.22	-257.26	-57.55	-256.81	1.40
GYRO	85	8058.11	1.60	140.52	96	8041.09	-255.82	-59.42	-255.36	0.40
GYRO	86	8153.21	1.08	144.46	95	8136.17	-254.47	-61.17	-253.99	0.55
GYRO	87	8249.01	0.99	235.23	96	8231.96	-254.63	-62.38	-254.15	1.54
GYRO	88	8337.21	1.51	239.54	88	8320.14	-256.27	-63.40	-255.78	0.60
MWD	89	8369.00	1.88	243.83	32	8351.91	-257.10	-63.85	-256.61	1.23
MWD	90	8388.00	1.80	239.52	19	8370.90	-257.64	-64.14	-257.14	0.84
MWD	91	8410.00	1.76	239.52	22	8392.89	-258.23	-64.48	-257.73	0.18
MWD	92	8506.00	0.70	238.20	96	8488.87	-260.01	-65.54	-259.50	1.10
MWD	93	8601.00	5.98	81.14	95	8583.71	-255.60	-65.08	-255.10	6.98
MWD	94	8665.00	8.57	77.45	64	8647.19	-247.64	-63.53	-247.15	4.11
MWD	95	8697.00	9.58	75.43	32	8678.79	-242.73	-62.34	-242.24	3.31
MWD	96	8792.00	20.26	70.68	95	8770.46	-219.43	-54.89	-219.00	11.31
MWD	97	8888.00	40.13	78.33	96	8853.05	-172.87	-43.01	-172.54	21.04
MWD	98	8983.00	55.38	89.49	95	8916.84	-103.22	-36.42	-102.94	18.21
MWD	99	9078.00	60.04	91.69	95	8967.58	-22.96	-37.29	-22.66	5.28
MWD	100	9174.00	64.04	97.40	96	9012.61	61.44	-44.08	61.79	6.70
MWD	101	9270.00	82.29	98.19	96	9040.29	151.99	-56.52	152.44	19.03
MWD	102	9388.00	94.02	89.40	118	9044.09	269.29	-64.27	269.80	12.41
MWD	103	9483.00	91.38	89.93	95	9039.62	364.17	-63.72	364.68	2.83
MWD	104	9578.00	87.60	88.79	95	9040.46	459.15	-62.66	459.66	4.16
MWD	105	9673.00	88.22	88.52	95	9043.93	554.07	-60.43	554.57	0.71
MWD	106	9769.00	90.68	90.28	96	9044.85	650.06	-59.43	650.54	3.15
MWD	107	9864.00	88.57	91.16	95	9045.47	745.03	-60.62	745.53	2.41
MWD	108	9958.00	86.77	90.90	94	9049.29	838.92	-62.31	839.43	1.93
MWD	109	10051.00	85.32	89.76	93	9055.71	931.68	-62.84	932.20	1.98
MWD	110	10146.00	84.88	88.88	95	9063.82	1026.33	-61.72	1026.85	1.03
MWD	111	10240.00	86.11	90.11	94	9071.20	1120.04	-60.89	1120.55	1.85
MWD	112	10336.00	85.93	90.02	96	9077.87	1215.80	-61.00	1216.32	0.21

MWD	113	10432.00	87.08	89.40	96	9083.72	1311.62	-60.52	1312.14	1.36
MWD	114	10526.00	86.73	88.96	94	9088.80	1405.48	-59.17	1405.99	0.60
MWD	115	10620.00	86.59	88.70	94	9094.27	1499.32	-57.26	1499.81	0.31
MWD	116	10714.00	86.42	88.79	94	9100.00	1593.13	-55.20	1593.61	0.20
MWD	117	10809.00	86.55	88.88	95	9105.83	1687.95	-53.28	1688.42	0.17
MWD	118	10903.00	86.33	88.35	94	9111.66	1781.75	-51.01	1782.21	0.61
MWD	119	10998.00	89.05	88.96	95	9115.49	1876.65	-48.78	1877.09	2.93
MWD	120	11092.00	88.31	89.23	94	9117.66	1970.62	-47.30	1971.06	0.84
MWD	121	11188.00	88.57	89.23	96	9120.27	2066.59	-46.01	2067.01	0.27
MWD	122	11283.00	85.05	88.00	95	9125.56	2161.41	-43.72	2161.82	3.92
MWD	123	11378.00	86.11	88.79	95	9132.88	2256.11	-41.06	2256.50	1.39
MWD	124	11474.00	88.22	88.17	96	9137.63	2351.97	-38.52	2352.34	2.29
MWD	125	11564.00	87.03	87.12	90	9141.36	2441.84	-34.83	2442.19	1.76
MWD	126	11653.00	89.80	89.49	89	9143.82	2530.77	-32.20	2531.10	4.10
MWD	127	11743.00	88.26	90.55	90	9145.34	2620.75	-32.23	2621.08	2.08
MWD	128	11834.00	89.05	90.81	91	9147.48	2711.70	-33.31	2712.05	0.91
MWD	129	11924.00	90.64	90.90	90	9147.72	2801.68	-34.65	2802.04	1.77
MWD	130	12013.00	101.45	91.78	89	9138.36	2890.01	-36.71	2890.38	12.19
MWD	131	12103.00	96.09	91.43	90	9124.64	2978.87	-39.20	2979.27	5.97
MWD	132	12193.00	92.57	89.76	90	9117.85	3068.58	-40.13	3068.99	4.33
MWD	133	12283.00	91.91	89.93	90	9114.33	3158.51	-39.88	3158.92	0.76
MWD	134	12373.00	87.74	90.11	90	9114.61	3248.48	-39.92	3248.90	4.64
MWD	135	12462.00	90.81	91.51	89	9115.73	3337.44	-41.17	3337.87	3.79
MWD	136	12552.00	90.29	90.81	90	9114.87	3427.40	-43.00	3427.84	0.97
MWD	137	12647.00	84.26	90.02	95	9119.38	3522.24	-43.68	3522.69	6.40
MWD	138	12742.00	85.63	89.84	95	9127.75	3616.86	-43.57	3617.32	1.45
MWD	139	12837.00	86.02	90.37	95	9134.67	3711.61	-43.74	3712.06	0.69
MWD	140	12931.00	87.47	89.67	94	9140.01	3805.45	-43.77	3805.91	1.71
MWD	141	13026.00	91.38	90.11	95	9140.96	3900.42	-43.59	3900.89	4.14
MWD	142	13121.00	87.82	90.02	95	9141.62	3995.40	-43.70	3995.87	3.75
MWD	143	13215.00	84.44	88.96	94	9147.97	4089.17	-42.87	4089.64	3.77
MWD	144	13310.00	88.97	89.32	95	9153.43	4183.99	-41.44	4184.44	4.78
MWD	145	13406.00	83.60	88.44	96	9159.65	4279.74	-39.57	4280.19	5.67
MWD	146	13493.00	89.36	91.34	87	9164.99	4366.53	-39.41	4366.98	7.41
MWD	147	13524.00	88.40	88.44	31	9165.59	4397.52	-39.36	4397.97	9.85
MWD	148	13554.00	89.10	88.44	30	9166.25	4427.51	-38.54	4427.95	2.33
MWD	149	13586.00	90.24	88.35	32	9166.43	4459.50	-37.64	4459.94	3.57
MWD	150	13680.00	90.86	86.59	94	9165.53	4553.43	-33.49	4553.84	1.99
MWD	151	13774.00	88.75	85.71	94	9165.85	4647.26	-27.18	4647.62	2.43
MWD	152	13866.00	88.57	86.42	92	9168.00	4739.06	-20.87	4739.37	0.80
MWD	153	13960.00	90.20	89.58	94	9169.01	4833.01	-17.59	4833.30	3.78
MWD	154	14055.00	92.70	88.88	95	9166.60	4927.97	-16.32	4928.25	2.73
MWD	155	14151.00	90.68	88.17	96	9163.77	5023.91	-13.85	5024.17	2.23
MWD	156	14255.00	91.03	88.00	104	9162.22	5127.86	-10.37	5128.10	0.37
MWD	157	14349.00	88.92	88.09	94	9162.26	5221.82	-7.16	5222.04	2.25
MWD	158	14443.00	93.41	91.34	94	9160.35	5315.77	-6.69	5315.98	5.90
MWD	159	14537.00	88.53	91.69	94	9158.76	5409.67	-9.18	5409.91	5.20
MWD	160	14632.00	87.03	91.07	95	9162.44	5504.55	-11.47	5504.81	1.71
MWD	161	14726.00	86.90	90.11	94	9167.42	5598.40	-12.43	5598.67	1.03
MWD	162	14821.00	86.15	89.32	95	9173.18	5693.22	-11.96	5693.49	1.15
MWD	163	14915.00	87.96	90.28	94	9178.01	5787.09	-11.63	5787.36	2.18
MWD	164	15009.00	88.48	90.72	94	9180.93	5881.03	-12.45	5881.31	0.72
MWD	165	15105.00	88.53	90.72	96	9183.43	5976.98	-13.66	5977.27	0.05
MWD	166	15199.00	88.92	91.07	94	9185.52	6070.93	-15.13	6071.24	0.56
MWD	167	15294.00	88.31	90.90	95	9187.82	6165.87	-16.76	6166.19	0.67
MWD	168	15388.00	87.69	91.16	94	9191.10	6259.78	-18.45	6260.12	0.72
MWD	169	15483.00	88.40	90.72	95	9194.34	6354.70	-20.01	6355.05	0.88
MWD	170	15578.00	89.76	90.28	95	9195.86	6449.67	-20.83	6450.03	1.50
MWD	171	15672.00	95.25	90.11	94	9191.76	6543.54	-21.15	6543.91	5.84
MWD	172	15767.00	93.54	90.11	95	9184.48	6638.25	-21.34	6638.62	1.80
MWD	173	15862.00	93.54	89.76	95	9178.61	6733.07	-21.23	6733.44	0.37
MWD	174	15957.00	89.67	89.84	95	9175.95	6828.01	-20.90	6828.39	4.07
MWD	175	16050.00	89.27	89.32	93	9176.81	6921.01	-20.22	6921.38	0.71

MWD	176	16145.00	88.75	90.19	95	9178.45	7015.99	-19.81	7016.36	1.07
MWD	177	16238.00	87.08	89.05	93	9181.84	7108.92	-19.19	7109.29	2.17
MWD	178	16333.00	88.97	89.76	95	9185.11	7203.86	-18.21	7204.23	2.13
MWD	179	16427.00	87.82	89.76	94	9187.74	7297.82	-17.81	7298.19	1.22
MWD	180	16522.00	85.45	88.88	95	9193.32	7392.65	-16.69	7393.01	2.66
MWD	181	16615.00	86.24	88.52	93	9200.06	7485.40	-14.59	7485.74	0.93
MWD	182	16709.00	85.49	88.26	94	9206.84	7579.13	-11.95	7579.46	0.84
MWD	183	16804.00	90.07	89.67	95	9210.51	7674.03	-10.24	7674.35	5.04
MWD	184	16898.00	92.48	90.81	94	9208.42	7767.99	-10.63	7768.31	2.84
MWD	185	16992.00	89.89	88.52	94	9206.48	7861.95	-10.08	7862.28	3.68
MWD	186	17087.00	91.87	89.58	95	9205.02	7956.93	-8.51	7957.25	2.36
MWD	187	17181.00	87.12	87.29	94	9205.85	8050.88	-5.94	8051.17	5.61
MWD	188	17276.00	88.75	88.09	95	9209.27	8145.76	-2.12	8146.03	1.91
MWD	189	17371.00	90.51	89.05	95	9209.89	8240.74	0.26	8241.00	2.11
MWD	190	17466.00	95.34	90.55	95	9205.04	8335.59	0.59	8335.84	5.32
MWD	191	17562.00	92.35	88.61	96	9198.60	8431.36	1.29	8431.61	3.71
MWD	192	17656.00	90.11	88.44	94	9196.58	8525.31	3.71	8525.55	2.39
MWD	193	17751.00	88.22	88.88	95	9197.97	8620.29	5.93	8620.51	2.04
MWD	194	17846.00	87.60	88.61	95	9201.43	8715.21	8.01	8715.42	0.71
MWD	195	17941.00	90.20	89.40	95	9203.26	8810.18	9.66	8810.38	2.86
MWD	196	18036.00	90.20	89.76	95	9202.92	8905.18	10.36	8905.38	0.38
MWD	197	18129.00	88.09	90.02	93	9204.31	8998.17	10.54	8998.36	2.29
MWD	198	18224.00	85.89	90.81	95	9209.30	9093.02	9.85	9093.22	2.46
MWD	199	18318.00	87.21	91.51	94	9214.96	9186.81	7.95	9187.03	1.59
MWD	200	18411.00	88.75	90.28	93	9218.24	9279.72	6.50	9279.95	2.12
MWD	201	18506.00	89.67	90.28	95	9219.54	9374.70	6.04	9374.94	0.97
MWD	202	18600.00	89.71	90.37	94	9220.05	9468.69	5.50	9468.94	0.10
MWD	203	18694.00	89.89	90.37	94	9220.38	9562.68	4.90	9562.94	0.19
MWD	204	18789.00	89.54	90.19	95	9220.85	9657.67	4.43	9657.93	0.41
MWD	205	18884.00	88.62	89.76	95	9222.38	9752.66	4.47	9752.92	1.07
MWD	206	18978.00	93.58	91.86	94	9220.58	9846.58	3.15	9846.86	5.73
MWD	207	19097.00	89.32	91.43	119	9217.56	9965.44	-0.27	9965.75	3.60
PTB	208	19182.00	89.32	91.43	85	9218.57	10050.38	-2.39	10050.71	0.00

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / NWSW / 32.127735 / -104.3739888	County or Parish/State: EDDY / NM
Well Number: 233H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553324	Well Status: Producing Gas Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2761467

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 11/14/2023

Time Sundry Submitted: 10:00

Date Operation Actually Began: 08/10/2023

Actual Procedure: 8/6/2023: Pressure test casing to 5000 psi for 30 minutes, good test. 8/10/2023 to 9/2/2023: Perforate from 9142 ft to 19031 ft, 1 SPF, .55 inch holes with 572 total shots. 44 stage frac with 25,425,213 lbs of 100 mesh sand. 9/10/2023 to 9/11/2023: Drill out plugs Plug Back Measured depth at 19114 ft MD, 9218 ft TVD. 9/12/2023: Ready to produce

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / NWSW / 32.127735 / -104.3739888	County or Parish/State: EDDY / NM
Well Number: 233H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553324	Well Status: Producing Gas Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: NOV 14, 2023 10:00 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 12/14/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-53324										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name COLD SNACK FED COM										
								6. Well Number: 233H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	L	14	25S	25E	-	1697	SOUTH	315	WEST	EDDY								
BH:	I	13	25S	25E	-	1614	SOUTH	248	EAST	EDDY								
13. Date Spudded 3/27/2023	14. Date T.D. Reached 5/17/2023		15. Date Rig Released 5/24/2023			16. Date Completed (Ready to Produce) 9/12/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3451 GR										
18. Total Measured Depth of Well 19179 ft			19. Plug Back Measured Depth 19114 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 9142 ft to 19031 ft							WOLFCAMP											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		377'		17.5"		485 sks		0								
7.625"		29.7		8388'		9.875"		1350 sks		0								
5.5"		20		19163'		6.75"		930 sks		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
					2.875	8733	8709											
26. Perforation record (interval, size, and number) Perforate from 9142 ft to 19031 ft, 1 SPF, .55 inch holes with 572 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>9142 ft to 19031 ft</td> <td>44 stage frac with 25,425,213 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	9142 ft to 19031 ft	44 stage frac with 25,425,213 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
9142 ft to 19031 ft	44 stage frac with 25,425,213 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 11/5/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Producing												
Date of Test 12/2/2023	Hours Tested 24 hrs	Choke Size 42/64	Prod'n For Test Period	Oil - Bbl 260	Gas - MCF 4736	Water - Bbl. 3655	Gas - Oil Ratio 18215											
Flow Tubing Press. 301	Casing Pressure 905	Calculated 24-Hour Rate	Oil - Bbl. 260	Gas - MCF 4736	Water - Bbl. 3655	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments C-102, Directional Survey																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature 			Printed Name Jeff Trlica			Title Regulatory Specialist			Date 12/12/2023									
E-mail Address jtrlica@taprock.com																		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	

OIL OR GAS
SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	25		Quaternary				
25	460		Rustler				
460	1263		Top of Salt				
1263	1595		Base of Salt				
1595	1613		Lamar				
1613	2387		Bell Canyon				
2387	3273		Cherry Canyon				
3273	5003		Brushy Canyon				
5003	5436		Bone Spring				
5436	5842		Avalon				
5842	6439		1st Bone Spring Sand				
6439	7663		2nd Bone Spring Sand				
7663	8014		3rd Bone Spring Sand				
8014			Wolfcamp				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 299778

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 299778
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 299778

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 299778
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	On future C-102s, please correct the orientation of the spacing unit so that north is facing up, towards the top of the page.	1/4/2024
smcgrath	File 3160-4 within 10 days of BLM Approval.	1/4/2024