



Test Report


Start Date: Wed Sep 21 2022 23:24:56 GMT+0000 (Coordinated Universal Time) End Date: Sat Sep 24 2022 19:43:32 GMT+0000 (Coordinated Universal Time) Device: VB100-0044 Well Licensee: NMOC D Well Name: DOUBLE L QUEEN 002Q UWI: 30-005-20334 Well License Number: 30-005-20334 Surface Location: PRIVATE Bottom Hole Location: UNK	Test Operator: DMF Authorized By: NMOC D Test Reason: PRE PLUG Scope Of Work: 12-Hour AFE Number: NMOC D038AA/APWS22.001 GPS: 33.04698,-103.96996 Notes: GTG Prepared By: Curtis Shuck, QMS
---	--

Flow / Pressure Test


Flow Duration 67 hrs 41 minutes Duration	Average Flowrate 0.0025 m3/d	Average Pressure 3.7189 kPag	Average Flow Temperature 26.7687 °C	Average CH4 Mass 0.00 g/hr
--	------------------------------------	------------------------------------	---	-------------------------------

Methane Calculation: 717 grams CH4 per cubic meter (717 g/m³ x 0.0025 m³/day = 1.79 g/day total /24 = 0.07 g/hour x 0.00289 (methane concentration) = **0.00 g/hour CH4**). **Methane, gas** weighs 0.000717 *gram per cubic centimeter* or 0.717 *kilgram per cubic meter*, i.e. density of *methane, gas* is equal to 0.717 kg/m³; at 0°C (32°F or 273.15K) at standard atmospheric pressure. In imperial or US customary measurement system, the density is equal to 0.0448 *pound per cubic foot* [lb/ft³], or 0.0004144 *ounce per cubic inch* [oz/inch³].


Flow / Pressure / Temperature Timeseries



#	Date	Note
1	2022-09-24	CES: Rig down VB100-044 and secure site.
2	2022-09-21	CES: Arrived at location. Collect gas sample. Photos. Rig up VB100-044 for flow test.







www.permianils.com
575.397.3713 2909 W Marland Hobbs NM 88240

C6+ Gas Analysis Report

14983G

Double L Queen #2Q Pre Plug

Double L Queen #2Q

Sample Point Code

Sample Point Name

Sample Point Location

Laboratory Services

2022058305

Tedlar Bag

Curtis - Spot

Source Laboratory

Lab File No

Container Identity

Sampler

USA

USA

USA

New Mexico

District

Area Name

Field Name

Facility Name

Sep 21, 2022 17:05

Sep 21, 2022 17:05

Sep 26, 2022 12:03

Sep 26, 2022

Date Sampled

Date Effective

Date Received

Date Reported

Ambient Temp (°F)

Flow Rate (Mcf)

Luis

Press PSI @ Temp °F
Source Conditions

Well Done Foundation

NG

Operator

Lab Source Description

Component	Normalized Mol %	Un-Normalized Mol %	GPM
H2S (H2S)	0.0000	0	
Nitrogen (N2)	97.7980	97.79661	
CO2 (CO2)	0.0790	0.07895	
Methane (C1)	0.2890	0.28941	
Ethane (C2)	0.3470	0.34724	0.0930
Propane (C3)	0.5420	0.54231	0.1490
I-Butane (IC4)	0.1350	0.13509	0.0440
N-Butane (NC4)	0.2160	0.21589	0.0680
I-Pentane (IC5)	0.1120	0.11205	0.0410
N-Pentane (NC5)	0.0790	0.0792	0.0290
Hexanes Plus (C6+)	0.4030	0.40325	0.1750
TOTAL	100.0000	100.0000	0.5990

Gross Heating Values (Real, BTU/ft³)

14.696 PSI @ 60.00 Å°F 14.73 PSI @ 60.00 Å°F

Dry Saturated Dry Saturated

62.7 62.4 62.8 62.5

Calculated Total Sample Properties

GPA2145-16 *Calculated at Contract Conditions

Relative Density Real Relative Density Ideal

0.9854 0.9854

Molecular Weight

28.5384

C6+ Group Properties

Assumed Composition

C6 - 60.000% C7 - 30.000% C8 - 10.000%

Field H2S

.2 PPM

PROTREND STATUS:

Passed By Validator on Sep 28, 2022

DATA SOURCE:

Imported

PASSED BY VALIDATOR REASON:

Close enough to be considered reasonable.

VALIDATOR:

Luis Cano

VALIDATOR COMMENTS:

OK

Analyzer Information

Device Type: Gas Chromatograph Device Make: Shimadzu

Device Model: GC-2014 Last Cal Date: Aug 14, 2022

Source	Date	Notes
Luis Cano	Sep 28, 2022 3:49 pm	Methane= 2,890 PPM

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

	Atmospheric conditions and temperature °F	RealFeel °F	Atmospheric pressure inHg	Wind speed mph	Humidity
Night	+73°	+73°	26.5	▲ S 6.9	50%
Morning	+66°	+66°	26.5	▲ S 6	71%
Day	+90°	+90°	26.5	▲ S 8.5	28%
Evening	+90°	+90°	26.5	▲ S 10.3	27%

	Atmospheric conditions and temperature °F	RealFeel °F	Atmospheric pressure inHg	Wind speed mph	Humidity
Night	+72°	+72°	26.5	▲ S 5.8	44%
Morning	+64°	+64°	26.5	▲ NE 4.5	69%
Day	+82°	+82°	26.6	► W 8.1	26%
Evening	+84°	+84°	26.5	▲ S 12.5	28%

	Atmospheric conditions and temperature °F	RealFeel °F	Atmospheric pressure inHg	Wind speed mph	Humidity
Night	+68°	+68°	26.5	▲ S 6	36%
Morning	+61°	+61°	26.5	▼ SE 5.8	60%
Day	+88°	+88°	26.5	▲ S 10.1	24%
Evening	+86°	+86°	26.5	▲ S 9.2	24%

	Atmospheric conditions and temperature °F	RealFeel °F	Atmospheric pressure inHg	Wind speed mph	Humidity
Night	+70°	+70°	26.4	► SE 4.3	32%
Morning	+61°	+61°	26.4	▼ N 2.5	49%
Day	+91°	+91°	26.5	▲ NW 6.5	19%
Evening	+86°	+86°	26.4	▲ NE 7.6	22%



www.permianls.com
575.397.3713 2609 W Marland Hobbs NM 88240

C6+ Gas Analysis Report

14983G	Double L Queen #2Q Pre Plug		Double L Queen #2Q
Sample Point Code	Sample Point Name		Sample Point Location
Laboratory Services	2022058305	Tedlar Bag	Curtis - Spot
Source Laboratory	Lab File No	Container Identity	Sampler
USA	USA	USA	New Mexico
District	Area Name	Field Name	Facility Name
Sep 21, 2022 17:05	Sep 21, 2022 17:05	Sep 26, 2022 12:03	Sep 26, 2022
Date Sampled	Date Effective	Date Received	Date Reported
Luis			
Ambient Temp (°F)	Flow Rate (Mcf)	Analyst	Press PSI @ Temp °F Source Conditions
Well Done Foundation			NG
Operator			Lab Source Description

Component	Normalized Mol %	Un-Normalized Mol %	GPM
H2S (H2S)	0.0000	0	
Nitrogen (N2)	97.7980	97.79661	
CO2 (CO2)	0.0790	0.07895	
Methane (C1)	0.2890	0.28941	
Ethane (C2)	0.3470	0.34724	0.0930
Propane (C3)	0.5420	0.54231	0.1490
I-Butane (IC4)	0.1350	0.13509	0.0440
N-Butane (NC4)	0.2160	0.21589	0.0680
I-Pentane (IC5)	0.1120	0.11205	0.0410
N-Pentane (NC5)	0.0790	0.0792	0.0290
Hexanes Plus (C6+)	0.4030	0.40325	0.1750
TOTAL	100.0000	100.0000	0.5990

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

Analyzer Information			
Device Type:	Gas Chromatograph	Device Make:	Shimadzu
Device Model:	GC-2014	Last Cal Date:	Aug 14, 2022

Gross Heating Values (Real, BTU/ft³)			
14.696 PSI @ 60.00 Å°F		14.73 PSI @ 60.00 Å°F	
Dry	Saturated	Dry	Saturated
62.7	62.4	62.8	62.5

Calculated Total Sample Properties	
GPA2145-16 *Calculated at Contract Conditions	
Relative Density Real	Relative Density Ideal
0.9854	0.9854
Molecular Weight	
28.5384	

C6+ Group Properties		
Assumed Composition		
C6 - 60.000%	C7 - 30.000%	C8 - 10.000%

Field H2S
.2 PPM

PROTREND STATUS: Passed By Validator on Sep 28, 2022
DATA SOURCE: Imported

PASSED BY VALIDATOR REASON:
Close enough to be considered reasonable.

VALIDATOR:
Luis Cano
VALIDATOR COMMENTS:
OK

Source	Date	Notes
Luis Cano	Sep 28, 2022 3:49 pm	Methane= 2,890 PPM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 300524

DEFINITIONS

Operator: CANYON E & P COMPANY 251 O'Connor Ridge Blvd. Irving, TX 75038	OGRID: 269864
	Action Number: 300524
	Action Type: [UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA)

DEFINITIONS

The Orphan Well Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted plugging and reclamation activities. Specifically, these forms are used for orphan wells or associated facilities which are in a "Reclamation Fund Approved" status. This status represents wells or facilities where the OCD has acquired a hearing order allowing the OCD to perform plugging or reclamation on wells and associated facilities that no longer have a viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 300524

QUESTIONS

Operator: CANYON E & P COMPANY 251 O'Connor Ridge Blvd. Irving, TX 75038	OGRID: 269864
	Action Number: 300524
	Action Type: [UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA)

QUESTIONS

Prerequisites	
[OGRID] Well Operator	[269864] CANYON E & P COMPANY
[API] Well Name and Number	[30-005-20334] DOUBLE L QUEEN UNIT #002Q
Well Status	Plugged (not released)

Monitoring Event Information	
Please answer all the questions in this group.	
Reason For Filing	Pre-Plug Methane Monitoring
Date of monitoring	09/21/2022
Latitude	33.04698
Longitude	-103.96996

Monitoring Event Details	
Please answer all the questions in this group.	
Flow rate in cubic meters per day (m³/day)	0.00
Test duration in hours (hr)	67.8
Average flow temperature in degrees Celsius (°C)	26.7
Average gauge flow pressure in kilopascals (kPag)	3.7
Methane concentration in part per million (ppm)	2,890
Methane emission rate in grams per hour (g/hr)	0.00
Testing Method	Steady State

Monitoring Contractor	
Please answer all the questions in this group.	
Name of monitoring contractor	Well Done New Mexico LLC