

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 15-53323	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)		⁶ Pool Code 98220
⁷ Property Code 333731	⁸ Property Name COLD SNACK FED COM		⁹ Well Number 232H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
E	14	25S	25E	-	1534	NORTH	420	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	13	25S	25E	-	2229	NORTH	254	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code P		¹⁴ Gas Connection Date 11/3/2023		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/5/2023	²² Ready Date 9/13/2023	²³ TD 19047'	²⁴ PBTD 18982'	²⁵ Perforations 9019 ft to 18070 ft	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17.5"		13.375"	278'		471 sks
9.875"		7.625"	8274'		1345 sks
6.75"		5.5"	19033'		905 sks

V. Well Test Data

³¹ Date New Oil 11/3/2023	³² Gas Delivery Date 11/3/2023	³³ Test Date 12/2/2023	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 297	³⁶ Csg. Pressure 710
³⁷ Choke Size 46/64	³⁸ Oil 110	³⁹ Water 1857	⁴⁰ Gas 1877		⁴¹ Test Method Pumping

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name: Jeff Trlica		Approved by: Sarah McGrath	
Title: Regulatory Specialist		Title: Petroleum Specialist - A	
E-mail Address: jtrlica@taprk.com		Approval Date: 01/09/2024	
Date: 12/12/2023		Phone: 720-772-5910	
File 3160-4 within 10 days of BLM Approval.			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As Drilled

AS-DRILLED PLAT


¹ API Number 30-015-53323		² Pool Code 98220		³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)		
⁴ Property Code 333731		⁵ Property Name COLD SNACK FED COM			⁶ Well Number 232H	
⁷ OGRID No. 372043		⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3462'	

¹⁰ Surface Location									
UL or lot no. E	Section 14	Township 25-S	Range 25-E	Lot Idn -	Feet from the 1534'	North/South line NORTH	Feet from the 420'	East/West line WEST	County EDDY

¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. H	Section 13	Township 25-S	Range 25-E	Lot Idn -	Feet from the 2229'	North/South line NORTH	Feet from the 254'	East/West line EAST	County EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.




¹⁷ OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore</i>  1/9/2024 Signature Jeff Trlica Date 1/9/2024 Printed Name jtrlica@taprk.com E-mail Address	
¹⁸ SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.</i> 03/17/2023 Date of Survey Signature and Seal of Professional Surveyor  1/9/2024 9:22:39 AM Certificate Number NEW MEXICO EAST NAD 1927	
	

SCALE: 1" = 2000'

0' 1000' 2000'

SECTION 14, TOWNSHIP 25-S, RANGE 25-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)	KICK OFF POINT (KOP)	FIRST TAKE POINT (FTP)	LAST TAKE POINT (LTP)	BOTTOM HOLE LOCATION (BHL)
1534' FNL - SEC. 14	2291' FNL - SEC. 14	2241' FNL - SEC. 14	2233' FNL - SEC. 13	2229' FNL - SEC. 13
420' FWL - SEC. 14	33' FWL - SEC. 14	340' FWL - SEC. 14	342' FEL - SEC. 13	254' FEL - SEC. 13
X=528838 Y=412078	X=528457 Y=411321	X=528763 Y=411371	X=538696 Y=411441	X=538783 Y=411446
LAT.: N 32.1328754	LAT.: N 32.1307941	LAT.: N 32.1309311	LAT.: N 32.1311287	LAT.: N 32.1311426
LONG.: W 104.3737146	LONG.: W 104.3749439	LONG.: W 104.3739549	LONG.: W 104.3418670	LONG.: W 104.3415842
	MD=8348 TVD=8273'	MD=9009 TVD=8816'	MD=18960' TVD=9075'	MD=19047' TVD=9074'

LEASE NAME & WELL NO.: COLD SNACK FED COM 232H

SECTION 14 TWP 25-S RGE 25-E SURVEY N.M.P.M.

COUNTY EDDY STATE NM ELEVATION 3462'

DESCRIPTION 1534' FNL & 420' FWL



481 WINSOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



1/9/2024 9:22:39 AM

Ramon A. Dominguez, P.S. No. 24508

COLD SNACK FED COM
232H
AS-DRILLED

REVISION:

IMU 01/08/2024

DATE: 09/18/2023

FILE:AD_COLD_SNACK_FED_COM_232H_REV1

DRAWN BY: LS

SHEET: 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Total Directional
"Driven by TOTAL performance"

MWD Survey Certification

Eddy County, New Mexico

Client: Taprock Resources

Well Name: Cold Snack 232H

Total Job No: SW-230292

API No: 30-015-53323

Start Date: 03-05-2023

End Date: 05-01-2023

Measured Start Depth: 0 feet

Measured End Depth: 19,050 feet

Survey Correction Company Used: N/A

I, Tony Macas, certify that; I am contracted by Total Directional Services, LLC and I conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 05/01/2023

Signed:

Tony Macas

Tap Rock Resources, LLC

Eddy County, NM (NAD 83 NME)

Cold Snack Fed Com N/2 Pad

COLD SNACK FED COM 232H

Wellbore #1

Design: Wellbore #1

Standard Survey Report

02 May, 2023

Survey Report

Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well COLD SNACK FED COM 232H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3462' + KB 26' @ 3488.00usft
Site:	Cold Snack Fed Com N/2 Pad	MD Reference:	GE 3462' + KB 26' @ 3488.00usft
Well:	COLD SNACK FED COM 232H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Cold Snack Fed Com N/2 Pad			
Site Position:		Northing:	412,103.00 usft	Latitude:	32.1329436
From:	Map	Easting:	528,863.00 usft	Longitude:	-104.3736334
Position Uncertainty:		0.00 usft	Slot Radius:	13-3/16 "	

Well		COLD SNACK FED COM 232H				
Well Position	+N/-S	0.00 usft	Northing:	412,078.00 usft	Latitude:	32.1328749
	+E/-W	0.00 usft	Easting:	528,838.00 usft	Longitude:	-104.3737142
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,462.00 usft
Grid Convergence:		-0.02 °				

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2023	2/15/2023	7.02	59.60	47,364.40000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	89.65	

Survey Program	Date	5/2/2023			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
77.96	8,145.70	Survey #1 (Wellbore #1)	NS-GYRO-MS	North sensing gyrocompassing m/s	
8,212.00	19,050.00	Survey #2 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
77.96	0.37	193.88	77.96	-0.24	-0.06	-0.06	0.47	0.47	0.00	
164.14	2.30	202.07	164.11	-2.12	-0.78	-0.79	2.24	2.24	9.50	
258.87	2.23	185.62	258.77	-5.71	-1.67	-1.71	0.69	-0.07	-17.37	
351.37	2.14	165.18	351.20	-9.17	-1.41	-1.46	0.84	-0.10	-22.10	
443.57	2.03	164.79	443.34	-12.41	-0.54	-0.61	0.12	-0.12	-0.42	
535.32	0.28	169.27	535.07	-14.20	-0.07	-0.16	1.91	-1.91	4.88	
625.96	0.09	31.60	625.71	-14.36	0.01	-0.08	0.39	-0.21	-151.89	
718.01	0.19	29.90	717.76	-14.17	0.12	0.04	0.11	0.11	-1.85	

Survey Report

Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well COLD SNACK FED COM 232H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3462' + KB 26' @ 3488.00usft
Site:	Cold Snack Fed Com N/2 Pad	MD Reference:	GE 3462' + KB 26' @ 3488.00usft
Well:	COLD SNACK FED COM 232H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
810.91	0.18	356.65	810.66	-13.89	0.19	0.11	0.11	-0.01	-35.79
903.26	0.25	325.44	903.01	-13.58	0.07	-0.01	0.14	0.08	-33.80
995.09	0.32	337.99	994.84	-13.17	-0.14	-0.22	0.10	0.08	13.67
1,087.21	0.70	238.65	1,086.95	-13.23	-0.72	-0.80	0.89	0.41	-107.84
1,185.22	2.23	219.18	1,184.93	-15.02	-2.43	-2.53	1.62	1.56	-19.87
1,279.66	3.92	215.84	1,279.23	-19.06	-5.49	-5.60	1.80	1.79	-3.54
1,373.77	4.34	217.03	1,373.10	-24.51	-9.51	-9.66	0.46	0.45	1.26
1,468.00	4.19	220.79	1,467.07	-29.96	-13.91	-14.09	0.34	-0.16	3.99
1,561.68	5.44	218.66	1,560.41	-36.02	-18.92	-19.14	1.35	1.33	-2.27
1,654.08	6.05	216.38	1,652.35	-43.36	-24.54	-24.81	0.70	0.66	-2.47
1,748.40	7.77	208.30	1,745.98	-52.98	-30.52	-30.84	2.09	1.82	-8.57
1,841.47	9.88	206.06	1,837.95	-65.69	-37.01	-37.41	2.30	2.27	-2.41
1,935.90	12.09	208.17	1,930.64	-81.69	-45.24	-45.73	2.38	2.34	2.23
2,030.16	12.23	207.14	2,022.79	-99.27	-54.45	-55.05	0.27	0.15	-1.09
2,123.81	12.10	206.57	2,114.33	-116.88	-63.36	-64.08	0.19	-0.14	-0.61
2,218.89	12.18	205.38	2,207.29	-134.86	-72.12	-72.94	0.28	0.08	-1.25
2,313.81	10.66	204.02	2,300.32	-151.92	-79.99	-80.91	1.63	-1.60	-1.43
2,407.69	10.95	204.38	2,392.54	-167.97	-87.20	-88.23	0.32	0.31	0.38
2,501.68	11.65	205.11	2,484.71	-184.70	-94.91	-96.04	0.76	0.74	0.78
2,594.71	12.36	205.70	2,575.70	-202.18	-103.22	-104.45	0.77	0.76	0.63
2,689.44	12.23	206.86	2,668.26	-220.26	-112.15	-113.49	0.29	-0.14	1.22
2,783.42	11.01	210.24	2,760.31	-236.90	-121.17	-122.61	1.49	-1.30	3.60
2,876.73	10.78	209.70	2,851.94	-252.17	-129.98	-131.51	0.27	-0.25	-0.58
2,970.83	10.74	209.74	2,944.39	-267.43	-138.69	-140.32	0.04	-0.04	0.04
3,064.56	10.63	209.43	3,036.49	-282.54	-147.27	-148.99	0.13	-0.12	-0.33
3,158.75	10.78	208.76	3,129.04	-297.83	-155.77	-157.59	0.21	0.16	-0.71
3,253.49	10.97	207.72	3,222.08	-313.58	-164.23	-166.14	0.29	0.20	-1.10
3,346.62	10.83	208.49	3,313.53	-329.11	-172.52	-174.53	0.22	-0.15	0.83
3,438.67	10.38	206.81	3,404.01	-344.12	-180.39	-182.49	0.59	-0.49	-1.83
3,533.33	10.65	207.11	3,497.08	-359.51	-188.22	-190.41	0.29	0.29	0.32
3,626.64	12.18	206.49	3,588.54	-376.00	-196.54	-198.84	1.64	1.64	-0.66
3,720.47	12.54	207.37	3,680.20	-393.90	-205.64	-208.04	0.43	0.38	0.94
3,813.19	12.52	207.63	3,770.71	-411.75	-214.93	-217.44	0.06	-0.02	0.28
3,907.49	12.52	207.81	3,862.76	-429.84	-224.44	-227.06	0.04	0.00	0.19
4,000.79	12.30	207.85	3,953.88	-447.57	-233.80	-236.53	0.24	-0.24	0.04
4,093.89	12.64	208.28	4,044.79	-465.31	-243.26	-246.09	0.38	0.37	0.46
4,188.05	12.80	208.80	4,136.64	-483.53	-253.16	-256.11	0.21	0.17	0.55
4,282.30	12.99	208.06	4,228.51	-502.02	-263.18	-266.24	0.27	0.20	-0.79
4,376.82	12.01	203.46	4,320.79	-520.42	-272.09	-275.26	1.48	-1.04	-4.87
4,470.42	12.03	204.25	4,412.34	-538.25	-279.97	-283.25	0.18	0.02	0.84
4,565.22	12.32	203.77	4,505.01	-556.51	-288.11	-291.50	0.32	0.31	-0.51
4,658.09	10.15	198.60	4,596.09	-573.33	-294.71	-298.21	2.57	-2.34	-5.57
4,753.31	10.31	197.75	4,689.80	-589.40	-299.98	-303.58	0.23	0.17	-0.89

Survey Report

Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well COLD SNACK FED COM 232H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3462' + KB 26' @ 3488.00usft
Site:	Cold Snack Fed Com N/2 Pad	MD Reference:	GE 3462' + KB 26' @ 3488.00usft
Well:	COLD SNACK FED COM 232H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4,847.43	10.46	198.11	4,782.38	-605.54	-305.21	-308.90	0.17	0.16	0.38	
4,941.78	10.57	199.55	4,875.14	-621.84	-310.76	-314.56	0.30	0.12	1.53	
5,035.18	10.65	199.52	4,966.95	-638.05	-316.52	-320.41	0.09	0.09	-0.03	
5,129.65	8.39	196.26	5,060.11	-652.89	-321.36	-325.34	2.46	-2.39	-3.45	
5,223.72	8.11	192.19	5,153.21	-665.97	-324.69	-328.75	0.69	-0.30	-4.33	
5,317.27	7.35	188.66	5,245.91	-678.33	-326.98	-331.12	0.96	-0.81	-3.77	
5,412.24	6.62	187.89	5,340.17	-689.76	-328.65	-332.85	0.77	-0.77	-0.81	
5,506.04	6.12	191.02	5,433.39	-700.02	-330.34	-334.61	0.65	-0.53	3.34	
5,600.29	5.72	192.59	5,527.14	-709.54	-332.33	-336.66	0.46	-0.42	1.67	
5,693.98	5.16	193.04	5,620.41	-718.20	-334.30	-338.68	0.60	-0.60	0.48	
5,786.31	4.41	192.44	5,712.42	-725.71	-336.00	-340.42	0.81	-0.81	-0.65	
5,879.48	2.95	193.63	5,805.39	-731.54	-337.33	-341.80	1.57	-1.57	1.28	
5,974.94	2.03	195.37	5,900.76	-735.56	-338.36	-342.85	0.97	-0.96	1.82	
6,068.29	1.70	198.63	5,994.06	-738.46	-339.24	-343.75	0.37	-0.35	3.49	
6,163.32	1.39	238.38	6,089.06	-740.40	-340.67	-345.19	1.15	-0.33	41.83	
6,258.24	1.13	240.89	6,183.95	-741.46	-342.47	-346.99	0.28	-0.27	2.64	
6,352.73	1.00	235.85	6,278.43	-742.38	-343.97	-348.50	0.17	-0.14	-5.33	
6,446.60	1.09	234.61	6,372.28	-743.36	-345.37	-349.91	0.10	0.10	-1.32	
6,540.34	1.40	237.61	6,466.00	-744.49	-347.07	-351.61	0.34	0.33	3.20	
6,634.41	1.53	249.68	6,560.04	-745.54	-349.22	-353.76	0.36	0.14	12.83	
6,729.52	1.74	273.44	6,655.11	-745.89	-351.85	-356.40	0.74	0.22	24.98	
6,823.60	0.65	285.57	6,749.17	-745.66	-353.79	-358.34	1.18	-1.16	12.89	
6,918.29	0.89	256.45	6,843.85	-745.69	-355.02	-359.57	0.48	0.25	-30.75	
7,013.22	1.00	238.49	6,938.77	-746.30	-356.44	-361.00	0.33	0.12	-18.92	
7,107.59	1.10	248.36	7,033.12	-747.06	-357.99	-362.54	0.22	0.11	10.46	
7,202.13	2.13	272.41	7,127.63	-747.32	-360.59	-365.14	1.28	1.09	25.44	
7,295.84	2.57	284.55	7,221.26	-746.72	-364.36	-368.91	0.71	0.47	12.95	
7,390.54	2.60	290.57	7,315.86	-745.43	-368.43	-372.97	0.29	0.03	6.36	
7,484.24	0.52	255.76	7,409.52	-744.79	-370.83	-375.37	2.34	-2.22	-37.15	
7,579.18	0.73	222.11	7,504.46	-745.35	-371.65	-376.20	0.44	0.22	-35.44	
7,673.34	1.01	224.16	7,598.61	-746.39	-372.63	-377.18	0.30	0.30	2.18	
7,767.54	1.12	222.80	7,692.79	-747.66	-373.84	-378.40	0.12	0.12	-1.44	
7,862.24	1.09	221.37	7,787.47	-749.01	-375.06	-379.63	0.04	-0.03	-1.51	
7,956.85	1.10	216.52	7,882.07	-750.42	-376.19	-380.77	0.10	0.01	-5.13	
8,051.50	1.19	212.43	7,976.70	-751.98	-377.26	-381.85	0.13	0.10	-4.32	
8,145.70	1.15	210.24	8,070.88	-753.62	-378.26	-382.86	0.06	-0.04	-2.32	
Tie In to Gyro - 8145.70' MD										
8,212.00	1.14	214.81	8,137.16	-754.74	-378.97	-383.58	0.14	-0.02	6.89	
8,265.00	1.23	217.36	8,190.15	-755.62	-379.62	-384.23	0.20	0.17	4.81	
8,348.00	1.27	222.64	8,273.13	-757.01	-380.78	-385.40	0.15	0.05	6.36	
8,442.00	7.16	64.26	8,366.92	-755.22	-376.21	-380.81	8.89	6.27	-168.49	
8,536.00	14.90	75.33	8,459.12	-749.61	-359.21	-363.78	8.50	8.23	11.78	
8,630.00	24.31	78.06	8,547.58	-742.53	-328.52	-333.05	10.06	10.01	2.90	
8,677.00	28.79	76.91	8,589.61	-737.96	-308.02	-312.52	9.59	9.53	-2.45	

Survey Report

Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well COLD SNACK FED COM 232H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3462' + KB 26' @ 3488.00usft
Site:	Cold Snack Fed Com N/2 Pad	MD Reference:	GE 3462' + KB 26' @ 3488.00usft
Well:	COLD SNACK FED COM 232H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,701.00	30.59	75.07	8,610.46	-735.08	-296.49	-300.97	8.41	7.50	-7.67
8,724.00	32.66	77.09	8,630.04	-732.19	-284.78	-289.25	10.11	9.00	8.78
8,819.00	43.60	79.11	8,704.66	-720.23	-227.45	-231.85	11.59	11.52	2.13
8,913.00	52.66	85.70	8,767.37	-711.28	-158.18	-162.52	10.95	9.64	7.01
8,966.21	60.45	87.35	8,796.67	-708.63	-113.90	-118.22	14.87	14.64	3.11
FTP - Cold Snack Fed Com 232H									
8,999.52	65.34	88.26	8,811.85	-707.50	-84.27	-88.59	14.87	14.67	2.72
FTP - 8999.52' MD(330' FWL, 402' FSL)									
9,006.00	66.29	88.43	8,814.50	-707.33	-78.36	-82.68	14.87	14.68	2.59
9,100.00	83.65	90.10	8,838.79	-706.22	12.06	7.75	18.55	18.47	1.78
9,195.00	90.20	91.15	8,843.88	-707.26	106.87	102.54	6.98	6.89	1.11
9,288.00	92.70	91.24	8,841.53	-709.20	199.81	195.47	2.69	2.69	0.10
9,318.00	92.79	91.94	8,840.09	-710.03	229.76	225.42	2.35	0.30	2.33
9,413.00	90.86	91.06	8,837.07	-712.51	324.68	320.32	2.23	-2.03	-0.93
9,506.00	89.58	91.68	8,836.71	-714.74	417.65	413.27	1.53	-1.38	0.67
9,601.00	88.79	90.54	8,838.06	-716.58	512.62	508.23	1.46	-0.83	-1.20
9,695.00	84.31	90.18	8,843.72	-717.17	606.42	602.03	4.78	-4.77	-0.38
9,789.00	84.00	89.66	8,853.29	-717.04	699.93	695.54	0.64	-0.33	-0.55
9,884.00	86.46	90.36	8,861.19	-717.05	794.60	790.20	2.69	2.59	0.74
9,978.00	87.91	90.62	8,865.80	-717.86	888.48	884.07	1.57	1.54	0.28
10,073.00	88.53	91.50	8,868.76	-719.61	983.41	979.00	1.13	0.65	0.93
10,167.00	88.92	90.36	8,870.85	-721.14	1,077.38	1,072.95	1.28	0.41	-1.21
10,261.00	90.11	88.16	8,871.64	-719.92	1,171.36	1,166.94	2.66	1.27	-2.34
10,355.00	94.11	88.51	8,868.18	-717.20	1,265.23	1,260.83	4.27	4.26	0.37
10,450.00	90.86	86.84	8,864.06	-713.34	1,360.05	1,355.67	3.85	-3.42	-1.76
10,545.00	89.54	86.05	8,863.73	-707.45	1,454.86	1,450.52	1.62	-1.39	-0.83
10,640.00	85.54	86.23	8,867.81	-701.07	1,549.54	1,545.23	4.21	-4.21	0.19
10,734.00	88.62	89.22	8,872.60	-697.34	1,643.32	1,639.03	4.56	3.28	3.18
10,829.00	85.19	89.31	8,877.73	-696.13	1,738.16	1,733.88	3.61	-3.61	0.09
10,924.00	85.01	90.45	8,885.84	-695.93	1,832.81	1,828.53	1.21	-0.19	1.20
11,019.00	90.11	90.10	8,889.88	-696.38	1,927.70	1,923.41	5.38	5.37	-0.37
11,113.00	90.73	89.22	8,889.20	-695.83	2,021.69	2,017.40	1.15	0.66	-0.94
11,207.00	92.26	87.90	8,886.74	-693.46	2,115.62	2,111.35	2.15	1.63	-1.40
11,302.00	85.45	88.95	8,888.64	-690.85	2,210.51	2,206.25	7.25	-7.17	1.11
11,395.00	82.86	87.55	8,898.11	-688.03	2,302.97	2,298.73	3.16	-2.78	-1.51
11,490.00	88.26	90.01	8,905.46	-686.02	2,397.63	2,393.39	6.24	5.68	2.59
11,583.00	87.96	86.23	8,908.53	-682.98	2,490.51	2,486.29	4.08	-0.32	-4.06
11,677.00	88.13	82.80	8,911.74	-674.00	2,584.01	2,579.84	3.65	0.18	-3.65
11,774.00	92.22	86.32	8,911.44	-664.80	2,680.54	2,676.43	5.56	4.22	3.63
11,868.00	96.09	94.14	8,904.62	-665.16	2,774.20	2,770.08	9.26	4.12	8.32
11,963.00	94.11	94.14	8,896.18	-671.99	2,868.57	2,864.41	2.08	-2.08	0.00
12,057.00	91.30	93.70	8,891.74	-678.41	2,962.24	2,958.04	3.03	-2.99	-0.47
12,152.00	85.01	90.10	8,894.80	-681.56	3,057.07	3,052.85	7.63	-6.62	-3.79

Survey Report

Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well COLD SNACK FED COM 232H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3462' + KB 26' @ 3488.00usft
Site:	Cold Snack Fed Com N/2 Pad	MD Reference:	GE 3462' + KB 26' @ 3488.00usft
Well:	COLD SNACK FED COM 232H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
12,246.00	86.64	89.75	8,901.64	-681.44	3,150.82	3,146.60	1.77	1.73	-0.37	
12,341.00	87.96	92.12	8,906.12	-682.99	3,245.69	3,241.46	2.85	1.39	2.49	
12,435.00	87.12	93.70	8,910.16	-687.76	3,339.48	3,335.22	1.90	-0.89	1.68	
12,527.00	84.92	90.45	8,916.54	-691.08	3,431.18	3,426.89	4.26	-2.39	-3.53	
12,621.00	85.58	89.57	8,924.33	-691.10	3,524.85	3,520.57	1.17	0.70	-0.94	
12,715.00	86.55	88.87	8,930.78	-689.82	3,618.62	3,614.34	1.27	1.03	-0.74	
12,808.00	90.15	89.22	8,933.45	-688.27	3,711.56	3,707.28	3.89	3.87	0.38	
12,902.00	88.57	89.22	8,934.50	-686.99	3,805.54	3,801.27	1.68	-1.68	0.00	
12,996.00	86.99	88.95	8,938.15	-685.49	3,899.45	3,895.19	1.71	-1.68	-0.29	
13,090.00	86.55	89.04	8,943.44	-683.85	3,993.29	3,989.04	0.48	-0.47	0.10	
13,184.00	89.76	89.57	8,946.47	-682.71	4,087.22	4,082.97	3.46	3.41	0.56	
13,279.00	87.87	89.22	8,948.43	-681.71	4,182.19	4,177.95	2.02	-1.99	-0.37	
13,374.00	86.15	87.99	8,953.39	-679.40	4,277.03	4,272.80	2.22	-1.81	-1.29	
13,467.00	89.23	87.99	8,957.14	-676.14	4,369.88	4,365.67	3.31	3.31	0.00	
13,561.00	91.21	87.90	8,956.77	-672.77	4,463.82	4,459.63	2.11	2.11	-0.10	
13,655.00	86.11	90.62	8,958.97	-671.55	4,557.74	4,553.56	6.15	-5.43	2.89	
13,749.00	85.54	90.45	8,965.82	-672.43	4,651.49	4,647.30	0.63	-0.61	-0.18	
13,844.00	88.57	90.54	8,970.70	-673.25	4,746.35	4,742.15	3.19	3.19	0.09	
13,938.00	88.70	90.10	8,972.94	-673.77	4,840.32	4,836.12	0.49	0.14	-0.47	
14,032.00	87.56	88.95	8,976.00	-672.99	4,934.27	4,930.06	1.72	-1.21	-1.22	
14,127.00	91.03	89.31	8,977.17	-671.55	5,029.23	5,025.04	3.67	3.65	0.38	
14,222.00	90.29	88.69	8,976.08	-669.89	5,124.21	5,120.02	1.02	-0.78	-0.65	
14,316.00	90.59	89.31	8,975.36	-668.25	5,218.19	5,214.01	0.73	0.32	0.66	
14,411.00	88.44	89.48	8,976.16	-667.25	5,313.18	5,309.00	2.27	-2.26	0.18	
14,505.00	87.21	90.45	8,979.73	-667.19	5,407.11	5,402.93	1.67	-1.31	1.03	
14,601.00	86.33	89.39	8,985.14	-667.06	5,502.95	5,498.78	1.43	-0.92	-1.10	
14,694.00	84.75	88.69	8,992.37	-665.51	5,595.66	5,591.49	1.86	-1.70	-0.75	
14,789.00	89.45	89.83	8,997.17	-664.28	5,690.50	5,686.33	5.09	4.95	1.20	
14,881.00	88.26	89.31	8,999.01	-663.59	5,782.47	5,778.31	1.41	-1.29	-0.57	
14,975.00	89.14	87.90	9,001.14	-661.31	5,876.42	5,872.27	1.77	0.94	-1.50	
15,068.00	89.63	89.92	9,002.14	-659.54	5,969.39	5,965.25	2.23	0.53	2.17	
15,163.00	88.53	88.51	9,003.67	-658.24	6,064.37	6,060.23	1.88	-1.16	-1.48	
15,257.00	90.59	91.24	9,004.39	-658.03	6,158.35	6,154.22	3.64	2.19	2.90	
15,352.00	87.12	90.54	9,006.29	-659.51	6,253.30	6,249.16	3.73	-3.65	-0.74	
15,446.00	88.84	91.15	9,009.60	-660.89	6,347.23	6,343.08	1.94	1.83	0.65	
15,541.00	88.84	90.89	9,011.52	-662.58	6,442.20	6,438.03	0.27	0.00	-0.27	
15,635.00	88.04	92.03	9,014.08	-664.98	6,536.13	6,531.95	1.48	-0.85	1.21	
15,730.00	89.27	93.00	9,016.31	-669.14	6,631.01	6,626.80	1.65	1.29	1.02	
15,824.00	87.38	95.02	9,019.06	-675.71	6,724.73	6,720.48	2.94	-2.01	2.15	
15,918.00	87.69	92.73	9,023.10	-682.06	6,818.42	6,814.13	2.46	0.33	-2.44	
16,011.00	90.29	88.43	9,024.74	-683.00	6,911.37	6,907.07	5.40	2.80	-4.62	
16,106.00	90.24	89.31	9,024.31	-681.13	7,006.35	7,002.06	0.93	-0.05	0.93	
16,200.00	88.00	90.62	9,025.75	-681.07	7,100.33	7,096.04	2.76	-2.38	1.39	
16,294.00	90.86	91.68	9,026.68	-682.95	7,194.30	7,189.99	3.24	3.04	1.13	

Survey Report

Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well COLD SNACK FED COM 232H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3462' + KB 26' @ 3488.00usft
Site:	Cold Snack Fed Com N/2 Pad	MD Reference:	GE 3462' + KB 26' @ 3488.00usft
Well:	COLD SNACK FED COM 232H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
16,387.00	90.99	92.29	9,025.18	-686.18	7,287.23	7,282.90	0.67	0.14	0.66
16,485.00	86.42	89.57	9,027.40	-687.77	7,385.16	7,380.82	5.43	-4.66	-2.78
16,580.00	86.07	88.95	9,033.62	-686.54	7,479.94	7,475.61	0.75	-0.37	-0.65
16,675.00	86.46	88.95	9,039.81	-684.81	7,574.73	7,570.40	0.41	0.41	0.00
16,766.00	86.15	88.60	9,045.67	-682.86	7,665.52	7,661.20	0.51	-0.34	-0.38
16,860.00	86.33	88.43	9,051.84	-680.43	7,759.28	7,754.98	0.26	0.19	-0.18
16,954.00	86.46	88.51	9,057.75	-677.93	7,853.06	7,848.78	0.16	0.14	0.09
17,048.00	88.13	87.55	9,062.18	-674.70	7,946.90	7,942.63	2.05	1.78	-1.02
17,142.00	88.75	86.58	9,064.74	-669.89	8,040.74	8,036.50	1.22	0.66	-1.03
17,236.00	90.37	87.20	9,065.46	-664.79	8,134.59	8,130.38	1.85	1.72	0.66
17,329.00	90.73	87.11	9,064.57	-660.17	8,227.48	8,223.29	0.40	0.39	-0.10
17,424.00	91.16	88.51	9,063.00	-656.54	8,322.39	8,318.22	1.54	0.45	1.47
17,518.00	91.65	91.15	9,060.70	-656.27	8,416.35	8,412.19	2.86	0.52	2.81
17,612.00	86.64	92.29	9,062.10	-659.08	8,510.27	8,506.08	5.47	-5.33	1.21
17,707.00	90.77	91.94	9,064.25	-662.59	8,605.16	8,600.95	4.36	4.35	-0.37
17,802.00	88.48	91.68	9,064.87	-665.59	8,700.10	8,695.87	2.43	-2.41	-0.27
17,896.00	89.85	92.47	9,066.24	-668.99	8,794.03	8,789.78	1.68	1.46	0.84
17,990.00	89.36	93.00	9,066.89	-673.48	8,887.92	8,883.64	0.77	-0.52	0.56
18,085.00	88.53	93.17	9,068.64	-678.59	8,982.76	8,978.45	0.89	-0.87	0.18
18,180.00	88.35	91.94	9,071.22	-682.82	9,077.63	9,073.29	1.31	-0.19	-1.29
18,274.00	89.76	89.13	9,072.77	-683.70	9,171.60	9,167.26	3.34	1.50	-2.99
18,369.00	89.36	87.46	9,073.50	-680.87	9,266.56	9,262.22	1.81	-0.42	-1.76
18,463.00	87.69	85.09	9,075.92	-674.77	9,360.32	9,356.02	3.08	-1.78	-2.52
18,558.00	89.67	84.65	9,078.11	-666.28	9,454.91	9,450.66	2.14	2.08	-0.46
18,652.00	89.98	83.68	9,078.40	-656.72	9,548.42	9,544.23	1.08	0.33	-1.03
18,747.00	91.03	87.02	9,077.56	-649.02	9,643.09	9,638.94	3.69	1.11	3.52
18,842.00	90.37	87.02	9,076.40	-644.08	9,737.95	9,733.83	0.69	-0.69	0.00
18,936.00	90.64	86.93	9,075.57	-639.12	9,831.81	9,827.73	0.30	0.29	-0.10
18,972.72	90.64	86.73	9,075.16	-637.09	9,868.47	9,864.40	0.54	0.00	-0.54
LTP - Cold Snack Fed Com 232H									
18,973.99	90.64	86.72	9,075.15	-637.02	9,869.74	9,865.67	0.54	0.00	-0.54
LTP - 18973.99' MD(330' FEL, 399' FSL)									
18,984.00	90.64	86.67	9,075.04	-636.44	9,879.74	9,875.66	0.54	0.00	-0.54
Last Survey - 18984.00' MD									
19,050.00	90.64	86.67	9,074.30	-632.61	9,945.62	9,941.57	0.00	0.00	0.00
PTB - 19050.00' MD(254' FEL, 402' FSL) - BHL - Cold Snack Fed Com 232H - Plat - BHL - Cold Snack Fed Com 232H									

Survey Report

Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well COLD SNACK FED COM 232H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3462' + KB 26' @ 3488.00usft
Site:	Cold Snack Fed Com N/2 Pad	MD Reference:	GE 3462' + KB 26' @ 3488.00usft
Well:	COLD SNACK FED COM 232H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
8,145.70	8,070.88	-753.62	-378.26	Tie In to Gyro - 8145.70' MD	
8,999.52	8,811.85	-707.50	-84.27	FTP - 8999.52' MD(330' FWL, 402' FSL)	
18,973.99	9,075.15	-637.02	9,869.74	LTP - 18973.99' MD(330' FEL, 399' FSL)	
18,984.00	9,075.04	-636.44	9,879.74	Last Survey - 18984.00' MD	
19,050.00	9,074.30	-632.61	9,945.62	PTB - 19050.00' MD(254' FEL, 402' FSL)	

Checked By: _____

Approved By: _____

Date: _____

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / SWNW / 32.1328754 / -104.3737146	County or Parish/State: EDDY / NM
Well Number: 232H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553323	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2756885

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 10/18/2023	Time Sundry Submitted: 07:36
Date Operation Actually Began: 07/13/2023	

Actual Procedure: 7/13/2023: Pressure test casing to 5000 psi for 30 minutes, good test. 7/19/2023 to 8/9/2023: Perforate from 9019 ft to 18070 ft, 1 SPF, .55 inch holes with 546 total shots. 42 stage frac with 25,412,072 lbs of 100 mesh sand. 9/11/2023 to 9/12/2023: Drill out plugs Plug Back Measured depth at 18982 ft MD, 9076 ft TVD 9/13/2023: Ready to produce

Well Name: COLD SNACK FED COM	Well Location: T25S / R25E / SEC 14 / SWNW / 32.1328754 / -104.3737146	County or Parish/State: EDDY / NM
Well Number: 232H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM28169	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553323	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA

Signed on: OCT 18, 2023 07:36 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDENState: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 10/18/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-53323										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name		
								COLD SNACK FED COM		
								6. Well Number:		
								232H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator							9. OGRID			
TAP ROCK OPERATING, LLC							372043			
10. Address of Operator							11. Pool name or Wildcat			
523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							PURPLE SAGE; WOLFCAMP (GAS)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	E	14	25S	25E	-	1534	NORTH	420	WEST	EDDY
BH:	H	13	25S	25E	-	2229	NORTH	254	EAST	EDDY
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released			16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		
3/5/2023	5/1/2023		5/4/2023			9/13/2023		3462 GR		
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
19047 ft			18982 ft			YES		GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name							WOLFCAMP			
9019 ft to 18070 ft										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		278'		17.5"		471 sks		0
7.625"		29.7		8274'		9.875"		1345 sks		0
5.5"		20		19033'		6.75"		905 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2.875	8547	8523			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
Perforate from 9019 ft to 18070 ft, 1 SPF, .55 inch holes with 546 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						9019 ft to 18070 ft		42 stage frac with 25,412,072 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
11/3/2023		Gas Lift				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
12/2/2023	24 hrs	46/64		110	1877	1857	17064			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
297	710		110	1877	1857					
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Title		Regulatory Specialist		Date		
		Jeff Trlica						12/12/2023		
E-mail Address jtrlica@tapr										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	

OIL OR GAS
SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	26		Quaternary					
26	461		Rustler					
461	1264		Top of Salt					
1264	1490		Base of Salt					
1490	1508		Lamar					
1508	2282		Bell Canyon					
2282	3320		Cherry Canyon					
3320	5040		Brushy Canyon					
5040	5452		Bone Spring					
5452	5872		Avalon					
5872	6437		1st Bone Spring Sand					
6437	7685		2nd Bone Spring Sand					
7685	8017		3rd Bone Spring Sand					
8017			Wolfcamp					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 301542

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 301542
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 301542

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 301542
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval.	1/9/2024